

# User Guide: fn\_pa\_panorama\_v1.0.0

## Table of Contents

---

- [Key Features](#)
  - [Function - Panorama Create Address](#)
  - [Function - Panorama Edit Address Group](#)
  - [Function - Panorama Edit Users in a Group](#)
  - [Function - Panorama Get Address Groups](#)
  - [Function - Panorama Get Addresses](#)
  - [Function - Panorama Get Users in a Group](#)
  - [Rules](#)
- ////////////////////////////////////

## Key Features

---

- Add and remove IP addresses from groups in Panorama
  - Add and remove URLs from groups in Panorama
  - Add and remove users from groups in Panorama
- ////////////////////////////////////

## Function - Panorama Create Address

---

Creates a new address object in Panorama.

Name *	Panorama Create Address
API Name * ⓘ	panorama_create_address
Message Destination *	Palo Alto Panorama ▼
Description	Creates a new address object in Panorama.

## Inputs

panorama_location	x
panorama_vsys	x
panorama_name_parameter	x
panorama_request_body	x

► Inputs:

► Outputs:

► Example Pre-Process Script:

## Function - Panorama Edit Address Group

Edits an address group in Panorama.

Name *	<input type="text" value="Panorama Edit Address Group"/>
API Name * ⓘ	<input type="text" value="panorama_edit_address_group"/>
Message Destination *	<div>Palo Alto Panorama ▾</div>
Description	<div>Edits an address group in Panorama.</div>

### Inputs

panorama\_location

panorama\_vsys

panorama\_name\_parameter

panorama\_request\_body

- ▶ Inputs:
- ▶ Outputs:
- ▶ Example Pre-Process Script:



## Function - Panorama Edit Users in a Group

Edits users in a group in Panorama.

Name *	<input type="text" value="Panorama Edit Users in a Group"/>
API Name * ⓘ	<input type="text" value="panorama_edit_users_in_a_group"/>
Message Destination *	<input type="text" value="Palo Alto Panorama"/>
Description	<div>Edits users in a group in Panorama.</div>

### Inputs

panorama\_user\_group\_xpath

panorama\_user\_group\_xml

- ▶ Inputs:
- ▶ Outputs:
- ▶ Example Pre-Process Script:



## Function - Panorama Get Address Groups

List address groups in Panorama.

Name *	<input type="text" value="Panorama Get Address Groups"/>
API Name * ⓘ	<input type="text" value="panorama_get_address_groups"/>
Message Destination *	<div>Palo Alto Panorama ▼</div>
Description	<div>List address groups in Panorama.</div>

Inputs

panorama\_location

panorama\_vsys

panorama\_name\_parameter

- ▶ Inputs:
- ▶ Outputs:
- ▶ Example Pre-Process Script:



# Function - Panorama Get Addresses

List addresses in Panorama.

Name *	<input type="text" value="Panorama Get Addresses"/>
API Name * ⓘ	<input type="text" value="panorama_get_addresses"/>
Message Destination *	<div>Palo Alto Panorama ▼</div>
Description	<div>List addresses in Panorama.</div>

### Inputs

panorama\_location

panorama\_vsys

- ▶ Inputs:
- ▶ Outputs:
- ▶ Example Pre-Process Script:



## Function - Panorama Get Users in a Group

Lists users part of a group in Panorama.

Name \*

API Name \* ⓘ

Message Destination \*

Description

Panorama Get Users in a Group

panorama\_get\_users\_in\_a\_group

Palo Alto Panorama

Lists users part of a group in Panorama.

Inputs

panorama\_user\_group\_xpath

- ▶ Inputs:
- ▶ Outputs:
- ▶ Example Pre-Process Script:



Rules

Rule Name	Object	Workflow Triggered
Example: Panorama Block DNS Name	artifact	example_panorama_block_dns_name
Example: Panorama Block IP Address	artifact	example_panorama_block_ip_address
Example: Panorama Block User	artifact	example_panorama_block_user
Example: Panorama Unblock DNS Name	artifact	example_panorama_unblock_dns_name
Example: Panorama Unblock IP Address	artifact	example_panorama_unblock_ip_address
Example: Panorama Unblock User	artifact	example_panorama_unblock_user



