Corner Cat House Assembly Instructions

Thank you for purchasing our corner cat House. Please read these instructions thoroughly before starting assembly. Lay out all parts on a soft flat surface to avoid scratching the panels, and verify every component against the parts list. Keep small hardware away from children and pets, and do not over-tighten screws to prevent damaging the wood boards.


1. Parts List

Table 1 Panel & Components

Mark	Qty	Description
①	1	Top Upper Panel
②	1	Middle-Bottom Panel
③	1	Bottom Base Panel
④	1	Left Side Wood Panel
⑤	1	Center Rear Wood Panel
⑥	1	Right Side Wood Panel
⑦	1	Left Inner Inclined Shelf
⑧	1	Right Inner Inclined Shelf
⑨	1	Paw-print Decor Plate
⑩	1	Front Door Outer Frame
⑪	1	Front Glass Door
⑫	1	Left-Side Glass Door Unit
⑬	1	Right-Side Glass Door Unit
⑭	3	Cat Resting Platforms
⑮	3	Square Connecting Buckles

Table 2 Hardware & Accessories

Mark	Qty	Description
A	8	Screw M6×25
B	12	Screw M6×30
C	32	Wood Screw 6.3×40
D	15	Small Wood Screw 3.5×14
E	4	Small Wood Screw 3.5×18
F	1	Latch Mount Bracket
G	2 sets	Door Latch with Matching Screws
H	1	Hinge Connection Bracket
I	4	Adjustable Leveling Feet
J	4	L-shaped Reinforcing Bracket
K	2	Cam Bolt
L	2	Cam Lock Nut (12×15)
M	1	M4 Hex Allen Wrench
N	1	Cam Connecting Rod
O	6	Large Wood Screw 5×60






Figure 1 Overview of all panels and hardware

2. Assembly Steps

Steps 1–2

1. Attach the 3 square connecting buckles ⑮ onto panel ① with B (M6×30) screws.
2. Mount panel ① on panel ②, and secure them together from below using B screws. Observe the "UP" marking and keep it facing upward.





Figure 2 Component layout and Steps 1–2


Steps 3–8

3. Assemble right side wood panel ⑥ and right-side glass door unit ⑬, and fix them together with C wood screws.
4. Assemble left side wood panel ④ and left-side glass door unit ⑫, and fix them together with C wood screws.
5. Attach the assembled ⑥+⑬ unit onto the base (①+②), and fasten with A and C screws.
6. Attach the assembled ④+⑫ unit onto the base, and fasten with A and C screws.
7. Fit the center rear panel ⑤ between side panels ④ and ⑥, and fasten the bottom position with C wood screws.
8. Install the four L-shaped reinforcing brackets J on the inner corners, and secure them with D small wood screws to reinforce the corner connections.




Steps 9–14

9. Install the left inner inclined shelf ⑦ and the right inner inclined shelf ⑧ inside the cabinet, and fasten them with C wood screws.
10. Place the three cat resting platforms ⑭ onto the built-in supports inside the enclosure.
11. Prepare the front door outer frame ⑩, and install the cam bolt K and cam lock L fittings for the front glass door ⑪.
12. Attach the hinge connection bracket H to the front door outer frame ⑩ with D screws, and hang the front glass door ⑪ onto the frame.
13. Complete the hinge assembly for the front glass door ⑪: connect cam bolt K, cam lock L and hinge bracket H. Tighten the cam locks with the supplied M Allen wrench.
14. Fit the cam connecting rod N on the side panels, and hang the left and right side glass door units ⑫, ⑬. Adjust the cam locks so all doors open and close smoothly.




Steps 15–18

15. Fix the paw-print decor plate ⑨ onto the inner wall using C wood screws.
16. Place the bottom base panel ③ on top of the main cabinet body, and secure it with A and C screws.
17. Screw the four adjustable leveling feet I into panel ①, align the base panel ③, and fasten all connection points with C wood screws.
18. Fasten the latch mount bracket F to the front door frame using D screws.



Step 19

19. Install the door latch G hardware onto the door frame and door panel with the matching screws. Test the opening, closing and latching function of every glass door, and twist the leveling feet I to keep the whole cat enclosure level on the floor.



3. Safety Instructions

Prevent pets from chewing the screws, hinges or glass parts.

Inspect all fasteners every 2–3 months and re-tighten any loose screws.

Position this corner cat enclosure only on flat, firm ground.

This furniture-style cat house is for cats only. Never stand, sit or climb on the top surface.

Clean the glass surfaces with a soft dry cloth and avoid harsh, corrosive detergents.