JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	1 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00000			L02TN	CNTRL																XA007139881
			L02TN	CNTRL																XA023819508
			L02TN	CNTRL																XA02552960A
			L02TN	CNTRL																XA01908799V
	Control Dose Used		L02TN				**30**	**30**	**30**											
00126			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02131470S
00127			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00822651M
00128			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02244594A
00129			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007528729
00130			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02192668W
00131			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01508507G
00132			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA009533669
00133			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02341753E
00134			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00608822J
00135			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA04105802L
00136			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007389626
00137			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA011889125
00138			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00548535B
00139			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01460444H
00140			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007488618
00141			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01427127K
00142			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA008215995
00143			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02337351M
00144			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007823757
00145			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00868181F
00146			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00622562N

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	2 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00147			L02TN	WHBODY			M	M	M										2025/01	XA011734891
00148			L02TN	WHBODY			M	M	M										2025/01	XA01140436L
00149			L02TN	WHBODY			M	M	M										2025/01	XA00885251F
00150			L02TN	WHBODY			M	M	M										2025/01	XA01358142M
00151			L02TN	WHBODY			M	M	M										2025/01	XA00795576W
00152			L02TN	WHBODY			M	M	M										2025/01	XA02174920C
00153			L02TN	WHBODY			M	M	M										2025/01	XA02036822H
00154			L02TN	WHBODY			M	M	M										2025/01	XA00823330V
00155			L02TN	WHBODY			M	M	M										2025/01	XA01259533D
00156			L02TN	WHBODY			M	M	M										2025/01	XA00634460P
00157			L02TN	WHBODY			M	M	M										2025/01	XA007468941
00158			L02TN	WHBODY			M	M	M										2025/01	XA019661674
00159			L02TN	WHBODY			M	M	M										2025/01	XA02299242A
00160			L02TN	WHBODY			M	M	M										2025/01	XA00811357J
00161			L02TN	WHBODY			M	M	M										2025/01	XA007675091
00162			L02TN	WHBODY			M	M	M										2025/01	XA00677858R
00163			L02TN	WHBODY			M	M	M										2025/01	XA04105349D
00164			L02TN	WHBODY			M	M	M										2025/01	XA00822714I
00165			L02TN	WHBODY			M	M	M										2025/01	XA00224287J
00166			L02TN	WHBODY			M	M	M										2025/01	XA00856928V
00167			L02TN	WHBODY			M	M	M										2025/01	XA02485304C
00168			L02TN	WHBODY			M	M	M										2025/01	XA00909754A
00169			L02TN	WHBODY			M	M	M										2025/01	XA00537136K
00170			L02TN	WHBODY			M	M	M										2025/01	XA00595678S
00171			L02TN	WHBODY			M	M	M										2025/01	XA00164053R
00172			L02TN	WHBODY			M	M	M										2025/01	XA00615089G

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	3 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00173			L02TN	WHBODY			M	M	M										2025/01	XA027379722
00174			L02TN	WHBODY			M	M	M										2025/01	XA00763401N
00175			L02TN	WHBODY			M	M	M										2025/01	XA01284121P
00176			L02TN	WHBODY			M	M	M										2025/01	XA00823889Y
00177			L02TN	WHBODY			M	M	M										2025/01	XA00600710Y
00178			L02TN	WHBODY			M	M	M										2025/01	XA00274408B
00179			L02TN	WHBODY			M	M	M										2025/01	XA01431705I
00180			L02TN	WHBODY			M	M	M										2025/01	XA00606781J
00181			L02TN	WHBODY			M	M	M										2025/01	XA00532428G
00182			L02TN	WHBODY			M	M	M										2025/01	XA00713425N
00183			L02TN	WHBODY			M	M	M										2025/01	XA006119686
00184			L02TN	WHBODY			M	M	M										2025/01	XA008732585
00185			L02TN	WHBODY			M	M	M										2025/01	XA002727970
00186			L02TN	WHBODY			M	M	M										2025/01	XA028965132
00187			L02TN	WHBODY			M	M	M										2025/01	XA00171742H
00188			L02TN	WHBODY			M	M	M										2025/01	XA019338182
00189			L02TN	WHBODY			M	M	M										2025/01	XA00936523G
00190			L02TN	WHBODY			M	M	M										2025/01	XA015267848
00191			L02TN	WHBODY			M	M	M										2025/01	XA01773026F
00192			L02TN	WHBODY			M	M	M										2025/01	XA01408475G
00193			L02TN	WHBODY			M	M	M										2025/01	XA02738054H
00194			L02TN	WHBODY			M	M	M										2025/01	XA00821640Q
00195			L02TN	WHBODY			M	M	M										2025/01	XA007782937
00196			L02TN	WHBODY			M	M	M										2025/01	XA02896167X
00197			L02TN	WHBODY			M	M	M										2025/01	XA01789459Q
00198			L02TN	WHBODY			M	M	M										2025/01	XA01418183N

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	4 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00199			L02TN	WHBODY			M	M	M										2025/01	XA00247524I
00200			L02TN	WHBODY			M	M	M										2025/01	XA00774867U
00201			L02TN	WHBODY			M	M	M										2025/01	XA02125900N
00202			L02TN	WHBODY			M	M	M										2025/01	XA00922452N
00203			L02TN	WHBODY			M	M	M										2025/01	XA026803863
00204			L02TN	WHBODY			M	M	M										2025/01	XA01047443K
00205			L02TN	WHBODY			M	M	M										2025/01	XA02340647A
00206			L02TN	WHBODY			M	M	M										2025/01	XA04136464C
00207			L02TN	WHBODY			M	M	M										2025/01	XA00650234O
00208			L02TN	WHBODY			M	M	M										2025/01	XA022645657
00209			L02TN	WHBODY			M	M	M										2025/01	XA01114316R
00210			L02TN	WHBODY			M	M	M										2025/01	XA01038814E
00211			L02TN	WHBODY			M	M	M										2025/01	XA01364384C
00212			L02TN	WHBODY			M	M	M										2025/01	XA012709265
00213			L02TN	WHBODY			M	M	M										2025/01	XA02902332R
00214			L02TN	WHBODY			M	M	M										2025/01	XA007761296
00215			L02TN	WHBODY			M	M	M										2025/01	XA006088980
00216			L02TN	WHBODY			M	M	M										2025/01	XA019307195
00217			L02TN	WHBODY			M	M	M										2025/01	XA028903760
00218			L02TN	WHBODY			M	M	M										2025/01	XA005914954
00219			L02TN	WHBODY			M	M	M										2025/01	XA00595987N
00220			L02TN	WHBODY			M	M	M										2025/01	XA008961845
00221			L02TN	WHBODY			M	M	M										2025/01	XA02003184U
00222			L02TN	WHBODY			M	M	M										2025/01	XA01286184B
00223			L02TN	WHBODY			M	M	M										2025/01	XA01088360H
00224			L02TN	WHBODY			M	M	M										2025/01	XA00225252V

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	5 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00225			L02TN	WHBODY			M	M	M										2025/01	XA007506973
00226			L02TN	WHBODY			M	M	M										2025/01	XA00827361M
00227			L02TN	WHBODY			M	M	M										2025/01	XA00858498W
00228			L02TN	WHBODY			M	M	M										2025/01	XA00619017N
00229			L02TN	WHBODY			M	M	M										2025/01	XA02134727A
00230			L02TN	WHBODY			M	M	M										2025/01	XA02295710B
00231			L02TN	WHBODY			M	M	M										2025/01	XA00250811O
00232			L02TN	WHBODY			M	M	M										2025/01	XA01268131O
00233			L02TN	WHBODY			M	M	M										2025/01	XA00563020X
00234			L02TN	WHBODY			M	M	M										2025/01	XA00907386D
00235			L02TN	WHBODY			M	M	M										2025/01	XA026864138
00236			L02TN	WHBODY			M	M	M										2025/01	XA00913075O
00237			L02TN	WHBODY			M	M	M										2025/01	XA028934343
00238			L02TN	WHBODY			M	M	M										2025/01	XA00892707Z
00239			L02TN	WHBODY			M	M	M										2025/01	XA02809623E
00240			L02TN	WHBODY			M	M	M										2025/01	XA009992451
00241			L02TN	WHBODY			M	M	M										2025/01	XA017855930
00242			L02TN	WHBODY			M	M	M										2025/01	XA00591291G
00243			L02TN	WHBODY			M	M	M										2025/01	XA008583293
00244			L02TN	WHBODY			M	M	M										2025/01	XA008395953
00245			L02TN	WHBODY			M	M	M										2025/01	XA00791042L
00246			L02TN	WHBODY			M	M	M										2025/01	XA003041505
00247			L02TN	WHBODY			M	M	M										2025/01	XA02179111M
00248			L02TN	WHBODY			M	M	M										2025/01	XA001436499
00249			L02TN	WHBODY			M	M	M										2025/01	XA00919552G
00250			L02TN	WHBODY			M	M	M										2025/01	XA01974858P

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	6 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00251			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00953796Y
00252			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA009067981
00253			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00767985T
00254			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00612547H
00255			L02TN	WHBODY	P		**6**	**6**	**6**										2025/01	XA01117281T
					P		**6**	**6**	**6**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00256			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007881284
00257			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA000984837
00258			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01122595H
00259			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00705686B
00260			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00681212N
00261			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02011193V
00262			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00930661K
00263			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00742851F
00264			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00760307G
00265			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00625285I
00266			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00742186G
00267			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02295764Y
00268			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00661949W
00269			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02938987O
00270			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02157796Y
00271			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00551150W

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	7 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00272			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007075887
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00273			L02TN	WHBODY															2025/01	XA00087305G
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00275			L02TN	WHBODY															2025/01	XA01182446A
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00278			L02TN	WHBODY	N		**13760**	**13760**	**13760**										2025/01	XA02273353F
					N	T	**1040**	**1040**	**1040**											
					N	F	**12720**	**12720**	**12720**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00283			L02TN	WHBODY	PN		**18045**	**17490**	**14627**										2025/01	XA01145370Q
					P	M	**17215**	**16660**	**13797**											
					N	T	**70**	**70**	**70**											
					N	F	**760**	**760**	**760**											
00284			L02TN	WHBODY															2025/01	XA00915269B
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	8 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00287			L02TN	WHBODY	N		**2210**	**2210**	**2210**										2025/01	XA02330642M
					N	T	**150**	**150**	**150**											
					N	F	**2060**	**2060**	**2060**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00288			L02TN	WHBODY	N		**530**	**530**	**530**										2025/01	XA01908030X
					N	T	**70**	**70**	**70**											
					N	F	**460**	**460**	**460**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00289			L02TN	WHBODY															2025/01	XA00950533H
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00290			L02TN	WHBODY	N		**710**	**710**	**710**										2025/01	XA00379127B
					N	T	**70**	**70**	**70**											
					N	F	**640**	**640**	**640**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00291			L02TN	WHBODY															2025/01	XA005556681
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	9 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00292			L02TN	WHBODY															2025/01	XA00603305U
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00293			L02TN	WHBODY	PN		**3711**	**3711**	**3615**										2025/01	XA00889873T
					P	M	**3091**	**3091**	**2995**											
					N	T	**50**	**50**	**50**											
					N	F	**570**	**570**	**570**											
00294			L02TN	WHBODY	PN		**163984**	**163984**	**163984**										2025/01	XA017525690
					P	H	**162914**	**162914**	**162914**											
					N	T	**70**	**70**	**70**											
					N	F	**1000**	**1000**	**1000**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													
00295			L02TN	WHBODY	PN		**561823**	**543712**	**450346**										2025/01	XA01767855W
					P	M	**561433**	**543322**	**449956**											
					N	T	**50**	**50**	**50**											
					N	F	**340**	**340**	**340**											
00296			L02TN	WHBODY	PN		**3962**	**3962**	**3810**										2025/01	XA00820864D
					P	M	**3312**	**3312**	**3160**											
					N	T	**60**	**60**	**60**											
					N	F	**590**	**590**	**590**											
00297			L02TN	WHBODY	N		**950**	**950**	**950**										2025/01	XA007338962
					N	T	**70**	**70**	**70**											
					N	F	**880**	**880**	**880**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	10 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00298			L02TN	WHBODY	N		**6040**	**6040**	**6040**										2025/01	XA00221064Y
					N	T	**410**	**410**	**410**											
					N	F	**5630**	**5630**	**5630**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00299			L02TN	WHBODY															2025/01	XA00857067A
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00300			L02TN	WHBODY	N		**5870**	**5870**	**5870**										2025/01	XA00216612S
					N	T	**1030**	**1030**	**1030**											
					N	F	**4840**	**4840**	**4840**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00301			L02TN	WHBODY	N		**8370**	**8370**	**8370**										2025/01	XA00832252Q
					N	T	**720**	**720**	**720**											
					N	F	**7650**	**7650**	**7650**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00302			L02TN	WHBODY															2025/01	XA00591280J
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	11 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00303			L02TN	WHBODY	PBN		**502998**	**486777**	**403154**										2025/01	XA020448847
					P		**502848**	**486627**	**300582**											
					B				**102422**											
					N	T	**M**	**M**	**M**											
					N	F	**150**	**150**	**150**											
00304			L02TN	WHBODY															2025/01	XA01115708F
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00305			L02TN	WHBODY	PBN		**60578**	**58663**	**48788**										2025/01	XA00821139J
					P		**59378**	**57463**	**27819**											
					B				**19769**											
					N	T	**100**	**100**	**100**											
					N	F	**1100**	**1100**	**1100**											
00306			L02TN	WHBODY															2025/01	XA02532716B
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00307			L02TN	WHBODY	N		**6430**	**6430**	**6430**										2025/01	XA00377221N
					N	T	**500**	**500**	**500**											
					N	F	**5930**	**5930**	**5930**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	12 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00308			L02TN	WHBODY															2025/01	XA02700762K
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00309			L02TN	WHBODY	N		**500**	**500**	**500**										2025/01	XA007595934
					N	T	**50**	**50**	**50**											
					N	F	**450**	**450**	**450**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00310			L02TN	WHBODY															2025/01	XA01752212P
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00311			L02TN	WHBODY	PN		**287601**	**278482**	**231470**										2025/01	XA008246396
					P	M	**282691**	**273572**	**226560**											
					N	T	**410**	**410**	**410**											
					N	F	**4500**	**4500**	**4500**											
00312			L02TN	WHBODY															2025/01	XA00873047C
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00313			L02TN	WHBODY	N		**5430**	**5430**	**5430**										2025/01	XA014195496
					N	T	**400**	**400**	**400**											
					N	F	**5030**	**5030**	**5030**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	13 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00314			L02TN	WHBODY	PBN		**164591**	**164591**	**164591**										2025/01	XA007762749
					P		**162351**	**162351**	**137573**											
					B				**24778**											
					N	T	**200**	**200**	**200**											
					N	F	**2040**	**2040**	**2040**											
00315			L02TN	WHBODY	P	M	**180982**	**175144**	**145047**										2025/01	XA01270244L
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00316			L02TN	WHBODY	N		**12890**	**12890**	**12890**										2025/01	XA00812491O
					N	T	**1000**	**1000**	**1000**											
					N	F	**11890**	**11890**	**11890**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00317			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02382703A
00318			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02448218A
00319			L02TN	WHBODY	N		**4230**	**4230**	**4230**										2025/01	XA02496469R
					N	T	**340**	**340**	**340**											
					N	F	**3890**	**3890**	**3890**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00320			L02TN	WHBODY	N		**5830**	**5830**	**5830**										2025/01	XA00881331J
					N	T	**480**	**480**	**480**											
					N	F	**5350**	**5350**	**5350**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00321			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA020409790
00322			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007955542

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	14 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00323			L02TN	WHBODY			M	M	M										2025/01	XA00849107E
00324			L02TN	WHBODY			M	M	M										2025/01	XA00122652R
00325			L02TN	WHBODY			M	M	M										2025/01	XA007949032
00326			L02TN	WHBODY			M	M	M										2025/01	XA009049864
00327			L02TN	WHBODY			M	M	M										2025/01	XA02363326D
00328			L02TN	WHBODY			M	M	M										2025/01	XA008554393
00329			L02TN	WHBODY			M	M	M										2025/01	XA02199072C
00330			L02TN	WHBODY			M	M	M										2025/01	XA00098876U
00331			L02TN	WHBODY			M	M	M										2025/01	XA00824143R
00332			L02TN	WHBODY			M	M	M										2025/01	XA02461160Q
00333			L02TN	WHBODY			M	M	M										2025/01	XA00813286I
00334			L02TN	WHBODY			M	M	M										2025/01	XA03598297R
00335			L02TN	WHBODY			M	M	M										2025/01	XA00907233Q
00336			L02TN	WHBODY			M	M	M										2025/01	XA006753856
00337			L02TN	WHBODY			M	M	M										2025/01	XA02889980S
00338			L02TN	WHBODY			M	M	M										2025/01	XA01809484C
00339			L02TN	WHBODY			M	M	M										2025/01	XA02260939Y
00340			L02TN	WHBODY			M	M	M										2025/01	XA01134600U
00341			L02TN	WHBODY			M	M	M										2025/01	XA027159257
00342			L02TN	WHBODY			M	M	M										2025/01	XA02402176O
00343			L02TN	WHBODY			M	M	M										2025/01	XA02059640G
00344			L02TN	WHBODY			M	M	M										2025/01	XA008555838
00345			L02TN	WHBODY			M	M	M										2025/01	XA003772768
00346			L02TN	WHBODY			M	M	M										2025/01	XA008284396
00347			L02TN	WHBODY			M	M	M										2025/01	XA04105551O
00348			L02TN	WHBODY			M	M	M										2025/01	XA04105448D

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	15 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00349			L02TN	WHBODY			M	M	M										2025/01	XA02052083P
00350			L02TN	WHBODY			M	M	M										2025/01	XA02545172K
00351			L02TN	WHBODY			M	M	M										2025/01	XA00951281L
00352			L02TN	WHBODY			M	M	M										2025/01	XA00538942A
00353			L02TN	WHBODY			M	M	M										2025/01	XA002751896
00354			L02TN	WHBODY			M	M	M										2025/01	XA00913961F
00355			L02TN	WHBODY			M	M	M										2025/01	XA01265117H
00356			L02TN	WHBODY			M	M	M										2025/01	XA00992288Y
00357			L02TN	WHBODY			M	M	M										2025/01	XA00878339Y
00358			L02TN	WHBODY			M	M	M										2025/01	XA00762326E
00359			L02TN	WHBODY			M	M	M										2025/01	XA01953651C
00360			L02TN	WHBODY			M	M	M										2025/01	XA00790095B
00361			L02TN	WHBODY			M	M	M										2025/01	XA02331047N
00362			L02TN	WHBODY			M	M	M										2025/01	XA02143129H
00363			L02TN	WHBODY			M	M	M										2025/01	XA02040661N
00364			L02TN	WHBODY			M	M	M										2025/01	XA028048459
00365			L02TN	WHBODY			M	M	M										2025/01	XA00601656J
00366			L02TN	WHBODY			M	M	M										2025/01	XA007853465
00367			L02TN	WHBODY			M	M	M										2025/01	XA01892961Z
00368			L02TN	WHBODY			M	M	M										2025/01	XA02310596F
00369			L02TN	WHBODY			M	M	M										2025/01	XA00626097G
00370			L02TN	WHBODY			M	M	M										2025/01	XA005650699
00371			L02TN	WHBODY			M	M	M										2025/01	XA02721320V
00372			L02TN	WHBODY			M	M	M										2025/01	XA006143001
00373			L02TN	WHBODY			M	M	M										2025/01	XA024983526
00374			L02TN	WHBODY			M	M	M										2025/01	XA01148281M

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	16 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00375			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00883391B
00376			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00853142O
00377			L02TN	WHBODY	PN		**94146**	**91129**	**75577**										2025/01	XA00554376B
					P	M	**93516**	**90499**	**74947**											
					N	T	**40**	**40**	**40**											
					N	F	**590**	**590**	**590**											
00378			L02TN	WHBODY	N		**4650**	**4650**	**4650**										2025/01	XA00604064V
					N	T	**310**	**310**	**310**											
					N	F	**4340**	**4340**	**4340**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00379			L02TN	WHBODY	PN		**416317**	**416317**	**416317**										2025/01	XA00787729R
					P	H	**410267**	**410267**	**410267**											
					N	T	**470**	**470**	**470**											
					N	F	**5580**	**5580**	**5580**											
00380			L02TN	WHBODY															2025/01	XA00342991D
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00381			L02TN	WHBODY															2025/01	XA02103348L
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	17 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00382			L02TN	WHBODY	PN		**270445**	**270445**	**270445**										2025/01	XA007049684
					P	H	**264345**	**264345**	**264345**											
					N	T	**430**	**430**	**430**											
					N	F	**5670**	**5670**	**5670**											
00383			L02TN	WHBODY	PBN		**147539**	**142858**	**118728**										2025/01	XA02586755V
					P		**145099**	**140418**	**80122**											
					B				**36166**											
					N	T	**180**	**180**	**180**											
					N	F	**2260**	**2260**	**2260**											
00384			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00927137G
00385			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02446080P
00386			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007969006
00387			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007798207
00388			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00811397F
00389			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA009189628
00390			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00791795W
00391			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02515387B
00392			L02TN	WHBODY	N		**5020**	**5020**	**5020**										2025/01	XA00077344G
					N	T	**360**	**360**	**360**											
					N	F	**4660**	**4660**	**4660**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00393			L02TN	WHBODY	N		**4580**	**4580**	**4580**										2025/01	XA00825376D
					N	T	**250**	**250**	**250**											
					N	F	**4330**	**4330**	**4330**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	18 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00394			L02TN	WHBODY															2025/01	XA010438759
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00395			L02TN	WHBODY	PN		**260251**	**260251**	**260251**										2025/01	XA009158772
					P	H	**258601**	**258601**	**258601**											
					N	T	**110**	**110**	**110**											
					N	F	**1540**	**1540**	**1540**											
00396			L02TN	WHBODY															2025/01	XA00942074L
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00397			L02TN	WHBODY															2025/01	XA02312961I
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00398			L02TN	WHBODY	PN		**14892**	**14892**	**14438**										2025/01	XA005871089
					P	M	**14602**	**14602**	**14148**											
					N	T	**20**	**20**	**20**											
					N	F	**270**	**270**	**270**											
00399			L02TN	WHBODY	PN		**125788**	**125788**	**125788**										2025/01	XA01751009H
					P	H	**123558**	**123558**	**123558**											
					N	T	**140**	**140**	**140**											
					N	F	**2090**	**2090**	**2090**											

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	19 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00400			L02TN	WHBODY	PN		**113261**	**113261**	**113261**										2025/01	XA00856640F
					P	H	**111601**	**111601**	**111601**											
					N	T	**120**	**120**	**120**											
					N	F	**1540**	**1540**	**1540**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													
00401			L02TN	WHBODY	PBN		**74626**	**72265**	**60098**										2025/01	XA04105780J
					P		**73166**	**70805**	**15288**											
					B				**43350**											
					N	T	**130**	**130**	**130**											
					N	F	**1330**	**1330**	**1330**											
00402			L02TN	WHBODY	N		**7020**	**7020**	**7020**										2025/01	XA02553241N
					N	T	**600**	**600**	**600**											
					N	F	**6420**	**6420**	**6420**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00403			L02TN	WHBODY															2025/01	XA00735803F
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00404			L02TN	WHBODY	PBN		**124704**	**124704**	**124704**										2025/01	XA002998612
					P		**123084**	**123084**	**110403**											
					B				**12681**											
					N	T	**110**	**110**	**110**											
					N	F	**1510**	**1510**	**1510**											

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	20 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00405			L02TN	WHBODY	PN		**166354**	**166354**	**166354**										2025/01	XA01879578P
					P	H	**163894**	**163894**	**163894**											
					N	T	**130**	**130**	**130**											
					N	F	**2330**	**2330**	**2330**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													
00406			L02TN	WHBODY	N		**5660**	**5660**	**5660**										2025/01	XA005368284
					N	T	**400**	**400**	**400**											
					N	F	**5260**	**5260**	**5260**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00408			L02TN	WHBODY	PBN		**112828**	**109277**	**90973**										2025/01	XA015368373
					P		**110068**	**106517**	**67469**											
					B				**20744**											
					N	T	**190**	**190**	**190**											
					N	F	**2570**	**2570**	**2570**											
00411			L02TN	WHBODY	PBN		**502126**	**486148**	**403777**										2025/01	XA02500355P
					P		**495316**	**479338**	**241038**											
					B				**155929**											
					N	T	**440**	**440**	**440**											
					N	F	**6370**	**6370**	**6370**											
00412			L02TN	WHBODY															2025/01	XA00003619L
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	21 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses

Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00413			L02TN	WHBODY															2025/01	XA00781523D
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00414			L02TN	WHBODY	N		**3290**	**3290**	**3290**										2025/01	XA00311915K
					N	T	**230**	**230**	**230**											
					N	F	**3060**	**3060**	**3060**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00415			L02TN	WHBODY	PN		**18998**	**18998**	**18751**										2025/01	XA019347076
					P	M	**18728**	**18728**	**18481**											
					N	T	**20**	**20**	**20**											
					N	F	**250**	**250**	**250**											
00416			L02TN	WHBODY	N		**4080**	**4080**	**4080**										2025/01	XA02358044I
					N	T	**340**	**340**	**340**											
					N	F	**3740**	**3740**	**3740**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00417			L02TN	WHBODY	N		**2920**	**2920**	**2920**										2025/01	XA00768498V
					N	T	**220**	**220**	**220**											
					N	F	**2700**	**2700**	**2700**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	22 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00418			L02TN	WHBODY	PBN		**578832**	**578832**	**578832**										2025/01	XA017568525
					P		**575852**	**575852**	**343295**											
					B				**232557**											
					N	T	**230**	**230**	**230**											
					N	F	**2750**	**2750**	**2750**											
00419			L02TN	WHBODY	PBN		**83171**	**80524**	**66877**										2025/01	XA01606133U
					P		**82061**	**79414**	**50773**											
					B				**14994**											
					N	T	**100**	**100**	**100**											
					N	F	**1010**	**1010**	**1010**											
00420			L02TN	WHBODY	PBN		**390007**	**390007**	**390007**										2025/01	XA008383578
					P		**388067**	**388067**	**276816**											
					B				**111251**											
					N	T	**130**	**130**	**130**											
					N	F	**1810**	**1810**	**1810**											
00421			L02TN	WHBODY	N		**8280**	**8280**	**8280**										2025/01	XA01270430Q
					N	T	**450**	**450**	**450**											
					N	F	**7830**	**7830**	**7830**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00422			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00933501P
00423			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA04105339E
00424			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00210068T
00425			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007976514
00426			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02809301Q
00427			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02913643F

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	23 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00428			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01173797Y
00429			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00794710B
00430			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA041058196
00431			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02163394C
00432			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02696974O
00433			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02253218F
00434			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00599835U
00435			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007668525
00436			L02TN	WHBODY	P		**5**	**5**	**5**										2025/01	XA00910073V
					P		**5**	**5**	**5**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00437			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA015668343
00438			L02TN	WHBODY	P		**7**	**7**	**7**										2025/01	XA00320842O
					P		**7**	**7**	**7**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00439			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA028880364
00440			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02812881D
00441			L02TN	WHBODY	P		**5**	**5**	**5**										2025/01	XA01111179M
					P		**5**	**5**	**5**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00442			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00534043U
00443			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02276989L
00444			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00010456S

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	24 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00445			L02TN	WHBODY			M	M	M										2025/01	XA000990678
00446			L02TN	WHBODY			M	M	M										2025/01	XA00591489X
00447			L02TN	WHBODY			M	M	M										2025/01	XA00766373B
00448			L02TN	WHBODY			M	M	M										2025/01	XA01365305H
00449			L02TN	WHBODY			M	M	M										2025/01	XA01619205M
00450			L02TN	WHBODY			M	M	M										2025/01	XA00598685U
00451			L02TN	WHBODY			M	M	M										2025/01	XA012961849
00452			L02TN	WHBODY			M	M	M										2025/01	XA00999121D
00453			L02TN	WHBODY			M	M	M										2025/01	XA00736842C
00454			L02TN	WHBODY			M	M	M										2025/01	XA02493497V
00455			L02TN	WHBODY			M	M	M										2025/01	XA017527547
00456			L02TN	WHBODY			M	M	M										2025/01	XA00782102O
00457			L02TN	WHBODY			M	M	M										2025/01	XA00835939X
00458			L02TN	WHBODY			M	M	M										2025/01	XA00087190L
00459			L02TN	WHBODY			M	M	M										2025/01	XA02895831Z
00460			L02TN	WHBODY			M	M	M										2025/01	XA00548910F
00461			L02TN	WHBODY			M	M	M										2025/01	XA00366702G
00462			L02TN	WHBODY			M	M	M										2025/01	XA022874165
00463			L02TN	WHBODY			M	M	M										2025/01	XA01989592W
00464			L02TN	WHBODY			M	M	M										2025/01	XA00358543E
00465			L02TN	WHBODY			M	M	M										2025/01	XA008387257
00466			L02TN	WHBODY			M	M	M										2025/01	XA02486985P
00467			L02TN	WHBODY			M	M	M										2025/01	XA008941194
00468			L02TN	WHBODY			M	M	M										2025/01	XA02063673B
00469			L02TN	WHBODY			M	M	M										2025/01	XA005625949
00470			L02TN	WHBODY			M	M	M										2025/01	XA007049882

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	25 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00471			L02TN	WHBODY			M	M	M										2025/01	XA00312853L
00472			L02TN	WHBODY			M	M	M										2025/01	XA00996734X
00473			L02TN	WHBODY			M	M	M										2025/01	XA00738761C
00474			L02TN	WHBODY			M	M	M										2025/01	XA00987584X
00475			L02TN	WHBODY			M	M	M										2025/01	XA020839228
00476			L02TN	WHBODY			M	M	M										2025/01	XA00376910D
00477			L02TN	WHBODY			M	M	M										2025/01	XA02234970E
00478			L02TN	WHBODY			M	M	M										2025/01	XA005639338
00479			L02TN	WHBODY			M	M	M										2025/01	XA01796962U
00480			L02TN	WHBODY			M	M	M										2025/01	XA02422380R
00481			L02TN	WHBODY			M	M	M										2025/01	XA007970293
00482			L02TN	WHBODY			M	M	M										2025/01	XA00600734O
00483			L02TN	WHBODY			M	M	M										2025/01	XA00333765D
00484			L02TN	WHBODY			M	M	M										2025/01	XA027359055
00485			L02TN	WHBODY			M	M	M										2025/01	XA00046190U
00486			L02TN	WHBODY			M	M	M										2025/01	XA005537475
00487			L02TN	WHBODY			M	M	M										2025/01	XA01109822L
00488			L02TN	WHBODY			M	M	M										2025/01	XA00251525K
00489			L02TN	WHBODY			M	M	M										2025/01	XA00860118G
00490			L02TN	WHBODY			M	M	M										2025/01	XA00821373N
00491			L02TN	WHBODY			M	M	M										2025/01	XA007785163
00492			L02TN	WHBODY			M	M	M										2025/01	XA00700689A
00493			L02TN	WHBODY			M	M	M										2025/01	XA02163005P
00494			L02TN	WHBODY			M	M	M										2025/01	XA01422691K
00495			L02TN	WHBODY			M	M	M										2025/01	XA00740541O

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	26 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00496			L02TN	WHBODY	P P N N	 T F	**5** **5** **M** **M**	**5** **5** **M** **M**	**5** **5** **M** **M**										2025/01	XA005570996
00497			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00760725A
00498			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA020759913
00499			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02535273I
00500			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00774194B
00501			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01190192J
00502			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00878679O
00503			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA000469095
00504			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00812982D
00505			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00811720S
00506			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00736510P
00507			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02493717X
00508			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01011394R
00509			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00928034N
00510			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00636264J
00511			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00285959R
00512			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00875589S
00513			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00540743I
00514			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA018506962
00515			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02693124C
00516			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA002657177
00517			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00991501F
00518			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01429325I

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	27 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00519			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA026902491
00520			L02TN	WHBODY	P		**5**	**5**	**5**										2025/01	XA022677072
					P		**5**	**5**	**5**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00521			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00810917C
00522			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00601931P
00523			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00205718H
00524			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00877629U
00525			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00860023R
00526			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02038853A
00527			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007186692
00528			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA002716098
00529			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA008616755
00530			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02682398W
00531			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02271037H
00532			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00353561L
00533			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00560150V
00534			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01891983U
00535			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02053714F
00536			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00780598X
00537			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01407520U
00538			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA041055788
00539			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01407671L
00540			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA018128691
00541			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00848830C

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	28 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00542			L02TN	WHBODY			M	M	M										2025/01	XA02610635I
00543			L02TN	WHBODY			M	M	M										2025/01	XA00782481C
00544			L02TN	WHBODY			M	M	M										2025/01	XA01249994Z
00545			L02TN	WHBODY	P		5	5	5										2025/01	XA008961944
					P		5	5	5											
					N	T	M	M	M											
					N	F	M	M	M											
00546			L02TN	WHBODY			M	M	M										2025/01	XA01405540U
00547			L02TN	WHBODY			M	M	M										2025/01	XA009205789
00548			L02TN	WHBODY			M	M	M										2025/01	XA00891312H
00549			L02TN	WHBODY			M	M	M										2025/01	XA00848918W
00550			L02TN	WHBODY	P		6	6	6										2025/01	XA00736020Y
					P		6	6	6											
					N	T	M	M	M											
					N	F	M	M	M											
00551			L02TN	WHBODY			M	M	M										2025/01	XA008627538
00552			L02TN	WHBODY			M	M	M										2025/01	XA02442447B
00553			L02TN	WHBODY			M	M	M										2025/01	XA00605005Y
00554			L02TN	WHBODY			M	M	M										2025/01	XA02895159V
00555			L02TN	WHBODY			M	M	M										2025/01	XA021726961
00556			L02TN	WHBODY			M	M	M										2025/01	XA00887809Q
00557			L02TN	WHBODY			M	M	M										2025/01	XA01406840N
00558			L02TN	WHBODY			M	M	M										2025/01	XA011743884
00559			L02TN	WHBODY			M	M	M										2025/01	XA00930339D
00560			L02TN	WHBODY			M	M	M										2025/01	XA00593775Y

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	29 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00561			L02TN	WHBODY	P		**5**	**5**	**5**										2025/01	XA01352054P
					P		**5**	**5**	**5**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00562			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00956800E
00563			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00120145Y
00564			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02433987Y
00565			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA019148284
00566			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01421275N
00567			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01537605D
00568			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00896657S
00569			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00993242D
00570			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA008376177
00571			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA029136980
00572			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02540202U
00573			L02TN	WHBODY	P		**5**	**5**	**5**										2025/01	XA04105263P
					P		**5**	**5**	**5**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00574			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00954938V
00575			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007743658
00576			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00595828T
00577			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00708246K
00578			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02576350F
00579			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02291020S
00580			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02274086B

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	30 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00581			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00866549X
00582			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA04135601L
00583			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01961830C
00584			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00230343V
00585			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01922834B
00586			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA014179474
00587			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00779431C
00588			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00842457A
00589			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00749512G
00590			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02828416A
00591			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA008482495
00592			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01405433R
00593			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01365303L
00594			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00248149D
00595			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00803817D
00596			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA017581593
00597			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA023653683
00598			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA009358918
00599			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00622624L
00600			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00905150Y
00601			L02TN	WHBODY	P		**7**	**7**	**7**										2025/01	XA01762266A
					P		**7**	**7**	**7**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00602			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00937847Z
00603			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA006329847

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	31 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00604			L02TN	WHBODY			M	M	M										2025/01	XA00352520S
00605			L02TN	WHBODY			M	M	M										2025/01	XA01686878M
00606			L02TN	WHBODY			M	M	M										2025/01	XA02547578Y
00607			L02TN	WHBODY			M	M	M										2025/01	XA02583263B
00608			L02TN	WHBODY			M	M	M										2025/01	XA00688031K
00609			L02TN	WHBODY			M	M	M										2025/01	XA01091225I
00610			L02TN	WHBODY			M	M	M										2025/01	XA011437859
00611			L02TN	WHBODY			M	M	M										2025/01	XA007876227
00612			L02TN	WHBODY			M	M	M										2025/01	XA00212690S
00613			L02TN	WHBODY			M	M	M										2025/01	XA02435698Z
00614			L02TN	WHBODY			M	M	M										2025/01	XA008986041
00615			L02TN	WHBODY			M	M	M										2025/01	XA008672749
00616			L02TN	WHBODY			M	M	M										2025/01	XA02040430W
00617			L02TN	WHBODY			M	M	M										2025/01	XA012591688
00618			L02TN	WHBODY			M	M	M										2025/01	XA02360219D
00619			L02TN	WHBODY			M	M	M										2025/01	XA00314673L
00620			L02TN	WHBODY			M	M	M										2025/01	XA01907814C
00621			L02TN	WHBODY			M	M	M										2025/01	XA00114370Z
00622			L02TN	WHBODY			M	M	M										2025/01	XA00998977H
00623			L02TN	WHBODY			M	M	M										2025/01	XA02790350F
00624			L02TN	WHBODY			M	M	M										2025/01	XA02912880E
00625			L02TN	WHBODY			M	M	M										2025/01	XA007529818
00626			L02TN	WHBODY			M	M	M										2025/01	XA01381314I
00627			L02TN	WHBODY			M	M	M										2025/01	XA00186649Y
00628			L02TN	WHBODY			M	M	M										2025/01	XA00884191E
00629			L02TN	WHBODY			M	M	M										2025/01	XA00004608N

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	32 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00630			L02TN	WHBODY			M	M	M										2025/01	XA00819241Q
00631			L02TN	WHBODY			M	M	M										2025/01	XA00942025O
00632			L02TN	WHBODY			M	M	M										2025/01	XA025486909
00633			L02TN	WHBODY			M	M	M										2025/01	XA028335848
00634			L02TN	WHBODY			M	M	M										2025/01	XA005938318
00635			L02TN	WHBODY			M	M	M										2025/01	XA007338376
00636			L02TN	WHBODY			M	M	M										2025/01	XA01659968O
00637			L02TN	WHBODY			M	M	M										2025/01	XA027502779
00638			L02TN	WHBODY			M	M	M										2025/01	XA024227966
00639			L02TN	WHBODY			M	M	M										2025/01	XA02896802Z
00640			L02TN	WHBODY			M	M	M										2025/01	XA00756830D
00641			L02TN	WHBODY			M	M	M										2025/01	XA00901260Z
00642			L02TN	WHBODY			M	M	M										2025/01	XA008257559
00643			L02TN	WHBODY			M	M	M										2025/01	XA008828235
00644			L02TN	WHBODY			M	M	M										2025/01	XA00805662K
00645			L02TN	WHBODY			M	M	M										2025/01	XA00902307O
00646			L02TN	WHBODY			M	M	M										2025/01	XA003296768
00647			L02TN	WHBODY			M	M	M										2025/01	XA00081066K
00648			L02TN	WHBODY			M	M	M										2025/01	XA00699778L
00649			L02TN	WHBODY			M	M	M										2025/01	XA02137899U
00650			L02TN	WHBODY			M	M	M										2025/01	XA007543397
00651			L02TN	WHBODY			M	M	M										2025/01	XA02364302M
00652			L02TN	WHBODY			M	M	M										2025/01	XA00203746K
00653			L02TN	WHBODY			M	M	M										2025/01	XA01038024T
00654			L02TN	WHBODY			M	M	M										2025/01	XA015199380
00655			L02TN	WHBODY			M	M	M										2025/01	XA021791568

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	33 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00656			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA022775149
00657			L02TN	WHBODY	P		**6**	**6**	**6**										2025/01	XA009918902
					P		**6**	**6**	**6**											
					N	T	**M**	**M**	**M**											
					N	F	**M**	**M**	**M**											
00658			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00557979Q
00659			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA003775259
00660			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00561323N
00661			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00778278Z
00662			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02310319L
00663			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA013752867
00664			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01836081N
00665			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00757006J
00666			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02913077G
00667			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01848788R
00668			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02138641I
00669			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01887143A
00670			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007544668
00671			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00803653L
00672			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA006197971
00673			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02357604B
00674			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA008719327
00675			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA005658817
00676			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00864127D
00677			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA018808540
00678			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA008119783

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	34 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00679			L02TN	WHBODY			M	M	M										2025/01	XA00853075H
00680			L02TN	WHBODY			M	M	M										2025/01	XA04105791G
00681			L02TN	WHBODY			M	M	M										2025/01	XA025904290
00682			L02TN	WHBODY			M	M	M										2025/01	XA00767600H
00683			L02TN	WHBODY			M	M	M										2025/01	XA02887103C
00684			L02TN	WHBODY			M	M	M										2025/01	XA00285209A
00685			L02TN	WHBODY			M	M	M										2025/01	XA02700226Q
00686			L02TN	WHBODY			M	M	M										2025/01	XA019485909
00687			L02TN	WHBODY			M	M	M										2025/01	XA00024086R
00688			L02TN	WHBODY			M	M	M										2025/01	XA02686904X
00689			L02TN	WHBODY			M	M	M										2025/01	XA00890125F
00690			L02TN	WHBODY			M	M	M										2025/01	XA026755824
00691			L02TN	WHBODY			M	M	M										2025/01	XA02897555T
00692			L02TN	WHBODY			M	M	M										2025/01	XA007659508
00693			L02TN	WHBODY			M	M	M										2025/01	XA009216596
00694			L02TN	WHBODY			M	M	M										2025/01	XA01407926A
00695			L02TN	WHBODY			M	M	M										2025/01	XA005818148
00696			L02TN	WHBODY			M	M	M										2025/01	XA01805315N
00697			L02TN	WHBODY			M	M	M										2025/01	XA00930295H
00698			L02TN	WHBODY			M	M	M										2025/01	XA017973419
00699			L02TN	WHBODY			M	M	M										2025/01	XA04105825D
00700			L02TN	WHBODY			M	M	M										2025/01	XA00956404E
00701			L02TN	WHBODY			M	M	M										2025/01	XA00590282G
00702			L02TN	WHBODY			M	M	M										2025/01	XA01033847A
00703			L02TN	WHBODY			M	M	M										2025/01	XA00739056G
00704			L02TN	WHBODY			M	M	M										2025/01	XA005628844

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	35 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00705			L02TN	WHBODY			M	M	M										2025/01	XA017683638
00706			L02TN	WHBODY			M	M	M										2025/01	XA00700744M
00707			L02TN	WHBODY			M	M	M										2025/01	XA00805623M
00708			L02TN	WHBODY			M	M	M										2025/01	XA007395649
00709			L02TN	WHBODY			M	M	M										2025/01	XA01582729W
00710			L02TN	WHBODY			M	M	M										2025/01	XA01934672B
00711			L02TN	WHBODY			M	M	M										2025/01	XA00601076T
00712			L02TN	WHBODY			M	M	M										2025/01	XA016645556
00713			L02TN	WHBODY			M	M	M										2025/01	XA02400796C
00714			L02TN	WHBODY			M	M	M										2025/01	XA00776403E
00715			L02TN	WHBODY			M	M	M										2025/01	XA00360056N
00716			L02TN	WHBODY			M	M	M										2025/01	XA01412927B
00717			L02TN	WHBODY			M	M	M										2025/01	XA00839373D
00718			L02TN	WHBODY			M	M	M										2025/01	XA00552351P
00719			L02TN	WHBODY			M	M	M										2025/01	XA00881231L
00720			L02TN	WHBODY			M	M	M										2025/01	XA00898447V
00721			L02TN	WHBODY			M	M	M										2025/01	XA00814601R
00722			L02TN	WHBODY			M	M	M										2025/01	XA01125412U
00723			L02TN	WHBODY			M	M	M										2025/01	XA00859424A
00724			L02TN	WHBODY			M	M	M										2025/01	XA003007002
00725			L02TN	WHBODY			M	M	M										2025/01	XA00005704S
00726			L02TN	WHBODY			M	M	M										2025/01	XA007797522
00727			L02TN	WHBODY			M	M	M										2025/01	XA017996114
00728			L02TN	WHBODY			M	M	M										2025/01	XA01154190R
00729			L02TN	WHBODY			M	M	M										2025/01	XA00313625N
00730			L02TN	WHBODY			M	M	M										2025/01	XA00811056R

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	36 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00731			L02TN	WHBODY			M	M	M										2025/01	XA02398360A
00732			L02TN	WHBODY			M	M	M										2025/01	XA00742290P
00733			L02TN	WHBODY			M	M	M										2025/01	XA04105537E
00734			L02TN	WHBODY			M	M	M										2025/01	XA00733853C
00735			L02TN	WHBODY			M	M	M										2025/01	XA002878715
00736			L02TN	WHBODY			M	M	M										2025/01	XA01058966Z
00737			L02TN	WHBODY			M	M	M										2025/01	XA026816808
00738			L02TN	WHBODY			M	M	M										2025/01	XA00951741F
00739			L02TN	WHBODY			M	M	M										2025/01	XA002889704
00740			L02TN	WHBODY			M	M	M										2025/01	XA01010247T
00741			L02TN	WHBODY			M	M	M										2025/01	XA017577641
00742			L02TN	WHBODY			M	M	M										2025/01	XA02400242Z
00743			L02TN	WHBODY			M	M	M										2025/01	XA00796270D
00744			L02TN	WHBODY			M	M	M										2025/01	XA00683082I
00745			L02TN	WHBODY			M	M	M										2025/01	XA00613531T
00746			L02TN	WHBODY			M	M	M										2025/01	XA02325462L
00747			L02TN	WHBODY			M	M	M										2025/01	XA01010463V
00748			L02TN	WHBODY			M	M	M										2025/01	XA00794160I
00749			L02TN	WHBODY			M	M	M										2025/01	XA007548933
00750			L02TN	WHBODY			M	M	M										2025/01	XA01914157H
00751			L02TN	WHBODY			M	M	M										2025/01	XA02496754W
00752			L02TN	WHBODY			M	M	M										2025/01	XA02313224T
00753			L02TN	WHBODY			M	M	M										2025/01	XA00930094N

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	37 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00754			L02TN	WHBODY	P P N N	 T F	**13** **13** **M** **M**	**13** **13** **M** **M**	**13** **13** **M** **M**										2025/01	XA01051461Q
00755			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00601691P
00756			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01519950E
00757			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00846592A
00758			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA007634089
00759			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01351806B
00760			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01189016E
00761			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02414833G
00762			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00942523I
00763			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00598565Y
00764			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00643611N
00765			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00738158B
00766			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02294829R
00767			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00837087C
00768			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA020701998
00769			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00890728X
00770			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01274687Z
00771			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA01813807A
00772			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00749878S
00773			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA02137532K
00774			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA009983715
00775			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00895161E
00776			L02TN	WHBODY			**M**	**M**	**M**										2025/01	XA00643357D

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	38 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00777			L02TN	WHBODY			M	M	M										2025/01	XA01785806X
00778			L02TN	WHBODY			M	M	M										2025/01	XA002595947
00779			L02TN	WHBODY			M	M	M										2025/01	XA02833067E
00780			L02TN	WHBODY			M	M	M										2025/01	XA01599384Z
00781			L02TN	WHBODY			M	M	M										2025/01	XA025990570
00782			L02TN	WHBODY	P		5	5	5										2025/01	XA01108430X
					P		5	5	5											
					N	T	M	M	M											
					N	F	M	M	M											
00783			L02TN	WHBODY			M	M	M										2025/01	XA00318488A
00784			L02TN	WHBODY			M	M	M										2025/01	XA00606660P
00785			L02TN	WHBODY			M	M	M										2025/01	XA01826561H
00786			L02TN	WHBODY			M	M	M										2025/01	XA00572232N
00787			L02TN	WHBODY			M	M	M										2025/01	XA013705973
00788			L02TN	WHBODY			M	M	M										2025/01	XA02515372M
00789			L02TN	WHBODY			M	M	M										2025/01	XA020567093
00790			L02TN	WHBODY			M	M	M										2025/01	XA00865340K
00791			L02TN	WHBODY			M	M	M										2025/01	XA00614846B
00792			L02TN	WHBODY			M	M	M										2025/01	XA00860361L
00793			L02TN	WHBODY			M	M	M										2025/01	XA01047924A
00794			L02TN	WHBODY			M	M	M										2025/01	XA01469041M
00795			L02TN	WHBODY			M	M	M										2025/01	XA02328123Q
00796			L02TN	WHBODY			M	M	M										2025/01	XA00620187L
00797			L02TN	WHBODY			M	M	M										2025/01	XA00812511U
00798			L02TN	WHBODY			M	M	M										2025/01	XA021945446
00799			L02TN	WHBODY			M	M	M										2025/01	XA007552687

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	39 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00800			L02TN	WHBODY			M	M	M										2025/01	XA008399070
00801			L02TN	WHBODY			M	M	M										2025/01	XA00782866W
00802			L02TN	WHBODY			M	M	M										2025/01	XA00850980B
00803			L02TN	WHBODY			M	M	M										2025/01	XA01279083E
00804			L02TN	WHBODY			M	M	M										2025/01	XA02074005N
00805			L02TN	WHBODY			M	M	M										2025/01	XA002918660
00806			L02TN	WHBODY			M	M	M										2025/01	XA01733990A
00807			L02TN	WHBODY			M	M	M										2025/01	XA02895967I
00808			L02TN	WHBODY			M	M	M										2025/01	XA00593874Y
00809			L02TN	WHBODY			M	M	M										2025/01	XA01370154L
00810			L02TN	WHBODY			M	M	M										2025/01	XA00853430N
00811			L02TN	WHBODY			M	M	M										2025/01	XA007834390
00812			L02TN	WHBODY			M	M	M										2025/01	XA00820531S
00813			L02TN	WHBODY			M	M	M										2025/01	XA028917513
00814			L02TN	WHBODY			M	M	M										2025/01	XA040289528
00815			L02TN	WHBODY			M	M	M										2025/01	XA007637174
00816			L02TN	WHBODY			M	M	M										2025/01	XA00908124Q
00817			L02TN	WHBODY			M	M	M										2025/01	XA04135301R
00818			L02TN	WHBODY			M	M	M										2025/01	XA027900692
00819			L02TN	WHBODY			M	M	M										2025/01	XA01274119C
00820			L02TN	WHBODY	P		5	5	5										2025/01	XA022933937
					P		5	5	5											
					N	T	M	M	M											
					N	F	M	M	M											
00821			L02TN	WHBODY			M	M	M										2025/01	XA01600214Y
00822			L02TN	WHBODY			M	M	M										2025/01	XA02907043P

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	40 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00823			L02TN	WHBODY			M	M	M										2025/01	XA02229781C
00824			L02TN	WHBODY			M	M	M										2025/01	XA00774669U
00825			L02TN	WHBODY			M	M	M										2025/01	XA018955622
00826			L02TN	WHBODY			M	M	M										2025/01	XA012927338
00827			L02TN	WHBODY			M	M	M										2025/01	XA02718047G
00828			L02TN	WHBODY			M	M	M										2025/01	XA02407714H
00829			L02TN	WHBODY			M	M	M										2025/01	XA01986268W
00830			L02TN	WHBODY			M	M	M										2025/01	XA02529550I
00831			L02TN	WHBODY			M	M	M										2025/01	XA015745381
00832			L02TN	WHBODY			M	M	M										2025/01	XA00178435B
00833			L02TN	WHBODY			M	M	M										2025/01	XA00759567Z
00834			L02TN	WHBODY			M	M	M										2025/01	XA02485939N
00835			L02TN	WHBODY			M	M	M										2025/01	XA00877105E
00836			L02TN	WHBODY			M	M	M										2025/01	XA00601762O
00837			L02TN	WHBODY			M	M	M										2025/01	XA00828493C
00838			L02TN	WHBODY			M	M	M										2025/01	XA00913756A
00839			L02TN	WHBODY			M	M	M										2025/01	XA00895377X
00840			L02TN	WHBODY			M	M	M										2025/01	XA027356762
00841			L02TN	WHBODY			M	M	M										2025/01	XA00793403D
00842			L02TN	WHBODY			M	M	M										2025/01	XA007829523
00843			L02TN	WHBODY			M	M	M										2025/01	XA008816074
00844			L02TN	WHBODY			M	M	M										2025/01	XA01061450R
00845			L02TN	WHBODY			M	M	M										2025/01	XA00120109U
00846			L02TN	WHBODY			M	M	M										2025/01	XA007852855
00847			L02TN	WHBODY			M	M	M										2025/01	XA005659138
00848			L02TN	WHBODY			M	M	M										2025/01	XA01269511H

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	41 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name		Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below												Inception Date	Serial Number
							Period Shown Below			Quarter to Date			Year to Date			Lifetime to Date				
	ID Number	Birth Date					Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin	Whole Body	Lens	Skin		
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
00849			L02TN	WHBODY			M	M	M										2025/01	XA00915911I
00850			L02TN	WHBODY			M	M	M										2025/01	XA006828550
00851			L02TN	WHBODY			M	M	M										2025/01	XA01355536A
00852			L02TN	WHBODY			M	M	M										2025/01	XA00847580E
00853			L02TN	WHBODY			M	M	M										2025/01	XA009893451
00854			L02TN	WHBODY			M	M	M										2025/01	XA00372314L
00855			L02TN	WHBODY			M	M	M										2025/01	XA015606856
00856			L02TN	WHBODY			M	M	M										2025/01	XA008581958
00857			L02TN	WHBODY			M	M	M										2025/01	XA02957729R
00858			L02TN	WHBODY			M	M	M										2025/01	XA00877438Z
00859			L02TN	WHBODY			M	M	M										2025/01	XA007349539
00860			L02TN	WHBODY			M	M	M										2025/01	XA00878440D
00861			L02TN	WHBODY			M	M	M										2025/01	XA00954222M
00862			L02TN	WHBODY			M	M	M										2025/01	XA007738419
00863			L02TN	WHBODY			M	M	M										2025/01	XA00560633H
00864			L02TN	WHBODY			M	M	M										2025/01	XA01803780K
00865			L02TN	WHBODY			M	M	M										2025/01	XA00858037C
00866			L02TN	WHBODY			M	M	M										2025/01	XA00811478D
00867			L02TN	WHBODY			M	M	M										2025/01	XA00937870A
00868			L02TN	WHBODY			M	M	M										2025/01	XA04105714I
00869			L02TN	WHBODY			M	M	M										2025/01	XA029075188
00870			L02TN	WHBODY			M	M	M										2025/01	XA00124243W
00871			L02TN	WHBODY			M	M	M										2025/01	XA02516064O

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	42 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01173			L02TN	WHBODY															2025/01	XA04105981D
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
01176			L02TN	WHBODY	PN		**313857**	**313857**	**313857**										2025/01	XA02895665S
					P	H	**308707**	**308707**	**308707**											
					N	T	**400**	**400**	**400**											
					N	F	**4750**	**4750**	**4750**											
01177			L02TN	WHBODY															2025/01	XA02595536Y
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
01179			L02TN	WHBODY	PBN		**326207**	**326207**	**326207**										2025/01	XA00933512M
					P		**321767**	**321767**	**288197**											
					B				**33570**											
					N	T	**350**	**350**	**350**											
					N	F	**4090**	**4090**	**4090**											
01185			L02TN	WHBODY	PN		**552374**	**552374**	**552374**										2025/01	XA009329638
					P	H	**540464**	**540464**	**540464**											
					N	T	**930**	**930**	**930**											
					N	F	**10980**	**10980**	**10980**											
01186			L02TN	WHBODY															2025/01	XA00791341H
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	43 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01187			L02TN	WHBODY	N		**6940**	**6940**	**6940**										2025/01	XA01872787T
					N	T	**560**	**560**	**560**											
					N	F	**6380**	**6380**	**6380**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01188			L02TN	WHBODY	N		**13660**	**13660**	**13660**										2025/01	XA01802350W
					N	T	**1210**	**1210**	**1210**											
					N	F	**12450**	**12450**	**12450**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01191			L02TN	WHBODY	PBN		**191742**	**185759**	**154917**										2025/01	XA00865108C
					P		**185462**	**179479**	**99**											
					B				**148538**											
					N	T	**450**	**450**	**450**											
					N	F	**5830**	**5830**	**5830**											
01192			L02TN	WHBODY															2025/01	XA00837308C
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
01197			L02TN	WHBODY	PN		**708793**	**708793**	**708793**										2025/01	XA006980748
					P	H	**703373**	**703373**	**703373**											
					N	T	**470**	**470**	**470**											
					N	F	**4950**	**4950**	**4950**											

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	44 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01199			L02TN	WHBODY	PN		**832568**	**832568**	**832568**										2025/01	XA01660839Y
					P	H	**825978**	**825978**	**825978**											
					N	T	**420**	**420**	**420**											
					N	F	**6170**	**6170**	**6170**											
01200			L02TN	WHBODY	PN		**288393**	**288393**	**288393**										2025/01	XA01966073D
					P	H	**284693**	**284693**	**284693**											
					N	T	**380**	**380**	**380**											
					N	F	**3320**	**3320**	**3320**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													
01202			L02TN	WHBODY	N		**9580**	**9580**	**9580**										2025/01	XA00888853W
					N	T	**710**	**710**	**710**											
					N	F	**8870**	**8870**	**8870**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01208			L02TN	WHBODY	PN		**467622**	**467622**	**467622**										2025/01	XA01734860E
					P	H	**461612**	**461612**	**461612**											
					N	T	**460**	**460**	**460**											
					N	F	**5550**	**5550**	**5550**											
01209			L02TN	WHBODY	PN		**338427**	**327638**	**272018**										2025/01	XA00285948U
					P	M	**334457**	**323668**	**268048**											
					N	T	**300**	**300**	**300**											
					N	F	**3670**	**3670**	**3670**											
01210			L02TN	WHBODY	PN		**343842**	**343842**	**343842**										2025/01	XA008919430
					P	H	**338712**	**338712**	**338712**											
					N	T	**350**	**350**	**350**											
					N	F	**4780**	**4780**	**4780**											

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	45 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01212			L02TN	WHBODY	N		**5370**	**5370**	**5370**										2025/01	XA02366996R
					N	T	**380**	**380**	**380**											
					N	F	**4990**	**4990**	**4990**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01215			L02TN	WHBODY	PN		**558651**	**558651**	**558651**										2025/01	XA00778597T
					P	H	**552551**	**552551**	**552551**											
					N	T	**400**	**400**	**400**											
					N	F	**5700**	**5700**	**5700**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													
01216			L02TN	WHBODY	PBN		**1.0247e+006**	**1.0247e+006**	**1.0247e+006**										2025/01	XA02692528X
					P		**1.01873e+006**	**1.01873e+006**	**477393**											
					B				**541333**											
					N	T	**340**	**340**	**340**											
					N	F	**5630**	**5630**	**5630**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													
01223			L02TN	WHBODY	N		**8550**	**8550**	**8550**										2025/01	XA00868649T
					N	T	**560**	**560**	**560**											
					N	F	**7990**	**7990**	**7990**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	46 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01227			L02TN	WHBODY	PBN		**290432**	**281204**	**233634**										2025/01	XA00898468R
					P		**286052**	**276824**	**150527**											
					B				**78727**											
					N	T	**380**	**380**	**380**											
					N	F	**4000**	**4000**	**4000**											
01230			L02TN	WHBODY	PN		**20546**	**20546**	**20887**										2025/01	XA002311115
					P	M	**19606**	**19606**	**19947**											
					N	T	**80**	**80**	**80**											
					N	F	**860**	**860**	**860**											
01256			L02TN	WHBODY															2025/01	XA027504949
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
01283			L02TN	WHBODY															2025/01	XA00369280J
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
01382			L02TN	WHBODY															2025/01	XA00743642H
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	47 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01383			L02TN	WHBODY	N		**1500**	**1500**	**1500**										2025/01	XA00825526E
					N	T	**100**	**100**	**100**											
					N	F	**1400**	**1400**	**1400**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01384			L02TN	WHBODY															2025/01	XA00816025R
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
01385			L02TN	WHBODY	PN		**221932**	**214785**	**177937**										2025/01	XA01411626K
					P	M	**221572**	**214425**	**177577**											
					N	T	**50**	**50**	**50**											
					N	F	**310**	**310**	**310**											
01386			L02TN	WHBODY	N		**1190**	**1190**	**1190**										2025/01	XA01082406F
					N	T	**110**	**110**	**110**											
					N	F	**1080**	**1080**	**1080**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01387			L02TN	WHBODY	N		**680**	**680**	**680**										2025/01	XA01372326E
					N	T	**90**	**90**	**90**											
					N	F	**590**	**590**	**590**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	48 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01388			L02TN	WHBODY	N		**3940**	**3940**	**3940**										2025/01	XA00331453Q
					N	T	**250**	**250**	**250**											
					N	F	**3690**	**3690**	**3690**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01389			L02TN	WHBODY	N		**1170**	**1170**	**1170**										2025/01	XA009415297
					N	T	**80**	**80**	**80**											
					N	F	**1090**	**1090**	**1090**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01390			L02TN	WHBODY	N		**1410**	**1410**	**1410**										2025/01	XA00307963F
					N	T	**90**	**90**	**90**											
					N	F	**1320**	**1320**	**1320**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01397			L02TN	WHBODY	P	M	**85215**	**82466**	**68295**										2025/01	XA02908372H
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
01398			L02TN	WHBODY	PN		**87653**	**84922**	**70844**										2025/01	XA006594177
					P	M	**84653**	**81922**	**67844**											
					N	T	**170**	**170**	**170**											
					N	F	**2830**	**2830**	**2830**											
01399			L02TN	WHBODY	N		**860**	**860**	**860**										2025/01	XA00702681O
					N	T	**100**	**100**	**100**											
					N	F	**760**	**760**	**760**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	49 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01400			L02TN	WHBODY	N		**670**	**670**	**670**										2025/01	XA007387563
					N	T	**90**	**90**	**90**											
					N	F	**580**	**580**	**580**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01401			L02TN	WHBODY	N		**570**	**570**	**570**										2025/01	XA01093425C
					N	T	**100**	**100**	**100**											
					N	F	**470**	**470**	**470**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01402			L02TN	WHBODY	N		**770**	**770**	**770**										2025/01	XA00920860K
					N	T	**50**	**50**	**50**											
					N	F	**720**	**720**	**720**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
01403			L02TN	WHBODY	PN		**111584**	**111584**	**111584**										2025/01	XA02160368A
					P	H	**110654**	**110654**	**110654**											
					N	T	**70**	**70**	**70**											
					N	F	**860**	**860**	**860**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													
01404			L02TN	WHBODY	PBN		**717208**	**717208**	**717208**										2025/01	XA00759293A
					P		**716328**	**716328**	**136488**											
					B				**579840**											
					N	T	**40**	**40**	**40**											
					N	F	**840**	**840**	**840**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	50 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-01-01 to 2025-06-30			QUARTER 1			2025			LIFETIME				
01405			L02TN	WHBODY	N		**850**	**850**	**850**										2025/01	XA00930920K
					N	T	**80**	**80**	**80**											
					N	F	**770**	**770**	**770**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
For Monitoring Period:							2025-07-01 to 2025-12-31			QUARTER 3			2025			LIFETIME				
	Historical Customer Avg Control Dose		L02TN																	
00515			L02TN	WHBODY	*N		**1230**	**1230**	**1230**										2025/01	XA01792518Z
					*N	T	**90**	**90**	**90**											
					*N	F	**1140**	**1140**	**1140**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00516			L02TN	WHBODY	*PN		**3672**	**3672**	**3625**										2025/01	XA00714813J
					*P	M	**2442**	**2442**	**2395**											
					*N	T	**100**	**100**	**100**											
					*N	F	**1130**	**1130**	**1130**											
00517			L02TN	WHBODY	*N		**650**	**650**	**650**										2025/01	XA025486074
					*N	T	**60**	**60**	**60**											
					*N	F	**590**	**590**	**590**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00518			L02TN	WHBODY	*N		**500**	**500**	**500**										2025/01	XA02172168A
					*N	T	**60**	**60**	**60**											
					*N	F	**440**	**440**	**440**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

* - Customer average background dose used for control subtraction

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	51 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-07-01 to 2025-12-31			QUARTER 3			2025			LIFETIME				
00519			L02TN	WHBODY															2025/01	XA00280860F
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00520			L02TN	WHBODY	*N		**1280**	**1280**	**1280**										2025/01	XA01914473H
					*N	T	**80**	**80**	**80**											
					*N	F	**1200**	**1200**	**1200**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00523			L02TN	WHBODY	*PN		**141155**	**141155**	**141155**										2025/01	XA00900087O
					*P	H	**138365**	**138365**	**138365**											
					*N	T	**160**	**160**	**160**											
					*N	F	**2630**	**2630**	**2630**											
				NOTE			Irregular exposure. Dosimeter reprocessed, second read agrees with reported dose.													
00524			L02TN	WHBODY	*N		**1040**	**1040**	**1040**										2025/01	XA00028089H
					*N	T	**80**	**80**	**80**											
					*N	F	**960**	**960**	**960**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00525			L02TN	WHBODY	*N		**930**	**930**	**930**										2025/01	XA02524300W
					*N	T	**50**	**50**	**50**											
					*N	F	**880**	**880**	**880**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

* - Customer average background dose used for control subtraction

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	52 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-07-01 to 2025-12-31			QUARTER 3			2025			LIFETIME				
00526			L02TN	WHBODY	*N		**1150**	**1150**	**1150**										2025/01	XA00764126G
					*N	T	**70**	**70**	**70**											
					*N	F	**1080**	**1080**	**1080**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00527			L02TN	WHBODY	*N		**3460**	**3460**	**3460**										2025/01	XA01089603A
					*N	T	**410**	**410**	**410**											
					*N	F	**3050**	**3050**	**3050**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00528			L02TN	WHBODY	*PN		**59874**	**57993**	**48299**										2025/01	XA00185331M
					*P	M	**58294**	**56413**	**46719**											
					*N	T	**100**	**100**	**100**											
					*N	F	**1480**	**1480**	**1480**											
00529			L02TN	WHBODY	*PN		**106051**	**106051**	**106051**										2025/01	XA01972915Z
					*P	H	**104121**	**104121**	**104121**											
					*N	T	**180**	**180**	**180**											
					*N	F	**1750**	**1750**	**1750**											
00530			L02TN	WHBODY	*N		**3410**	**3410**	**3410**										2025/01	XA00950167E
					*N	T	**210**	**210**	**210**											
					*N	F	**3200**	**3200**	**3200**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

* - Customer average background dose used for control subtraction

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	53 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-07-01 to 2025-12-31			QUARTER 3			2025			LIFETIME				
00531			L02TN	WHBODY	*N		**1140**	**1140**	**1140**										2025/01	XA007795823
					*N	T	**100**	**100**	**100**											
					*N	F	**1040**	**1040**	**1040**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00532			L02TN	WHBODY	*N		**1540**	**1540**	**1540**										2025/01	XA01544177D
					*N	T	**120**	**120**	**120**											
					*N	F	**1420**	**1420**	**1420**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00533			L02TN	WHBODY	*N		**1610**	**1610**	**1610**										2025/01	XA005757049
					*N	T	**110**	**110**	**110**											
					*N	F	**1500**	**1500**	**1500**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00534			L02TN	WHBODY															2025/01	XA027414586
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00535			L02TN	WHBODY															2025/01	XA01364404I
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													

* - Customer average background dose used for control subtraction

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	54 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-07-01 to 2025-12-31			QUARTER 3			2025			LIFETIME				
00536			L02TN	WHBODY	*N		**450**	**450**	**450**										2025/01	XA03254025L
					*N	T	**60**	**60**	**60**											
					*N	F	**390**	**390**	**390**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00537			L02TN	WHBODY															2025/01	XA00244338G
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00538			L02TN	WHBODY	*PBN		**66679**	**64628**	**54055**										2025/01	XA00562367A
					*P		**63579**	**61528**	**38589**											
					*B				**12366**											
					*N	T	**140**	**140**	**140**											
					*N	F	**2960**	**2960**	**2960**											
00539			L02TN	WHBODY															2025/01	XA01372261M
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00540			L02TN	WHBODY	*N		**640**	**640**	**640**										2025/01	XA028852173
					*N	T	**50**	**50**	**50**											
					*N	F	**590**	**590**	**590**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													

* - Customer average background dose used for control subtraction

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

JEFFERSON LAB
RADIATION CONTROL
SUITE 2
111 HADRON DRIVE
NEWPORT NEWS, VA 23606

Received Date / Reported Date	2025-08-04 / 2025-09-10
Page	55 of 55
Analytical Work Order / QC Release	2520501950 / JON
Copy / Version	0 / 1

The following dose calculation algorithms were used for assessing the reported doses		
Dosimeter Model	Dosimeter Type	Algorithm Version
InLight	Whole Body	00101
CR-39--Thermal	Whole Body	03001

LANDAUER®
LANDAUER, Inc., 2 Science Road
Glenwood, Illinois 60425-1586
landauer.com
Telephone: (708) 755-7000
Facsimile: (708) 755-7016
Customer Service: (800) 323-8830
Technical: (800) 438-3241

Radiation Dosimetry Report

Account : 738211

Participant Number	Name: ID Number	Name: Birth Date	Dosimeter	Use	Rad. Type	Rad. Quality	Equivalent Dose (mrem) for Periods Shown Below: Period Shown Below: Whole Body	Period Shown Below: Lens	Period Shown Below: Skin	Quarter to Date: Whole Body	Quarter to Date: Lens	Quarter to Date: Skin	Year to Date: Whole Body	Year to Date: Lens	Year to Date: Skin	Lifetime to Date: Whole Body	Lifetime to Date: Lens	Lifetime to Date: Skin	Inception Date	Serial Number
For Monitoring Period:							2025-07-01 to 2025-12-31			QUARTER 3			2025			LIFETIME				
00541			L02TN	WHBODY	*N		**560**	**560**	**560**										2025/01	XA003142121
					*N	T	**40**	**40**	**40**											
					*N	F	**520**	**520**	**520**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00542			L02TN	WHBODY															2025/01	XA02256237C
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
				NOTE			**Neutron component has exceeded the fast and thermal reporting capabilities.**													
00543			L02TN	WHBODY	*PN		**3190**	**3190**	**3103**										2025/01	XA007784165
					*P	M	**2290**	**2290**	**2203**											
					*N	T	**70**	**70**	**70**											
					*N	F	**830**	**830**	**830**											
00544			L02TN	WHBODY	*PN		**140902**	**136380**	**113066**										2025/01	XA02318805C
					*P	M	**140192**	**135670**	**112356**											
					*N	T	**70**	**70**	**70**											
					*N	F	**640**	**640**	**640**											
00545			L02TN	WHBODY	*N		**1120**	**1120**	**1120**										2025/01	XA00365426D
					*N	T	**80**	**80**	**80**											
					*N	F	**1040**	**1040**	**1040**											
				NOTE			**Dosimeter has exceeded the reporting capabilities of 1000 rads. Dosimeter reprocessed, second read agrees with reported dose.**													
00546			L02TN	WHBODY	*PN		**516377**	**516377**	**516377**										2025/01	XA00673100U
					*P	H	**515597**	**515597**	**515597**											
					*N	T	**60**	**60**	**60**											
					*N	F	**720**	**720**	**720**											

* - Customer average background dose used for control subtraction

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government.

Radiation Dosimetry Report

Annual Radiation Exposure Limits (mrem) :

Whole body, blood forming organs, gonads	5,000
Lens of Eye	15,000
Extremities and Skin	50,000
Fetal (Gestation period)	500
General Public	100

Based on the US NRC Regulations, Title 10, Part 20, Code of Federal Regulations and adopted by many states. Certain state and other regulatory agencies may adhere to different limits.
Control Dosimeter: A control dosimeter is included with each shipment of dosimeters for monitoring radiation exposure received during transit. At the customer's facility, store the control in a radiation free area during the wear period.
Minimal Dose Equivalent Reported: Dose equivalents below the minimum measurable quantity for the current monitoring period are recorded as "M." The minimal reporting levels vary by the dosimeter type and radiation quality. "SL" is an elective option for the minimal dose equivalent reported where exposures less than 10 mrem report as "SL" (excludes fetal dosimeters), and/or exposures at or more than 10 mrem begin reporting at 10 mrem and report in increments of 10 mrem.

Dosimeter Type	M (DDE,LDE,SDE)	M (SDE Only)	SL
Luxel+®	1	-	10
InLight®	5	-	10
Whole Body Beta	-	10	10
U Ring	-	30	-
Neutrak® Neutron Fast	20	-	-
Neutrak® Neutron Thermal/Fast	10	-	-
Saturn Ring	-	10	10

Special Calculations: Special dose calculations can be applied to radiation workers who wear lead aprons.
EDE 1 - two dosimeters: one worn at the waist level under lead apron and one worn at the collar level outside lead apron. 1.5 (Waist DDE) + 0.04 (Collar DDE) = Assigned Deep Dose Equivalent.
EDE 2 - one dosimeter: one worn at the collar level outside lead apron. 0.3 (Collar DDE) = Assigned Deep Dose Equivalent.
EDE 122 - one dosimeter: one worn at the collar level outside lead apron. Collar DDE / 5.6 = Assigned Deep Dose Equivalent.
Calc3 - Lens of Eye dosimeter. 0.5 (Lens of Eye LDE) = Assigned Lens of Eye Dose Equivalent.
Lens.175 - Lens of Eye dosimeter. 0.175 (Lens of Eye LDE) = Assigned Lens of Eye Dose Equivalent.
EDE1-NTC EDE1 without Thyroid Collar assigned deep dose equivalent = 0.06 × (collar dose - waist dose) + waist dose
EDE1-TC EDE1 with Thyroid Collar assigned deep dose equivalent = 0.02 × (collar dose - waist dose) + waist dose
The "ASSIGNED" line follows all of the original whole body dosimeter doses with the EDE 1 or EDE 2 calculation results or LANDAUER's standard Dose Assessment Protocol (deep and shallow whole body dose from the highest reading whole body dosimeter, lens dose from dosimeter closest to the eye).

Ring Dosimeter Reading: Ring dosimeter readings report as a shallow dose.

Fetal Dosimeter: A declared pregnant worker will possess a fetal exposure on an extra page of the report based upon the whole body dosimeter worn closest to the fetus. The fetal dose is reported for the current wear period, plus the estimated dose from conception to declaration (if provided by customer), and the total dose from declaration to present.

Use	Description	Use	Description
AREA	Area Monitor	OEXTRM	Other Extremity
CHEST	Chest	OWHBDY	Other Whole Body
CNTRL	Control	RANKLE	Right Ankle
COLLAR	Collar	RFINGR	Right Hand Ring
EYE	Eye	RUARM	Right Upper Arm
FETAL	Fetal	RULEG	Right Upper Leg
LANKLE	Left Ankle	RWRIST	Right Wrist
LFINGR	Left Hand Ring	SPCPUR	Special Purpose
LUARM	Left Upper Arm	UPBACK	Upper Back
LULEG	Left Upper Leg	WAIST	Waist
LWBACK	Lower Back	WHBODY	Whole Body
LWRIST	Left Wrist		

Code	Radiation Quality Description (Type and/or Energy)
B	beta
BH	beta high energy, e.g. Strontium, Phosphorus
BL	beta low energy e.g. Thallium, Krypton
BS	Strontium beta
BT	Thallium beta
BU	Uranium beta
BN	beta, neutron mixture
NF	neutron fast
NT	neutron thermal
P	photon (x or gamma ray)
PB	photon, beta mixture
PBN	photon, beta, neutron mixture
PH	photon high energy greater than 200 keV
PL	photon low energy less than 40 keV
PM	photon medium energy 40 keV to 200 keV
PN	photon, neutron mixture

First Line Explanation
Participant Number: Unique number assigned by LANDAUER.
Name: Participant to whom the dosimeter is assigned.
Dosimeter: Badge type according to radiation monitoring needs.

Dosimeter	Code	Type of Radiation Monitored				
		Photons			Neutrons	
		X	Gamma	Beta	Fast	Thermal
InLight Model 2	L02NN	Yes	Yes	Yes		
InLight Model 2J	L02JN	Yes	Yes	Yes	Yes	
InLight Model 2T	L02TN	Yes	Yes	Yes	Yes	Yes
Luxel+	Pa	Yes	Yes	Yes		
Luxel+	Ja	Yes	Yes	Yes	Yes	
Luxel+	Ta	Yes	Yes	Yes	Yes	Yes
Luxel+ Escort	Pa	Yes	Yes			
Neutrak	N				Yes	
Neutrak	E				Yes	Yes
Ring, Single TLD	U or S	Yes	Yes	Yes		

Deep, Eye and Shallow Dose Equivalents: Deep dose equivalent (DDE) applies to external whole body exposure at a tissue depth of 1 cm (1000 mg/cm^2).
Eye dose equivalent (LDE) applies to external exposure of the lens at a tissue depth of 0.3 cm (300 mg/cm^2).
Shallow dose equivalent (SDE) applies to the external exposure of the skin or extremity at a tissue depth of 0.007 cm (7 mg/cm^2) averaged over an area 1 cm^2.

Deep, eye and shallow dose equivalents report for the time frame indicated by "For Monitoring Period." These doses represent the dose received only for the account/subaccount specified. Individual radiation component results and combined totals report in separate lines.

Quarterly accumulated results reflect total dose received within a calendar 3-months time frame and the customer defined start day. (Note: Quarterly accumulated columns are eliminated for bimonthly service or display "Not applicable.") Year to date accumulation totals dose received from the beginning of the current year to report date. Lifetime accumulation totals all dose received from inception date of dosimeter service to report date, and could include earlier dose history if supplied by customer. Reported quarterly, annual and lifetime dose accumulations represent the doses totaling from all account/subaccount dosimeters to be reported at the customer level.

Inception Date: The date LANDAUER began keeping dosimeter records for a given dosimeter for a badging participant on the current customer.

Serial Number: Dosimeter serial number.

Second Line Explanation
Participant's personal information consisting of ID number and birth date. This information can be suppressed on "Duplicate and Original Reports" for privacy and/or posting needs.

Notes: Text messages explaining any abnormalities or comments. The notes with message appears on a separate line below all dosimeter exposure information.

U.S. Patents
6,316,702; 6,127,685; 5,892,234

LANDAUER®
© 2018 LANDAUER