



Ava Community Energy Rate Sheets

Rates effective as of March 1, 2025

This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
A1	Summer	0.18187	0.19285	-0.02076	0.16111	0.17209	0.16959	kWh
A1	Winter	0.14374	0.15271	-0.02076	0.12298	0.13195	0.12945	kWh
A10P	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10P	Summer	0.16358	0.17354	-0.02178	0.14180	0.15176	0.14926	kWh
A10P	Winter	0.14570	0.15472	-0.02178	0.12392	0.13294	0.13044	kWh
A10PX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10PX	Off-Peak Summer	0.15329	0.16271	-0.02178	0.13151	0.14093	0.13843	kWh
A10PX	Off-Peak Winter	0.14560	0.15462	-0.02178	0.12382	0.13284	0.13034	kWh
A10PX	Part-Peak Summer	0.17734	0.18803	-0.02178	0.15556	0.16625	0.16375	kWh
A10PX	Part-Peak Winter	0.14624	0.15529	-0.02178	0.12446	0.13351	0.13101	kWh
A10PX	Peak Summer	0.17734	0.18803	-0.02178	0.15556	0.16625	0.16375	kWh
A10S	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10S	Summer	0.18378	0.19481	-0.02178	0.16200	0.17303	0.17053	kWh
A10S	Winter	0.16311	0.17305	-0.02178	0.14133	0.15127	0.14877	kWh
A10SX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10SX	Off-Peak Summer	0.17141	0.18179	-0.02178	0.14963	0.16001	0.15751	kWh
A10SX	Off-Peak Winter	0.16329	0.17324	-0.02178	0.14151	0.15146	0.14896	kWh
A10SX	Part-Peak Summer	0.19686	0.20857	-0.02178	0.17508	0.18679	0.18429	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
A10SX	Part-Peak Winter	0.16397	0.17395	-0.02178	0.14219	0.15217	0.14967	kWh
A10SX	Peak Summer	0.19686	0.20857	-0.02178	0.17508	0.18679	0.18429	kWh
A10T	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10T	Summer	0.14152	0.15032	-0.02178	0.11974	0.12854	0.12604	kWh
A10T	Winter	0.12524	0.13319	-0.02178	0.10346	0.11141	0.10891	kWh
A10TX	Max Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
A10TX	Off-Peak Summer	0.13248	0.14081	-0.02178	0.11070	0.11903	0.11653	kWh
A10TX	Off-Peak Winter	0.12498	0.13291	-0.02178	0.10320	0.11113	0.10863	kWh
A10TX	Part-Peak Summer	0.15590	0.16546	-0.02178	0.13412	0.14368	0.14118	kWh
A10TX	Part-Peak Winter	0.12561	0.13357	-0.02178	0.10383	0.11179	0.10929	kWh
A10TX	Peak Summer	0.15590	0.16546	-0.02178	0.13412	0.14368	0.14118	kWh
A15	Summer	0.17630	0.18699	-0.02076	0.15554	0.16623	0.16373	kWh
A15	Winter	0.15681	0.16647	-0.02076	0.13605	0.14571	0.14321	kWh
A1X	Off-Peak Summer	0.16095	0.17083	-0.02076	0.14019	0.15007	0.14757	kWh
A1X	Off-Peak Winter	0.15466	0.16421	-0.02076	0.13390	0.14345	0.14095	kWh
A1X	Part-Peak Summer	0.18443	0.19554	-0.02076	0.16367	0.17478	0.17228	kWh
A1X	Part-Peak Winter	0.15521	0.16479	-0.02076	0.13445	0.14403	0.14153	kWh
A1X	Peak Summer	0.18443	0.19554	-0.02076	0.16367	0.17478	0.17228	kWh
A6	Off-Peak Summer	0.16555	0.17567	-0.02076	0.14479	0.15491	0.15241	kWh
A6	Off-Peak Winter	0.15596	0.16558	-0.02076	0.13520	0.14482	0.14232	kWh
A6	Part-Peak Summer	0.19761	0.20942	-0.02076	0.17685	0.18866	0.18616	kWh
A6	Part-Peak Winter	0.15664	0.16629	-0.02076	0.13588	0.14553	0.14303	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
A6	Peak Summer	0.19761	0.20942	-0.02076	0.17685	0.18866	0.18616	kWh
AG1A	Connected Load Summer	4.12000	4.34000	0.00000	4.12000	4.34000	4.34000	kW
AG1A	Summer	0.13834	0.14709	-0.01953	0.11881	0.12756	0.12506	kWh
AG1A	Winter	0.12557	0.13365	-0.01953	0.10604	0.11412	0.11162	kWh
AG1B	Max Demand Summer	5.45000	5.74000	0.00000	5.45000	5.74000	5.74000	kW
AG1B	Summer	0.14725	0.15647	-0.01953	0.12772	0.13694	0.13444	kWh
AG1B	Winter	0.11056	0.11785	-0.01953	0.09103	0.09832	0.09582	kWh
AG4A	Connected Load Summer	2.87000	3.02000	0.00000	2.87000	3.02000	3.02000	kW
AG4A	Off-Peak Summer	0.13506	0.14364	-0.01953	0.11553	0.12411	0.12161	kWh
AG4A	Off-Peak Winter	0.12083	0.12866	-0.01953	0.10130	0.10913	0.10663	kWh
AG4A	Part-Peak Winter	0.12150	0.12937	-0.01953	0.10197	0.10984	0.10734	kWh
AG4A	Peak Summer	0.13506	0.14364	-0.01953	0.11553	0.12411	0.12161	kWh
AG4B	Max Demand Summer	5.00000	5.26000	0.00000	5.00000	5.26000	5.26000	kW
AG4B	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AG4B	Off-Peak Summer	0.14749	0.15673	-0.01953	0.12796	0.13720	0.13470	kWh
AG4B	Off-Peak Winter	0.13355	0.14205	-0.01953	0.11402	0.12252	0.12002	kWh
AG4B	Part-Peak Winter	0.13420	0.14274	-0.01953	0.11467	0.12321	0.12071	kWh
AG4B	Peak Summer	0.14749	0.15673	-0.01953	0.12796	0.13720	0.13470	kWh
AG4C	Max Part-Peak Demand Summer	5.27000	5.55000	0.00000	5.27000	5.55000	5.55000	kW
AG4C	Max Peak Demand Summer	5.27000	5.55000	0.00000	5.27000	5.55000	5.55000	kW
AG4C	Off-Peak Summer	0.10882	0.11602	-0.01953	0.08929	0.09649	0.09399	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
AG4C	Off-Peak Winter	0.10569	0.11272	-0.01953	0.08616	0.09319	0.09069	kWh
AG4C	Part-Peak Summer	0.11946	0.12722	-0.01953	0.09993	0.10769	0.10519	kWh
AG4C	Part-Peak Winter	0.10636	0.11343	-0.01953	0.08683	0.09390	0.09140	kWh
AG4C	Peak Summer	0.11946	0.12722	-0.01953	0.09993	0.10769	0.10519	kWh
AG5A	Connected Load Summer	7.94000	8.36000	0.00000	7.94000	8.36000	8.36000	kW
AG5A	Off-Peak Summer	0.14380	0.15284	-0.01953	0.12427	0.13331	0.13081	kWh
AG5A	Off-Peak Winter	0.13146	0.13985	-0.01953	0.11193	0.12032	0.11782	kWh
AG5A	Part-Peak Winter	0.13213	0.14056	-0.01953	0.11260	0.12103	0.11853	kWh
AG5A	Peak Summer	0.14380	0.15284	-0.01953	0.12427	0.13331	0.13081	kWh
AG5B	Max Demand Summer	9.69000	10.20000	0.00000	9.69000	10.20000	10.20000	kW
AG5B	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AG5B	Off-Peak Summer	0.13225	0.14068	-0.01953	0.11272	0.12115	0.11865	kWh
AG5B	Off-Peak Winter	0.11979	0.12757	-0.01953	0.10026	0.10804	0.10554	kWh
AG5B	Part-Peak Winter	0.12044	0.12825	-0.01953	0.10091	0.10872	0.10622	kWh
AG5B	Peak Summer	0.13225	0.14068	-0.01953	0.11272	0.12115	0.11865	kWh
AG5C	Max Part-Peak Demand Summer	10.88000	11.45000	0.00000	10.88000	11.45000	11.45000	kW
AG5C	Max Peak Demand Summer	10.88000	11.45000	0.00000	10.88000	11.45000	11.45000	kW
AG5C	Off-Peak Summer	0.10184	0.10867	-0.01953	0.08231	0.08914	0.08664	kWh
AG5C	Off-Peak Winter	0.09870	0.10537	-0.01953	0.07917	0.08584	0.08334	kWh
AG5C	Part-Peak Summer	0.10760	0.11474	-0.01953	0.08807	0.09521	0.09271	kWh
AG5C	Part-Peak Winter	0.09938	0.10608	-0.01953	0.07985	0.08655	0.08405	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
AG5C	Peak Summer	0.10760	0.11474	-0.01953	0.08807	0.09521	0.09271	kWh
AGA1	Off-Peak Summer	0.15949	0.16936	-0.01953	0.13996	0.14983	0.14733	kWh
AGA1	Off-Peak Winter	0.13121	0.13959	-0.01953	0.11168	0.12006	0.11756	kWh
AGA1	Peak Summer	0.27319	0.28904	-0.01953	0.25366	0.26951	0.26701	kWh
AGA1	Peak Winter	0.15634	0.16604	-0.01953	0.13681	0.14651	0.14401	kWh
AGA2	Off-Peak Summer	0.15949	0.16936	-0.01953	0.13996	0.14983	0.14733	kWh
AGA2	Off-Peak Winter	0.13121	0.13959	-0.01953	0.11168	0.12006	0.11756	kWh
AGA2	Peak Summer	0.27319	0.28904	-0.01953	0.25366	0.26951	0.26701	kWh
AGA2	Peak Winter	0.15634	0.16604	-0.01953	0.13681	0.14651	0.14401	kWh
AGB	Off-Peak Summer	0.17717	0.18797	-0.01953	0.15764	0.16844	0.16594	kWh
AGB	Off-Peak Winter	0.14721	0.15643	-0.01953	0.12768	0.13690	0.13440	kWh
AGB	Peak Summer	0.29409	0.31104	-0.01953	0.27456	0.29151	0.28901	kWh
AGB	Peak Winter	0.17210	0.18263	-0.01953	0.15257	0.16310	0.16060	kWh
AGC	Max Peak Demand Summer	21.38000	22.50000	0.00000	21.38000	22.50000	22.50000	kW
AGC	Off-Peak Summer	0.11487	0.12239	-0.01953	0.09534	0.10286	0.10036	kWh
AGC	Off-Peak Winter	0.10473	0.11171	-0.01953	0.08520	0.09218	0.08968	kWh
AGC	Peak Summer	0.14288	0.15187	-0.01953	0.12335	0.13234	0.12984	kWh
AGC	Peak Winter	0.12897	0.13723	-0.01953	0.10944	0.11770	0.11520	kWh
AGFA	Off-Peak Summer	0.16631	0.17654	-0.01953	0.14678	0.15701	0.15451	kWh
AGFA	Off-Peak Winter	0.13150	0.13989	-0.01953	0.11197	0.12036	0.11786	kWh
AGFA	Peak Summer	0.23960	0.25368	-0.01953	0.22007	0.23415	0.23165	kWh
AGFA	Peak Winter	0.15662	0.16634	-0.01953	0.13709	0.14681	0.14431	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
AGFB	Off-Peak Summer	0.18589	0.19715	-0.01953	0.16636	0.17762	0.17512	kWh
AGFB	Off-Peak Winter	0.14931	0.15864	-0.01953	0.12978	0.13911	0.13661	kWh
AGFB	Peak Summer	0.26314	0.27846	-0.01953	0.24361	0.25893	0.25643	kWh
AGFB	Peak Winter	0.17444	0.18509	-0.01953	0.15491	0.16556	0.16306	kWh
AGFC	Max Peak Demand Summer	21.38000	22.50000	0.00000	21.38000	22.50000	22.50000	kW
AGFC	Off-Peak Summer	0.12392	0.13191	-0.01953	0.10439	0.11238	0.10988	kWh
AGFC	Off-Peak Winter	0.11360	0.12105	-0.01953	0.09407	0.10152	0.09902	kWh
AGFC	Peak Summer	0.15243	0.16192	-0.01953	0.13290	0.14239	0.13989	kWh
AGFC	Peak Winter	0.13873	0.14750	-0.01953	0.11920	0.12797	0.12547	kWh
AGRA	Connected Load Summer	2.79000	2.94000	0.00000	2.79000	2.94000	2.94000	kW
AGRA	Off-Peak Summer	0.13772	0.14644	-0.01953	0.11819	0.12691	0.12441	kWh
AGRA	Off-Peak Winter	0.12127	0.12912	-0.01953	0.10174	0.10959	0.10709	kWh
AGRA	Part-Peak Winter	0.12194	0.12983	-0.01953	0.10241	0.11030	0.10780	kWh
AGRA	Peak Summer	0.13772	0.14644	-0.01953	0.11819	0.12691	0.12441	kWh
AGRB	Max Demand Summer	3.94000	4.15000	0.00000	3.94000	4.15000	4.15000	kW
AGRB	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AGRB	Off-Peak Summer	0.12404	0.13204	-0.01953	0.10451	0.11251	0.11001	kWh
AGRB	Off-Peak Winter	0.11253	0.11993	-0.01953	0.09300	0.10040	0.09790	kWh
AGRB	Part-Peak Winter	0.11321	0.12064	-0.01953	0.09368	0.10111	0.09861	kWh
AGRB	Peak Summer	0.12404	0.13204	-0.01953	0.10451	0.11251	0.11001	kWh
AGVA	Connected Load Summer	2.94000	3.09000	0.00000	2.94000	3.09000	3.09000	kW
AGVA	Off-Peak Summer	0.13295	0.14142	-0.01953	0.11342	0.12189	0.11939	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
AGVA	Off-Peak Winter	0.11781	0.12548	-0.01953	0.09828	0.10595	0.10345	kWh
AGVA	Part-Peak Winter	0.11848	0.12619	-0.01953	0.09895	0.10666	0.10416	kWh
AGVA	Peak Summer	0.13295	0.14142	-0.01953	0.11342	0.12189	0.11939	kWh
AGVB	Max Demand Summer	3.73000	3.93000	0.00000	3.73000	3.93000	3.93000	kW
AGVB	Max Peak Demand Summer	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	kW
AGVB	Off-Peak Summer	0.11979	0.12757	-0.01953	0.10026	0.10804	0.10554	kWh
AGVB	Off-Peak Winter	0.10733	0.11445	-0.01953	0.08780	0.09492	0.09242	kWh
AGVB	Part-Peak Winter	0.10800	0.11516	-0.01953	0.08847	0.09563	0.09313	kWh
AGVB	Peak Summer	0.11979	0.12757	-0.01953	0.10026	0.10804	0.10554	kWh
B1	Off-Peak Summer	0.15615	0.16578	-0.02076	0.13539	0.14502	0.14252	kWh
B1	Off-Peak Winter	0.15489	0.16445	-0.02076	0.13413	0.14369	0.14119	kWh
B1	Part-Peak Summer	0.17592	0.18659	-0.02076	0.15516	0.16583	0.16333	kWh
B1	Peak Summer	0.22269	0.23582	-0.02076	0.20193	0.21506	0.21256	kWh
B1	Peak Winter	0.17020	0.18057	-0.02076	0.14944	0.15981	0.15731	kWh
B1	Super-Off-Peak Winter	0.13929	0.14803	-0.02076	0.11853	0.12727	0.12477	kWh
B1-ST	Off-Peak Summer	0.15297	0.16243	-0.02076	0.13221	0.14167	0.13917	kWh
B1-ST	Off-Peak Winter	0.14660	0.15572	-0.02076	0.12584	0.13496	0.13246	kWh
B1-ST	Part-Peak Summer	0.18693	0.19818	-0.02076	0.16617	0.17742	0.17492	kWh
B1-ST	Part-Peak Winter	0.16750	0.17772	-0.02076	0.14674	0.15696	0.15446	kWh
B1-ST	Peak Summer	0.22727	0.24064	-0.02076	0.20651	0.21988	0.21738	kWh
B1-ST	Peak Winter	0.17922	0.19006	-0.02076	0.15846	0.16930	0.16680	kWh
B1-ST	Super-Off-Peak Winter	0.13100	0.13930	-0.02076	0.11024	0.11854	0.11604	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
B10P	Off-Peak Summer	0.14342	0.15232	-0.02178	0.12164	0.13054	0.12804	kWh
B10P	Off-Peak Winter	0.14424	0.15319	-0.02178	0.12246	0.13141	0.12891	kWh
B10P	Part-Peak Summer	0.17272	0.18316	-0.02178	0.15094	0.16138	0.15888	kWh
B10P	Peak Summer	0.22810	0.24146	-0.02178	0.20632	0.21968	0.21718	kWh
B10P	Peak Winter	0.17620	0.18683	-0.02178	0.15442	0.16505	0.16255	kWh
B10P	Super-Off-Peak Winter	0.10972	0.11685	-0.02178	0.08794	0.09507	0.09257	kWh
B10S	Off-Peak Summer	0.16014	0.16992	-0.02178	0.13836	0.14814	0.14564	kWh
B10S	Off-Peak Winter	0.16084	0.17066	-0.02178	0.13906	0.14888	0.14638	kWh
B10S	Part-Peak Summer	0.19108	0.20249	-0.02178	0.16930	0.18071	0.17821	kWh
B10S	Peak Summer	0.24968	0.26418	-0.02178	0.22790	0.24240	0.23990	kWh
B10S	Peak Winter	0.19455	0.20614	-0.02178	0.17277	0.18436	0.18186	kWh
B10S	Super-Off-Peak Winter	0.12632	0.13432	-0.02178	0.10454	0.11254	0.11004	kWh
B10T	Off-Peak Summer	0.12217	0.12995	-0.02178	0.10039	0.10817	0.10567	kWh
B10T	Off-Peak Winter	0.12305	0.13088	-0.02178	0.10127	0.10910	0.10660	kWh
B10T	Part-Peak Summer	0.15073	0.16002	-0.02178	0.12895	0.13824	0.13574	kWh
B10T	Peak Summer	0.20464	0.21676	-0.02178	0.18286	0.19498	0.19248	kWh
B10T	Peak Winter	0.15424	0.16371	-0.02178	0.13246	0.14193	0.13943	kWh
B10T	Super-Off-Peak Winter	0.08853	0.09454	-0.02178	0.06675	0.07276	0.07026	kWh
B19P	Max Part-Peak Demand Summer	3.16000	3.33000	0.00000	3.16000	3.33000	3.33000	kW
B19P	Max Peak Demand Summer	21.57000	22.71000	0.00000	21.57000	22.71000	22.71000	kW
B19P	Max Peak Demand Winter	2.21000	2.33000	0.00000	2.21000	2.33000	2.33000	kW



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
B19P	Off-Peak Summer	0.10483	0.11176	-0.02062	0.08421	0.09114	0.08864	kWh
B19P	Off-Peak Winter	0.10525	0.11220	-0.02062	0.08463	0.09158	0.08908	kWh
B19P	Part-Peak Summer	0.13856	0.14727	-0.02062	0.11794	0.12665	0.12415	kWh
B19P	Peak Summer	0.17735	0.18810	-0.02062	0.15673	0.16748	0.16498	kWh
B19P	Peak Winter	0.15480	0.16436	-0.02062	0.13418	0.14374	0.14124	kWh
B19P	Super-Off-Peak Winter	0.03475	0.03799	-0.02062	0.01413	0.01737	0.01487	kWh
B19PR	Off-Peak Summer	0.12797	0.13612	-0.02062	0.10735	0.11550	0.11300	kWh
B19PR	Off-Peak Winter	0.12807	0.13623	-0.02062	0.10745	0.11561	0.11311	kWh
B19PR	Part-Peak Summer	0.16159	0.17151	-0.02062	0.14097	0.15089	0.14839	kWh
B19PR	Peak Summer	0.27895	0.29505	-0.02062	0.25833	0.27443	0.27193	kWh
B19PR	Peak Winter	0.16384	0.17388	-0.02062	0.14322	0.15326	0.15076	kWh
B19PR	Super-Off-Peak Winter	0.09405	0.10041	-0.02062	0.07343	0.07979	0.07729	kWh
B19PS	Off-Peak Summer	0.12797	0.13612	-0.02062	0.10735	0.11550	0.11300	kWh
B19PS	Off-Peak Winter	0.12807	0.13623	-0.02062	0.10745	0.11561	0.11311	kWh
B19PS	Part-Peak Summer	0.16159	0.17151	-0.02062	0.14097	0.15089	0.14839	kWh
B19PS	Peak Summer	0.27895	0.29505	-0.02062	0.25833	0.27443	0.27193	kWh
B19PS	Peak Winter	0.16384	0.17388	-0.02062	0.14322	0.15326	0.15076	kWh
B19PS	Super-Off-Peak Winter	0.09405	0.10041	-0.02062	0.07343	0.07979	0.07729	kWh
B19S	Max Part-Peak Demand Summer	3.73000	3.93000	0.00000	3.73000	3.93000	3.93000	kW
B19S	Max Peak Demand Summer	25.66000	27.01000	0.00000	25.66000	27.01000	27.01000	kW
B19S	Max Peak Demand Winter	3.04000	3.20000	0.00000	3.04000	3.20000	3.20000	kW



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
B19S	Off-Peak Summer	0.11699	0.12456	-0.02062	0.09637	0.10394	0.10144	kWh
B19S	Off-Peak Winter	0.11685	0.12441	-0.02062	0.09623	0.10379	0.10129	kWh
B19S	Part-Peak Summer	0.15310	0.16257	-0.02062	0.13248	0.14195	0.13945	kWh
B19S	Peak Summer	0.20415	0.21631	-0.02062	0.18353	0.19569	0.19319	kWh
B19S	Peak Winter	0.17173	0.18218	-0.02062	0.15111	0.16156	0.15906	kWh
B19S	Super-Off-Peak Winter	0.04322	0.04691	-0.02062	0.02260	0.02629	0.02379	kWh
B19SR	Off-Peak Summer	0.14679	0.15593	-0.02062	0.12617	0.13531	0.13281	kWh
B19SR	Off-Peak Winter	0.14672	0.15586	-0.02062	0.12610	0.13524	0.13274	kWh
B19SR	Part-Peak Summer	0.18337	0.19444	-0.02062	0.16275	0.17382	0.17132	kWh
B19SR	Peak Summer	0.31217	0.33001	-0.02062	0.29155	0.30939	0.30689	kWh
B19SR	Peak Winter	0.18693	0.19818	-0.02062	0.16631	0.17756	0.17506	kWh
B19SR	Super-Off-Peak Winter	0.11269	0.12004	-0.02062	0.09207	0.09942	0.09692	kWh
B19SS	Off-Peak Summer	0.14679	0.15593	-0.02062	0.12617	0.13531	0.13281	kWh
B19SS	Off-Peak Winter	0.14672	0.15586	-0.02062	0.12610	0.13524	0.13274	kWh
B19SS	Part-Peak Summer	0.18337	0.19444	-0.02062	0.16275	0.17382	0.17132	kWh
B19SS	Peak Summer	0.31217	0.33001	-0.02062	0.29155	0.30939	0.30689	kWh
B19SS	Peak Winter	0.18693	0.19818	-0.02062	0.16631	0.17756	0.17506	kWh
B19SS	Super-Off-Peak Winter	0.11269	0.12004	-0.02062	0.09207	0.09942	0.09692	kWh
B19T	Max Part-Peak Demand Summer	4.84000	5.09000	0.00000	4.84000	5.09000	5.09000	kW
B19T	Max Peak Demand Summer	19.34000	20.36000	0.00000	19.34000	20.36000	20.36000	kW
B19T	Max Peak Demand Winter	1.86000	1.96000	0.00000	1.86000	1.96000	1.96000	kW



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
B19T	Off-Peak Summer	0.10946	0.11664	-0.02062	0.08884	0.09602	0.09352	kWh
B19T	Off-Peak Winter	0.11023	0.11745	-0.02062	0.08961	0.09683	0.09433	kWh
B19T	Part-Peak Summer	0.14444	0.15346	-0.02062	0.12382	0.13284	0.13034	kWh
B19T	Peak Summer	0.16088	0.17076	-0.02062	0.14026	0.15014	0.14764	kWh
B19T	Peak Winter	0.15977	0.16959	-0.02062	0.13915	0.14897	0.14647	kWh
B19T	Super-Off-Peak Winter	0.03738	0.04076	-0.02062	0.01676	0.02014	0.01764	kWh
B19TR	Off-Peak Summer	0.13120	0.13952	-0.02062	0.11058	0.11890	0.11640	kWh
B19TR	Off-Peak Winter	0.13140	0.13973	-0.02062	0.11078	0.11911	0.11661	kWh
B19TR	Part-Peak Summer	0.17124	0.18167	-0.02062	0.15062	0.16105	0.15855	kWh
B19TR	Peak Summer	0.24867	0.26317	-0.02062	0.22805	0.24255	0.24005	kWh
B19TR	Peak Winter	0.16340	0.17341	-0.02062	0.14278	0.15279	0.15029	kWh
B19TR	Super-Off-Peak Winter	0.09737	0.10391	-0.02062	0.07675	0.08329	0.08079	kWh
B19TS	Off-Peak Summer	0.13120	0.13952	-0.02062	0.11058	0.11890	0.11640	kWh
B19TS	Off-Peak Winter	0.13140	0.13973	-0.02062	0.11078	0.11911	0.11661	kWh
B19TS	Part-Peak Summer	0.17124	0.18167	-0.02062	0.15062	0.16105	0.15855	kWh
B19TS	Peak Summer	0.24867	0.26317	-0.02062	0.22805	0.24255	0.24005	kWh
B19TS	Peak Winter	0.16340	0.17341	-0.02062	0.14278	0.15279	0.15029	kWh
B19TS	Super-Off-Peak Winter	0.09737	0.10391	-0.02062	0.07675	0.08329	0.08079	kWh
B20P	Max Part-Peak Demand Summer	3.70000	3.89000	0.00000	3.70000	3.89000	3.89000	kW
B20P	Max Peak Demand Summer	26.88000	28.29000	0.00000	26.88000	28.29000	28.29000	kW
B20P	Max Peak Demand Winter	3.10000	3.26000	0.00000	3.10000	3.26000	3.26000	kW



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
B20P	Off-Peak Summer	0.10708	0.11423	-0.01875	0.08833	0.09548	0.09298	kWh
B20P	Off-Peak Winter	0.10717	0.11432	-0.01875	0.08842	0.09557	0.09307	kWh
B20P	Part-Peak Summer	0.14138	0.15033	-0.01875	0.12263	0.13158	0.12908	kWh
B20P	Peak Summer	0.19056	0.20210	-0.01875	0.17181	0.18335	0.18085	kWh
B20P	Peak Winter	0.15925	0.16915	-0.01875	0.14050	0.15040	0.14790	kWh
B20P	Super-Off-Peak Winter	0.03328	0.03654	-0.01875	0.01453	0.01779	0.01529	kWh
B20PR	Off-Peak Summer	0.13006	0.13842	-0.01875	0.11131	0.11967	0.11717	kWh
B20PR	Off-Peak Winter	0.13011	0.13847	-0.01875	0.11136	0.11972	0.11722	kWh
B20PR	Part-Peak Summer	0.16303	0.17312	-0.01875	0.14428	0.15437	0.15187	kWh
B20PR	Peak Summer	0.28548	0.30202	-0.01875	0.26673	0.28327	0.28077	kWh
B20PR	Peak Winter	0.16818	0.17854	-0.01875	0.14943	0.15979	0.15729	kWh
B20PR	Super-Off-Peak Winter	0.09615	0.10272	-0.01875	0.07740	0.08397	0.08147	kWh
B20PS	Off-Peak Summer	0.13006	0.13842	-0.01875	0.11131	0.11967	0.11717	kWh
B20PS	Off-Peak Winter	0.13011	0.13847	-0.01875	0.11136	0.11972	0.11722	kWh
B20PS	Part-Peak Summer	0.16303	0.17312	-0.01875	0.14428	0.15437	0.15187	kWh
B20PS	Peak Summer	0.28548	0.30202	-0.01875	0.26673	0.28327	0.28077	kWh
B20PS	Peak Winter	0.16818	0.17854	-0.01875	0.14943	0.15979	0.15729	kWh
B20PS	Super-Off-Peak Winter	0.09615	0.10272	-0.01875	0.07740	0.08397	0.08147	kWh
B20S	Max Part-Peak Demand Summer	3.49000	3.67000	0.00000	3.49000	3.67000	3.67000	kW
B20S	Max Peak Demand Summer	24.01000	25.27000	0.00000	24.01000	25.27000	25.27000	kW
B20S	Max Peak Demand Winter	3.06000	3.22000	0.00000	3.06000	3.22000	3.22000	kW



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
B20S	Off-Peak Summer	0.11279	0.12019	-0.01960	0.09319	0.10059	0.09809	kWh
B20S	Off-Peak Winter	0.11249	0.11988	-0.01960	0.09289	0.10028	0.09778	kWh
B20S	Part-Peak Summer	0.14889	0.15819	-0.01960	0.12929	0.13859	0.13609	kWh
B20S	Peak Summer	0.19460	0.20631	-0.01960	0.17500	0.18671	0.18421	kWh
B20S	Peak Winter	0.16736	0.17764	-0.01960	0.14776	0.15804	0.15554	kWh
B20S	Super-Off-Peak Winter	0.03898	0.04250	-0.01960	0.01938	0.02290	0.02040	kWh
B20SR	Off-Peak Summer	0.13724	0.14593	-0.01960	0.11764	0.12633	0.12383	kWh
B20SR	Off-Peak Winter	0.13712	0.14580	-0.01960	0.11752	0.12620	0.12370	kWh
B20SR	Part-Peak Summer	0.17283	0.18339	-0.01960	0.15323	0.16379	0.16129	kWh
B20SR	Peak Summer	0.29894	0.31614	-0.01960	0.27934	0.29654	0.29404	kWh
B20SR	Peak Winter	0.17866	0.18953	-0.01960	0.15906	0.16993	0.16743	kWh
B20SR	Super-Off-Peak Winter	0.10315	0.11005	-0.01960	0.08355	0.09045	0.08795	kWh
B20SS	Off-Peak Summer	0.13724	0.14593	-0.01960	0.11764	0.12633	0.12383	kWh
B20SS	Off-Peak Winter	0.13712	0.14580	-0.01960	0.11752	0.12620	0.12370	kWh
B20SS	Part-Peak Summer	0.17283	0.18339	-0.01960	0.15323	0.16379	0.16129	kWh
B20SS	Peak Summer	0.29894	0.31614	-0.01960	0.27934	0.29654	0.29404	kWh
B20SS	Peak Winter	0.17866	0.18953	-0.01960	0.15906	0.16993	0.16743	kWh
B20SS	Super-Off-Peak Winter	0.10315	0.11005	-0.01960	0.08355	0.09045	0.08795	kWh
B20T	Max Part-Peak Demand Summer	6.81000	7.17000	0.00000	6.81000	7.17000	7.17000	kW
B20T	Max Peak Demand Summer	28.59000	30.09000	0.00000	28.59000	30.09000	30.09000	kW
B20T	Max Peak Demand Winter	3.82000	4.02000	0.00000	3.82000	4.02000	4.02000	kW



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
B20T	Off-Peak Summer	0.10038	0.10724	-0.01754	0.08284	0.08970	0.08720	kWh
B20T	Off-Peak Winter	0.09501	0.10159	-0.01754	0.07747	0.08405	0.08155	kWh
B20T	Part-Peak Summer	0.13556	0.14427	-0.01754	0.11802	0.12673	0.12423	kWh
B20T	Peak Summer	0.16707	0.17744	-0.01754	0.14953	0.15990	0.15740	kWh
B20T	Peak Winter	0.15861	0.16854	-0.01754	0.14107	0.15100	0.14850	kWh
B20T	Super-Off-Peak Winter	0.03149	0.03472	-0.01754	0.01395	0.01718	0.01468	kWh
B20TR	Off-Peak Summer	0.12092	0.12886	-0.01754	0.10338	0.11132	0.10882	kWh
B20TR	Off-Peak Winter	0.11814	0.12594	-0.01754	0.10060	0.10840	0.10590	kWh
B20TR	Part-Peak Summer	0.16866	0.17911	-0.01754	0.15112	0.16157	0.15907	kWh
B20TR	Peak Summer	0.28135	0.29773	-0.01754	0.26381	0.28019	0.27769	kWh
B20TR	Peak Winter	0.16850	0.17895	-0.01754	0.15096	0.16141	0.15891	kWh
B20TR	Super-Off-Peak Winter	0.08698	0.09314	-0.01754	0.06944	0.07560	0.07310	kWh
B20TS	Off-Peak Summer	0.12092	0.12886	-0.01754	0.10338	0.11132	0.10882	kWh
B20TS	Off-Peak Winter	0.11814	0.12594	-0.01754	0.10060	0.10840	0.10590	kWh
B20TS	Part-Peak Summer	0.16866	0.17911	-0.01754	0.15112	0.16157	0.15907	kWh
B20TS	Peak Summer	0.28135	0.29773	-0.01754	0.26381	0.28019	0.27769	kWh
B20TS	Peak Winter	0.16850	0.17895	-0.01754	0.15096	0.16141	0.15891	kWh
B20TS	Super-Off-Peak Winter	0.08698	0.09314	-0.01754	0.06944	0.07560	0.07310	kWh
B6	Off-Peak Summer	0.14994	0.15924	-0.02076	0.12918	0.13848	0.13598	kWh
B6	Off-Peak Winter	0.14040	0.14920	-0.02076	0.11964	0.12844	0.12594	kWh
B6	Peak Summer	0.31137	0.32917	-0.02076	0.29061	0.30841	0.30591	kWh
B6	Peak Winter	0.17798	0.18875	-0.02076	0.15722	0.16799	0.16549	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
B6	Super-Off-Peak Winter	0.10613	0.11312	-0.02076	0.08537	0.09236	0.08986	kWh
BEV1	Off-Peak	0.12782	0.13610	-0.01797	0.10985	0.11813	0.11563	kWh
BEV1	Peak	0.30125	0.31866	-0.01797	0.28328	0.30069	0.29819	kWh
BEV1	Super-Off-Peak	0.10370	0.11071	-0.01797	0.08573	0.09274	0.09024	kWh
BEV2P	Off-Peak	0.12549	0.13355	-0.01995	0.10554	0.11360	0.11110	kWh
BEV2P	Peak	0.31168	0.32953	-0.01995	0.29173	0.30958	0.30708	kWh
BEV2P	Super-Off-Peak	0.10251	0.10935	-0.01995	0.08256	0.08940	0.08690	kWh
BEV2S	Off-Peak	0.12835	0.13655	-0.01995	0.10840	0.11660	0.11410	kWh
BEV2S	Peak	0.32154	0.33991	-0.01995	0.30159	0.31996	0.31746	kWh
BEV2S	Super-Off-Peak	0.10421	0.11115	-0.01995	0.08426	0.09120	0.08870	kWh
E1	Flat	0.16988	0.18016	-0.02197	0.14791	0.15819	0.15569	kWh
E19P	Max Part-Peak Demand Summer	14.62000	15.39000	0.00000	14.62000	15.39000	15.39000	kW
E19P	Max Peak Demand Summer	14.62000	15.39000	0.00000	14.62000	15.39000	15.39000	kW
E19P	Off-Peak Summer	0.10438	0.11129	-0.02062	0.08376	0.09067	0.08817	kWh
E19P	Off-Peak Winter	0.10060	0.10731	-0.02062	0.07998	0.08669	0.08419	kWh
E19P	Part-Peak Summer	0.11126	0.11853	-0.02062	0.09064	0.09791	0.09541	kWh
E19P	Part-Peak Winter	0.10141	0.10816	-0.02062	0.08079	0.08754	0.08504	kWh
E19P	Peak Summer	0.11126	0.11853	-0.02062	0.09064	0.09791	0.09541	kWh
E19PR	Off-Peak Summer	0.14101	0.14985	-0.02062	0.12039	0.12923	0.12673	kWh
E19PR	Off-Peak Winter	0.13803	0.14671	-0.02062	0.11741	0.12609	0.12359	kWh
E19PR	Part-Peak Summer	0.16890	0.17920	-0.02062	0.14828	0.15858	0.15608	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
E19PR	Part-Peak Winter	0.13867	0.14738	-0.02062	0.11805	0.12676	0.12426	kWh
E19PR	Peak Summer	0.16890	0.17920	-0.02062	0.14828	0.15858	0.15608	kWh
E19S	Max Part-Peak Demand Summer	16.43000	17.30000	0.00000	16.43000	17.30000	17.30000	kW
E19S	Max Peak Demand Summer	16.43000	17.30000	0.00000	16.43000	17.30000	17.30000	kW
E19S	Off-Peak Summer	0.11751	0.12511	-0.02062	0.09689	0.10449	0.10199	kWh
E19S	Off-Peak Winter	0.11359	0.12098	-0.02062	0.09297	0.10036	0.09786	kWh
E19S	Part-Peak Summer	0.12462	0.13259	-0.02062	0.10400	0.11197	0.10947	kWh
E19S	Part-Peak Winter	0.11443	0.12187	-0.02062	0.09381	0.10125	0.09875	kWh
E19S	Peak Summer	0.12462	0.13259	-0.02062	0.10400	0.11197	0.10947	kWh
E19SR	Off-Peak Summer	0.16078	0.17066	-0.02062	0.14016	0.15004	0.14754	kWh
E19SR	Off-Peak Winter	0.15765	0.16736	-0.02062	0.13703	0.14674	0.14424	kWh
E19SR	Part-Peak Summer	0.19228	0.20381	-0.02062	0.17166	0.18319	0.18069	kWh
E19SR	Part-Peak Winter	0.15832	0.16807	-0.02062	0.13770	0.14745	0.14495	kWh
E19SR	Peak Summer	0.19228	0.20381	-0.02062	0.17166	0.18319	0.18069	kWh
E19T	Max Part-Peak Demand Summer	16.85000	17.74000	0.00000	16.85000	17.74000	17.74000	kW
E19T	Max Peak Demand Summer	16.85000	17.74000	0.00000	16.85000	17.74000	17.74000	kW
E19T	Off-Peak Summer	0.09572	0.10217	-0.02062	0.07510	0.08155	0.07905	kWh
E19T	Off-Peak Winter	0.09184	0.09809	-0.02062	0.07122	0.07747	0.07497	kWh
E19T	Part-Peak Summer	0.10282	0.10965	-0.02062	0.08220	0.08903	0.08653	kWh
E19T	Part-Peak Winter	0.09267	0.09896	-0.02062	0.07205	0.07834	0.07584	kWh
E19T	Peak Summer	0.10282	0.10965	-0.02062	0.08220	0.08903	0.08653	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
E19TR	Off-Peak Summer	0.13911	0.14785	-0.02062	0.11849	0.12723	0.12473	kWh
E19TR	Off-Peak Winter	0.13618	0.14476	-0.02062	0.11556	0.12414	0.12164	kWh
E19TR	Part-Peak Summer	0.16349	0.17351	-0.02062	0.14287	0.15289	0.15039	kWh
E19TR	Part-Peak Winter	0.13680	0.14542	-0.02062	0.11618	0.12480	0.12230	kWh
E19TR	Peak Summer	0.16349	0.17351	-0.02062	0.14287	0.15289	0.15039	kWh
E20P	Max Part-Peak Demand Summer	17.07000	17.97000	0.00000	17.07000	17.97000	17.97000	kW
E20P	Max Peak Demand Summer	17.07000	17.97000	0.00000	17.07000	17.97000	17.97000	kW
E20P	Off-Peak Summer	0.10923	0.11649	-0.01875	0.09048	0.09774	0.09524	kWh
E20P	Off-Peak Winter	0.10546	0.11252	-0.01875	0.08671	0.09377	0.09127	kWh
E20P	Part-Peak Summer	0.11614	0.12377	-0.01875	0.09739	0.10502	0.10252	kWh
E20P	Part-Peak Winter	0.10626	0.11337	-0.01875	0.08751	0.09462	0.09212	kWh
E20P	Peak Summer	0.11614	0.12377	-0.01875	0.09739	0.10502	0.10252	kWh
E20PR	Off-Peak Summer	0.14309	0.15213	-0.01875	0.12434	0.13338	0.13088	kWh
E20PR	Off-Peak Winter	0.14010	0.14899	-0.01875	0.12135	0.13024	0.12774	kWh
E20PR	Part-Peak Summer	0.17306	0.18368	-0.01875	0.15431	0.16493	0.16243	kWh
E20PR	Part-Peak Winter	0.14074	0.14966	-0.01875	0.12199	0.13091	0.12841	kWh
E20PR	Peak Summer	0.17306	0.18368	-0.01875	0.15431	0.16493	0.16243	kWh
E20S	Max Part-Peak Demand Summer	15.62000	16.44000	0.00000	15.62000	16.44000	16.44000	kW
E20S	Max Peak Demand Summer	15.62000	16.44000	0.00000	15.62000	16.44000	16.44000	kW
E20S	Off-Peak Summer	0.11082	0.11812	-0.01960	0.09122	0.09852	0.09602	kWh
E20S	Off-Peak Winter	0.10693	0.11403	-0.01960	0.08733	0.09443	0.09193	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
E20S	Part-Peak Summer	0.11779	0.12546	-0.01960	0.09819	0.10586	0.10336	kWh
E20S	Part-Peak Winter	0.10777	0.11491	-0.01960	0.08817	0.09531	0.09281	kWh
E20S	Peak Summer	0.11779	0.12546	-0.01960	0.09819	0.10586	0.10336	kWh
E20SR	Off-Peak Summer	0.14989	0.15925	-0.01960	0.13029	0.13965	0.13715	kWh
E20SR	Off-Peak Winter	0.14676	0.15595	-0.01960	0.12716	0.13635	0.13385	kWh
E20SR	Part-Peak Summer	0.17874	0.18962	-0.01960	0.15914	0.17002	0.16752	kWh
E20SR	Part-Peak Winter	0.14743	0.15666	-0.01960	0.12783	0.13706	0.13456	kWh
E20SR	Peak Summer	0.17874	0.18962	-0.01960	0.15914	0.17002	0.16752	kWh
E20T	Max Part-Peak Demand Summer	21.11000	22.22000	0.00000	21.11000	22.22000	22.22000	kW
E20T	Max Peak Demand Summer	21.11000	22.22000	0.00000	21.11000	22.22000	22.22000	kW
E20T	Off-Peak Summer	0.09576	0.10238	-0.01754	0.07822	0.08484	0.08234	kWh
E20T	Off-Peak Winter	0.09198	0.09840	-0.01754	0.07444	0.08086	0.07836	kWh
E20T	Part-Peak Summer	0.10270	0.10968	-0.01754	0.08516	0.09214	0.08964	kWh
E20T	Part-Peak Winter	0.09279	0.09925	-0.01754	0.07525	0.08171	0.07921	kWh
E20T	Peak Summer	0.10270	0.10968	-0.01754	0.08516	0.09214	0.08964	kWh
E20TR	Off-Peak Summer	0.13512	0.14381	-0.01754	0.11758	0.12627	0.12377	kWh
E20TR	Off-Peak Winter	0.13219	0.14072	-0.01754	0.11465	0.12318	0.12068	kWh
E20TR	Part-Peak Summer	0.16477	0.17502	-0.01754	0.14723	0.15748	0.15498	kWh
E20TR	Part-Peak Winter	0.13281	0.14138	-0.01754	0.11527	0.12384	0.12134	kWh
E20TR	Peak Summer	0.16477	0.17502	-0.01754	0.14723	0.15748	0.15498	kWh
EELEC	Off-Peak Summer	0.16362	0.17358	-0.02197	0.14165	0.15161	0.14911	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
EELEC	Off-Peak Winter	0.11495	0.12234	-0.02197	0.09298	0.10037	0.09787	kWh
EELEC	Part-Peak Summer	0.20647	0.21868	-0.02197	0.18450	0.19671	0.19421	kWh
EELEC	Part-Peak Winter	0.12763	0.13569	-0.02197	0.10566	0.11372	0.11122	kWh
EELEC	Peak Summer	0.30062	0.31779	-0.02197	0.27865	0.29582	0.29332	kWh
EELEC	Peak Winter	0.14660	0.15566	-0.02197	0.12463	0.13369	0.13119	kWh
EMTOU	Off-Peak Summer	0.14709	0.15617	-0.02197	0.12512	0.13420	0.13170	kWh
EMTOU	Off-Peak Winter	0.15241	0.16177	-0.02197	0.13044	0.13980	0.13730	kWh
EMTOU	Peak Summer	0.24493	0.25917	-0.02197	0.22296	0.23720	0.23470	kWh
EMTOU	Peak Winter	0.17775	0.18845	-0.02197	0.15578	0.16648	0.16398	kWh
ETOUB	Off-Peak Summer	0.16383	0.17380	-0.02197	0.14186	0.15183	0.14933	kWh
ETOUB	Off-Peak Winter	0.14318	0.15206	-0.02197	0.12121	0.13009	0.12759	kWh
ETOUB	Peak Summer	0.28074	0.29686	-0.02197	0.25877	0.27489	0.27239	kWh
ETOUB	Peak Winter	0.18004	0.19086	-0.02197	0.15807	0.16889	0.16639	kWh
ETOUC	Off-Peak Summer	0.14709	0.15617	-0.02197	0.12512	0.13420	0.13170	kWh
ETOUC	Off-Peak Winter	0.15241	0.16177	-0.02197	0.13044	0.13980	0.13730	kWh
ETOUC	Peak Summer	0.24493	0.25917	-0.02197	0.22296	0.23720	0.23470	kWh
ETOUC	Peak Winter	0.17775	0.18845	-0.02197	0.15578	0.16648	0.16398	kWh
ETOUD	Off-Peak Summer	0.14423	0.15317	-0.02197	0.12226	0.13120	0.12870	kWh
ETOUD	Off-Peak Winter	0.17179	0.18218	-0.02197	0.14982	0.16021	0.15771	kWh
ETOUD	Peak Summer	0.24395	0.25813	-0.02197	0.22198	0.23616	0.23366	kWh
ETOUD	Peak Winter	0.20512	0.21726	-0.02197	0.18315	0.19529	0.19279	kWh
EV2	Off-Peak Summer	0.14616	0.15520	-0.02197	0.12419	0.13323	0.13073	kWh



This rate sheet is for **2025** vintage year rates. See "How to Find Your Vintage Year" at avaenergy.org/rates to verify your vintage year.

Rate	Billing Determinant Name	Bright Choice Rate	Renewable 100 Rate	2025 Vintage System Fees	Total Bright Choice Rate	Total Renewable 100 Rate	March 2025 PG&E Generation Rate	Unit
EV2	Off-Peak Winter	0.13952	0.14821	-0.02197	0.11755	0.12624	0.12374	kWh
EV2	Part-Peak Summer	0.18525	0.19634	-0.02197	0.16328	0.17437	0.17187	kWh
EV2	Part-Peak Winter	0.16183	0.17169	-0.02197	0.13986	0.14972	0.14722	kWh
EV2	Peak Summer	0.22772	0.24105	-0.02197	0.20575	0.21908	0.21658	kWh
EV2	Peak Winter	0.17369	0.18418	-0.02197	0.15172	0.16221	0.15971	kWh
EVA	Off-Peak Summer	0.15704	0.16665	-0.02197	0.13507	0.14468	0.14218	kWh
EVA	Off-Peak Winter	0.12904	0.13718	-0.02197	0.10707	0.11521	0.11271	kWh
EVA	Part-Peak Summer	0.20110	0.21303	-0.02197	0.17913	0.19106	0.18856	kWh
EVA	Part-Peak Winter	0.12904	0.13718	-0.02197	0.10707	0.11521	0.11271	kWh
EVA	Peak Summer	0.33740	0.35650	-0.02197	0.31543	0.33453	0.33203	kWh
EVA	Peak Winter	0.15265	0.16203	-0.02197	0.13068	0.14006	0.13756	kWh
EVB	Off-Peak Summer	0.15704	0.16665	-0.02197	0.13507	0.14468	0.14218	kWh
EVB	Off-Peak Winter	0.12904	0.13718	-0.02197	0.10707	0.11521	0.11271	kWh
EVB	Part-Peak Summer	0.20110	0.21303	-0.02197	0.17913	0.19106	0.18856	kWh
EVB	Part-Peak Winter	0.12904	0.13718	-0.02197	0.10707	0.11521	0.11271	kWh
EVB	Peak Summer	0.33740	0.35650	-0.02197	0.31543	0.33453	0.33203	kWh
EVB	Peak Winter	0.15265	0.16203	-0.02197	0.13068	0.14006	0.13756	kWh
LS	Flat	0.13830	0.14716	-0.01754	0.12076	0.12962	0.12712	kWh
TC1	Flat	0.14889	0.15813	-0.02076	0.12813	0.13737	0.13487	kWh