■ NetApp

Users

System Manager Classic

NetApp December 09, 2021

This PDF was generated from https://docs.netapp.com/us-en/ontap-sm-classic/online-help-96-97/task_adding_svm_user_accounts.html on December 09, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Jsers	
Add SVM user accounts	
Changing the password for SVM user accounts	
Editing SVM user accounts	
Locking or unlocking SVM user accounts	
Users window	

Users

You can use System Manager to create and manage storage virtual machine (SVM) user accounts.

Add SVM user accounts

You can use System Manager to add a storage virtual machine (SVM) user account and to specify a user login method for accessing the storage system.

Steps

- 1. Click Storage > SVMs.
- 2. Select the SVM, and then click **SVM Settings**.
- 3. In the SVM User Details pane, click Users.
- Click Add.
- Specify a user name and password for connecting to the storage system, and confirm the password.
- 6. Add one or more user login methods, and then click Add.

A login method for the new vsadmin account is automatically included that uses HTTP as the application and is authenticated with a certificate.

Changing the password for SVM user accounts

You can use System Manager to reset the password for a storage virtual machine (SVM) user account.

Steps

- 1. Click Storage > SVMs.
- 2. Select the SVM, and then click **SVM Settings**.
- 3. In the SVM User Details pane, click Users.
- Select the user account for which you want to modify the password, and then click Reset Password.
- In the Reset Password dialog box, type the new password, confirm the new password, and then click Change.

Editing SVM user accounts

You can use System Manager to edit a storage virtual machine (SVM) user account by modifying the user login methods for accessing the storage system.

Steps

- 1. Click Storage > SVMs.
- 2. Select the SVM, and then click **SVM Settings**.
- 3. In the SVM User Details pane, click Users.

- 4. Select the user account that you want to edit, and then click Edit.
- 5. Modify one or more user login methods, and then click **Modify**.

Locking or unlocking SVM user accounts

You can use System Manager to lock or unlock storage virtual machine (SVM) user accounts.

Steps

- 1. Click Storage > SVMs.
- 2. Select the SVM, and then click **SVM Settings**.
- 3. In the SVM User Details pane, click Users.
- 4. In the **Users** window, select the user account for which you want to modify the account status, and then click either **Lock** or **Unlock**, as required.

Users window

You can use the Users window to manage user accounts, to reset the password of a user, and to view information about all of the user accounts.

Command buttons

Add

Opens the Add User dialog box, which enables you to add user accounts.

• Edit

Opens the Modify User dialog box, which enables you to modify user login methods.



It is a best practice to use a single role for all of the access and authentication methods of a user account.

Delete

Enables you to delete a selected user account.

Change Password

Opens the Change Password dialog box, which enables you to reset a selected user's password.

Lock

Locks the user account.

Refresh

Updates the information in the window.

Users list

The area below the users list displays detailed information about the selected user.

User

Displays the name of the user account.

Account Locked

Displays whether the user account is locked.

User Login Methods area

Application

Displays the access method that a user can use to access the storage system. The supported access methods include the following:

- System console (console)
- HTTP(S) (http)
- ONTAP API (ontapi)
- Service Processor (service-processor)
- SSH (ssh)

Authentication

Displays the default supported authentication method, which is "password".

Role

Displays the role of a selected user.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at http://www.netapp.com/TM are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.