

Review: Algebraic Effect and Extensions

Ryan J. Kung
ryankung@ieee.org

July 20, 2018

1 Abstract

2 Introduction

Algebraic effects are an approach to computational effects based on a premise that impure behaviour arises from a set of operations such as get and set for mutable store, read and print for interactive input and output, or raise for exceptions. This naturally gives rise to handlers not only of exceptions, but of any other effect, yielding a novel concept that, amongst others, can capture stream redirection, backtracking, co-operative multi-threading, and delimited continuations [9].

Operations of algebraic Effect was first introduced by Gordon Plotkin and John Power in 2002 [7] as Algebraic Operation, based on Eugenio Moggi's work [5, 6] in 1989-1992 about logics for reasoning and proving equivalence about programs with a strong monad T on a base category C with finite products [6, 7]. And made the notion system for effects such as: nondeterminism, probabilistic nondeterminism, exceptions, interactive input/output, side-effects, and continuations by identifying it with the notion of *algebraic* operation.

“Algebraic operations are, in the sense we shall make precise, a natural generalisation, from *Set* to an arbitrary symmetric monoidal V – category C with cotensors.” [7]

And effect and handler was introduced by Plotkin

and Pretnar in 2009 [8] as computational effects that can be represented by an equational theory whose operations produce the effect as hand, which are based on Moggi's monad work, but as a restriction on general monads, algebraic effects have many various advantages: can be freely composed, and there is a natural separation between interfaces and semantics (as handler) [4]

3 Implementations

Algebraic Effect usually related to *Eff* which support Algebraic Effects and Handlers as first class, Algebraic Effect can also be widely use in common platform such as ECMAScript, .net, JVM, or other programming languages by using a type directed selective CPS translation [4].

Since Algebraic Effect and Its Operators are build based on a Monad System on category- V , it can be used for both Strong type languages like Haskell or OCaml and weak type languages like Python or ECMAScript, but there is some challenge that, a Typing algebraic effects is that inferred types became very large or difficult to understand. And for a library based implementation, it do not have full control over the runtime stack. [4].

- Koka is a function-oriented programming language that separates pure values from side-effecting computations, where the effect of every function is automatically inferred.
- Eff is a programming language based on the

algebraic approach to computational effects, in which effects are viewed as algebraic operations and effect handlers as homomorphisms from free algebras. [3] Eff supports rst-class effects and handlers through which we may easily define new computational effects, seamlessly combine existing ones, and handle them in novel ways.

- Idris is a general purpose pure functional programming language with dependent types. From version 0.9.12 Idris includes a library for side-effect management, Effects.
- Python Effect is a library of Python for helping write purely functional code by isolating the effects [2].
- Haskell Effect-handlers is a library for writing extensible algebraic effects and handlers with haskell [1].

- [5] E. Moggi. Computational lambda-calculus and monads. In *[1989] Proceedings. Fourth Annual Symposium on Logic in Computer Science*, pages 14–23, Jun 1989.
- [6] Eugenio Moggi. Notions of computation and monads. *Information and Computation*, 93(1):55 – 92, 1991. Selections from 1989 IEEE Symposium on Logic in Computer Science.
- [7] Gordon Plotkin and John Power. Algebraic operations and generic effects. *Applied Categorical Structures*, 11(1):69–94, Feb 2003.
- [8] Gordon D Plotkin and Matija Pretnar. Handling Algebraic Effects. *Logical Methods in Computer Science*, Volume 9, Issue 4, December 2013.
- [9] Matija Pretnar. An introduction to algebraic effects and handlers. invited tutorial paper. *Electron. Notes Theor. Comput. Sci.*, 319(C):19–35, December 2015.

4 Extensions

Niki Vazou and Daan LeiJen introduced how to combine Algebraic Effect with Monads System [?].

References

- [1] Blaz Repas Andraz Bajt. effect-handlers: A library for writing extensible algebraic effects and handlers. similar to extensible-effects but with deep handlers. <http://hackage.haskell.org/package/effect-handlers>.
- [2] Christopher Armstrong. Effect. <https://github.com/python-effect/effect>, 2014.
- [3] Andrej Bauer and Matija Pretnar. Programming with algebraic effects and handlers. *CoRR*, abs/1203.1539, 2012.
- [4] Daan Leijen. Algebraic effects for functional programming. Technical report, August 2016.