PA Introduction

Brandeis University Ryan Marcus

February 24, 2015

Introduction


Generating DFA from whitelist Minimization Representing graphs Questions

Introduction

Warning! Some text may be kind of small.
Get the slides here: http://rmarcus.info/dfa.pdf



 $S\underline{e}rena \ Lily \ Vanessa \ Jenny \ Blair$



Serena Lily Vanessa Jenny Blair

Start


Serena Lily Vanessa Jenny Blair

Serena Lily Vanessa Jenny Blair


Start


Serena Lily Vanessa Jenny Blair

Serena Lily Vanessa Jenny Blair





Seren<u>a</u> Lily Vanessa Jenny Blair







Serena <u>L</u>ily Vanessa Jenny Blair







Serena Li<u>l</u>y Vanessa Jenny Blair









Serena Lily \underline{V} anessa Jenny Blair





Serena Lily $V_{\underline{a}}$ nessa Jenny Blair







Serena Lily Van<u>e</u>ssa Jenny Blair













Serena Lily <u>Vanessa</u> Jenny Blair




Serena Lily Vanessa <u>Jenny</u> Blair









Not enough to give the DFA... Must give a minimal DFA!







Representation

How can we represent a DFA in Java? Well, a DFA is a graph, so...

Representation

How can we represent a DFA in Java? Well, a DFA is a graph, so...

Node class Adjacency list Adjacency matrix

Representation: Node Class

```
class Node {
  Map < String, Node > transitions;
  String nodeLabel;
  public Node(String label) {
    transitions = new HashMap < String, Node > ();
    this.nodeLabel = label;
  public void addTrans(String on, Node to) {
   transitions.put(on, to);
Node s = new Node("S");
Node q1 = new Node("Q1");
s.addTrans("b", q1);
                                4 D > 4 P > 4 B > 4 B > B 9 Q P
```

Representation: Adjacency List

```
Map < String, Map < String, String >> adjList =
    new HashMap < String, Map < String, String >> ();

Map < String, String > edgesOfS =
    new HashMap < String, String > ();

edgesOfS.put("b", "Q1");

adjList.put("S", edgesOfS);
```

Representation: Adjacency Matrix

```
int c = getNumberOfNodesNeeded();
String[][] m = new String[c][c];
m[0][1] = "b";
```

Representation

Method	Insert	Lookup	Space
Node	O(1)	O(1)	O(n)
List	O(1)	O(1)	O(n)
Matrix	O(1)	O(1)	$O(n^2)$

Questions?