

HW 10 implementation

Message Logging

- A custom text is logged whenever a new pet is added
- All pets are logged in console.group after new pet added
- Warning always logs the maximum pets.
- Error message after adding more than the max pets
- Log table shows all current pets

```
▲ I can only have 6 pets, so I will have to replace one if I want to add more. script.js:70
▶ Array(6) script.js:71
New pet added! script.js:75
▼ console.group script.js:76
  This is pet number 1 named Pat script.js:78
  This is pet number 2 named Pete script.js:78
  This is pet number 3 named Peen script.js:78
  This is pet number 4 named Penn script.js:78
  This is pet number 5 named Pen script.js:78
  This is pet number 6 named Pes script.js:78
▼ Maximum pets reached! script.js:62
  (anonymous) @ script.js:62
  ▼ Array(6) script.js:64
    0: Pet {name: 'Pat', weight: 1, happiness: 0}
    1: Pet {name: 'Pete', weight: 1, happiness: 0}
    2: Pet {name: 'Ped', weight: 1, happiness: 0}
    3: Pet {name: 'Penn', weight: 1, happiness: 0}
    4: Pet {name: 'Pen', weight: 1, happiness: 0}
    5: Pet {name: 'Pes', weight: 1, happiness: 0}
    length: 6
    [[Prototype]]: Array(0)
  New pet added! script.js:75
```

(index)	name	weight	happiness
0	'Pat'	1	0
1	'Peen'	1	0
2	'Pete'	1	0
3	'Put'	1	0
4	'Puck'	1	0

Messages logged by browser

- 404 network error trying to reach non-existent file
- Type error for calling non-existent function
- Violation by a 5 second delay upon clicking name box

```
✖ TypeError: TypeError: notAFunction is not a function script.js:211
  at script.js:209:3
  (anonymous) @ script.js:211

✖ GET http://127.0.0.1:5500/nonexistentfile.txt 404 (Not Found) script.js:201
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Error</title>
</head>
<body>
<pre>Cannot GET /nonexistentfile.txt</pre>
</body>
</html>

[Violation] 'click' handler took 4999ms script.js:55
```

Filter messages:

- Filter by log level everything except warnings and error messages
- Filter by text: only text with string add
- Filter by expression: filtered with expression 01
- Filter by message source: only message of non-existent file is shown

- Filter by user messages

The screenshot shows a web application interface with a console and a message log. The console displays several error messages, including a `TypeError: TypeError: notAFunction is not a function` at `script.js:218:3` and a `GET http://127.0.0.1:5500/nonexistentfile.txt 404 (Not Found)` at `script.js:210`. The message log shows a series of messages, including "pet weight is 0!", "I can only have 6 pets, so I will have to replace one if I want to add more.", and "New pet added!". The log also shows a table of pet data with columns for index, name, weight, and happiness.

(index)	name	weight	happiness
0	'Pat'	1	0
1	'Pete'	1	0

The log also shows a table of pet data with columns for index, name, weight, and happiness.

(index)	name	weight	happiness
0	'Pat'	1	0
1	'Pete'	1	0

The log also shows a table of pet data with columns for index, name, weight, and happiness.

(index)	name	weight	happiness
0	'Pat'	1	0
1	'Pete'	1	0
2	'Peen'	1	0

A bug can be reproduced by clicking the play button

The screenshot shows a pet management interface with two pet cards. The left card shows a pet named "Pet" with a weight of 14 pounds and a happiness of 26 tail wags (per min). The right card shows a pet named "Pet" with a weight of 13.5 pounds and a happiness of 1 tail wags (per min). Both cards have an "Attack" button and a "Treat" button. The "Attack" button is highlighted in red.

Instead of incrementing happiness, it sets it to 1

Added breakpoint to click event listener

```
e = f.selector),
c.guid || (c.guid = n.guid++),
(i = r.events) || (i = r.events = {}),
(g = r.handle) || (g = r.handle = function(b) { b = PointerEvent {isTrusted: true, pointerId: 1, w
return "undefined" != typeof n && n.event.triggered !== b.type ? n.event.dispatch.apply(a, argu
```

Paused on event listener
BUTTON.click

Set line of code breakpoints

```
114 pet_info.happiness = 1;
115 pet_info.weight -= 0.5;
116 //comment from pet
117 document.getElementById("pet-comment").innerHTML = "I had so much fun playin
118
119 checkAndUpdatePetInfoInHtml();
```

Checked the scope pane

▼ Scope

▼ Local

▶ this: button.play-button

▼ Script

duration: 5000

▶ nameBox: input.name-input

start: 1778019597035

style: "color: blue; font-size: 16px"

Checked watch expressions

▼ Watch + ↺

typeof pet_info: "object"

typeof pet_info.happiness: "number"

Checked console and found potential fix

```
> pet_info.happiness += 1
< 2
> pet_info.happiness += 1
< 3
> pet_info
< {name: 'Pet', weight: 10, happiness: 3}
```

Fix applied, now works as intended

```
function clickedPlayButton() {
  // Increase pet happiness
  // Decrease pet weight
  pet_info.happiness += 1;
  pet_info.weight -= 0.5;
```

Name: Pet

Weight: 6.5 pounds

Happiness: 11 tail wags (per min)

Attack

Treat

Play

Exercise

Name: Pet

Weight: 6 pounds

Happiness: 12 tail wags (per min)

Attack

Treat

Play

Exercise