


Aktivitas Mandiri 3

Nama : Ryan Ricardo Limantra

NIM : 242410101031


Kelas : A

1. Buat Layout Master



```
resources > views > app.blade.php
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>@yield('title', 'Ryan Voucher Store')</title>
7   <script src="https://cdn.tailwindcss.com"></script>
8   @vite(['resources/js/app.js']) {{-- < tambahin ini --}}
9   <style>
10     html { scroll-behavior: smooth; }
11   </style>
12 </head>
13 <body class="bg-gray-50 flex flex-col min-h-screen">
14   <x-navigasi />
15   <main class="grow">
16     @yield('content')
17   </main>
18   @include('components.footer')
19 </body>
20 </html>
```

2. Buat Partial Navbar:



```
resources > views > app.blade.php
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>@yield('title', 'Ryan Voucher Store')</title>
7   <script src="https://cdn.tailwindcss.com"></script>
8   @vite(['resources/js/app.js']) {{-- < tambahin ini --}}
9   <style>
10     html { scroll-behavior: smooth; }
11   </style>
12 </head>
13 <body class="bg-gray-50 flex flex-col min-h-screen">
14   @include('partials.navigasi')
15   <main class="grow">
16     @yield('content')
17   </main>
18   @include('components.footer')
19 </body>
20 </html>
```

3. Buat Halaman Dashboard

```
1  @extends('app')
2
3  @section('title', 'Steam Wallet Store | Home')
4
5  @section('content')
6      <section class="relative □bg-[#1b2838] overflow-hidden py-24">
7          <div class="absolute top-0 left-0 w-full h-full opacity-20 pointer-events-none"
8              style="background: radial-gradient(circle at 50% 50%, #66c0f4 0%, transparent 70%);"></div>
9
10         <div class="relative max-w-5xl mx-auto px-6 text-center">
11             <span class="□bg-[#66c0f4]/20 ■text-[#66c0f4] px-4 py-1 rounded-full text-xs font-black uppercase"
12                 Region Indonesia (IDR)
13             </span>
14             <h1 class="text-5xl md:text-7xl font-black ■text-white mb-6 tracking-tighter uppercase italic leadi"
15                 Level Up <span class="■text-[#66c0f4]">Steam</span> Wallet Kamu Sekarang!
16             </h1>
17             <p class="text-xl ■text-gray-400 mb-10 max-w-2xl mx-auto leading-relaxed">
18                 Jangan biarkan game favoritmu lewat gitu aja. Top up instan, harga paling miring se-Jember, sald
19             </p>
20             <div class="flex flex-col sm:flex-row justify-center gap-4">
21                 <a href="#voucher" class="□bg-[#5c7e10] ■hover:bg-[#78a315] ■text-white px-10 py-5 rounded-2"
22                     BELI SEKARANG JUGA!
23                 </a>
24                 <a href="{{ url('/history') }}" class="□bg-white/5 border □border-white/10 □hover:bg-white/1"
25                     Cek Riwayat
26                 </a>
27             </div>
28         </div>
```

```
29     </section>
30
31     <section id="voucher" class="max-w-7xl mx-auto px-6 py-24 scroll-mt-20">
32         <div class="flex flex-col md:flex-row items-end justify-between mb-12 gap-4">
33             <div class="max-w-xl">
34                 <h2 class="text-4xl font-black □text-[#1b2838] uppercase italic leading-none mb-2">🔥 Paling B
35                 <p class="□text-gray-500 font-medium">Nominal favorit para gamers hari ini. Proses 100% otomati
36             </div>
37             <a href="{{ url('/produk-katalog') }}" class="■text-[#66c0f4] font-black uppercase text-sm tracking"
38                 Lihat Katalog Lengkap
39             <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"><path stroke-linecap=
40             </a>
41         </div>
42
43         <div class="grid grid-cols-1 md:grid-cols-3 gap-8">
44             @php
45                 $terlaris = [
46                     ['nom' => '45.000', 'real' => '46.000', 'tag' => 'Paling Cuan'],
47                     ['nom' => '90.000', 'real' => '90.500', 'tag' => 'Best Value'],
48                     ['nom' => '120.000', 'real' => '122.000', 'tag' => 'Pro Choice'],
49                 ];
50             @endphp
51
52             @foreach($terlaris as $v)
53                 <div class="group ■bg-white rounded-[2.5rem] p-8 border ■border-gray-100 shadow-sm hover:shadow-2"
54                     <span class="■bg-gray-100 ■text-gray-400 text-[10px] font-black px-4 py-1 rounded-full mb-6 uq
```

```

<div class="relative mb-6">
  
</div>

<h3 class="text-xs font-bold text-gray-400 uppercase tracking-widest mb-1">Nominal Saldo</h3>
<p class="text-4xl font-black text-[#1b2838] tracking-tighter mb-4">Rp{{ $v['nom'] }}</p>

<div class="w-full bg-gray-50 rounded-2xl p-4 mb-6">
  <p class="text-[10px] font-bold text-gray-400 uppercase mb-1">Harga Nett</p>
  <p class="text-2xl font-black text-[#5c7e10]">Rp{{ $v['real'] }}</p>
</div>

<a href="{{ url('/beli') }}" class="w-full bg-[#1b2838] hover:bg-[#66c0f4] text-white py-4">
  Beli Sekarang!
</a>
</div>
@endforeach
</div>
</section>

<section class="max-w-7xl mx-auto px-6 pb-24">
  <div class="bg-gray-900 rounded-[3rem] p-12 flex flex-col md:flex-row items-center justify-around gap-12">
    <div class="text-center">
      <p class="text-4xl font-black text-white mb-1">10rb+</p>
      <p class="text-xs font-bold text-[#66c0f4] uppercase tracking-widest">Transaksi Sukses</p>
    </div>
    <div class="text-center">
      <p class="text-4xl font-black text-white mb-1">24/7</p>
      <p class="text-xs font-bold text-[#66c0f4] uppercase tracking-widest">Proses Otomatis</p>
    </div>
    <div class="text-center">
      <p class="text-4xl font-black text-white mb-1">60 Detik</p>
      <p class="text-xs font-bold text-[#66c0f4] uppercase tracking-widest">Rata-rata Pengiriman</p>
    </div>
  </div>
</section>
@endsection

```

4. Flash Session Message

Mantap! Produk berhasil ditambah!

Manajemen Inventaris

Tambah atau perbarui stok produk voucher Anda.

Input Produk Baru

Kode Barang

Nama Barang

Kategori

-- Pilih Kategori --

Stok

Harga

Tanggal Masuk

mm/dd/yyyy


STATISTIK PRODUK
 Total: 5 Produk Terdaftar

KODE	NAMA	KATEGORI	STOK	HARGA	AKSI
sw-001	Steam Wallet 12k	Steam Wallet	10	Rp12.999	Edit Hapus
Sw-002	Steam Wallet 45k	Steam Wallet	2	Rp45.999	Edit Hapus
Sw-003	Steam Wallet 90k	Steam Wallet	4	Rp90.000	Edit Hapus
Sw-004	Steam Wallet 500k	Steam Wallet	10	Rp500.000	Edit Hapus

```
<main class="grow">
    @if(session('success'))
    <div class="max-w-7xl mx-auto mb-4 bg-green-100 border border-green-400 text-green-700 px-4 py-3 rounded relative" role="alert">
        <strong class="font-bold">Mantap!</strong>
        <span class="block sm:inline">{{ session('success') }}</span>
    </div>
    @endif

    @yield('content')
</main>
```

5. Buat Komponen



```
resources > views > components > stat_card.blade.php
1 @props(['judul', 'nilai', 'ikon', 'warna'])
2
3 <div class="bg-white p-6 rounded-3xl border border-gray-100 shadow-sm flex items-center gap-5 hover:shadow-1"
4 <div class="{{ $warna }} w-16 h-16 rounded-2xl flex items-center justify-center text-3xl shadow-inner">
5     {!! $ikon !!}
6 </div>
7
8 <div>
9     <h3 class="text-xs font-bold text-gray-400 uppercase tracking-widest mb-1">{{ $judul }}</h3>
10    <p class="text-3xl font-black text-[#1b2838]">{{ $nilai }}</p>
11 </div>
12 </div>
```


6. Gunakan @Forelse:



```
app > Http > Controllers > PageController.php
9 {
10
11     public function history() {
12         return view('history');
13     }
14
15     public function help() {
16         return view('help');
17     }
18
19     public function beli() {
20         return view('beli');
21     }
22
23     public function index() {
24         $data_mahasiswa = [
25             ['nama' => 'Liem', 'nim' => '2424101001', 'status' => 'Aktif'],
26             ['nama' => 'Ryan', 'nim' => '2424101002', 'status' => 'Aktif'],
27             ['nama' => 'Mark', 'nim' => '2424101003', 'status' => 'Cutit'],
28         ];
29
30         return view('index', compact('data_mahasiswa'));
31     }
32 }
```


```
index.blade.php M X history.blade.php help.blade.php beli.blade.php app.blade.php M list_produk.blade.ph
resources > views > index.blade.php
5 @section('content')
6 <div class="p-6">
29
30 <div class="bg-white p-6 rounded-3xl shadow-sm border border-gray-100">
31 <h2 class="text-lg font-bold mb-4">Daftar Mahasiswa (Data Dummy)</h2>
32 <div class="overflow-x-auto">
33 <table class="w-full text-left">
34 <thead>
35 <tr class="text-gray-400 text-[10px] uppercase tracking-widest border-b border-gray-
36 <th class="pb-4 px-2">Nama Mahasiswa</th>
37 <th class="pb-4 px-2">NIM</th>
38 <th class="pb-4 px-2">Status</th>
39 </tr>
40 </thead>
41 <tbody class="text-sm">
42 @foreach($data_mahasiswa as $mhs)
43 <tr class="border-b border-gray-50 hover:bg-gray-50/50 transition-all">
44 <td class="py-4 px-2 font-bold text-[#1b2838]">{{ $mhs['nama'] }}</td>
45 <td class="py-4 px-2 text-gray-500 font-mono">{{ $mhs['nim'] }}</td>
46 <td class="py-4 px-2">
47 <span class="px-3 py-1 rounded-full text-[10px] font-black uppercase {{ $mhs
48 {{ $mhs['status'] }}
49 </span>
50 </td>
51 </tr>
52 @empty
53 <tr>
54 <td colspan="3" class="py-10 text-center text-gray-400 italic">
```

```
52 @empty
53 <tr>
54 <td colspan="3" class="py-10 text-center text-gray-400 italic">
55 Belum ada data mahasiswa
56 </td>
57 </tr>
58 @endforeach
59 </tbody>
60 </table>
61 </div>
62 </div>
63 </div>
64
```




7. Buat Halaman “Tentang” dan “Kontak”



Halaman Kontak




```
resources > views > contact.blade.php
1  @extends('app')
2
3  @section('content')
4  <div class="max-w-4xl mx-auto bg-white p-10 rounded-[3rem] shadow-sm border border-gray-100 mt-10">
5    <h1 class="text-4xl font-black text-[#1b2838] uppercase italic mb-6">Hubungi Kami</h1>
6    <p class="text-gray-500 mb-8">Punya kendala pas top-up? Admin kami siap bantu 24/7 bro!</p>
7
8    <div class="grid grid-cols-1 md:grid-cols-2 gap-6">
9      <div class="p-6 bg-[#66c0f4]/10 rounded-2xl">
10        <h3 class="font-black text-[#1b2838] uppercase text-xs mb-2">WhatsApp Admin</h3>
11        <p class="text-lg font-bold text-[#66c0f4]">+62 812-3456-7890</p>
12      </div>
13      <div class="p-6 bg-[#5c7e10]/10 rounded-2xl">
14        <h3 class="font-black text-[#1b2838] uppercase text-xs mb-2">Email Support</h3>
15        <p class="text-lg font-bold text-[#5c7e10]">242410101031@mail.unej.ac.id</p>
16      </div>
17    </div>
18  </div>
19  @endsection
```



Halaman Tentang




Route



```
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers\PageController;
5
6 Route::get('/', [PageController::class, 'index'])->name('dashboard');
7 Route::get('/dashboard', [PageController::class, 'index']);
8 Route::get('/produk-katalog', [PageController::class, 'list_produk'])->name('katalog');
9 Route::get('/produk-admin', [PageController::class, 'produk'])->name('admin.produk');
10 Route::get('/beli', [PageController::class, 'beli']);
11 Route::get('/history', [PageController::class, 'history']);
12 Route::get('/help', [PageController::class, 'help']);
13 Route::get('/about', [PageController::class, 'about']);
14 Route::get('/contact', [PageController::class, 'contact']);
15 Route::post('/produk-stimpan', [PageController::class, 'store_produk'])->name('produk.store');
16 Route::get('/produk-hapus/{id}', [PageController::class, 'hapus_produk'])->name('produk.delete');
17
```


Page Controller



```
9 {
10
11     public function beli() {
12         return view('beli');
13     }
14
15     public function index() {
16         $data_mahasiswa = [
17             ['nama' => 'Liem', 'nim' => '2424101001', 'status' => 'Aktif'],
18             ['nama' => 'Ryan', 'nim' => '2424101002', 'status' => 'Aktif'],
19             ['nama' => 'Mark', 'nim' => '2424101003', 'status' => 'Cuti'],
20         ];
21
22         return view('index', compact('data_mahasiswa'));
23     }
24
25     public function about() {
26         return view('about');
27     }
28
29     public function contact() {
30         return view('contact');
31     }
32 }
```


8. @push dan @stack


@Push



The screenshot shows the VS Code editor with the file explorer on the left. The file explorer shows a project named '1031_PROJEKWEB' with a 'resources' folder containing 'views'. The 'views' folder contains several files, including 'produk.blade.php' which is selected. The main editor shows the content of 'produk.blade.php'. The code includes a section directive, a div with Tailwind CSS classes, and a script block. The script block is highlighted with a yellow box and contains a console log and a jQuery event listener. The script block is preceded by '@push('scripts')' and followed by '@endpush'. The terminal at the bottom shows the output of the application, including the console log and the jQuery event listener.

```
resources > views > produk.blade.php
5  @section('content')
6  <div class="max-w-7xl mx-auto px-4 py-10">
12  <div class="grid grid-cols-1 lg:grid-cols-3 gap-8">
59  <div class="lg:col-span-2 space-y-8">
68  <div class="bg-white rounded-xl shadow-sm border border-gray-100 overflow-hidden">
109  </div>
110  </div>
111  </div>
112  </div>
113  </div>
114  @endsection
115
116  @push('scripts')
117  <script>
118  console.log("Halaman Manajemen Produk Siap Bro!");
119  document.querySelectorAll('form').forEach(form => {
120  form.addEventListener('submit', function() {
121  console.log('Sedang menyimpan produk...');
122  });
123  });
124  </script>
125  @endpush
```

@Stack



The screenshot shows the VS Code editor with the file explorer on the left. The file explorer shows a project named '1031_PROJEKWEB' with a 'resources' folder containing 'views'. The 'views' folder contains several files, including 'app.blade.php' which is selected. The main editor shows the content of 'app.blade.php'. The code includes a head section with a script and style, a body section with a main container, and a footer section. The footer section is preceded by '@include('components.footer')' and followed by '@stack('scripts')'. The footer section is highlighted with a yellow box. The terminal at the bottom shows the output of the application, including the console log and the jQuery event listener.

```
resources > views > app.blade.php
3  <head>
7  <script src="https://cdn.tailwindcss.com"></script>
8  <style>
9  html { scroll-behavior: smooth; }
10 </style>
11 </head>
12 <body class="bg-gray-50 flex flex-col min-h-screen">
13
14  @include('partials.navigasi')
15
16  <main class="grow">
17  @if(session('success'))
18  <div class="max-w-7xl mx-auto mb-4 bg-green-100 border border-green-400 text-green-700 px-4 py-3
19  rounded relative role="alert">
20  <strong class="font-bold">Mantap!</strong>
21  <span class="block sm:inline">{{ session('success') }}</span>
22  </div>
23  @endif
24
25  @yield('content')
26 </main>
27
28  @include('components.footer')
29  @stack('scripts')
30 </body>
31 </html>
```

Aktivitas Mandiri 4

1. Buat model migration

```
PS C:\Users\RYAN\1031_ProjekPweb> php artisan make:model Mahasiswa -m
```

INFO Model [C:\Users\RYAN\1031_ProjekPweb\app\Models\Mahasiswa.php] created successfully.

INFO Migration [C:\Users\RYAN\1031_ProjekPweb\database\Migrations\2026_05_05_062535_create_mahasiswas_table.php] created successfully.

2. Edit File Migration

3. Jalankan Migration

```
PS C:\Users\RYAN\1031_ProjekPweb> php artisan migrate
```

INFO Running migrations.

2026_05_05_062535_create_mahasiswas_table 1s **DONE**

4. Edit Model Mahasiswa

\$fillable dan \$casts

Local Scope Aktif

```
public function scopeAktif($query)
{
    return $query->where('aktif', true);
}
```

Local Scope

```
> App\Models\Mahasiswa::aktif()->get();


= Illuminate\Database\Eloquent\Collection {#8078}
  all: [
    App\Models\Mahasiswa {#7365}
      id: 5,
      nim: "242410101001",
      nama: "Liem",
      email: "liem@mail.unej.ac.id",
      jurusan: "SI",
      ipk: "3.85",
      semester: 4,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 06:54:08",
      updated_at: "2026-05-05 06:54:08",
    },
    App\Models\Mahasiswa {#7364}
      id: 6,
      nim: "242410101002",
      nama: "Ryan",
      email: "ryan@mail.unej.ac.id",
      jurusan: "SI",
      ipk: "3.70",
      semester: 4,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 06:54:08",
      updated_at: "2026-05-05 06:54:08",
    },
  ],
}
```

5. Membuat file seeder


```
PS C:\Users\RYAN\1031_ProjekPweb> php artisan make:seeder MahasiswaSeeder
```

INFO Seeder [C:\Users\RYAN\1031_ProjekPweb\database\seeders\MahasiswaSeeder.php] created successfully.

Mengisi file seeder:




```
6 use App\Models\Mahasiswa;
7
8 class MahasiswaSeeder extends Seeder
9 {
10     public function run(): void
11     {
12         $data = [
13             [
14                 'nim' => '242410101001',
15                 'nama' => 'Liem Syailendra',
16                 'email' => 'liem@student.unej.ac.id',
17                 'jurusan' => 'SI',
18                 'ipk' => 3.85,
19                 'semester' => 4,
20                 'aktif' => true,
21                 'foto' => null
22             ],
23             [
24                 'nim' => '242410101002',
25                 'nama' => 'Ryan Ramadhan',
26                 'email' => 'ryan@student.unej.ac.id',
27                 'jurusan' => 'SI',
28                 'ipk' => 3.70,
29                 'semester' => 4,
30                 'aktif' => true,
31                 'foto' => null
32             ],
33         ];
```



```
34         'nim' => '242410101003',
35         'nama' => 'Mark Ardiansyah',
36         'email' => 'mark@student.unej.ac.id',
37         'jurusan' => 'TI',
38         'ipk' => 3.50,
39         'semester' => 2,
40         'aktif' => false,
41         'foto' => null
42     ],
43 ];
44
45 foreach ($data as $item) {
46     Mahasiswa::create($item);
47 }
48
49 }
```

6. Daftarkan Seeder ke DatabaseSeeder.php




```
1 <?php
2
3 namespace Database\Seeders;
4
5 use App\Models\User;
6 use Illuminate\Database\Console\Seeds\WithoutModelEvents;
7 use Illuminate\Database\Seeder;
8
9 class DatabaseSeeder extends Seeder
10 {
11     use WithoutModelEvents;
12
13     /**
14      * Seed the application's database.
15      */
16     public function run(): void
17     {
18         $this->call([
19             MahasiswaSeeder::class,
20         ]);
21     }
22 }
23
```

Jalankan php arisan db:Seed




```
PS C:\Users\RYAN\1031_ProjekPweb> php artisan db:seed
INFO Seeding database.
Database\Seeders\MahasiswaSeeder ..... RUNNING
Database\Seeders\MahasiswaSeeder ..... 184 ms DONE
```



	id	nim	nama	email	jurusan	lok	semester	aktif	foto	created at	updated at
☐	5	242410101001	Liem	liem@mail.unej.ac.id	SI	3.85	4	1	NULL	2026-05-05 06:54:08	2026-05-05 06:54:08
☐	6	242410101002	Ryan	ryan@mail.unej.ac.id	SI	3.70	4	1	NULL	2026-05-05 06:54:08	2026-05-05 06:54:08
☐	7	242410101003	Mark	mark@mail.unej.ac.id	TI	3.50	2	0	NULL	2026-05-05 06:54:08	2026-05-05 06:54:08

7. PHP Artisan tinker

Run php artisan tinker



```
PS C:\Users\RYAN\1031_ProjekPweb> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`

> App\Models\Mahasiswa::all();
```

Mahasiswa:all()

```
= Illuminate\Database\Eloquent\Collection {#8072}
  all: [
    App\Models\Mahasiswa {#8069}
      id: 5,
      nim: "242410101001",
      nama: "Liem",
      email: "liem@mail.unej.ac.id",
      jurusan: "SI",
      ipk: "3.85",
      semester: 4,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 06:54:08",
      updated_at: "2026-05-05 06:54:08",
    },
    App\Models\Mahasiswa {#8068}
      id: 6,
      nim: "242410101002",
      nama: "Ryan",
      email: "ryan@mail.unej.ac.id",
      jurusan: "SI",
      ipk: "3.70",
      semester: 4,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 06:54:08",
      updated_at: "2026-05-05 06:54:08",
    },
    App\Models\Mahasiswa {#8071}
      id: 7,
      nim: "242410101003",
      nama: "Mark",
      email: "mark@mail.unej.ac.id",
      jurusan: "TI",
      ipk: "3.50",
      semester: 2,
      aktif: 0,
```

```

        foto: null,
        created_at: "2026-05-05 06:54:08",
        updated_at: "2026-05-05 06:54:08",
    },
],
}
> █

```

Jalankan Mahasiswa::where('jurusan', 'SI')-> get()

```

> App\Models\Mahasiswa::where('jurusan', 'SI')->get();

= Illuminate\Database\Eloquent\Collection {#7375
  all: [
    App\Models\Mahasiswa {#8104
      id: 5,
      nim: "242410101001",
      nama: "Liem",
      email: "liem@mail.unej.ac.id",
      jurusan: "SI",
      ipk: "3.85",
      semester: 4,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 06:54:08",
      updated_at: "2026-05-05 06:54:08",
    },
    App\Models\Mahasiswa {#7378
      id: 6,
      nim: "242410101002",
      nama: "Ryan",
      email: "ryan@mail.unej.ac.id",
      jurusan: "SI",
      ipk: "3.70",
      semester: 4,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 06:54:08",
      updated_at: "2026-05-05 06:54:08",
    },
  ],
}

```

Jalankan Mahasiswa::avg('ipk')

```
> App\Models\Mahasiswa::avg('ipk');  
  
= "3.683333"
```

8. Buat Relasi Mata_Kuliah dan Pivot KRS MataKuliah

```
PS C:\Users\RYAN\1031_ProjekPweb> php artisan make:model MataKuliah -m  
  
INFO Model [C:\Users\RYAN\1031_ProjekPweb\app\Models\MataKuliah.php] created successfully.  
  
INFO Migration [C:\Users\RYAN\1031_ProjekPweb\database\Migrations\2026_05_05_070652_create_mata_kuliahs_table.php] created successfully.
```

The screenshot shows the VS Code interface with the Explorer, Explorer, and Terminal panels. The Explorer panel on the left shows the project structure with folders for app, database, and migrations. The Explorer panel on the right shows the code for the 2026_05_05_070652_create_mata_kuliahs_table.php migration file. The code defines a new class extending Migration and uses Schema::create to create a table named 'mata_kuliahs' with columns 'kode_mk', 'nama_mk', 'sks', and 'timestamps'.

```
1 <?php  
2  
3 use Illuminate\Database\Migrations\Migration;  
4 use Illuminate\Database\Schema\Blueprint;  
5 use Illuminate\Support\Facades\Schema;  
6  
7 return new class extends Migration  
8 {  
9     /**  
10      * Run the migrations.  
11      */  
12     public function up(): void  
13     {  
14         Schema::create('mata_kuliahs', function (Blueprint $table) {  
15             $table->id();  
16             $table->string('kode_mk')->unique();  
17             $table->string('nama_mk');  
18             $table->integer('sks');  
19             $table->timestamps();  
20         });  
21     }  
22  
23     /**
```

KRS

```
PS C:\Users\RYAN\1031_ProjekPweb> php artisan make:migration create_krs_table  
  
INFO Migration [C:\Users\RYAN\1031_ProjekPweb\database\Migrations\2026_05_05_070755_create_krs_table.php] created successfully.
```

The screenshot shows the VS Code interface with the Explorer, Explorer, and Terminal panels. The Explorer panel on the left shows the project structure with folders for app, database, and migrations. The Explorer panel on the right shows the code for the 2026_05_05_070755_create_krs_table.php migration file. The code defines a new class extending Migration and uses Schema::create to create a table named 'krs' with columns 'foreignId('mahasiswa_id')', 'foreignId('mata_kuliah_id')', and 'timestamps'.

```
1 <?php  
2  
3 use Illuminate\Database\Migrations\Migration;  
4 use Illuminate\Database\Schema\Blueprint;  
5 use Illuminate\Support\Facades\Schema;  
6  
7 return new class extends Migration  
8 {  
9     /**  
10      * Run the migrations.  
11      */  
12     public function up(): void  
13     {  
14         Schema::create('krs', function (Blueprint $table) {  
15             $table->id();  
16             $table->foreignId('mahasiswa_id')->constrained('mahasiswas')->onDelete('cascade');  
17             $table->foreignId('mata_kuliah_id')->constrained('mata_kuliahs')->onDelete('cascade');  
18             $table->timestamps();  
19         });  
20     }  
21  
22     /**  
23      * Reverse the migrations.
```


Migration


```
PS C:\Users\RYAN\1031_ProjekPweb> php artisan migrate

INFO Running migrations.

2026_05_05_070652_create_mata_kuliahs_table ..... 767.88ms DONE
2026_05_05_070755_create_krs_table ..... 1s DONE

PS C:\Users\RYAN\1031_ProjekPweb> |
```

Seeder




```
1 <?php
2
3 namespace Database\Seeders;
4
5 use Illuminate\Database\Seeder;
6 use App\Models\Mahasiswa;
7
8 class MahasiswaSeeder extends Seeder
9 {
10     public function run(): void
11     {
12         $data = [
13             [
14                 'nim' => '2424101001',
15                 'nama' => 'Liem',
16                 'email' => 'liem@mail.unej.ac.id',
17                 'jurusan' => 'SI',
18                 'ipk' => 3.85,
19                 'semester' => 4,
20                 'aktif' => true,
21                 'foto' => null
22             ],
23         ];
```


```
24         [
25             'nim' => '2424101002',
26             'nama' => 'Ryan',
27             'email' => 'ryan@mail.unej.ac.id',
28             'jurusan' => 'SI',
29             'ipk' => 3.70,
30             'semester' => 4,
31             'aktif' => true,
32             'foto' => null
33         ],
34         [
35             'nim' => '2424101003',
36             'nama' => 'Mark',
37             'email' => 'mark@mail.unej.ac.id',
38             'jurusan' => 'TI',
39             'ipk' => 3.50,
40             'semester' => 2,
41             'aktif' => false,
42             'foto' => null
43         ],
44     ];
```

```
45     foreach ($data as $item) {
46         Mahasiswa::create($item);
47     }
48 }
49 }
```

Membuat Relasi




```
app > Models > Mahasiswa.php
9
14
15
16 protected $casts = [
17     'aktif' => 'boolean',
18     'ipk' => 'double',
19     'semester' => 'integer',
20 ];
21
22 public function scopeAktif($query)
23 {
24     return $query->where('aktif', true);
25 }
26
27
28 public function mataKuliah()
29 {
30     return $this->belongsToMany(MataKuliah::class, 'krs');
31 }
```




```
wa.php U
2026_05_05_070652_create_mata_kuliah_table.php U
2026_05_05_070755_create_krs_table.php U
MataKuliah.php U
app > Models > MataKuliah.php
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 class MataKuliah extends Model
9 {
10     use HasFactory;
11
12     protected $fillable = ['kode_mk', 'nama_mk', 'sks'];
13
14     public function mahasiswa()
15     {
16         return $this->belongsToMany(Mahasiswa::class, 'krs');
17     }
18 }
```

Database Mahasiswa




	id	nim	nama	email	jurusan	ipk	semester	aktif	foto	created_at	updated_at
☐	5	242410101001	Ilem	liem@mail.unej.ac.id	SI	3.85	4	1	NULL	2026-05-05 06:54:08	2026-05-05 06:54:08
☐	6	242410101002	Ryan	ryan@mail.unej.ac.id	SI	3.70	4	1	NULL	2026-05-05 06:54:08	2026-05-05 06:54:08
☐	7	242410101003	Mark	mark@mail.unej.ac.id	TI	3.50	2	0	NULL	2026-05-05 06:54:08	2026-05-05 06:54:08

Mata Kuliah



KRS



Tampilan Akhir Dashboard

