

# R Notebook

```
knitr::opts_chunk$set(echo = TRUE)
library(tidyverse)
```

```
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr      1.1.4      v readr      2.1.4
## v forcats    1.0.0      v stringr   1.5.1
## v ggplot2     3.4.4      v tibble    3.2.1
## v lubridate   1.9.3      v tidyr     1.3.0
## v purrr       1.0.2
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```


```
library(lubridate)
library(ggplot2)
```

```
url_NYPD <- "https://data.cityofnewyork.us/api/views/833y-fsy8/rows.csv?accessType=DOWNLOAD"
```

```
NYPD <- read.csv(url_NYPD)
```


```
NYPD_clean <- NYPD %>%
  select(c("OCCUR_DATE", "OCCUR_TIME", "BORO", "PRECINCT",
           "STATISTICAL_MURDER_FLAG", "VIC_AGE_GROUP", "VIC_SEX", "VIC_RACE")) %>%
  mutate(OCCUR_DATE = mdy(OCCUR_DATE),
         OCCUR_TIME = hms(OCCUR_TIME),
         STATISTICAL_MURDER_FLAG = as.logical(STATISTICAL_MURDER_FLAG),
         Shootings = 1,
         Year = year(OCCUR_DATE))
```

```
NYPD_clean %>%
  ggplot(aes(x = BORO, fill = BORO)) +
  geom_bar() +
  labs(title = "NYPD Shootings Incidents by Borough",
       subtitle = "(2006 - 2021)",
       x = "NYC Boroughs",
       y = "Total Number of Shootings",
       caption = "(Figure - 1)")
```



(Figure – 1)

```
NYPD_clean %>%  
  ggplot(aes(x = Year)) +  
  geom_bar(fill = "lightblue", show.legend = FALSE) +  
  labs(title = "NYPD Shootings Incidents by Year",  
        x = "Years (2006 - 2021)",  
        y = "Total Number of Shootings",  
        caption = "(Figure - 2)")
```




(Figure – 2)

```
NYPD_year <- NYPD_clean %>%
  group_by(Year) %>%
  summarize(Shootings = sum(Shootings))

NYPD_year %>%
  ggplot(aes(x = as.factor(Year), y = Shootings)) +
  geom_line() +
  geom_point(color = "red") +
  scale_x_discrete(labels = as.character(2006:2021)) +
  labs(
    title = "NYPD Shooting Incidents by Year",
    x = "Years (2006 - 2021)",
    y = "Total Number of Shootings",
    caption = "(Figure - 3)"
  )
```

```
## 'geom_line()': Each group consists of only one observation.
## i Do you need to adjust the group aesthetic?
```



(Figure – 3)

```

NYPD_boro <- NYPD_clean %>%
  group_by(BORO, OCCUR_DATE, Shootings) %>%
  summarize(Shootings = sum(Shootings),
            STATISTICAL_MURDER_FLAG = sum(STATISTICAL_MURDER_FLAG),
            .groups = 'drop') %>%
  select(BORO, OCCUR_DATE, Shootings, STATISTICAL_MURDER_FLAG) %>%
  ungroup()

NYPD_boro_year <- NYPD_clean %>%
  mutate(Year = year(OCCUR_DATE)) %>%
  group_by(BORO, Year, Shootings) %>%
  summarize(Shootings = sum(Shootings),
            STATISTICAL_MURDER_FLAG = sum(STATISTICAL_MURDER_FLAG),
            .groups = 'drop') %>%
  select(BORO, Year, Shootings, STATISTICAL_MURDER_FLAG) %>%
  ungroup()

NYPD_boro_total <- NYPD_boro_year %>%
  group_by(BORO) %>%
  summarize(Shootings = sum(Shootings))
(7402 + 10365) / sum(NYPD_boro_total$Shootings)


```

```
## [1] 0.6505199
```

```
736/ sum(NYPD_boro_total$Shootings)
```

```
## [1] 0.02694786
```

```
NYPD_boro_year %>%
  ggplot(aes(x = Year, y = Shootings,color = BORO)) +
  geom_line() +
  geom_point() +
  labs(title = "NYPD Shootings by Borough by Year",
        subtitle = "(2006 - 2021)",
        x = "Year",
        y = "Number of Shootings",
        caption = "(Figure - 4)")
```




(Figure – 4)

```
NYPD_boro <- NYPD_clean %>%
  group_by(BORO, OCCUR_DATE, Shootings) %>%
  summarize(Shootings = sum(Shootings),
            STATISTICAL_MURDER_FLAG = sum(STATISTICAL_MURDER_FLAG),
            .groups = 'drop') %>%
  select(BORO, OCCUR_DATE, Shootings, STATISTICAL_MURDER_FLAG) %>%
  ungroup()

NYPD_boro %>%
  ggplot(aes(x = OCCUR_DATE, y = Shootings)) +
  geom_line() +
```

```
scale_x_date(date_labels = "%Y %b") +
labs(title = "NYPD Shootings Per Day",
      subtitle = "(2006 - 2021)",
      x = "Date",
      y = "Shootings per day",
      caption = "(Figure - 5)")
```



(Figure – 5)

```
NYPD_time_year <- NYPD_clean %>%
  mutate(Time_year = format(as.Date(OCCUR_DATE), "%m/%d")) %>%
  mutate(Time_year = as.Date(Time_year,"%m/%d")) %>%
  group_by(Time_year,Shootings) %>%
  summarize(Shootings = sum(Shootings),
            STATISTICAL_MURDER_FLAG = sum(STATISTICAL_MURDER_FLAG),
            .groups = 'drop') %>%
  select(Time_year,Shootings,STATISTICAL_MURDER_FLAG) %>%
  ungroup()

NYPD_time_year %>% slice_max(Shootings, n = 2)
```

```
## # A tibble: 2 x 3
##   Time_year Shootings STATISTICAL_MURDER_FLAG
##   <date>      <dbl>          <int>
## 1 2023-07-05      206            33
## 2 2023-07-04      158            26
```


```

NYPD_July_5 <- NYPD_clean %>%
  mutate(Time_year = format(as.Date(OCCUR_DATE), "%m/%d"),
         Hour = hour(OCCUR_TIME)) %>%
  mutate(Time_year = as.Date(Time_year,"%m/%d")) %>%
  filter(Time_year == "2022-07-05") %>%
  group_by(Hour,Shootings) %>%
  summarize(Shootings = sum(Shootings),
            .groups = 'drop')

NYPD_time_year %>%
  ggplot(aes(x = Time_year, y = Shootings)) +
  geom_line() +
  geom_point(data = NYPD_time_year %>% slice_max(Shootings, n = 2),
            aes(color="Most Shootings")) +
  scale_x_date(date_labels = "%b") +
  labs(title = "NYPD Shootings on that Day",
       subtitle = "(2006 - 2021)",
       colour = "",
       x = "Day",
       y = "Shootings on that day",
       caption = "(Figure - 6)")

```

## Warning: Removed 1 row containing missing values ('geom\_line()').




(Figure – 6)

```
summary(clean)
```

```
NYPD_time_day <- NYPD_clean %>%  
  group_by(OCCUR_TIME, Shootings) %>%  
  summarize(Shootings = sum(Shootings),  
            STATISTICAL_MURDER_FLAG = sum(STATISTICAL_MURDER_FLAG),  
            .groups = 'drop') %>%  
  select(OCCUR_TIME, Shootings, STATISTICAL_MURDER_FLAG)  
  
NYPD_time_day %>%  
  ggplot(aes(x = OCCUR_TIME, y = Shootings)) +  
  geom_line() +  
  scale_x_time() +  
  labs(title = "NYPD Shootings by the Time of Day",  
       subtitle = "(2006 - 2021)",  
       x = "Time of day (24 Hour Time System)",  
       y = "Shootings",  
       caption = "(Figure - 7)")
```

NYPD Shootings by the Time of Day  
(2006 – 2021)



(Figure – 7)

```
NYPD_time_hour <- NYPD_clean %>%  
  mutate(Hour = hour(OCCUR_TIME)) %>%  
  group_by(Hour, Shootings) %>%  
  summarize(Shootings = sum(Shootings),  
            STATISTICAL_MURDER_FLAG = sum(STATISTICAL_MURDER_FLAG),  
            .groups = 'drop') %>%
```




```
mutate(Hour2 = Hour^2) %>%
select(Hour, Shootings, STATISTICAL_MURDER_FLAG, Hour2)

NYPD_time_hour_model <- lm(data = NYPD_time_hour, Shootings ~ Hour + Hour2)
summary(NYPD_time_hour_model)
```

```
##
## Call:
## lm(formula = Shootings ~ Hour + Hour2, data = NYPD_time_hour)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -406.73 -143.32   50.61  172.71  303.99
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  2233.526    130.753   17.08 8.56e-14 ***
## Hour        -335.455     26.333   -12.74 2.40e-11 ***
## Hour2         15.331      1.106    13.87 4.86e-12 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 231.6 on 21 degrees of freedom
## Multiple R-squared:  0.9044, Adjusted R-squared:  0.8952
## F-statistic: 99.28 on 2 and 21 DF,  p-value: 1.981e-11
```

```
NYPD_time_hour %>%
  ggplot(aes(x = Hour, y = Shootings)) +
  geom_point() +
  stat_smooth(method = "lm", formula = y ~ x + I(x^2), linewidth = 1) +
  labs(title = "NYPD Shootings by Time of Day per Hour",
       subtitle = "(2006-2021)",
       x = "Hours (24 Hour Time System)",
       y = "Shootings that Hour",
       caption = "(Figure - 8)")
```



(Figure – 8)