

Campus Operations Incident Escalation Handbook

Building safety, facilities response, cross-functional coordination, and current-duty overrides

Document owner	Emergency Preparedness Office
Edition	Revision 6.2 - June 2026
Current-state date	30 June 2026
Required snapshot time	15:00 local time
Primary use	Current escalation and relationship mapping
Status	Approved operational guidance

Purpose. This handbook defines how normal reporting, incident escalation, external notification, advisory relationships, and same-day duty overrides are interpreted for campus operations. It must be read with the enterprise workbook and the June operating-model review.

Core interpretation rule. Direct reporting, incident escalation, external notification, and advisory consultation are separate relationship classes. A person may participate in more than one operating relationship, but each visible connector must be supported by the correct source register.

The requested relationship map is a time-specific operating snapshot. Current and approved records from the wrong campus, incident type, coverage window, or time interval remain out of scope.

Do not infer the active network from row order, familiar job titles, department hierarchy, or the most recently edited record. Resolve the operating view first, then resolve current people and relationships.

Relationship notation quick reference

Direct reporting	Solid dark line	Subordinate or employee toward manager	Directory manager_record_id
Incident escalation	Dashed red arrow	Originating role toward receiving role	Escalation Matrix
External notification	Dashed red arrow	Incident command toward external service	Escalation Matrix and trigger rule
Advisory / consulted	Dotted gray line	Advisory group toward sponsored operating role	Stakeholder Engagements

1. Selecting the correct operating snapshot

Set all five filters before resolving any name: campus, incident type, coverage window, current-state date, and local snapshot time. For the current review, the operating view is Central Campus, Building safety, Weekday business hours, 30 June 2026, 15:00 local time.

The workbook contains approved evening, overnight, weekend, other-campus, and specialized-procedure records. Those records may be fully current and still be outside this view.

Source precedence

	Filter	Source
1	Filter operating scope and effective interval	All applicable workbook sheets
2	Resolve approved current base role assignments	Incident Role Assignments
3	Apply any approved override active at the snapshot time	Duty Overrides
4	Resolve record IDs to people, groups, and external services	Directory
5	Draw solid lines only when both selected people are present	Directory manager_record_id
6	Draw dashed routes only from current approved matrix rows	Escalation Matrix
7	Draw dotted advisory links only from current engagement rows	Stakeholder Engagements

Duty override rule

An approved override replaces the base holder only when the campus, incident type, coverage window, role code, approval state, and time interval all match the requested snapshot. The base assignment remains valid outside the override interval. Pending or proposed overrides never replace a base holder.

When an active approved override exists, the chart must show the override holder and must not show the base holder as the active role holder. Historical context can remain in the workbook but should not appear in the active network.

Record-status rule

Record Status	Record Status Outcome
Current + Approved + effective at date/time	Eligible after scope filtering
Ended before snapshot	Exclude as historical
Planned, Proposed, or Pending	Exclude
Future-effective approved row	Exclude until effective
Active directory person without selected assignment	Exclude from active response network

2. Management reporting and command structure

The focused response chart uses the selected incident roles, but solid reporting lines are controlled by directory manager records. A department leader who is not a selected incident-role holder remains outside the chart even when that person is a real manager.

Role-level management pattern

Subordinate role	Manager role	Notes
Facilities Director	Executive Sponsor	Executive operations chain
Site Operations Manager	Facilities Director	Campus facilities chain
Incident Commander	Site Operations Manager	Distinct command role; do not merge
Building Systems Lead	Site Operations Manager	Facilities-response branch
Access Coordinator	Site Operations Manager	Access and volunteer branch
Recovery Coordinator	Site Operations Manager	Recovery planning branch, effective 15 Jun 2026
Electrical Response Lead	Building Systems Lead	Technical sub-branch
Mechanical Response Lead	Building Systems Lead	Technical sub-branch
Logistics Coordinator	Incident Commander	Visible operating reporting relationship

Cross-functional liaisons

Security, safety, communications, student affairs, and IT continuity keep their home-department reporting relationships outside this focused map. Their participation is represented by incident-escalation routes, not by invented solid reporting lines to command.

Do not draw an extra solid line from a cross-functional liaison to the Incident Commander. Do not redirect a functional escalation to the Site Operations Manager merely because that manager sits above incident command.

Recovery Coordinator exception

The Recovery Coordinator is part of the selected response network and has both a normal solid reporting relationship to the Site Operations Manager and a distinct dashed escalation route to the Incident Commander when the recovery phase is declared. These are different endpoints and do not duplicate one another.

3. Functional escalation into incident command

Every current functional route must be supported by a current approved Escalation Matrix row. For the selected building-safety view, short trigger and severity labels are required on each dashed route so the network is auditable without consulting a second document.

Required role-level routes

Origin role	Target	Trigger label	Severity scope
Building Systems Lead	Incident Commander	Operational impact confirmed	All severities
Access Coordinator	Incident Commander	Access, crowd, or volunteer impact	All severities
Recovery Coordinator	Incident Commander	Recovery phase declared	Severity 2-3
Security Liaison	Incident Commander	Security support requested	All severities
Safety Officer	Incident Commander	Safety or regulatory concern	All severities
Communications Lead	Incident Commander	Public or stakeholder messaging needed	Severity 2-3
Student Affairs Liaison	Incident Commander	Student service impact	Severity 2-3
IT Continuity Lead	Incident Commander	IT or digital-service dependency	Severity 2-3

Connector integrity rules

- Each route points toward the Incident Commander; direction is not optional.
- A route cannot be substituted by a solid reporting line or a dotted advisory line.
- The Logistics Coordinator uses the visible solid relationship only; do not add a duplicate dashed route.
- Ended recovery routes and July proposals are out of scope for the 30 June 15:00 snapshot.
- Trigger wording may be concise, but it must preserve the decision condition and severity range.

A diagram that includes the correct people but omits route triggers, severity scope, or direction is not a complete operating map.

4. Higher-level and external notification

Severity describes incident impact, not management rank. Dashed notification routes do not replace the normal solid reporting chain.

Notification thresholds

Incident	Destination	Required impact	Condition
Incident Commander	Facilities Director	Significant operational impact S2-3	Severity 2 or 3 threshold reached
Incident Commander	Executive Sponsor	Enterprise or prolonged disruption S3	Severity 3 only
Incident Commander	Central Emergency Dispatch	Life safety or public emergency Any severity	Trigger-based external notification

Severity guide

Severity	Typical impact	Required command treatment
1	Localized and short duration	Functional routes inform command; no executive notification unless external trigger exists
2	Significant operational or stakeholder impact	Notify Facilities Director; coordinate cross-functional response
3	Enterprise, prolonged, or high-profile disruption	Notify Facilities Director and Executive Sponsor
Any	Life-safety or public emergency condition	Notify Central Emergency Dispatch immediately

External-service boundary

Central Emergency Dispatch is an external-service node. It must remain outside the management hierarchy and must have only the conditional dashed notification route from incident command. Fire monitoring, medical coordination, and utility control services belong to specialized procedures and must not replace it.

Do not show Central Emergency Dispatch as a manager, subordinate, advisory group, or standing member of the command spine.

5. Advisory and consulted relationships

Advisory groups provide subject-matter input to selected operational roles. They do not hold command authority and must not be placed in the direct reporting hierarchy.

Current role-level advisory links

Advisory group	Associated role	Relationship purpose
Community Advisory Board	Access Coordinator	Community access, volunteer coordination, and neighborhood concerns
EHS Review Council	Safety Officer	Safety policy and regulatory interpretation
Accessibility Advisory Panel	Student Affairs Liaison	Accessibility and accommodation impacts
Continuity Planning Forum	Recovery Coordinator	Recovery sequencing and continuity dependencies

Advisory-source rule

Use the current effective Stakeholder Engagement row after scope filtering. A planned July engagement, a different sponsor role, or a record from another incident type must not be used for the 30 June snapshot.

The active student-affairs advisory endpoint follows the active duty override. When the Student Affairs Liaison holder changes for the snapshot interval, the dotted advisory line remains attached to the role and therefore points to the override holder.

The active map contains four advisory links. Any advisory node attached to a different operational endpoint, or any advisory group with a solid or dashed connector, is a relationship error.

6. Exclusions and conflict resolution

- Exclude other campuses, evening/overnight/weekend coverage, and specialized fire, medical, security, or utility procedures.
- Exclude ended assignments, ended routes, future-effective rows, planned engagements, and pending organization changes.
- Exclude a base holder during an active approved duty override.
- Exclude home-department managers who do not hold a selected incident role.
- Do not infer a relationship merely because two records share a department, title, or communication channel.

7. Diagram organization and audit requirements

Use one wide landscape relationship diagram with four labeled areas: Executive Oversight, Command Spine, Functional Response, and Advisory / External. Areas organize nodes but do not create additional relationships.

Required chart content

- Use the exact title: Central Campus Building Safety Escalation | Weekday Business Hours | 30 Jun 2026.
- Resolve active people at 15:00 local time, including approved same-day overrides.
- Show each selected person name and selected incident role.
- Show selected advisory groups and external services as non-person nodes.
- Label every dashed route with a concise trigger and severity scope.
- Include a compact legend defining solid, dashed, and dotted relationships.
- Do not add unsupported people, groups, routes, or duplicated relationship types.

Audit counts for the selected role-level model

Selected people	15	Includes Recovery Coordinator and the active Student Affairs duty override
Advisory / external nodes	5	Four advisory groups plus Central Emergency Dispatch
Solid reporting relationships	9	Directory manager relationships among selected people
Dashed escalation / notification relationships	11	Eight functional routes plus three higher-level/external routes
Dotted advisory relationships	4	One current engagement per advisory group

These counts are a final audit aid, not a substitute for resolving exact endpoints, directions, conditions, and current holders. A chart can match a count and still be wrong.

Common errors

- Showing Nadia Cole instead of the active 15:00 Student Affairs duty holder.
- Omitting the current Recovery Coordinator or using the ended/future holder.
- Using the planned Continuity Planning Forum engagement to IT Continuity instead of the current Recovery Coordinator engagement.
- Drawing the July Communications-to-Executive Sponsor proposal as current.
- Leaving functional trigger or severity labels off dashed routes.
- Using a direct line where the source register defines an escalation or advisory relationship.

Incident Escalation Handbook

Revision 6.3 addendum - same-day control bulletins and audit references

This addendum governs diagrams prepared for a time-specific operating snapshot when the workbook contains released same-day control bulletins. It supplements the base assignment, duty-override, escalation-matrix, stakeholder-engagement, and organization-change rules in the main handbook.

11. Source precedence for a time-specific snapshot

Step 1 - Base state. Resolve approved base assignments, current matrix routes, current stakeholder engagements, and directory reporting relationships for the requested campus, incident type, coverage window, and date.

Step 2 - Duty override. Replace a base role holder only when an approved duty override is active at the requested local time.

Step 3 - Control bulletin. Apply only a bulletin that matches the requested scope, is Released and Approved, was issued by the stated control cut-off, and is active at the requested time. A valid bulletin can substitute a role holder, add or suspend a route, temporarily replace a reporting endpoint, or activate an advisory relationship.

Step 4 - Re-resolve endpoints. Relationship registers are role-based. After substitutions, every active route and engagement follows the active role holder unless a released bulletin states a different endpoint.

Step 5 - Exclude non-current records. Draft, pending, rejected, withdrawn, expired, scheduled, later-issued, future-effective, other-campus, other-window, and other-procedure bulletins are not part of the active chart.

A later narrative sentence does not override a controlled register by itself. A released bulletin does not become valid merely because its interval overlaps the snapshot; all scope, status, approval, issue-time, and interval tests must pass.

12. Action semantics

Action type	Required treatment
SUBSTITUTE_ROLE	Replace the active holder for the named incident role during the bulletin interval; do not show both holders as active.
TEMP_REPORTING	Use the stated subordinate-role to manager-role solid relationship during the interval instead of the superseded directory edge.
ADD_ROUTE	Add the stated source-role to target-role dashed route with the bulletin trigger and severity; do not delete base routes unless a separate suspension exists.
SUSPEND_ROUTE	Omit only the identified current route for the active interval.
ACTIVATE_ADVISORY	Add the stated advisory-node to sponsored-role dotted relationship for the active interval.

13. Audit-reference labels

Every current dashed connector must carry its controlling reference plus a concise trigger and severity scope. Matrix routes use their ER reference; bulletin-added routes use their CB reference.

Every current dotted connector must carry its stakeholder-engagement or control-bulletin reference and the relationship mode, such as Consulted or Advisory.

Solid reporting lines normally remain unlabeled. When a released TEMP_REPORTING bulletin supersedes a directory manager edge, identify the bulletin in a small relationship note or callout so the temporary source is auditable.

Reference labels are factual identifiers. A connector with correct endpoints but the wrong, missing, or superseded reference is not fully correct for a controlled review copy.

14. Integrity checks before release

Check	Pass condition
Active holder	One current holder per selected role after all valid substitutions.
Route inventory	Base routes plus valid additions minus valid suspensions; no unsupported extra route.
Relationship type	Reporting, escalation, notification, and advisory meanings remain distinct.
Control cut-off	No bulletin issued after the task cut-off is applied.
Audit tags	Every dashed and dotted connector has the correct controlling reference and condition or mode.

15. Common bulletin-resolution errors

Do not keep a base holder active alongside a valid temporary substitute.

Do not apply a bulletin that is approved but not Released, or Released but outside the requested campus, procedure, window, issue cut-off, or validity interval.

Do not treat ADD_ROUTE as a replacement for all existing routes from the source role.

Do not leave role-based routes attached to the superseded holder after a valid substitution.

Do not use an advisory narrative or organizational similarity when no current engagement or bulletin supports the dotted relationship.

Do not omit the controlling ER, SE, or CB reference from a non-reporting connector in an audit-ready review copy.

16. Snapshot checklist

- Confirm scope, date, local snapshot time, and control cut-off.
- Resolve assignments, then duty overrides, then eligible control bulletins in that order.
- Refresh all role-based endpoints after substitutions.
- Recount current people, advisory/external nodes, and each relationship category.
- Verify every dashed and dotted label against its controlling reference.