



AI Search Readiness Report · ryderschilling.com · Exported August 17, 2026

01 · Start Here

AI Search Readiness — ryderschilling.com

This report shows how ready ryderschilling.com is for AI search — ChatGPT, Claude, Perplexity, Google AI Overviews, Copilot. The score (0–100) measures whether those engines can reach the site, read its content, and understand it well enough to cite you. The action plan that follows explains each problem in plain language, how to fix it, and exactly where to make the change.

CLIENT	Ryderschilling
WEBSITE	https://ryderschilling.com
AUDIT DATE	August 2026
PREPARED BY	AI Syndicate
AI READINESS SCORE	54/100 · Partially blocked

WHY THIS MATTERS FOR YOUR BUSINESS

Your customers increasingly ask AI assistants — ChatGPT, Google's AI Overviews, Perplexity, Copilot — the questions they used to type into Google: “best [your category] near me”, “is ryderschilling.com any good”, “who should I use for...”. The assistant answers with the few businesses it can read, understand, and trust, and people often act on that answer without ever visiting a website.

Every page an engine can't read, trust, or quote is a place a competitor gets recommended instead of you — and you may never see the customer you lost.

Each fix in this report makes ryderschilling.com easier for these engines to find, understand, and quote — so when someone asks, you're the business they name. None of it is guesswork: every item below is something we measured on the live site.

WORKBOOK MAP

TAB	CONTENTS
01 · Start Here	Project context, audit metadata, workbook map, priority key, top critical findings.
02 · Master Action List	Every fix as a row — ID, section, action, priority, time estimate, owner, notes.
03 · Quick Wins (Days 1–14)	Highest-impact actions packed into a 14-day rollout schedule.
04 · Page-by-Page Audit	Every audited URL with verified findings, schema status, and linked Action IDs.
05 · Schema Library	Drop-in JSON-LD code blocks — Organization, WebSite, LocalBusiness, Person, Service, FAQPage, VideoObject.
06 · NAP & Identity	Canonical name/address/phone + citation checklist across directories AI engines read.
07 · Identity & Copy	Paste-ready copy for the homepage, About, GBP description, meta descriptions, and llms.txt brand paragraph.
08 · llms.txt, robots.txt + AI Intent	Live file content, ready to upload to site root, plus the AI-crawler access list, sitemap status, and page-level AI intent & permission signals.
09 · Validation Checklist	Post-deploy tests that prove each fix shipped.
10 · Glossary	Plain-English definitions of every technical term in this report.

PRIORITY KEY

RANK	MEANING	TIMELINE	DEFINITION
P0	Critical · blocks AI	Ship in 14 days	Highest-impact fix — leave it and AI engines can't read, trust, or quote you.
P1	High priority	Ship in 30 days	Real lift — fixes the next-largest gap in how AI engines understand the site.
P2	When you can	Ship in 60–90 days	Incremental gain — polish + compounding work once the P0 / P1 items are live.

TOP 1 CRITICAL FINDING

#	ACTION	WHY IT MATTERS
1	SCH-01 · No structured data (schema) on the page	Structured data is how AI reliably knows what a page IS — without it, it's guessing.

CATEGORY BREAKDOWN

How readiness splits across what AI engines check — each on a 0–100 scale. The lower the number, the bigger the lift available there.

CATEGORY	SCORE	STATUS
Structured data	0	At risk
Sitemap	0	At risk
llms.txt & agents	0	At risk
AI intent & permission	14	At risk
Identity (NAP)	25	At risk
robots.txt	49	At risk
Page content quality	69	Needs work
AI crawler access	100	Strong
Crawlability	100	Strong

02 · Master Action List

Every fix as a row — work top-to-bottom (already worst-first by impact). Each notes cell carries the why, how, where, paste, and verify lines. The full paste-ready blocks live in the Excel export. Page-level items name the first affected pages; the complete per-page detail (every URL, every block) is in the Excel "Page-by-Page Audit" and "Per-Page Fixes" sheets.

ID	SECTION	ACTION	P	EST. TIME	OWNER	NOTES
SCH-01	Schema / Structured data	No structured data (schema) on the page 1 page	P0 · DO THIS NOW	~20 min / page	Dev	Why it matters: Structured data is how AI reliably knows what a page IS — without it, it's guessing. How to fix it: Add JSON-LD in <head> — an Organization block plus the page-type schema (Article/Service/Product/FAQPage). Where to put it: Add a JSON-LD <script type="application/ld+json"> to the page <head> via your CMS's custom-code / header-injection feature. Template — fill the marked blanks before publishing: <script type="application/ld+json"> { "@context": "https://schema.org", "@type": "Organization", "name": "<!-- your brand name -->", "url": "https://ryderschilling.com", "logo": "<!-- https://your-site.com/logo..." Verify it's fixed: Paste the JSON-LD, validate it at validator.schema.org (zero errors), then re-audit.
ROOT-01	Root files	llms.txt not found Site-wide	P1 · HIGH PRIORITY	~15 min	Dev	Why it matters: llms.txt is the new standard for AI-readable site descriptions. We can generate one — it boosts retrieval quality for ChatGPT, Claude, and Perplexity. How to fix it: Add an llms.txt at your site root — a short plain-text guide to your key pages that AI engines read to understand your site. Where to put it: Your site root, served at /llms.txt. Verify it's fixed: Load the file at the path above (it should return 200 with the expected content), then re-audit.
GEO-01	General GEO	Business identity is incomplete for AI engines Site-wide	P1 · HIGH PRIORITY	~15 min	Dev	Why it matters: Missing from this site: Business name, Street address, City, State / region, Postal code, Linked profiles (sameAs). AI engines resolve a business to a single canonical entity by cross-referencing name, address, phone and linked profiles — the fewer you publish, the less confidently they can identify (and cite) you. Without a business name we can't even probe external directories for your listings. Publish them in an Organization JSON-LD block and on your contact page, then re-audit. Where to put it: Your site's public root files or homepage <head> — the file is named in the action title. Verify it's fixed: Load the file at the path above (it should return 200 with the expected content), then re-audit.
ROOT-02	Root files	robots.txt not found Site-wide	P2 · WHEN YOU CAN	~15 min	Dev	Why it matters: Without robots.txt, all bots are technically allowed — but most AI bots look for it first. Publish one with explicit Allow rules. How to fix it: Publish a robots.txt at your site root that explicitly Allows the major AI crawlers (GPTBot, ClaudeBot, PerplexityBot, Googlebot). Where to put it: Your site root, served at /robots.txt. Verify it's fixed: Load the file at the path above (it should return 200 with the expected content), then re-audit.
GEO-02	General GEO	llms-full.txt not found Site-wide	P2 · WHEN YOU CAN	~15 min	Dev	Why it matters: llms-full.txt is the companion to llms.txt — your key pages as clean Markdown in one file, so AI engines can ingest the whole site in a single fetch. Build it in the Full-text tab, then publish it at your site root. Where to put it: Your site root — the plain-text file served at /llms.txt. Verify it's fixed: Load the file at the path above (it should return 200 with the expected content), then re-audit.

GEO-03	General GEO	No reachable sitemap Site-wide	P2 · WHEN YOU CAN	~15 min	Dev	Why it matters: AI bots use sitemaps to discover content. Publish one at /sitemap.xml or reference it from robots.txt. How to fix it: Publish a sitemap.xml and reference it from robots.txt so AI crawlers can find every page. Most platforms generate one automatically in their SEO settings. Where to put it: Your site root, served at /sitemap.xml. Verify it's fixed: Load the file at the path above (it should return 200 with the expected content), then re-audit.
SEO-01	On-Page SEO	No canonical URL set 1 page	P2 · WHEN YOU CAN	~5 min / page	Dev	Why it matters: Without a canonical, engines may index and cite the wrong URL. How to fix it: Add <link rel="canonical" href="this page's URL"> in <head> so engines index and cite this exact URL. Where to put it: These tags belong in the page <head>. Add them through your CMS's custom-code / header-injection feature or your SEO plugin's social & advanced settings. Author and publish/modified dates often come from the post's own author & date fields. Paste this (finished — use as-is): <link rel="canonical" href="https://ryderschilling.com/"> Verify it's fixed: View-source the page and confirm the change is live, then re-audit to watch the score climb.
SCH-02	Schema / Structured data	No author signal (meta author / Person schema / rel=author) 1 page	P2 · WHEN YOU CAN	~5 min / page	Copy	Why it matters: Authorship is a trust signal AI weighs when deciding whom to cite. How to fix it: Add an author signal — a <meta name="author"> tag plus a visible byline. Where to put it: These tags belong in the page <head>. Add them through your CMS's custom-code / header-injection feature or your SEO plugin's social & advanced settings. Author and publish/modified dates often come from the post's own author & date fields. Verify it's fixed: View-source the page and confirm the change is live, then re-audit to watch the score climb.
SCH-03	Schema / Structured data	This page reads like an FAQ (several question-style headings) but has no FAQPage schema — AI answer engines can't lift your Q&As as direct answers. Add FAQPage JSON-LD (the schema generator builds it from your questions). 1 page	P2 · WHEN YOU CAN	~20 min / page	Dev	Why it matters: JSON-LD schema AI engines rely on to understand the page. How to fix it: Add JSON-LD schema (Organization + page-type). Where to put it: Add a JSON-LD <script type="application/ld+json"> to the page <head> via your CMS's custom-code / header-injection feature. Template — fill the marked blanks before publishing: <script type="application/ld+json"> { "@context": "https://schema.org", "@type": "FAQPage", "mainEntity": [{ "@type": "Question", "name": "<!-- a real question from this page -->", "acceptedA...] } Verify it's fixed: Paste the JSON-LD, validate it at validator.schema.org (zero errors), then re-audit.
SEO-02	On-Page SEO	No Markdown version of the page for AI 1 page	P2 · WHEN YOU CAN	~10 min / page	Dev	Why it matters: A Markdown twin lets AI crawlers read your page as clean text instead of wrestling with HTML, markup and scripts. How to fix it: Publish a clean Markdown twin of this page (e.g. AI crawlers can then ingest pristine Markdown instead of parsing your HTML). Where to put it: These tags belong in the page <head>. Add them through your CMS's custom-code / header-injection feature or your SEO plugin's social & advanced settings. Author and publish/modified dates often come from the post's own author & date fields. Paste this (finished — use as-is): <link rel="alternate" type="text/markdown" href="https://ryderschilling.com/index.md"> Verify it's fixed: View-source the page and confirm the change is live, then re-audit to watch the score climb.
SEO-03	On-Page SEO	No social-share (Open Graph) tags 1 page	P2 · WHEN YOU CAN	~5 min / page	Dev	Why it matters: Open Graph controls how your links look when shared or surfaced — without it they look broken. How to fix it: Add og:title, og:description, og:image and og:url in <head> so links unfurl on social and AI surfaces. Where to put it: These tags belong in the page

						<head>. Add them through your CMS's custom-code / header-injection feature or your SEO plugin's social & advanced settings. Author and publish/modified dates often come from the post's own author & date fields. Verify it's fixed: View-source the page and confirm the change is live, then re-audit to watch the score climb.
STR-01	Page structure	Multiple <h1> tags (exactly 1 expected) 1 page	P2 · WHEN YOU CAN	~5 min / page	Dev	Why it matters: Several H1s blur what the page is actually about. How to fix it: Keep a single <h1>; demote the extra <h1>s to <h2> sub-headings. Where to put it: Open this page in your CMS → use exactly one Heading 1, then Heading 2 sub-sections and clear paragraphs. Verify it's fixed: View-source the page and confirm the change is live, then re-audit to watch the score climb.
SCH-04	Schema / Structured data	This page embeds video with no VideoObject schema — AI engines can't watch video, so its content is invisible to them. Add VideoObject JSON-LD (name, description, thumbnail) and ideally a visible transcript. 1 page	P2 · WHEN YOU CAN	~15 min / page	Dev	Why it matters: JSON-LD schema AI engines rely on to understand the page. How to fix it: Adjust the <meta name="description">: 140–160 characters. Where to put it: Add a JSON-LD <script type="application/ld+json"> to the page <head> via your CMS's custom-code / header-injection feature. Template — fill the marked blanks before publishing: <script type="application/ld+json"> { "@context": "https://schema.org", "@type": "VideoObject", "name": "Web Designer & Developer, Ryder Schilling RYDER&reg;", "description": "<!-- one-line description of the v... Verify it's fixed: Paste the JSON-LD, validate it at validator.schema.org (zero errors), then re-audit.
SEO-04	On-Page SEO	No Twitter/X card tags 1 page	P2 · WHEN YOU CAN	~5 min / page	Dev	Why it matters: Without it, link previews on X and some AI surfaces fall back to guesswork. How to fix it: Add <meta name="twitter:card" content="summary_large_image"> in <head> so X and some AI surfaces render a rich preview instead of guessing. Where to put it: These tags belong in the page <head>. Add them through your CMS's custom-code / header-injection feature or your SEO plugin's social & advanced settings. Author and publish/modified dates often come from the post's own author & date fields. Paste this (finished — use as-is): <meta name="twitter:card" content="summary_large_image"> <meta name="twitter:title" content="Web Designer & Developer, Ryder Schilling RYDER&reg;"> <meta name="twitter:description" content="A one-line summary of this p... Verify it's fixed: View-source the page and confirm the change is live, then re-audit to watch the score climb.

03 · Quick Wins (Days 1–14)

The highest-impact fixes packed into a 14-day rollout. Each day budgets ~3 hours of work; items spill to the next day when the budget fills. The pace is a guide, not a rule — compress or stretch it to your team's capacity. Do these in order — they're the moves that move the needle.

DAY	TASK ID	ACTION	P	EST. TIME	OWNER	WHY THIS FIRST?
Day 1	SCH-01	No structured data (schema) on the page	P0	~20 min / page	Dev	Structured data is how AI reliably knows what a page IS — without it, it's guessing.
Day 1	ROOT-01	llms.txt not found	P1	~15 min	Dev	llms.txt is the new standard for AI-readable site descriptions. We can generate one — it boosts retrieval quality for ChatGPT, Claude, and Perplexity.
Day 1	GEO-01	Business identity is incomplete for AI engines	P1	~15 min	Dev	Missing from this site: Business name, Street address, City, State / region, Postal code, Linked profiles (sameAs). AI engines resolve a business to a single canonical entity by cross-referencing name, address, phone and linked profiles — the fewer you publish, the less confidently they can identify (and cite) you. Without a business name we can't even probe external directories for your listings. Publish them in an Organization JSON-LD block and on your contact page, then re-audit.

04 · Page-by-Page Audit

Every audited URL with its lowest-scoring issues and the Action IDs that fix them. Fix the linked IDs from the master list; re-audit to watch each page climb.

URL	AI SCORE	KEY ISSUES	ACTION IDS
/ Web Designer & Developer, Ryder Schilling RYDER®	69	No canonical URL (or it points to another domain) — engines may index/cite the wrong URL. Add <link rel="canonical"> pointing to this page.; No Markdown alternate — offer a clean .md version of this page (a <link rel="alternate" type="text/markdown"> in <head>, or a Link header) so AI crawlers can ingest pristine Markdown instead of parsing your HTML.; Multiple <h1> tags (exactly 1 expected)	STR-01

05 · Schema Library

Drop-in JSON-LD blocks for every essential schema type. Blocks marked **FINISHED** were populated from this site's live content — verify, then publish as-is. Blocks marked **TEMPLATE** still carry `<!--` placeholders `-->` to replace with real content before publishing. Pair each with the Action IDs in the master list.

ORG-01 · Organization schema (every page, via global `<head>`) **TEMPLATE — FILL PLACEHOLDERS**

Missing — deploy to every page via site-wide `<head>` template.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Organization",
  "name": "Ryderschilling",
  "url": "https://ryderschilling.com",
  "logo": "https://ryderschilling.com/logo.png",
  "description": "<!-- 1-2 sentence factual description of what your business does and who it serves -->",
  "sameAs": [
    "<!-- https://www.linkedin.com/company/your-handle -->",
    "<!-- https://twitter.com/your-handle -->"
  ],
  "address": {
    "@type": "PostalAddress",
    "streetAddress": "<!-- street address -->",
    "addressLocality": "<!-- city -->",
    "addressRegion": "<!-- state/region -->",
    "postalCode": "<!-- postal code -->",
    "addressCountry": "<!-- ISO 3166-1 alpha-2, e.g. US -->"
  },
  "telephone": "<!-- E.164 format, e.g. +12056673301 -->",
  "email": "<!-- hello@your-domain.com -->"
}
</script>
```

WEB-01 · WebSite schema (homepage only) **TEMPLATE — FILL PLACEHOLDERS**

Place in `<head>` of homepage only — enables sitelinks search box eligibility.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "WebSite",
  "name": "Ryderschilling",
  "url": "https://ryderschilling.com",
  "description": "<!-- 1-sentence summary of your site -->",
  "potentialAction": {
    "@type": "SearchAction",
    "target": {
      "@type": "EntryPoint",
      "urlTemplate": "https://ryderschilling.com/?s={search_term_string}"
    },
    "query-input": "required name=search_term_string"
  }
}
</script>
```

LOC-01 · LocalBusiness schema (Contact page) TEMPLATE — FILL PLACEHOLDERS

If you have a physical location, place in <head> of the /contact page.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "LocalBusiness",
  "name": "Ryderschilling",
  "url": "https://ryderschilling.com",
  "image": "https://ryderschilling.com/og-image.jpg",
  "telephone": "<!-- E.164 phone -->",
  "email": "<!-- contact email -->",
  "address": {
    "@type": "PostalAddress",
    "streetAddress": "<!-- street -->",
    "addressLocality": "<!-- city -->",
    "addressRegion": "<!-- state -->",
    "postalCode": "<!-- zip -->",
    "addressCountry": "<!-- ISO -->"
  },
  "openingHoursSpecification": [
    {
      "@type": "OpeningHoursSpecification",
      "dayOfWeek": [
        "Monday",
        "Tuesday",
        "Wednesday",
        "Thursday",
        "Friday"
      ],
      "opens": "09:00",
      "closes": "17:00"
    }
  ],
  "priceRange": "$$"
}
</script>
```

PER-01 · Person schema (team / about pages — one block per named person) TEMPLATE — FILL PLACEHOLDERS

Repeat this block for each named team member — adds them as citable AI entities.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Person",
  "name": "<!-- Person's full name -->",
  "jobTitle": "<!-- Their title -->",
  "worksFor": {
    "@type": "Organization",
    "name": "Ryderschilling",
    "url": "https://ryderschilling.com"
  },
  "description": "<!-- 1-2 sentence bio drawn from their on-site description -->",
  "image": "https://ryderschilling.com/team/<!-- person-slug.jpg -->",
  "url": "https://ryderschilling.com/team#<!-- person-slug -->"
}
</script>
```

SVC-01 · Service schema (one per offering) TEMPLATE — FILL PLACEHOLDERS

Place one Service block per offering — names each service as an entity AI can cite.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Service",
  "name": "<!-- Service name -->",
  "serviceType": "<!-- Category -->",
  "provider": {
    "@type": "Organization",
    "name": "Ryderschilling",
    "url": "https://ryderschilling.com"
  },
  "description": "<!-- 1-2 sentences describing the service, audience, outcomes -->",
  "areaServed": {
    "@type": "Country",
    "name": "<!-- e.g. United States -->"
  },
  "url": "https://ryderschilling.com/<!-- service-slug -->"
}
</script>
```

FAQ-01 · FAQPage schema (any page with 4+ Q&A) TEMPLATE — FILL PLACEHOLDERS

Add to any page with 4+ real Q&A pairs — increases AI-answer eligibility.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "FAQPage",
  "mainEntity": [
    {
      "@type": "Question",
      "name": "<!-- A real question this page answers -->",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "<!-- The answer, in your voice - 1-3 sentences -->"
      }
    },
    {
      "@type": "Question",
      "name": "<!-- Another real question -->",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "<!-- Answer 2 -->"
      }
    }
  ]
}
</script>
```

VID-01 · VideoObject schema (each embedded video) TEMPLATE — FILL PLACEHOLDERS

Add to every page with an embedded video so AI engines understand and cite the video.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "VideoObject",
  "name": "<!-- video title -->",
  "description": "<!-- 1-line description of what's in the video -->",
  "thumbnailUrl": "https://ryderschilling.com/<!-- thumbnail.jpg -->",
  "uploadDate": "<!-- YYYY-MM-DD -->",
  "embedUrl": "<!-- e.g. https://player.vimeo.com/video/<ID> -->",
  "publisher": {
    "@type": "Organization",
    "name": "Ryderschilling",
    "url": "https://ryderschilling.com"
  }
}
</script>
```

06 · NAP & Identity

The canonical NAP below is what we extracted from this site's Organization / LocalBusiness JSON-LD and footer/contact text across the homepage + identity-page samples. The cross-page conflict scan flags fields that disagree across pages — the silent AI-entity-resolution killer.

CANONICAL NAP — USE EVERYWHERE

FIELD	CANONICAL VALUE	NOTES
Business name (canonical)	<!-- to confirm -->	Use on GBP, every directory, schema markup.
Website (canonical URL)	https://ryderschilling.com	Pick one (www vs. non-www) and 301-redirect the other to it.
Street address	<!-- to confirm -->	Must match across every page + directory listing.
City	<!-- to confirm -->	Critical — conflicting cities (e.g. one page says X, another says Y) break AI entity resolution.
State / Region	<!-- to confirm -->	
Postal code	<!-- to confirm -->	
Country	<!-- to confirm -->	ISO 3166-1 alpha-2 in schema (e.g. US).
Phone (E.164 for schema)	+13094158793	Required format inside JSON-LD telephone fields.
Email (general)	<!-- to confirm -->	Primary contact email.
Founded year	<!-- to confirm -->	Surfaces in Organization schema foundingDate.

CROSS-PAGE NAP CONFLICTS

No NAP conflicts detected across the pages we sampled — every page agrees on the canonical identity. Keep it that way as you publish new content.

PAGES SAMPLED FOR NAP

URL	SOURCE
/	Visible page text

EXTERNAL CITATION PROBE

Brand name not extracted — we couldn't pull a canonical name from Organization / LocalBusiness JSON-LD, so the probe was skipped. Add an Organization block (see Schema Library, ORG-01), re-audit, and the probe runs automatically.

DIRECTORY	ACTION
Google Business Profile	Claim/verify at business.google.com — highest-leverage citation for local AI search.
LinkedIn Company Page	Verify category, services, employees count, location.
Facebook Business Page	Verify NAP + category + about section.
Instagram bio	Bio includes category + city + canonical URL.
Clutch / The Manifest	B2B agencies/services — high-authority citation for AI answers about 'best [service] in [city]'.
Yelp	Claim listing + correct NAP.
BBB (Better Business Bureau)	Claim listing + ensure NAP matches.

07 · Identity & Copy

Paste-ready copy templates anchored to what the live site told us. Fill the [bracketed placeholders] with your own specifics, then publish — each block is shaped the way AI engines read it.

Homepage H1 (suggested format)

Ryderschilling — [Primary Service or Category] for [Audience / Region]

Sub: [One-line value prop in your voice].

NOTE: The H1 should state what you do, who you do it for, and where (when location matters). AI engines treat H1 as a primary entity signal.

Homepage — About paragraph (for AI entity training)

Ryderschilling is a [category] [serving / based in] [audience or region]. Founded in [year], the company [what it does in 1 sentence] for [target customer]. Notable clients include [3–5 names if any]. [One sentence about positioning / differentiation].

Homepage — AI Discovery paragraph

In an AI-driven search landscape — where ChatGPT, Google's AI Overviews, Perplexity, and Copilot are shaping discovery — Ryderschilling is built to be found, cited, and recommended by both humans and machines. Our structured identity, content depth, and schema coverage ensure that when AI is asked “who's the best [category] in [region]”, Ryderschilling is named.

GBP description (300 chars max)

Ryderschilling is a [category] in [city, state]. [One-sentence value prop]. [Differentiator]. [Optional: years of experience or team size]. Call (XXX) XXX-XXXX or visit ryderschilling.com.

Meta description template (155 chars)

[Action verb] [your service] at Ryderschilling — [audience or region]. [Differentiator in 5–8 words]. Call today.

Quick Facts table (for /about + AI citation)

Business Name: Ryderschilling
Type: [category]
Founded: [year]
Founders: [names]
Headquarters: [full canonical address]
Phone: [display format]
Website: https://ryderschilling.com
Team Size: [N]
Services: [comma-separated list of 6–10]
Notable Clients: [3–10 names]
Social: [LinkedIn, Twitter, Instagram URLs]

llms.txt brand paragraph

Ryderschilling is a [category] [serving / based in] [audience or region]. Founded in [year], we [what we do in 1 sentence]. Services include [3–5 named services]. Contact: [phone] | [email] | <https://ryderschilling.com>.

08 · llms.txt, robots.txt + AI Intent

The live file content (what's published right now) and a starting template for what to publish if the file is missing. Upload the final version to the site root: `ryderschilling.com/llms.txt` and `ryderschilling.com/robots.txt`. The AI-files generator in your dashboard produces a richer, content-grounded version of both.

robots.txt

✗ robots.txt missing or invalid

```
User-agent: *
Allow: /

User-agent: GPTBot
Allow: /
User-agent: ClaudeBot
Allow: /
User-agent: PerplexityBot
Allow: /
User-agent: Google-Extended
Allow: /
User-agent: OAI-SearchBot
Allow: /

Sitemap: https://ryderschilling.com/sitemap.xml
```

llms.txt

✗ llms.txt missing or invalid

```
# Ryderschilling

> [One-line factual summary of the business – category, who it serves, where.]

## About

- [About](https://ryderschilling.com/about): Identity, mission, team, location.
- [Contact](https://ryderschilling.com/contact): Address, phone, email.

## Services

- [Service 1](https://ryderschilling.com/service-1): One-line description.
- [Service 2](https://ryderschilling.com/service-2): One-line description.

## Authority

- [Case studies](https://ryderschilling.com/work): Examples of work.
```

agents.md

✗ agents.md missing or invalid

```
# Agent instructions

This file tells AI agents what they can do on this site.
```

AI CRAWLER ACCESS (ROBOTS.TXT)

Every AI/search crawler we checked against your robots.txt. Blocked crawlers can't read the site at all, so that engine can never mention or cite you.

CRAWLER	VENDOR	CATEGORY	STATUS
---------	--------	----------	--------

AlSyndicateBot	AI Syndicate · GEO visibility crawler	AI Syndicate	ALLOWED
GPTBot	OpenAI · ChatGPT training	Major LLMs	ALLOWED
OAI-SearchBot	OpenAI · ChatGPT Search index	Major LLMs	ALLOWED
ChatGPT-User	OpenAI · user-fetch on demand	Major LLMs	ALLOWED
ClaudeBot	Anthropic · Claude training	Major LLMs	ALLOWED
Claude-Web	Anthropic · user-fetch	Major LLMs	ALLOWED
anthropic-ai	Anthropic · legacy crawler	Major LLMs	ALLOWED
Google-Extended	Google · Gemini + AI Overviews training	Major LLMs	ALLOWED
Googlebot	Google · Search + AI Overviews crawl	Major LLMs	ALLOWED
bingbot	Microsoft · Bing + Copilot	Major LLMs	ALLOWED
Applebot-Extended	Apple · Apple Intelligence training	Major LLMs	ALLOWED
Applebot	Apple · Siri + Spotlight + Search	Major LLMs	ALLOWED
PerplexityBot	Perplexity · index	Major LLMs	ALLOWED
Perplexity-User	Perplexity · user-fetch	Major LLMs	ALLOWED
Meta-ExternalAgent	Meta · AI training (Llama)	Major LLMs	ALLOWED
Meta-ExternalFetcher	Meta · user-fetch	Major LLMs	ALLOWED
Claude-SearchBot	Anthropic · Claude search index	Major LLMs	ALLOWED
Claude-User	Anthropic · user-fetch	Major LLMs	ALLOWED
MistralAI-User	Mistral · Le Chat browse	Major LLMs	ALLOWED
DuckDuckBot	DuckDuckGo · search index	Search-tied AI	ALLOWED
DuckAssistBot	DuckDuckGo · DuckAssist	Search-tied AI	ALLOWED
YouBot	You.com · You.com search	Search-tied AI	ALLOWED
Kagibot	Kagi · premium search	Search-tied AI	ALLOWED
iaskspider/2.0	iAsk · answer engine	Search-tied AI	ALLOWED
Timpibot	Timpi · decentralized search	Search-tied AI	ALLOWED
CCBot	Common Crawl · feeds many models	Aggregators	ALLOWED
Amazonbot	Amazon · Alexa + Q	Aggregators	ALLOWED
Diffbot	Diffbot · structured data	Aggregators	ALLOWED
AI2Bot	Allen Institute · OLMo + S2	Aggregators	ALLOWED
AI2Bot-Dolma	Allen Institute · Dolma dataset	Aggregators	ALLOWED
Omgilibot	Webz.io · web data API	Aggregators	ALLOWED
cohere-training-data-crawler	Cohere · Command R training crawler	Aggregators	ALLOWED
ia_archiver	Internet Archive · Wayback Machine	Aggregators	ALLOWED
archive.org_bot	Internet Archive · live crawler	Aggregators	ALLOWED
Bytespider	ByteDance · Doubao + TikTok AI	Regional	ALLOWED

PetalBot	Huawei · Petal Search	Regional	ALLOWED
DeepSeek	DeepSeek · DeepSeek-V/R	Regional	ALLOWED
xAI-Bot	xAI · Grok	Regional	ALLOWED
YandexBot	Yandex · Russian search + GenSearch	Regional	ALLOWED
Baiduspider	Baidu · search + ERNIE	Regional	ALLOWED
Yeti	Naver · Korean search	Regional	ALLOWED
cohere-ai	Cohere · Command R+ training	Regional	ALLOWED

SITEMAP

URLS INDEXED	SOURCES	WARNINGS
0	1	0

AI INTENT & PERMISSION SIGNALS (HOMEPAGE)

Page-level markup that tells AI crawlers what they may do with your content — sits beneath robots.txt. Failing rows include the exact snippet to add to your homepage.

SIGNAL	STATUS	FIX
TDM Reservation Protocol declared (tdm-reservation meta)	MISSING	Add <meta name="tdm-reservation" content="0"> to your homepage <head> to state your AI/text-and-data-mining stance using the W3C standard (content "0" permits mining, "1" reserves it).
Permits AI text & data mining (tdm-reservation: 0)	MISSING	Set <meta name="tdm-reservation" content="0"> on your homepage to explicitly permit AI text-and-data-mining under the W3C TDM Reservation Protocol.
Links to AI files via <link rel="alternate">	MISSING	Add <link rel="alternate" type="text/plain" href="/llms.txt"> (and one for /agents.md) to your homepage <head> so AI crawlers discover your AI files from the page itself.
llms-full.txt published	MISSING	Publish an llms-full.txt at your site root — your key pages as clean Markdown in one file. Build it in the Full-text tab.
Speakable schema for voice / assistant answers	MISSING	Add SpeakableSpecification to your homepage JSON-LD so voice assistants and AI engines know which sentences are the citable answers. The JSON-LD tab's CAITE generator emits it.
HTML5 semantic landmarks (4/5: main, nav, article, header, footer)	PASS	—
Explicitly permits AI snippets & rich previews (robots max-snippet:-1)	MISSING	Add <meta name="robots" content="index, follow, max-snippet:-1, max-image-preview:large, max-video-preview:-1"> to your homepage <head>. Engines snippet by default today, but explicitly permitting full-length snippets and large image/video previews future-proofs your AI citations against changing crawler defaults.

09 · Validation Checklist

Run each test after the corresponding fix ships. The Pass column states what a successful test looks like. "Where to test" names the first affected pages (site-wide items test at the domain root).

Status starts at ☐ Pending; tick each off as you go.

#	TEST	HOW TO TEST / PASS CRITERIA	WHERE TO TEST	STATUS
1	SCH-01 · No structured data (schema) on the page	Paste the JSON-LD, validate it at validator.schema.org (zero errors), then re-audit.	/	☐ Pending
2	ROOT-01 · llms.txt not found	Load the file at the path above (it should return 200 with the expected content), then re-audit.	Site-wide	☐ Pending
3	GEO-01 · Business identity is incomplete for AI engines	Load the file at the path above (it should return 200 with the expected content), then re-audit.	Site-wide	☐ Pending
4	ROOT-02 · robots.txt not found	Load the file at the path above (it should return 200 with the expected content), then re-audit.	Site-wide	☐ Pending
5	GEO-02 · llms-full.txt not found	Load the file at the path above (it should return 200 with the expected content), then re-audit.	Site-wide	☐ Pending
6	GEO-03 · No reachable sitemap	Load the file at the path above (it should return 200 with the expected content), then re-audit.	Site-wide	☐ Pending
7	SEO-01 · No canonical URL set	View-source the page and confirm the change is live, then re-audit to watch the score climb.	/	☐ Pending
8	SCH-02 · No author signal (meta author / Person schema / rel=author)	View-source the page and confirm the change is live, then re-audit to watch the score climb.	/	☐ Pending
9	SCH-03 · This page reads like an FAQ (several question-style headings) but has no FAQPage schema — AI answer engines can't lift your Q&As as direct answers. Add FAQPage JSON-LD (the schema generator builds it from your questions).	Paste the JSON-LD, validate it at validator.schema.org (zero errors), then re-audit.	/	☐ Pending
10	SEO-02 · No Markdown version of the page for AI	View-source the page and confirm the change is live, then re-audit to watch the score climb.	/	☐ Pending
11	SEO-03 · No social-share (Open Graph) tags	View-source the page and confirm the change is live, then re-audit to watch the score climb.	/	☐ Pending
12	STR-01 · Multiple <h1> tags (exactly 1 expected)	View-source the page and confirm the change is live, then re-audit to watch the score climb.	/	☐ Pending
13	SCH-04 · This page embeds video with no VideoObject schema — AI engines can't watch video, so its content is invisible to them. Add VideoObject JSON-LD (name, description, thumbnail) and ideally a visible transcript.	Paste the JSON-LD, validate it at validator.schema.org (zero errors), then re-audit.	/	☐ Pending
14	SEO-04 · No Twitter/X card tags	View-source the page and confirm the change is live, then re-audit to watch the score climb.	/	☐ Pending

10 · Glossary

Plain-English definitions of every technical term in this report. Skim the unfamiliar ones before reading the action plan.

TERM	PLAIN-ENGLISH DEFINITION
GEO (Generative Engine Optimization)	Optimizing a website so AI tools — ChatGPT, Perplexity, Claude, Google AI Overviews, Copilot — find, understand, and cite the business in their generated answers. SEO for AI.
AEO (Answer Engine Optimization)	Getting your business to appear AS the answer when someone asks an AI assistant. The 'be cited' half of GEO.
JSON-LD / Schema Markup	Invisible code in a page's <head> that tells AI engines what the page IS — a business, an article, a product, an FAQ. JSON-LD is the recommended format.
Organization Schema	JSON-LD that names the business, its location, phone, and same-as social profiles. The foundational identity anchor for GEO.
LocalBusiness Schema	Adds location-specific data (address, hours, geo, price range) to Organization. Critical for local AI search.
Person Schema	Identifies a named individual + their job title + employer. Makes each team member a citable AI entity.
FAQPage Schema	Marks up Q&A pairs on a page so AI engines can quote the answers.
VideoObject Schema	Describes an embedded video so AI can understand and cite it.
llms.txt	A plain-text file at site root (e.g. yoursite.com/llms.txt) that gives AI engines a curated summary of the business — identity, services, key pages.
robots.txt	A plain-text file at site root that tells crawlers (including AI bots) which pages they can read.
agents.md	A Markdown file at site root that tells AI agents how to interact with your site — what they can do, what they shouldn't.
sitemap.xml	An XML file listing every page on the site. Without one, engines find pages by following links — which misses pages.
Canonical Tag	<link rel="canonical"> in <head> — tells engines the preferred URL when the same content exists at multiple URLs.
NAP	Name, Address, Phone. The exact, consistent business identity data used on every page and directory. Conflicting NAP confuses AI.
GBP (Google Business Profile)	The free business listing that appears in Google Maps + the right-side panel of Google Search. Increasingly cited by AI Overviews.
AI Overviews	Google's AI-generated summaries at the top of search results (powered by Gemini). The first thing many users see — central GEO target.
GA4 / GSC	Google Analytics 4 (who visits + what they do) and Google Search Console (how the site performs in search). Foundational measurement tools.
Core Web Vitals	Google's real-world page-experience metrics: LCP (loading), CLS (visual stability), INP (interactivity). Poor scores hurt rankings.
301 Redirect	A permanent redirect from one URL to another. Used to consolidate www vs non-www and preserve link equity when URLs change.
P0 / P1 / P2	Priority rank for an action — P0 = do it now (blocking AI), P1 = high priority (real lift), P2 = when you can (incremental gain).

Prepared by AI Syndicate · CONFIDENTIAL — for the recipient's internal use only; do not distribute.