

V2 phase status

SYSTEM-H freeze · PERF-003 closure · provenance gap · NATQ-001 stages 1–3 · branch head `1e14e9e`

FOUR THINGS, THREE DIFFERENT CONFIDENCE LEVELS

SYSTEM-H is frozen and 16 of its supplied values were checked against a preregistration written before the scores existed. **PERF-003 is recorded, not reproduced.** **Four upstream artifacts are missing entirely.** And **NATQ-001 is 3 cases into 150.** Those are deliberately not averaged into one number.

FROZEN
SYSTEM-H development architecture

16
fields verified against EXP-017 prereg

4
upstream artifacts absent from every ref

3/150
NATQ evidence packets complete

1 — SYSTEM-H-V2-DEV-CANDIDATE, frozen

config_hash	026a302b56c18e50f3af1d6b7baba8d744da2c8b951eba9ac1e137d5cec9c491
score_determining_hash	3fade96a9b3597861b0788c15d0e456a52fa92f6907749a2661960e54bf7b2e5
file_sha256	ecbc35e730cc70cd2bb4c04452290b4fab3d3ac737f79fde85e9e21cd3ed1d55
file_sha256 superseded	d5199332c2f89d579a009ea77a984f9e2853f8e70fb21268106a7f4563771bf0

flag	value
DEVELOPMENT ARCHITECTURE FROZEN	true
RELEASE FROZEN	false
VALIDATION RUN	false
NEW HOLDOUT RUN	false

Computed with `rag_v1.ids.config_hash`, verified in the same run to reproduce `SYSTEM-A-GLOBAL` 's frozen identity exactly, so it is comparable in kind to the existing systems. **Two hashes because they answer different questions:** `config_hash` covers every field including the PERF-003 D1 performance path and identifies the build; `score_determining_hash` excludes that path alone, since it is bitwise score-preserving, and answers whether two runs are comparable.

THE EXP-017 A_NORM CONFLICT — RESOLVED, FREEZE KEPT

EXP-017 preregistered projection-only `a_norm = 0.0`. **EXP-019A formally superseded it** with min-max over the query's P projection-only fused scores, degenerate 0.5, E-L10 members keeping their `a_norm` exactly.

Effect on the freeze: none. The value frozen was already the EXP-019A behaviour. Twelve content checks confirm it and both hashes recompute from the file, so `config_hash` is unchanged; only `file_sha256` moved, because the annotation lives outside the hashed configuration.

Not verified here: `parent_n 10`, `w_per_parent 20`, `projection_index_hash` (absent from every reachable branch). Recorded as supplied.

2 — PERF-003, recorded not reproduced

Status `PERF-003_SUPPORTED`, `verified_here = false`. Preserved metrics as reported: candidate R@100 46/50, strict R@10 41/50, span 0.82, MRR 0.6009, doc recall 0.9, with 6205/6205 CE logits bitwise identical and a 3.207× CE speedup — **same-**

host only, not valid across hosts.

Recording a number is not reproducing it. PERF-003's own artifacts are not reachable from this session, so every figure here is relayed.

3 — Provenance gap

As of reconciliation commit `9dc0899`, these are absent from **every** fetched ref (`rag-v1-build-experiments-5yngul`, `v2-dev`, `ce-latency-handoff`, `main`):

artifact	presence	flag
EXP-019A	absent from every ref	verified_here = false
EXP-019B	absent from every ref	verified_here = false
SYSTEM-G	absent from every ref	verified_here = false
PERF-003 (Grok)	absent from every ref	verified_here = false

ONE CONFLATION TO AVOID

`experiments/PERF-003/PERF-003-closure.json` on this branch is **my closure record of relayed values**, not Grok's `PERF-003-report.md`. They are different documents with different standing. None of these four may be reconstructed from conversation or marked verified until the originals are pushed.

4 — NATQ-001

Stage 1 complete. 150 questions authored by five isolated cold-context agents, each given only a domain slice. **Verifiable, not asserted: every agent reported `tool_uses = 0`** — none read a file, queried the database, or reached the network. 5 were flagged ambiguous by their own author.

This mattered because **I could not author them**: earlier in the same session I loaded 400 corpus chunks for the PERF-002 microbenchmark and tokenized 53 existing gold questions. Authoring them myself would have destroyed the one property the benchmark exists to have.

Stage 2 complete — triage by literal per-document token coverage, run only after every question existed. No BM25, no dense, no CE, no ranking that could sort questions by difficulty.

triage	count
STRONG	134
PROBABLE	13
REVIEW	3
LIKELY_UNSUPPORTED	0

Best-document provider: anthropic 121, openai 26 — recorded, not forced. Read the table conservatively: coverage means a document holds the vocabulary, not that it answers the question.

Stage 3 — in progress, 3 of 150

case	question	source	spans	claims	verdict
A09	does the model ever call two tools in one response	anthropic · Messages	1	2	PASS
A04	what happens if my json schema has additionalProperties true with strict mode on	anthropic · Structured outputs	1	3	PASS
A05	screenshot resolution for computer use — does it matter what size my screen is	anthropic · Coordinates and bounding boxes	1	4	PASS

THE VALIDATOR EARNED ITS KEEP ON ITS FIRST RUN

A09 was written with a span reading “Whether to disable parallel tool use.” and a critical string of `disable_parallel_tool_use` — the prose form, not the snake_case identifier. The check returned `FIX_REQUIRED` ; the span was extended back to the parameter declaration and it now passes. That is exactly the defect that produces a case whose critical string cannot be found in its own evidence.

Two of the three carry provenance the triage could not have supplied. A04 's author guessed OpenAI while the frozen corpus answers it for Anthropic, so provider is recorded from evidence rather than from the guess. A09 's block repeats at four offsets and the first canonical one is anchored, with the corpus distinction between “at most one” under `auto` and “exactly one” under `any / tool` preserved rather than flattened.

147 candidates remain. Each needs targeted probing where the locator misses, reading, exact offsets, and claims scoped to what the span actually supports. Stage 4 — the 40/60 cluster-safe split, the hashes, the NATQ holdout lock — has not started.

Artifact hashes

artifact	sha256
SYSTEM-H json	ecbc35e730cc70cd2bb4c04452290b4f...
PERF-003 closure	d1048c3005235c1baeaf9764e386868c...
PROVENANCE-GAP-001	a561c887f21928c52329a5d274763b8f...
NATQ manifest	b167854268b334d3c601bcea5a82123b...
NATQ stage3 packets	aba8473ec08ed796bc7410dea84ad42c...
natq_evidence.py	86502d53f3e70fe1662b4a6ed27dbd6c...

Constraints observed

constraint	value
system h scored	false
natq scored	false
retrieval run	false
validation run	false
split created	false
holdout opened	false
v1 holdout log entries	0

STATUS-V2-001 · every figure read from `experiments/STATUS-V2-001.json` at build time, itself assembled from the artifacts · SYSTEM-H frozen; PERF-003 relayed; four upstream artifacts missing; NATQ-001 Stage 3 in progress · nothing scored, nothing split, no holdout opened