

SYSTEM-H — provenance recovery

Outcome **RECOVERED** · 26 original artifacts · 0 runs consumed · reserve 0 bytes · head `38e016e` · 2026-09-04

The **EXP-019A** lineage was found, complete, as original git blobs. It was never lost. 26 artifacts on `origin/grok/v2-natq-20260903`, each with a verified SHA256, and a second independent copy already checked out in a worktree at `37adc2c`.

Recovery does not unblock the run. Two findings block it for reasons the recovered artifacts do not touch: the NATQ-002 preregistration *names the wrong system identity*, and it rests on a *false premise about prior scoring*. Both need a ruling before SYSTEM-H is executed. Nothing was reconstructed, modified, run or scored, and the repository was not mutated.

26

ARTIFACTS
RECOVERED

7

REFS SEARCHED

0

RUNS CONSUMED

null

SYSTEM-H
SUPPORTED

0

RESERVE LOG BYTES

1 — Where it was, and why two searches missed it

PROVENANCE-GAP-001 recorded four refs checked — the `claude` branch, `grok/v2-dev`, `grok/ce-latency-handoff` and `main`. It did NOT check `origin/grok/v2-natq-20260903`, where the entire lineage lives. My later 'no SYSTEM-H runner on any branch' claim repeated the same omission, covering three refs rather than all five. Both statements were wrong because the search space was wrong, not because the artifacts were absent.

The artifacts were reachable from `origin` the whole time. This was a search failure, not an absence. Two of my own records said otherwise and both are corrected here: `PROVENANCE-GAP-001` is superseded but deliberately *not* rewritten — it remains an accurate account of what was known at commit `9dc0899`.

2 — What was recovered

Lineage	Artifacts
EXP-019A	8
EXP-019B	4
PERF-003	7
EXP-017 projection	3
SYSTEM-H upstream record	1
EVAL-NATQ-VAL-001	3

Selected artifacts

File	SHA256	Bytes
EXP-019A-preregistration.json	f14001eff07b63c7916d7e27567d15ccd1e53b52...	7,565
EXP-019A-results.json	adb4377427be987c4ece29332c486efe57d89e22...	159,886
EXP-019A-report.md	b7442d0ebccfc76e89373e74bc0e068f77f4b044...	3,006
EXP-019A-pool-identity.json	6cc9ca0687237ce6e4b4d8231689a26c0bad1552...	1,113
PERF-003-preregistration.json	dc01713eafc56347a9eba0711d0947f13fccbc8b...	8,743
PERF-003-results.json	3d0d07474d3fe94b62011143970eac910fcc53fa...	46,384
EXP-017-projection-build.json	9e10058a0417b3eea1bde42eaa12fe43b6eeb0dd...	1,336

Identity cross-checks — all pass

Check	Result
EXP-019A preregistration SHA256	f14001eff07b63c7916d7e27567d15ccd1e53b52918ae66f0d24ca37ab b54cf3
... matches the value relayed in PROVENANCE-GAP-001	True
... matches its own <code>.sha256</code> sidecar	True
SYSTEM-G config hash matches coordinator value	True
PERF-003 CE-D1 config hash matches coordinator value	True
PERF-003 prereg SHA matches value cited inside the upstream SYSTEM-H record	True
Projection config hash matches the SYSTEM-H record	True

The preregistration hashing to exactly the value that was previously only a *relayed* number is the strongest evidence available that this is the original artifact rather than a reconstruction.

3 — Blocking finding 1: the preregistration names the wrong system

Identity	Hash
Authoritative SYSTEM-H config hash	7599eb3c3bb4798230a722e6a7c96b046dc36cc0332b584ec55339896 b2d717a
My local record config hash	026a302b56c18e50f3af1d6b7baba8d744da2c8b951eba9ac1e137d5c ec9c491
My local <code>score_determining_hash</code> — pinned by the NATQ-002 preregistration	3fade96a9b3597861b0788c15d0e456a52fa92f6907749a2661960e54 bf7b2e5
That hash found on any Grok ref	False

3fade96a appears ONLY on my own branch. It is a hash minted over my own SYSTEM-H record during the earlier freeze; it is not the upstream identity and never was. The NATQ-002 preregistration therefore pins an identity that does not correspond to the authoritative frozen SYSTEM-H.

Recovering the artifacts does NOT by itself unblock the NATQ-002 run. Even with every original in hand, executing against the current preregistration would verify against the wrong hash. A coordinator decision is required first.

4 — Blocking finding 2: SYSTEM-H has already been scored

My preregistration claims SYSTEM-H has never been scored on any benchmark. That is **FALSE**. EVAL-NATQ-VAL-001 scored SYSTEM-H on the frozen NATQ-001 validation set, n=40, 53 gold spans, with SYSTEM_H_config_hash 7599eb3c recomputed and verified OK, holdout not opened.

Metric (EVAL-NATQ-VAL-001, NATQ-001 validation)	Result
PRIMARY strict_recall@10	20/40
evidence_span_recall@10	0.5094 (27/53)
document_recall@10	35/40
candidate_gold_span_recall@100	34/40

My preregistration justified its paired design on the grounds that no prior anchor existed. A prior anchor DOES exist. The paired design remains sound, but its stated rationale was wrong — and more importantly the approved case_hit@10 PASS floor of 0.80 sits far above SYSTEM-H's known 0.50 case-level result on a comparable natural-query validation set. On that evidence SYSTEM-H would likely FAIL the approved floor. The coordinator should see this BEFORE authorising a run, not after.

EVAL-NATQ-VAL-001's strict_recall_at_10 and my case_hit@10 are similar but not proven identical in definition. The comparison is indicative, not exact.

5 — Score-determining coverage, and what is still missing

Field	State
SYSTEM G candidate generation	YES
EXP 019A retrieval prior	YES
PERF 003 D1 path	YES
CE model identity	recorded (artifact_sha256 5d3e70fd...) but weights are NOT in git and remain unverified locally
projection index ps v2 ovl win448 s224	BUILD RECORD ONLY — config hash, 18,057 projections, 27 MB, fingerprint bd95feaeacf98559 recorded; the index ROWS are database state and this host has
SYSTEM H runner	EVAL-NATQ-VAL-001/scripts/run_eval_natq_val_001.py is the harness that actually executed SYSTEM-H — present all along on the ref I failed to search.

Still missing	State
projection index rows for ps_v2_ovl_win448_s224	NOT_RECOVERED — database state, not in any git object
cross-encoder weights at revision 233902d25c440f23af6f7d6e94d2946bac0bee0a	NOT_RECOVERED — not in git; huggingface.co unreachable; local model.onnx unverified against artifact_sha256 5d3e70fd...

A rebuild of the projection index would be **reproduction, not recovery**, and is not proposed here.

6 — Search scope

7 refs · 0 tags · 0 stashes · 2 worktrees · 313 relog entries · 6 unreachable objects, 0 relevant (5 trees and 1 commit (8bdef61b, a GOLD-001 PDF commit); zero matches).

Filesystem roots: /home/user, /root, /tmp, /workspace, /opt, /mnt, /media. Archives listed read-only, never extracted: 859dcbd3-productionragv1.zip (0 matches); corpus-recovery-snap689e3363-20260831T2118Z.tar.gz (0 matches). absent — /mnt/c, OneDrive, Downloads, Documents, Desktop do not exist on this Linux container

Database: read-only schema inspection; tables chunk, chunk_embedding, chunk_link, chunk_set, corpus_snapshot, corpus_snapshot_version, document_source, document_version, embedding_model, query_trace, retrieval_cache. No projection table. Nothing inserted, updated or deleted.

7 — Recommendation

Do not move SYSTEM-H to UNEVALUABLE_PROVENANCE_LOSS — the provenance is not lost — it was recovered.
Recommended state: **HOLD at CANNOT_EXECUTE pending coordinator ruling.**

STOP for coordinator approval, as instructed. The artifacts are recovered, but the identity discrepancy and the pre-existing EVAL-NATQ-VAL-001 result each require a coordinator ruling before any SYSTEM-H run against NATQ-002.

Constraints held

Constraint	State
system h reconstructed	False
system h modified	False
validation run consumed	False
validation scored	False
reserve opened	False
bm25 altered	False
repository state mutated	False
artifacts restored or checked out	False

Generated from STATUS-V2-006.json at 38e016e . Recovery record 71ed0e58b5407155c63c06e9f77db3d3341fd655d8f8fd91a3b65b2c059692ea . Reserve access log 0 bytes, verified before and after the search. Ten build gates refuse this page if a constraint is violated.