



2. Odd Numbers!

ALL

Given two integers,  $l$  and  $r$ , print all the odd numbers between  $l$  and  $r$  ( $l$  and  $r$  inclusive).

Complete the `oddNumbers` function in the editor below. It has 2 parameters:



1. An integer,  $l$ , denoting the left part of the range.
2. An integer,  $r$ , denoting the right part of the range.



The function must return an array of integers denoting the odd numbers between  $l$  and  $r$ .

2

Input Format

Locked stub code in the editor reads the following input from stdin and passes it to the function:  
The first line contains an integer,  $l$ , denoting the left part of the range.

3

The second line contains an integer,  $r$ , denoting the right part of the range.

Constraints

- $1 \leq l \leq r \leq 10^5$

Output Format

The function must return an array of integers denoting the odd numbers between  $l$  and  $r$ . This is printed to stdout by locked stub code in the editor.

Sample Input 0

2  
5

Sample Output 0

3  
5

Explanation 0

The value of  $l$  is 2 and value of  $r$  is 5. The odd numbers between  $[2, 5]$  are 3 and 5.

Sample Input 1

3  
9

Sample Output 1

3  
5  
7  
9

Explanation 1

The value of  $l$  is 3 and value of  $r$  is 9. The odd numbers between  $[3, 9]$  are 3, 5, 7 and 9.

Language 

Java 8

 ⓘ Environment

⌂ Autocomplete Loading...