

1. Overview & Architecture

Acme Cloud is a public cloud platform offering three core services: compute, object storage, and a global content delivery network (CDN).

The control plane is hosted across six geographic regions: us-east-1, us-west-2, eu-central-1, ap-southeast-1, sa-east-1, and ap-northeast-1.

Every service is accessed through a single unified API and authenticated with an API key.

2. Getting Started

New accounts are provisioned with a default region of us-east-1 and a default project named 'default'.

Account setup requires verifying an email address and enabling multi-factor authentication before the first deployment.

The Acme CLI is available for Linux, macOS, and Windows and can be installed with a single package manager command.

3. Compute Instances

Acme Cloud offers three compute instance families: standard, memory-optimized, and GPU-accelerated.

Standard instances start at \$0.023 per hour; memory-optimized instances start at \$0.058 per hour; GPU-accelerated instances start at \$0.92 per hour.

All instances include a public IPv4 address, 500 GB of free egress per month, and can be resized without downtime.

4. Object Storage

Object storage supports three classes: hot, cold, and archive. Hot storage costs \$0.023 per GB per month, cold storage \$0.008, and archive \$0.002.

Lifecycle rules can automatically transition objects between classes after 30, 90, or 180 days.

Buckets support versioning, server-side encryption by default, and signed URLs for temporary public access.

5. API Reference

The REST API exposes two main endpoints: POST /v1/instances to create compute instances and PUT /v1/objects to store objects.

All requests must include the X-API-Key header; requests without it are rejected with HTTP 401.

Responses are returned as JSON with an envelope containing the fields 'ok', 'data', and 'error'.

6. Rate Limits & Quotas

API requests are limited to 1000 requests per minute per project for control-plane endpoints.

Exceeding the rate limit returns HTTP 429 with a Retry-After header indicating the number of seconds to wait.

Default project quotas allow 50 concurrent instances and 100 TB of stored objects; quota increases are reviewed within two business days.

7. Service Level Agreement

Acme Cloud guarantees a monthly uptime of 99.95 percent for compute, storage, and CDN services.

If monthly uptime falls below the SLA, customers receive a service credit of 10 percent of the affected monthly fee.

SLA credit requests must be submitted within 30 days of the end of the month in which the incident occurred.

8. Security & Compliance

All data at rest is encrypted with AES-256 and data in transit uses TLS 1.2 or newer.

Single sign-on is supported via SAML 2.0 and OpenID Connect, and multi-factor authentication can be enforced organization-wide.

The platform is SOC 2 Type II certified and complies with GDPR, HIPAA, and PCI DSS scopes.

9. Troubleshooting

HTTP 429 means the rate limit was exceeded; wait for the Retry-After period before retrying.

HTTP 503 means the service is temporarily unavailable; the recommended action is exponential backoff with jitter.

HTTP 401 means the API key is missing or invalid; regenerate the key in the console and update the X-API-Key header.

Logs for compute instances are retained for 14 days and can be streamed to a customer-owned log sink.

10. Cost Management

Budget alerts are triggered at 80 percent and 100 percent of the monthly budget; alerts are sent by email and webhook.

Reserved capacity purchases receive a 40 percent discount compared to on-demand pricing for a one-year commitment.

The cost explorer provides daily, weekly, and monthly breakdowns grouped by service, project, and region.