質問 1
顧客とエージェント間の会話の記録を保存するオブジェクトはどれですか?
（A）エンドユーザーへのメッセージング
（B）メッセージングセッション
（C）ケース

正解：B
Why is "Messaging Session" the correct answer?
In Agentforce, the Messaging Session object stores the conversation transcript between the customer and the agent.
Key Features of the Messaging Session Object:
* Stores the Entire Customer-Agent Conversation
* The Messaging Session object maintains a record of the full chat history, including timestamps, messages, and interactions.
* This ensures that past interactions can be referenced during follow-ups.
* Supports AI-Powered Work Summaries
* Einstein AI uses Messaging Sessions to generate summaries of chat interactions for agents.
* These summaries are stored and accessible for later reference.
* Links with Service Cloud for Case Resolution
* If a conversation escalates into a case, the Messaging Session object can be linked to it.
* This allows support teams to review the conversation history without switching contexts.
Why Not the Other Options?
A. Messaging End User
* Incorrect because this object stores details about the customer (e.g., name, contact details) but not the conversation transcript.
C. Case
* Incorrect because Cases store structured service requests but do not contain raw conversation transcripts.
* Instead, cases may reference the Messaging Session object.
Agentforce Specialist References
* Salesforce AI Specialist Material confirms that Messaging Sessions store chat conversations and support Einstein Work Summaries.

質問 2
Universal Containers (UC) は、生成された出力をフィールドに入力するための新しいカ

スタム プロンプト テンプレートを作成しています。UC は、Einstein Trust Layer を有効にして、AI 監査データがキャプチャされ、採用と可能な機能強化のために監視されるようにしました。UC はどのプロンプト テンプレート タイプを使用する必要があり、UC はどの考慮事項を確認する必要がありますか?

（A）フィールド生成、および動的フィールドが有効になっていること

（B）フィールド生成、および動的フォームが有効になっていること

（C）Flex、およびダイナミックフィールドが有効になっていること

正解：A

Comprehensive and Detailed In-Depth Explanation:

Salesforce Agentforce provides various prompt template types to support AI-driven tasks, such as generating text or populating fields. In this case, UC needs a custom prompt template to populate a field with generated output, which directly aligns with the Field Generation prompt template type. This type is designed to use generative AI to create field values (e.g., summaries, descriptions) based on input data or prompts, making it the ideal choice for UC's requirement. Additionally, UC has enabled the Einstein Trust Layer, a governance framework that ensures AI outputs are safe, explainable, and auditable, capturing AI Audit data for monitoring adoption and identifying improvement areas.

The consideration UC should review is whether Dynamic Fields is enabled. Dynamic Fields allow the prompt template to incorporate variable data from Salesforce records (e.g., case details, customer info) into the prompt, ensuring the generated output is contextually relevant to each record. This is critical for field population tasks, as static prompts wouldn't adapt to record-specific needs. The Einstein Trust Layer further benefits from this, as it can track how dynamic inputs influence outputs for audit purposes.

* Option A: Correct. "Field Generation" matches the use case, and "Dynamic Fields" is a key consideration to ensure flexibility and auditability with the Trust Layer.

* Option B: "Field Generation" is correct, but "Dynamic Forms" is unrelated. Dynamic Forms is a UI feature for customizing page layouts, not a prompt template setting, making this option incorrect.

* Option C: "Flex" templates are more general-purpose and not specifically tailored for field population tasks. While Dynamic Fields could apply, Field Generation is the better fit for UC's stated goal.

Option A is the best choice, as it pairs the appropriate template type (Field Generation) with a relevant consideration (Dynamic Fields) for UC's scenario with the Einstein Trust Layer.

:

Salesforce Agentforce Documentation: "Prompt Template Types" (Salesforce Help: https://help.salesforce.
com/s/articleView?id=sf.agentforce_prompt_templates.htm&type=5)
Salesforce Einstein Trust Layer Documentation: "Monitor AI with Trust Layer" (https://help.salesforce.com/s
/articleView?id=sf.einstein_trust_layer.htm&type=5)
Trailhead: "Build Prompt Templates for Agentforce" (https://trailhead.salesforce.com/content/learn/modules
/build-prompt-templates-for-agentforce)

質問 3
エージェント システムのプランナー サービスの主な機能は何ですか?
（A）会話履歴に基づいてレコードクエリを生成する
（B）会話中にリアルタイムの言語翻訳を提供する
（C）ユーザーの発話に応答する副操縦士のアクションを特定する

正解：C
The primary function of the planner service in the Agent system is to identify copilot actions that should be taken in response to user utterances. This service is responsible for analyzing the conversation and determining the appropriate actions (such as querying records, generating a response, or taking another action) that the Agent should perform based on user input.

質問 4
Universal Containers では、営業担当者がプロンプト テンプレートのみを実行できるようにする必要があります。この要件を満たすには、会社は何を使用すればよいでしょうか。
（A）テンプレートの実行を促す権限セット
（B）プロンプトテンプレートユーザー権限設定
（C）プロンプトテンプレートマネージャの権限設定

正解：B
Comprehensive and Detailed In-Depth Explanation:
Salesforce Agentforce leverages Prompt Builder, a powerful tool that allows administrators to create and manage prompt templates, which are reusable frameworks for generating AI-driven responses. These templates can be invoked by users to perform specific tasks, such as generating sales emails or summarizing records, based on predefined instructions and grounded data. In this scenario, Universal Containers wants its sales reps to have the ability to only execute these

prompt templates, meaning they should be able to run them but not create, edit, or manage them.

Let's break down the options and analyze why B. Prompt Template User permission set is the correct answer:

* Option A: Prompt Execute Template permission setThis option sounds plausible at first glance because it includes the phrase "Execute Template," which aligns with the requirement. However, there is no specific permission set named "Prompt Execute Template" in Salesforce's official documentation for Prompt Builder or Agentforce. Salesforce typically uses more standardized naming conventions for permission sets, and this appears to be a distractor option that doesn't correspond to an actual feature. Permissions in Salesforce are granular, but they are grouped logically under broader permission sets rather than hyper-specific ones like this.
* Option B: Prompt Template User permission setThis is the correct answer. In Salesforce, the Prompt Builder feature, which is integral to Agentforce, includes permission sets designed to control access to prompt templates. The "Prompt Template User" permission set is an official Salesforce permission set that grants users the ability to execute (or invoke) prompt templates without giving them the ability to create or modify them. This aligns perfectly with the requirement that sales reps should only execute prompt templates, not manage them. The Prompt Template User permission set typically includes permissions like "Run Prompt Templates," which allows users to trigger templates from interfaces such as Lightning record pages or flows, while restricting access to the Prompt Builder setup area where templates are designed.
* Option C: Prompt Template Manager permission setThis option is incorrect because the "Prompt Template Manager" permission set is designed for users who need full administrative control over prompt templates. This includes creating, editing, and deleting templates in Prompt Builder, in addition to executing them. Since Universal Containers only wants sales reps to execute templates and not manage them, this permission set provides more access than required, violating the principle of least privilege-a key security best practice in Salesforce.

How It Works in Salesforce

To implement this, an administrator would:

* Navigate to Setup > Permission Sets.
* Locate or create the "Prompt Template User" permission set (this is a standard permission set available with Prompt Builder-enabled orgs).
* Assign this permission set to the sales reps' profiles or individual user records.
* Ensure the prompt templates are configured and exposed (e.g., via Lightning components like the Einstein Summary component) on relevant pages, such as

Opportunity or Account record pages, where sales reps can invoke them.
Why This Matters
By assigning the Prompt Template User permission set, Universal Containers ensures that sales reps can leverage AI-driven prompt templates to enhance productivity (e.g., drafting personalized emails or generating sales pitches) while maintaining governance over who can modify the templates. This separation of duties is critical in a secure Salesforce environment.
References to Official Salesforce Agentforce Specialist Documents
* Salesforce Help: Prompt Builder PermissionsThe official Salesforce documentation outlines permission sets for Prompt Builder, including "Prompt Template User" for execution-only access and "Prompt Template Manager" for full control.
* Trailhead: Configure Agentforce for ServiceThis module discusses how permissions are assigned to control Agentforce features, including prompt-related capabilities.
* Salesforce Ben: Why Prompt Builder Is Vital in an Agentforce World (November 25, 2024)This resource explains how Prompt Builder integrates with Agentforce and highlights the use of permission sets like Prompt Template User to enable end-user functionality.

質問 5
Universal Containers は、Agentforce for Sales を利用して、取引成立のためのガイダンスと手順を含む AI 生成プランを提供することで、営業担当者が販売ノルマを達成できるようにしたいと考えています。この要件を満たす機能はどれですか。
（A）アカウントプランの作成
（B）類似の取引を探す
（C）クローズプランの作成

正解：C
Comprehensive and Detailed In-Depth Explanation:
Universal Containers (UC) aims to leverage Agentforce for Sales to assist sales reps with AI-generated plans that provide guidance and steps for closing deals. Let's evaluate the options based on Agentforce for Sales features.
* Option A: Create Account PlanWhile account planning is valuable for long-term strategy, Agentforce for Sales does not have a specific "Create Account Plan" feature focused on closing individual deals.
Account plans typically involve broader account-level insights, not deal-specific closure steps, making this incorrect for UC's requirement.
* Option B: Find Similar Deals"Find Similar Deals" is not a documented feature in Agentforce for Sales. It might imply identifying past deals for reference, but it doesn't

involve generating plans with guidance and steps for closing current deals. This option is incorrect and not aligned with UC's goal.
* Option C: Create Close PlanThe "Create Close Plan" feature in Agentforce for Sales uses AI to generate a detailed plan with actionable steps and guidance tailored to closing a specific deal. Powered by the Atlas Reasoning Engine, it analyzes deal data (e.g., Opportunity records) and provides reps with a roadmap to meet quotas. This directly meets UC's requirement for AI-generated plans focused on deal closure, making it the correct answer.
Why Option C is Correct:
Create Close Plan is a specific Agentforce for Sales capability designed to help reps close deals with AI- driven plans, aligning perfectly with UC's needs as per Salesforce documentation.
References:
Salesforce Agentforce Documentation: Agentforce for Sales > Create Close Plan - Details AI-generated close plans.
Trailhead: Explore Agentforce Sales Agents - Highlights close plan generation for sales reps.
Salesforce Help: Sales Features in Agentforce - Confirms focus on deal closure.

質問 6
Universal Containers は最近、Agentforce Agents を使用して CRM ビジネス オペレーションに会話型 AI を統合するパイロット プログラムを開始しました。Agentforce Specialist は、エージェントの使いやすさとアクションの割り当てをどのように監視すればよいでしょうか?
（A）プラットフォーム デバッグ ログに関するレポートを実行します。
（B）メタデータ API を使用してエージェント ログ データを照会します。
（C）エージェント分析を実行します。

正解：C
Comprehensive and Detailed In-Depth Explanation:
Monitoring the usability and action assignments of Agentforce Agents requires insights into how agents perform, how users interact with them, and how actions are executed within conversations. Salesforce provides Agent Analytics (Option C) as a built-in capability specifically designed for this purpose. Agent Analytics offers dashboards and reports that track metrics such as agent response times, user satisfaction, action invocation frequency, and success rates. This tool allows the Agentforce Specialist to assess usability (e.g., are agents meeting user needs?) and monitor action assignments (e.g., which actions are triggered and how often), providing

actionable data to optimize the pilot program.
* Option A: Platform Debug Logs are low-level logs for troubleshooting Apex, Flows, or system processes. They don't provide high-level insights into agent usability or action assignments, making this unsuitable.
* Option B: The Metadata API is used for retrieving or deploying metadata (e.g., object definitions), not runtime log data about agent performance. While Agent log data might exist, querying it via Metadata API is not a standard or documented approach for this use case.
* Option C: Agent Analytics is the dedicated solution, offering a user-friendly way to monitor conversational AI performance without requiring custom development.
Option C is the correct choice for effectively monitoring Agentforce Agents in a pilot program.
Salesforce Agentforce Documentation: "Agent Analytics Overview" (Salesforce Help: https://help.salesforce.
com/s/articleView?id=sf.agentforce_analytics.htm&type=5)
Trailhead: "Agentforce for Admins" (https://trailhead.salesforce.com/content/learn/modules/agentforce-for- admins)

質問 7
Universal Containers (UC) では最近、サポート ケースの数が増加しています。その結果、UC はカスタマー サポート担当者を増員し、進行中のケースの一部を新しい担当者に割り当て始めました。
新しいサポート担当者は、各ケースコメントを読まなくてもケースの詳細を理解するために、どの生成 AI ソリューションを使用すればよいでしょうか?
（A）エージェント
（B）アインシュタイン販売概要
（C）アインシュタインの仕事の概要

正解：C
New customer support reps at Universal Containers can use Einstein Work Summaries to quickly understand the details of a case without reading through each case comment. Work Summaries leverage generative AI to provide a concise overview of ongoing cases, summarizing all relevant information in an easily digestible format.
* Agent can assist with a variety of tasks but is not specifically designed for summarizing case details.
* Einstein Sales Summaries are focused on summarizing sales-related activities, which is not applicable for support cases.
For more details, refer to Salesforce documentation on Einstein Work Summaries.

質問 8
Universal Containers は、CRM データを、大規模言語モデル (LLM) へのプロンプトで適切にフォーマットされた JSON として組み込むことを希望しています。
この要件に関して重要な考慮事項は何ですか?
（A）プロンプト テンプレートを作成するときは、「CRM データを JSON に変換」チェックボックスをオンにする必要があります。
（B）Apex コードを使用して、JSON 形式の差し込み項目を返すことができます。
（C）プロンプトビルダー設定で JSON 形式を有効にする必要があります。

正解：B
* Context of the Question
* Universal Containers (UC) wants to send well-formatted JSON data in a prompt to a large language model (LLM).
* The question is about an important technical or design consideration for including CRM data as JSON in that prompt.
* Why Apex Code for JSON Formatting?
* Apex to Generate JSON: Salesforce does not have a simple "checkbox" or single setting to
convert CRM data to JSON. Typically, to structure data as JSON in a template, you either:
* Use an Apex class that queries or processes the data, then returns a JSON string.
* Use a Flow or formula approach (though complex data structures often require Apex).
* No Built-In "Enable JSON Format in Prompt Builder": Prompt Builder doesn't have a toggle that automatically transforms data into JSON.
* ConclusionThe practical solution to pass CRM data in JSON format to an LLM is to use Apex code (or a specialized Flow approach) to produce a JSON string, which the prompt can then merge and pass along. Hence, Option B is correct.
Salesforce Agentforce Specialist References & Documents
* Salesforce Documentation: Working with JSON in ApexDescribes how to serialize and deserialize data using Apex for integration or AI prompts.
* Salesforce Agentforce Specialist Study GuideEmphasizes the need for custom logic (often in Apex) when complex data transformations (like JSON formatting) are required.

質問 9
Universal Containers は、Call Explorer を使用して、営業チームが記録した会議から迅速に洞察を得ることに関心を持っています。

この機能を有効にする前に、Agentforce スペシャリストは何に注意する必要がありますか?

（A）Call Explorer は Salesforce Knowledge とは独立して動作し、事前の設定は必要ありません。

（B）構成する前に、カスタム Call Explorer アクションを構築する必要があります。

（C）Call Explorer を使用するには、Einstein Conversation Insights 権限セットを有効にする必要があります。

正解：C

Before enabling Call Explorer, the Salesforce Agentforce Specialist must ensure that the Einstein Conversation Insights permission set is assigned to users (Option C). Call Explorer is a feature within Einstein Conversation Insights (ECI) that analyzes meeting recordings to surface trends, keywords, and actionable insights.

Key Considerations:

* Permission Set Requirement:

* Users (including admins) need the Einstein Conversation Insights permission set to access and use Call Explorer. Without this, the feature remains inaccessible.

* The permission set grants access to ECI tools, including call transcription, analysis, and dashboard visibility.

* Why Other Options Are Incorrect:

* A. Independence from Salesforce Knowledge: While Call Explorer does not rely on Salesforce Knowledge, this is irrelevant to the setup prerequisite. The critical dependency is the permission set, not Knowledge configuration.

* B. Custom Actions: Call Explorer does not require custom actions to be built before configuration. It is a pre-built analytics tool that works once permissions and data sources (e.g., call recordings) are configured.

:

Salesforce Einstein Conversation Insights Guide: Explicitly states that the Einstein Conversation Insights permission set is required to access Call Explorer.

Trailhead Module: "Einstein Conversation Insights Basics" outlines permission prerequisites for enabling call analytics.

Salesforce Help Documentation: Confirms that Call Explorer functionality is governed by ECI permissions.

質問 10

組織は、Einstein Trust レイヤーを使用して、マスクされたデータをどのように監査、追跡、表示すればよいでしょうか?

（A）LLM が送信したすべてのプロンプトをキャプチャして Data Cloud に保存する監

査証跡を活用します。
（B）セットアップで、プロンプト ビルダーを使用して、マスクされたデータを要求するプロンプトを LLM に送信します。
（C）セットアップで監査証跡にアクセスし、ユーザーが生成したすべてのプロンプトをエクスポートします。

正解：A
The Einstein Trust Layer is designed to ensure transparency, compliance, and security for organizations leveraging Salesforce's AI and generative AI capabilities. Specifically, for auditing, tracking, and viewing masked data, organizations can utilize:
* Audit Trail in Data Cloud: The audit trail captures and stores all prompts submitted to large language models (LLMs), ensuring that sensitive or masked data interactions are logged. This allows organizations to monitor and audit all AI-generated outputs, ensuring that data handling complies with internal and regulatory guidelines. The Data Cloud provides the infrastructure for managing and accessing this audit data.
* Why not B? Using Prompt Builder in Setup to send prompts to the LLM is for creating and managing prompts, not for auditing or tracking data. It does not interact directly with the audit trail functionality.
* Why not C? Although the audit trail can be accessed in Setup, the user-generated prompts are primarily tracked in the Data Cloud for broader control, auditing, and analysis. Setup is not the primary tool for exporting or managing these audit logs.
More information on auditing AI interactions can be found in the Salesforce AI Trust Layer documentation, which outlines how organizations can manage and track generative AI interactions securely.

質問 11
エージェントアクションの実行における大規模言語モデル（LLM）の役割は何ですか?
（A）類似のリクエストを検索し、実行する必要があるアクションを提供します
（B）最も一致するアクションと正しい実行順序を特定する
（C）ユーザーのアクセスを決定し、実行するアクションを優先度順に並べ替えます

正解：B
In Agent, the role of the Large Language Model (LLM) is to analyze user inputs and identify the best matching actions that need to be executed. It uses natural language understanding to break down the user's request and determine the correct sequence of actions that should be performed.
By doing so, the LLM ensures that the tasks and actions executed are contextually relevant and are performed in the proper order. This process provides a seamless, AI-

enhanced experience for users by matching their requests to predefined Salesforce actions or flows.
The other options are incorrect because:
A mentions finding similar requests, which is not the primary role of the LLM in this context.
C focuses on access and sorting by priority, which is handled more by security models and governance than by the LLM.
References:
Salesforce Einstein Documentation on Agent Actions
Salesforce AI Documentation on Large Language Models

質問 12
Universal Containers では、生成 AI を使用してカスタム オブジェクトの概要フィールド (競合分析) にデータを入力する新機能の採用率が高くなっています。すべての営業ユーザーは同じプロファイルを持っていますが、1 人のユーザーには、概要フィールドの横にある生成 AI 対応フィールド アイコンが表示されません。
この問題の最も可能性の高い原因は何ですか?
(A) ユーザーにはプロンプト テンプレート ユーザー権限セットが割り当てられていません。
(B) サマリー フィールドに関連付けられたプロンプト テンプレートは、そのユーザーに対してアクティブ化されていません。
(C) ユーザーには、Generative AI ユーザー権限セットのフィールドが割り当てられていません。

正解：C
In Salesforce, Generative AI capabilities are controlled by specific permission sets. To use features such as generating summaries with AI, users need to have the correct permission sets that allow access to these functionalities.
* Generative AI User Permission Set: This is a key permission set required to enable the generative AI capabilities for a user. In this case, the missing Generative AI User permission set prevents the user from seeing the generative AI-enabled field icon. Without this permission, the generative AI feature in the Competitor Analysis custom object won't be accessible.
* Why not A? The Prompt Template User permission set relates specifically to users who need access to prompt templates for interacting with Einstein GPT, but it's not directly related to the visibility of AI- enabled field icons.
* Why not B? While a prompt template might need to be activated, this is not the primary issue here. The question states that other users with the same profile can see

the icon, so the problem is more likely to be permissions-based for this particular user. For more detailed information, you can review Salesforce documentation on permission sets related to AI capabilities at Salesforce AI Documentation and Einstein GPT permissioning guidelines.

質問 13
Universal Containers (UC) は、アジャイル スクラム ミーティングで AI 戦略について話し合っています。
どのビジネス要件に基づいて、An Agentforce は Einstein Studio (モデルビルダー) を介して外部の基本モデルに接続することを推奨しますか?
（A）UC はモデルの温度を微調整したいと考えています。
（B）UC は、企業データを使用して微調整されたモデルを望んでいます。
（C）UC はモデルの頻度ペナルティを変更したいと考えています。

正解：B
Einstein Studio (Model Builder) allows organizations to connect and utilize external foundational models while fine-tuning them with company-specific data. This capability is particularly suited to businesses like Universal Containers (UC) that require customization of foundational models to better align with their unique data and use cases.
* Option A: Adjusting model temperature is a parameter-level setting for controlling randomness in AI- generated responses but does not necessitate connecting to an external foundational model.
* Option B: This is the correct answer because Einstein Studio supports fine-tuning external models with proprietary company data, enabling a tailored and more accurate AI solution for UC.
* Option C: Changing frequency penalties is another parameter-level adjustment and does not require external foundational models or Einstein Studio.
Reference:
Using Einstein Studio to Connect Foundational Models | Salesforce Trailhead .

質問 14
ホテルリゾートの営業チームは、ゲストの興味に関するゲスト概要を生成し、各ゲストのプロファイルに記録されたアクティビティの好みに基づいて推奨事項を提供したいと考えています。概要は連絡先レコード ページでのみ利用できるようにしたいと考えています。チームはどの AI 機能を使用すればよいでしょうか。
（A）モデルビルダー
（B）エージェントビルダー

（C）プロンプトビルダー

正解：C

Comprehensive and Detailed In-Depth Explanation:

The hotel resort team needs an AI-generated guest summary with recommendations, displayed exclusively on the contact record page. Let's assess the options.

* Option A: Model BuilderModel Builder in Salesforce creates custom predictive AI models (e.g., for scoring or classification) using Data Cloud or Einstein Platform data. It's not designed for generating text summaries or embedding them on record pages, making it incorrect.

* Option B: Agent BuilderAgent Builder in Agentforce Studio creates autonomous AI agents for tasks like lead qualification or customer service. While agents can provide summaries, they operate in conversational interfaces (e.g., chat), not as static content on a record page. This doesn't meet the location-specific requirement, making it incorrect.

* Option C: Prompt BuilderEinstein Prompt Builder allows creation of prompt templates that generate text (e.g., summaries, recommendations) using Generative AI. The template can pull data from contact records (e.g., activity preferences) and be embedded as a Lightning component on the contact record page via a Flow or Lightning App Builder. This ensures the summary is available only where specified, meeting the team's needs perfectly and making it the correct answer.

Why Option C is Correct:

Prompt Builder's ability to generate contextual summaries and integrate them into specific record pages via Lightning components aligns with the team's requirements, as supported by Salesforce documentation.

References:

Salesforce Agentforce Documentation: Prompt Builder > Embedding Prompts - Details placement on record pages.

Trailhead: Build Prompt Templates in Agentforce - Covers summaries from object data.

Salesforce Help: Customize Record Pages with AI - Confirms Prompt Builder integration.

質問 15

エージェントは、リクエストを理解できない場合や、要求された情報を見つけられない場合にどのように応答しますか?

（A）アクション タイプに基づいて、事前構成されたメッセージを使用します。

（B）ユーザーにリクエストを言い換えるように求める一般的なメッセージを表示します。

（C）エラーメッセージが生成されます。

正解：B

Comprehensive and Detailed In-Depth Explanation:

Agentforce Agents are designed to handle situations where they cannot interpret a request or retrieve requested data gracefully. Let's assess the options based on Agentforce behavior.

* Option A: With a preconfigured message, based on the action type.While Agentforce allows customization of responses, there's no specific mechanism tying preconfigured messages to action types for unhandled requests. Fallback responses are more general, not action-specific, making this incorrect.

* Option B: With a general message asking the user to rephrase the request.When an Agentforce Agent fails to understand a request or find information, it defaults to a general fallback response, typically asking the user to rephrase or clarify their input (e.g., "I didn't quite get that-could you try asking again?"). This is configurable in Agent Builder but defaults to a user-friendly prompt to encourage retry, aligning with Salesforce's focus on conversational UX. This is the correct answer per documentation.

* Option C: With a generated error message.Agentforce Agents prioritize user experience over technical error messages. While errors might log internally (e.g., in Event Logs), the user-facing response avoids jargon and focuses on retry prompts, making this incorrect.

Why Option B is Correct:

The default behavior of asking users to rephrase aligns with Agentforce's conversational design principles, ensuring a helpful response when comprehension fails, as noted in official resources.

References:

Salesforce Agentforce Documentation: Agent Builder > Fallback Responses - Describes general retry messages.

Trailhead: Build Agents with Agentforce - Covers handling ununderstood requests.

Salesforce Help: Agentforce Interaction Design - Confirms user-friendly fallback behavior.

質問 16

意図を理解し、エージェントアクションを実行する上で、大規模言語モデル（LLM）の役割は何ですか?

（A）要求された同様のトピックを検索し、実行する必要があるアクションを提供します。

（B）最も一致するトピックとアクション、および正しい実行順序を特定します。

（C）ユーザーのトピック アクセスを決定し、実行するアクションを優先度順に並べ替えます。

正解：B

Comprehensive and Detailed In-Depth Explanation:

In Agentforce, the large language model (LLM), powered by the Atlas Reasoning Engine, interprets user requests and drives Agent Actions. Let's evaluate its role.

* Option A: Find similar requested topics and provide the actions that need to be executed.While the LLM can identify similar topics, its role extends beyond merely finding them-it matches intents to specific topics and determines execution. This option understates the LLM's responsibility for ordering actions, making it incomplete and incorrect.

* Option B: Identify the best matching topic and actions and correct order of execution.The LLM analyzes user input to understand intent, matches it to the best-fitting topic (configured in Agent Builder), and selects associated actions. It also determines the correct sequence of execution based on the agent's plan (e.g., retrieve data before updating a record). This end-to-end process-from intent recognition to action orchestration-is the LLM's core role in Agentforce, making this the correct answer.

* Option C: Determine a user's topic access and sort actions by priority to be executed.Topic access is governed by Salesforce permissions (e.g., user profiles), not the LLM. While the LLM prioritizes actions within its plan, its primary role is intent matching and execution ordering, not access control, making this incorrect.

Why Option B is Correct:

The LLM's role in identifying topics, selecting actions, and ordering execution is central to Agentforce's autonomous functionality, as detailed in Salesforce documentation.

References:

Salesforce Agentforce Documentation: Atlas Reasoning Engine - Outlines LLM's intent and action handling.

Trailhead: Understand Agentforce Technology - Explains topic matching and execution.

Salesforce Help: Agentforce Actions - Confirms LLM's role in orchestrating responses.

質問 17

Salesforce Agent の機能によって最もよくサポートされるユースケースはどれですか?

（A）開発者や e コマース小売業者など、すべての Salesforce ユーザーが AI と対話するための会話型インターフェースを統合します。

（B）Salesforce 管理者ユーザーが CRM データを使用してカスタム大規模言語モデル (LLM) を作成およびトレーニングできるようにします。

（C）組み込みの機械学習機能を使用して、データ サイエンティストが過去の CRM デ

ータを使用して予測 AI モデルをトレーニングできるようにします。

正解：A
Salesforce Agent is designed to provide a conversational AI interface that can be utilized by different types of Salesforce users, such as developers, sales agents, and retailers. It acts as an AI-powered assistant that facilitates natural interactions with the system, enabling users to perform tasks and access data easily. This includes tasks like pulling reports, updating records, and generating personalized responses in real time.
* Option A is correct because Agent brings a conversational interface that caters to a wide range of users.
* Option B and Option C are more focused on developing and training AI models, which are not the primary functions of Agent.
:
Salesforce Agent Overview: https://help.salesforce.com/s/articleView?id=einstein_copilot_overview.htm

質問 18
AI スペシャリストは、営業チーム用のプロンプト テンプレートを作成する任務を負っています。テンプレートでは、特定のアカウントに関連するすべての商談の概要を生成する必要があります。
プロンプト テンプレートに関連機会リストのデータを含めるために、AI スペシャリストが使用する必要があるグラウンディング手法はどれですか?
（A）マージ フィールドを使用して、商談のカスタム関連リストを参照します。
（B）マージ フィールドを使用して、商談のデフォルトの関連リストを参照します。
（C）数式フィールドを使用して、Einstein 関連商談リストを参照します。

正解：B
In Salesforce, when creating a prompt template for the sales team, you can include data from related objects such as Opportunities that are linked to an Account. The best method to ground the AI model and provide relevant information from related records, like Opportunities, is by using merge fields.
Merge fields in Salesforce allow you to dynamically reference data from a record or related records, like Opportunities for a given Account. In this scenario, the Agentforce Specialist needs to pull data from the default related list of Opportunities associated with the Account. This is achieved by using merge fields, which pull in data from the standard relationship Salesforce creates between Accounts and Opportunities.
Option A (referencing a custom related list) and Option C (using formula fields with

Einstein-related lists) do not align with the standard, practical grounding method for this task. Custom lists would require additional configurations not typically necessary for a basic use case, and formula fields are typically not used to directly fetch related list data for prompt generation in templates. The standard and straightforward method is using merge fields tied to the default related list of opportunities.
Salesforce References:
* Merge Fields in Templates: https://help.salesforce.com/s/articleView?id=000387601&type=1
* Grounding Data in Prompts: https://developer.salesforce.com/docs/atlas.en-us.salesforce_ai.meta
/salesforce_ai/grounding_data_prompts

質問 19
Universal Containers (UC) は、過去数か月間に顧客の契約キャンセルが増加していることに気づきました。UC は、顧客が契約をキャンセルする前にプロアクティブなアウトリーチ プログラムを実施することでこの問題に対処する方法を模索しており、Salesforce チームに提案を求めています。
モデル ビルダーのどのユース ケース機能が UC の要求と一致していますか?
（A）商品の推奨予測
（B）顧客離脱予測
（C）契約更新日の予測

正解：B
Customer churn prediction is the best use case for Model Builder in addressing Universal Containers' concerns about increasing customer contract cancellations. By implementing a model that predicts customer churn, UC can proactively identify customers who are at risk of canceling and take action to retain them before they decide to terminate their contracts. This functionality allows the business to forecast churn probability based on historical data and initiate timely outreach programs.
* Option B is correct because customer churn prediction aligns with UC's need to reduce cancellations through proactive measures.
* Option A (product recommendation prediction) is unrelated to contract cancellations.
* Option C (contract renewal date prediction) addresses timing but does not focus on predicting potential cancellations.
:
Salesforce Model Builder Use Case Overview: https://help.salesforce.com/s/articleView?id=sf.
model_builder_use_cases.htm

質問 20
Universal Containers は、ユーザーが販売注文番号を入力できるカスタム UX を備えたソリューションを Salesforce に実装したいと考えています。その後、システムはカスタム プロンプト テンプレートを呼び出して、販売注文ヘッダーと販売注文の詳細の概要を作成して表示します。この要件を満たすには、Agentforce スペシャリストはどのソリューションを実装する必要がありますか?
（A）自動起動フローを作成し、標準の「プロンプト テンプレート」フロー アクションを使用してプロンプト テンプレートを呼び出します。
（B）テンプレートによってトリガーされるプロンプト フローを作成し、標準の「プロンプト テンプレート」フロー アクションを使用してプロンプト テンプレートを呼び出します。
（C）画面フローを作成し、販売注文番号を収集し、標準の「プロンプト テンプレート」フロー アクションを使用してプロンプト テンプレートを呼び出します。

正解：C
Comprehensive and Detailed In-Depth Explanation:
Universal Containers (UC) requires a solution with a custom UX for users to input a sales order number, followed by invoking a custom prompt template to generate and display a summary. Let's evaluate each option based on this requirement and Salesforce Agentforce capabilities.
* Option A: Create an autolaunched flow and invoke the prompt template using the standard " Prompt Template" flow action.An autolaunched flow is a background process that runs without user interaction, triggered by events like record updates or platform events. While it can invoke a prompt template using the "Prompt Template" flow action (available in Flow Builder to integrate Agentforce prompts), it lacks a user interface. Since UC explicitly needs a custom UX for users to enter a sales order number, an autolaunched flow cannot meet this requirement, as it doesn't provide a way for users to input data directly.
* Option B: Create a template-triggered prompt flow and invoke the prompt template using the standard "Prompt Template" flow action.There's no such thing as a "template-triggered prompt flow" in Salesforce terminology. This appears to be a misnomer or typo in the original question. Prompt templates in Agentforce are reusable configurations that define how an AI processes input data, but they are not a type of flow. Flows (like autolaunched or screen flows) can invoke prompt templates, but
template-triggered is not a recognized flow type in Salesforce documentation. This option is invalid due to its inaccurate framing.

* Option C: Create a screen flow to collect the sales order number and invoke the prompt template using the standard "Prompt Template" flow action.A screen flow provides a customizable user interface within Salesforce, allowing users to input data (e.g., a sales order number) via input fields.
The "Prompt Template" flow action, available in Flow Builder, enables integration with Agentforce by passing user input (the sales order number) to a custom prompt template. The prompt template can then query related data (e.g., sales order header and details) and generate a summary, which can be displayed back to the user on a subsequent screen. This solution meets UC's need for a custom UX and seamless integration with Agentforce prompts, making it the best fit.
Why Option C is Correct:
Screen flows are ideal for scenarios requiring user interaction and custom interfaces, as outlined in Salesforce Flow documentation. The "Prompt Template" flow action enables Agentforce's AI capabilities within the flow, allowing UC to collect the sales order number, process it via a prompt template, and display the result- all within a single, user-friendly solution. This aligns with Agentforce best practices for integrating AI-driven summaries into user workflows.
References:
Salesforce Help: Flow Builder > Prompt Template Action - Describes how to use the "Prompt Template" action in flows to invoke Agentforce prompts.
Trailhead: Build Flows with Prompt Templates - Highlights screen flows for user-driven AI interactions.
Agentforce Studio Documentation: Prompt Templates - Explains how prompt templates process input data for summaries.

質問 21
AI スペシャリストは、Salesforce に保存されている顧客データを使用してパーソナライズされた販売メールを作成するための生成モデルを構成するという任務を負っています。AI スペシャリストは、OpenAI プラットフォームで大規模言語モデル (LLM) をすでに微調整しています。セキュリティとデータ プライバシーは、クライアントにとって重要な懸念事項です。
Agentforce スペシャリストはカスタム LLM を Salesforce にどのように統合すればよいでしょうか?
（A）カスタム LLM のアプリケーションを作成し、iFrame 経由で Sales Cloud に埋め込みます。
（B）Einstein Studio Model Builder に微調整された LLM を追加します。
（C）OpenAl でモデル エンドポイントを有効にし、モデルへの呼び出しを行って電子メールを生成します。

正解：B

Since security and data privacy are critical, the best option for the Agentforce Specialist is to integrate the fine- tuned LLM (Large Language Model) into Salesforce by adding it to Einstein Studio Model Builder.

Einstein Studio allows organizations to bring their own AI models (BYOM), ensuring the model is securely managed within Salesforce's environment, adhering to data privacy standards.

* Option A (embedding via iFrame) is less secure and doesn't integrate deeply with Salesforce's data and security models.

* Option C (making callouts to OpenAI) raises concerns about data privacy, as sensitive Salesforce data would be sent to an external system.

Einstein Studio provides the most secure and seamless way to integrate custom AI models while maintaining control over data privacy and compliance. More details can be found in Salesforce's Einstein Studio documentation on integrating external models.

質問 22

「ニューヨークの顧客をすべて表示してください」というユーザーの発話に基づいて、プランナー サービスはどの標準エージェント アクションを使用しますか?

（A）レコードのクエリ

（B）レコードの取得

（C）レコードを選択

正解：A

Why is Query Records the Correct Answer?

In Agentforce, the Planner Service is responsible for interpreting user requests and selecting the appropriate Copilot Action to fulfill them. When a user issues a command like:

Show me all the customers in New York,

the system must retrieve a list of customers filtered by location.

The Query Records action is designed precisely for this purpose.

Key Features of Query Records in Agentforce:

* Retrieves Data Based on Specific Field Values

* This action fetches Salesforce records that match a set of criteria, such as customers located in New York.

* Uses standard or custom object fields (e.g., BillingState = 'New York').

* Works with Large Language Models (LLMs) and Copilot Actions

* When a user asks for filtered data, Query Records is the default action assigned by

the Planner Service.
* Optimized for Structured Data Retrieval
* Ensures AI retrieves relevant CRM records quickly and accurately.
Why Not the Other Options?
B. Fetch Records
* This is not a standard term in Einstein Copilot or Agentforce.
* No defined Agentforce action exists under this name.
C. Select Records
* Select Records is used to pick records from an already presented list, not to retrieve them initially.
* If the user had already retrieved records and wanted to refine their selection, Select Records might be appropriate.
* However, since the user's request is to retrieve records, Query Records is the correct action.
Agentforce Specialist References
This information is confirmed from the Salesforce AI Specialist Material and Questions Document, where the Query Records action is explicitly defined as the appropriate standard action for retrieving filtered CRM records.

質問 23
セキュア データ取得では、承認されたユーザーのみが動的グラウンディングに必要な Salesforce データにアクセスできるようにどのように保証しますか?
(A)「実行」ユーザー権限に基づいて Salesforce データを取得します。
(B) プロンプトを実行するユーザーの権限に基づいて Salesforce データを取得します。
(C) プロンプト テンプレートのオブジェクト権限に基づいて Salesforce データを取得します。

正解：B
Secure Data Retrieval enforces Salesforce's security model by dynamically grounding data access in the permissions of the user executing the prompt. This ensures compliance with CRUD (Create, Read, Update, Delete) and FLS (Field-Level Security) settings, preventing unauthorized access to sensitive data. For example, if a user lacks access to a specific object or field, the AI model cannot retrieve it for dynamic grounding.
* "Run As" user permissions (A) would bypass user-specific security, posing a compliance risk.
* Prompt template permissions (C) are not a Salesforce security mechanism; access is always tied to the user's profile and sharing settings.

Reference:
Salesforce Help Article: Secure Data Retrieval in Einstein Trust Layer ("User Context Enforcement" section).
Einstein Trust Layer Technical Guide: "Dynamic Grounding and Data Security" (User Permissions alignment).

質問 24
Universal Containers (UC) は、販売提案を作成し、プロンプト テンプレートで複数の無関係なオブジェクト (標準およびカスタム) のデータを直接使用したいと考えています。UC はこれをどのように実現すればよいでしょうか?
(A) レコードを一時的に接続する特別なカスタム オブジェクトを渡すプロンプト テンプレートを作成します。
(B) プロンプト テンプレートによってトリガーされるフローを作成し、標準オブジェクトとカスタム オブジェクトからデータにアクセスします。
(C) 標準オブジェクトとカスタム オブジェクトを入力として含むリソースを追加するための Flex テンプレートを作成します。
(D) レコード スナップショットを使用して、関連のないオブジェクトのデータを 1 つのプロンプトに結合します。

正解：C
Comprehensive and Detailed In-Depth Explanation:
UC needs to incorporate data from multiple unrelated objects (standard and custom) into a prompt template for a sales proposal. Let's evaluate the options based on Agentforce capabilities.
* Option A: Create a prompt template passing in a special custom object that connects the records temporarily.While a custom object could theoretically act as a junction to link unrelated records, this approach requires additional setup (e.g., creating the object, populating it with data via automation), and there's no direct mechanism in Prompt Builder to "pass in" such an object to a prompt template without grounding or flow support. This is inefficient and not a native feature, making it incorrect.
* Option B: Create a prompt template-triggered flow to access the data from standard and custom objects.There's no such thing as a "prompt template-triggered flow" in Salesforce. Flows can invoke prompt templates (e.g., via the "Prompt Template" action), but the reverse-triggering a flow from a prompt template-is not a standard construct. While a flow could gather data from unrelated objects and pass it to a prompt, this option's terminology is inaccurate, and it's not the most direct solution, making it incorrect.
* Option C: Create a Flex template to add resources with standard and custom objects

as inputs.In Agentforce's Prompt Builder, a Flex template (short for Flexible Prompt Template) allows users to define dynamic inputs, including data from multiple Salesforce objects (standard or custom), even if they're unrelated. Resources can be added to the template (e.g., via merge fields or Data Cloud queries), enabling the prompt to pull data directly from specified objects without requiring a junction object or complex flows. This is ideal for generating a sales proposal using disparate data sources and aligns with Salesforce's documentation on Flex templates, making it the correct answer.

Why Option C is Correct:

Flex templates are designed for scenarios requiring flexible data inputs, allowing UC to directly reference multiple unrelated objects in the prompt template. This simplifies the process and leverages Prompt Builder's native capabilities, as outlined in Salesforce documentation.

References:

Salesforce Agentforce Documentation: Prompt Builder > Flex Templates - Describes adding multiple object resources as inputs.

Trailhead: Build Prompt Templates in Agentforce - Highlights Flex templates for dynamic data scenarios.

Salesforce Help: Create Flexible Prompts - Confirms support for standard and custom object data.

質問 25

エージェントのカスタムアクション指示を調整する場合のベストプラクティスは何ですか?

（A）アクションをトリガーすると予想されるユーザー メッセージの例を提供します。

（B）複数のアクション指示にわたって一貫した導入フレーズと動詞を使用します。

（C）アクションを要求するペルソナを指定します。

正解：A

When refining Agent custom action instructions, it is considered best practice to provide examples of user messages that are expected to trigger the action. This helps ensure that the custom action understands a variety of user inputs and can effectively respond to the intent behind the messages.

* Option B (consistent phrases) can improve clarity but does not directly refine the triggering logic.

* Option C (specifying a persona) is not as crucial as giving examples that illustrate how users will interact with the custom action.

For more details, refer to Salesforce's Agent documentation on building and refining

custom actions.

質問 26
Agentforce は、Salesforce Agentforce プラットフォーム内でエージェントにアクションを割り当てることで、ビジネス プロセス フローを最適化する役割を担います。
Agentforce スペシャリストがエージェントにアクションを割り当てる正しい方法は何ですか?
（A）Agent Builder で最初にトピックにアクションを割り当てます。
（B）最初にエージェントアクションの詳細ページでアクションをトピックに割り当てます。
（C）まず、アクション ビルダーでアクションをトピックに割り当てます。

正解：A
In the Salesforce Agentforce Platform, assigning actions to Agents requires mapping them through Topics in Agent Builder. Topics act as the container that links an Agent's conversational intent with the specific actions it can perform. By first assigning an action to a Topic in Agent Builder, the Agentforce Specialist ensures that the Agent knows when and how to trigger the action during the business process flow.

質問 27
Universal Containers (UC) は、営業チームが通話中に言及された製品名や競合他社名についての洞察を得られるようしたいと考えています。UC はこの要件をどのように満たすべきでしょうか?
（A）Einstein 会話インサイトを有効にし、録音プロバイダーを接続し、権限セットを割り当て、最大 25 個の製品でインサイトをカスタマイズします。
（B）Einstein 会話インサイトを有効にし、権限セットを割り当て、記録マネージャーを定義し、最大 50 の競合他社名でインサイトをカスタマイズします。
（C）Einstein 会話インサイトを有効にし、販売記録を有効にし、権限セットを割り当て、最大 50 個の製品でインサイトをカスタマイズします。

正解：A
Comprehensive and Detailed In-Depth Explanation:
UC wants insights into product and competitor mentions during sales calls, leveraging Einstein Conversation Insights. Let's evaluate the options.
* Option A: Enable Einstein Conversation Insights, connect a recording provider, assign permission sets, and customize insights with up to 25 products.Einstein Conversation Insights analyzes call recordings to identify keywords like product and competitor names. Setup requires enabling the feature, connecting an external

recording provider (e.g., Zoom, Gong), assigning permission sets (e.g., Einstein Conversation Insights User), and customizing insights by defining up to
25 products or competitors to track. Salesforce documentation confirms the 25-item limit for custom keywords, making this the correct, precise answer aligning with UC's needs.
* Option B: Enable Einstein Conversation Insights, assign permission sets, define recording managers, and customize insights with up to 50 competitor names.There's no "recording managers" role in Einstein Conversation Insights setup-integration is with a provider, not a manager designation.
The limit is 25 keywords (not 50), and the option omits the critical step of connecting a provider, making it incorrect.
* Option C: Enable Einstein Conversation Insights, enable sales recording, assign permission sets, and customize insights with up to 50 products."Enable sales recording" is vague-Conversation Insights relies on external providers, not a native Salesforce recording feature. The keyword limit is 25, not 50, making this incorrect despite being closer than B.
Why Option A is Correct:
Option A accurately reflects the setup process and limits for Einstein Conversation Insights, meeting UC's requirement per Salesforce documentation.
References:
Salesforce Help: Set Up Einstein Conversation Insights - Details provider connection and 25-keyword limit.
Trailhead: Einstein Conversation Insights Basics - Covers permissions and customization.
Salesforce Agentforce Documentation: Sales Features - Confirms integration steps.

質問 28
Einstein Studio でカスタム リトリーバーを作成する場合、どの手順が必須と考えられますか?
（A）検索インデックスを選択し、関連付けられたデータ モデル オブジェクト (DMO) とデータ スペースを指定し、必要に応じてフィルターを定義して検索結果を絞り込みます。
（B）返される結果の最大数を指定して出力構成を定義し、プロンプトの基礎となる出力フィールドをマップします。
（C）検索インデックスを構成し、ベクター検索またはハイブリッド検索を選択し、フィルタリングするフィールド、データ空間、モデルを選択してから、ランキング方法を定義します。

正解：A

Comprehensive and Detailed In-Depth Explanation:

In Salesforce's Einstein Studio (part of the Agentforce ecosystem), creating a custom retriever involves setting up a mechanism to fetch data for AI prompts or responses. The essential step is defining the foundation of the retriever: selecting the search index, specifying the data model object (DMO), and identifying the data space (Option A). These elements establish where and what the retriever searches:

* Search Index: Determines the indexed dataset (e.g., a vector database in Data Cloud) the retriever queries.

* Data Model Object (DMO): Specifies the object (e.g., Knowledge Articles, Custom Objects) containing the data to retrieve.

* Data Space: Defines the scope or environment (e.g., a specific Data Cloud instance) for the data.

Filters are noted as optional in Option A, which is accurate-they enhance precision but aren't mandatory for the retriever to function. This step is foundational because without it, the retriever lacks a target dataset, rendering it unusable.

* Option B: Defining output configuration (e.g., max results, field mapping) is important for shaping the retriever's output, but it's a secondary step. The retriever must first know where to search (A) before output can be configured.

* Option C: This option includes advanced configurations (vector/hybrid search, filtering fields, ranking method), which are valuable but not essential. A basic retriever can operate without specifying search type or ranking, as defaults apply, but it cannot function without a search index, DMO, and data space.

* Option A: This is the minimum required step to create a functional retriever, making it essential.

Option A is the correct answer as it captures the core, mandatory components of retriever setup in Einstein Studio.

:

Salesforce Agentforce Documentation: "Custom Retrievers in Einstein Studio" (Salesforce Help: https://help.

salesforce.com/s/articleView?id=sf.einstein_studio_retrievers.htm&type=5) Trailhead: "Einstein Studio for Agentforce" (https://trailhead.salesforce.com/content/learn/modules/einstein- studio-for-agentforce)

質問 29

Universal Containers (UC) は生成 AI を実装しており、プロンプト テンプレートを活用して、閲覧履歴に基づいて Web サイト訪問者にパーソナライズされた製品の推奨を提

供する応答を顧客に提供したいと考えています。
チャットボットが正確な推奨事項を提供できるようにするために、UC が最初に取るべきステップは何か?
（A）普遍的な製品推奨事項を設計します。
（B）チャットボットの応答スクリプトを記述します。
（C）閲覧データを収集して分析します。

正解：C
To enable personalized product recommendations using generative AI, the foundational step for Universal Containers (UC) is collecting and analyzing browsing data (Option C). Personalized recommendations depend on understanding user behavior, which requires structured data about their browsing history. Without this data, the AI model lacks the context needed to generate relevant suggestions.
* Data Collection: UC must first aggregate browsing data (e.g., pages visited, products viewed, session duration) to build a dataset that reflects user preferences.
* Data Analysis: Analyzing this data identifies patterns (e.g., frequently viewed categories) that inform how prompts should be structured to retrieve relevant recommendations.
* Grounding in Data: Salesforce's Prompt Templates rely on grounding data to generate accurate outputs. Without analyzing browsing data, the prompt template cannot reference meaningful insights for personalization.
Options A and D are incorrect because:
* Universal recommendations (A) ignore personalization, which is the core requirement.
* Writing a response script (D) addresses chatbot interaction design, not the accuracy of recommendations.
:
Salesforce Agentforce Specialist Certification Guide: Highlights the importance of grounding prompts in relevant data sources to ensure accuracy.
Trailhead Module: "Einstein for Developers" emphasizes data preparation as a prerequisite for effective AI- driven personalization.
Salesforce Help Documentation: Recommends analyzing user behavior data to tailor generative AI outputs in commerce use cases.

質問 30
販売コンテキストで Agentforce Sales Agent を活用する適切なユースケースは何ですか?
（A）ステート チームが自然言語を使用して、関連データに基づいて定義されたセール

ス タスクを呼び出し、会社のポリシーが適用されていることを確認できるようにします。会話形式で、現在または仕事中に。
（B）ビジネス ルールに基づいたインタラクティブなステップバイステップ ガイドを営業チームに提供することで、Salesforce への正確なデータ入力を保証し、より確実に取引を成立させることができます。
（C）受信したメッセージやメールを即座に確認して読み、適切な商談、連絡先、アカウント レコードに記録することで、顧客とのやり取りやコミュニケーションの全体像を把握できます。

正解：A
Agentforce Sales Agent is designed to let sales teams perform tasks via natural language commands, leveraging Salesforce data while adhering to policies. For example, agents can ask the AI to "update the opportunity stage to Closed Won" or "generate a quote," with the system enforcing validations and data security. This use case aligns with Salesforce's vision of conversational AI streamlining workflows without compromising compliance.
* Step-by-step guides (B) are typically handled by tools like Dynamic Forms or Guided Selling, not Agentforce.
* Logging messages/emails (C) is managed by Email-to-Case or Service Cloud, not a sales-specific AI agent.
Reference:
Salesforce Help Article: Agentforce for Sales ("Use Cases and Capabilities" section).
Einstein Agentforce Specialist Trailhead: "Sales Automation with Agentforce" (Natural Language Task Execution).

質問 31
Universal Containers は、現在の注文履行ステータスを大規模言語モデル（LLM）のプロンプトに組み込むことを希望しています。注文ステータスは、外部のエンタープライズ リソース プランニング（ERP）システムに保存されます。
Agentforce スペシャリストはどのデータ グラウンディング手法を推奨すべきでしょうか?
（A）永久オブジェクトレコードのマージフィールド
（B）外部サービス マージ フィールド
（C）Apex マージフィールド

正解：A
* Context of the Requirement:Universal Containers wants to pull in real-time order status data from an external ERP system into an LLM prompt.

* Data Grounding in LLM Prompts:Data grounding ensures the Large Language Model has access to the most current and relevant information. In Salesforce, one recommended approach is to use External Objects (via Salesforce Connect) when data resides outside of Salesforce.
* Why External Object Record Merge Fields:
* External Objects appear much like standard or custom objects but map to tables in external systems.
* You can reference fields from these External Objects in merge fields, allowing real-time data retrieval from the external ERP system without storing that data natively in Salesforce.
* This is a simpler "point-and-reference" approach compared to coding custom Apex or configuring external services for direct prompt embedding.
* Why Not External Services Merge Fields or Apex Merge Fields:
* External Services Merge Fields typically leverage flows or external service definitions. While feasible, it is more about orchestrating or invoking external services for automation (e.g., Flow).
It's not the standard approach for seamlessly referencing external record data in prompt merges.
* Apex Merge Fields would imply custom Apex code controlling the prompt insertion. While possible, it's less "clicks not code" friendly and is not the default method for referencing typical record data.
* References and Study Resources:
* Salesforce Help & Training # Salesforce Connect and External Objects
* Salesforce Trailhead # "Integrate External Data with Salesforce Connect"
* Salesforce Agentforce Specialist Study Resources (documentation regarding how to ground LLM prompts using External Objects)

質問 32
どのビジネス要件が、Einstein Prompt Builder を活用するための適切なユースケースを示していますか?
（A）過去のデータに基づいて将来の販売傾向を予測します。
（B）ターゲットを絞ったマーケティング キャンペーンの潜在的価値の高いリードを特定します。
（C）提案依頼に対する返信をパーソナライズされた電子メールで送信します。

正解：C
* Context of the Question
* Einstein Prompt Builder is a Salesforce feature that helps generate text (summaries,

email content, responses) using AI models.
* The question presents three potential use cases, asking which one best fits the capabilities of Einstein Prompt Builder.
* Einstein Prompt Builder Typical Use Cases
* Text Generation & Summaries: Great for writing or summarizing content, like responding to an email or generating text for a record field.
* Why Not Forecast Future Sales Trends or Identify Potential High-Value Leads?
* (Option A) Forecasting trends typically involves predictive analytics and modeling capabilities found in Einstein Discovery or standard reporting, not generative text solutions.
* (Option B) Identifying leads for marketing campaigns involves lead scoring or analytics, again an Einstein Discovery or Lead Scoring scenario.
* Sending a Personalized RFP Email (Option C) is a classic example of using generative AI to compose well-structured, context-aware text.
* ConclusionOption C (Send reply to a request for proposal via a personalized email) is the best match for Einstein Prompt Builder's generative text functionality.
Salesforce Agentforce Specialist References & Documents
* Salesforce Documentation: Einstein Prompt Builder OverviewHighlights how to use Prompt Builder to create and customize text-based responses, especially for email or record fields.
* Salesforce Agentforce Specialist Study GuideExplains that generative AI features in Salesforce are designed for creating or summarizing text, not for advanced predictive use cases (like forecasting or lead scoring).

質問 33
Agentforce は、フィールド生成プロンプト テンプレート タイプの使用を検討しています。
フィールド生成プロンプトを作成する前に、フィールドを生成 AI 用に有効化できるかどうかを確認するために、Agentforce スペシャリストは何を確認する必要がありますか?
（A）選択したフィールドは、255 文字以上のリッチ テキスト フィールドである必要があります。
（B）組織が API バージョン 59 以上に設定されていること
（C）フィールドが配置される Lightning ページレイアウトが動的フォームにアップグレードされていること

正解：C
Before creating a Field Generation prompt template in Agentforce, the Specialist must ensure that the target field is available on a Dynamic Form-enabled Lightning page

layout. Field Generation prompt templates work by embedding AI-generated suggestions directly into editable record fields on the Lightning record page. This functionality requires Dynamic Forms, which allow fields to be placed and managed as individual components on the Lightning page. Without Dynamic Forms enabled, the AI cannot surface suggestions directly into the field.Generation templates.

質問 34

Universal Containers (UC) の Agentforce は、ノーコード ツールのみを使用して構築しています。専門の営業チームが定期的にしか対応しない小規模アカウントが多数あり、UC は営業オペレーション チームの時間を最大化したいと考えています。UC は、データ クラウド経由でキャプチャされた過去の購入履歴、連絡先が示した製品への関心、およびトランスクリプトが存在する過去の電子メールと電話での会話の要約をまとめることで、営業チームが電話対応の準備ができるようにしたいと考えています。

このユースケースを実現するために、Agentforce スペシャリストはどのアプローチを推奨すべきでしょうか?

（A）標準基盤モデルを使用して、CRH および Data Cloud データに基づいたプロンプト テンプレートを使用します。

（B）データの複雑さに応じて標準の基礎モデルを微調整します。

（C）まず、このデータに UC 独自のカスタム基礎モデルをデプロイします。

正解：A

For no-code implementations, Prompt Builder allows Agentforce Specialists to create prompt templates that dynamically ground responses in Salesforce CRM data (e.g., past purchases) and Data Cloud insights (e.

g., product interests) without custom coding. The standard foundation model (e.g., Einstein GPT) can synthesize this data into summaries, leveraging structured and unstructured sources (e.g., email/phone transcripts). Fine-tuning (B) or custom models (C) require code and are unnecessary here, as the use case does not involve unique data patterns requiring model retraining.

Reference:

Salesforce Help Article: Prompt Builder for No-Code AI ("Grounding in CRM and Data Cloud" section).

Einstein GPT Implementation Guide: "Generating Summaries with Pre-Built Models."

質問 35

Einstein Trust Layer アーキテクチャのどの部分が、大規模言語モデル (LLM) プロンプト内の組織独自のデータを活用して、関連性のある正確な応答を自信を持って返しますか?

（A）迅速な防御
（B）データマスキング
（C）ダイナミックグラウンディング

正解：C
Dynamic Grounding in the Einstein Trust Layer architecture ensures that large language model (LLM) prompts are enriched with organization-specific data (e.g., Salesforce records, Knowledge articles) to generate accurate and relevant responses. By dynamically injecting contextual data into prompts, it reduces hallucinations and aligns outputs with trusted business data.
* Prompt Defense (A) focuses on blocking malicious inputs or prompt injections but does not enhance responses with organizational data.
* Data Masking (B) redacts sensitive information but does not contribute to grounding responses in business context.
Reference:
Salesforce Help Article: Einstein Trust Layer - Dynamic Grounding ("How Dynamic Grounding Works" section).
Einstein Trust Layer Technical Overview: "Contextual Accuracy with Dynamic Grounding."

質問 36
Universal Containers には、ビジネス要件を完全に満たしていないアクティブな標準の電子メール プロンプト テンプレートがあります。問題の標準のプロンプト メール テンプレートのコンテンツを使用し、ビジネス要件を完全に満たすようにカスタマイズするには、Agentforce スペシャリストはどのような手順を踏む必要がありますか?
（A）新しいテンプレートとして保存し、必要に応じて編集します。
（B）既存のテンプレートを複製し、必要に応じて変更します。
（C）新しいバージョンとして保存し、必要に応じて編集します。

正解：B
Comprehensive and Detailed In-Depth Explanation:
Universal Containers (UC) has a standard email prompt template (likely a prebuilt template provided by Salesforce) that isn't meeting their needs, and they want to customize it while retaining its original content as a starting point. Let's assess the options based on Agentforce prompt template management practices.
* Option A: Save as New Template and edit as needed.In Agentforce Studio's Prompt Builder, there's no explicit "Save as New Template" option for standard templates. This phrasing suggests creating a new template from scratch, but the question specifies

using the content of the existing standard template
. Without a direct "save as" feature for standards, this option is imprecise and less applicable than cloning.
* Option B: Clone the existing template and modify as needed.Salesforce documentation confirms that standard prompt templates (e.g., for email drafting or summarization) can be cloned in Prompt Builder. Cloning creates a custom copy of the standard template, preserving its original content and structure while allowing modifications. The Agentforce Specialist can then edit the cloned template- adjusting instructions, grounding, or output format-to meet UC's specific business requirements. This is the recommended approach for customizing standard templates without altering the original, making it the correct answer.
* Option C: Save as New Version and edit as needed.Prompt Builder supports versioning for custom templates, allowing users to save new versions of an existing template to track changes. However, standard templates are typically read-only and cannot be versioned directly-versioning applies to custom templates after cloning. The question implies starting with the standard template's content, so cloning precedes versioning. This option is a secondary step, not the initial action, making it incorrect.
Why Option B is Correct:
Cloning is the documented method to repurpose a standard prompt template's content while enabling customization. After cloning, the specialist can modify the new custom template (e.g., tweak the email prompt's tone, structure, or grounding) to align with UC's requirements. This preserves the original standard template and follows Salesforce best practices.
References:
Salesforce Agentforce Documentation: Prompt Builder > Managing Templates - Details cloning standard templates for customization.
Trailhead: Build Prompt Templates in Agentforce - Explains how to clone standard templates to create editable copies.
Salesforce Help: Customize Standard Prompt Templates - Recommends cloning as the first step for modifying prebuilt templates.

質問 37
Agentforce は、カスタム プロンプト テンプレートを使用してセールス メールを作成する必要があります。次のデータに基づいて作成する必要があります。
機会 製品 顧客に近いイベント トーンとボイスの例
Agentforce スペシャリストは関連アイテムをどのように入手すればよいですか?
（A）プロンプトによって開始されるフローを呼び出して、必要なデータを取得して取得します。

（B）問題のレコードを入力として受け取る flex テンプレートを作成します。
（C）標準の電子メール テンプレートを利用し、必要なデータ フィールドを手動で挿入します。

正解：A
To ground a sales email on Opportunity Products, Events near the customer, and Tone and voice examples, the Agentforce Specialist should use a prompt-initiated flow. This flow can dynamically fetch the necessary data from related records in Salesforce and ground the generative AI output with contextually accurate information.
* Option B (flex template) does not provide the ability to fetch dynamic data from Salesforce records automatically.
* Option C (manual insertion) would not allow for the dynamic and automated grounding of data required for custom prompts.
Refer to Salesforce documentation on flows and grounding for more details on integrating data into custom prompt templates.

質問 38
ユニバーサルコンテナーズは、AI を活用して営業チームの日常業務を効率化することを目指しています。
これらの新しいワークフローを検討する場合、どの改善に Prompt Builder の使用が必要ですか?
（A）AI が生成した商談成立までの時間の見積もりを入力する
（B）販売契約の AI 生成概要フィールドに入力します。
（C）新しいリードに対して AI 生成のリード スコアを入力します。

正解：B
Prompt Builder is explicitly required to create AI-generated summary fields via prompt templates. These fields use natural language instructions to extract or synthesize information (e.g., summarizing contract terms). Time-to-close estimations (A) and lead scores (C) are typically handled by predictive AI (e.g., Einstein Opportunity Scoring) or analytics tools, which do not require Prompt Builder.
Reference:
Salesforce Help Article: Create AI-Generated Fields with Prompt Builder ("Summary Field Generation" example).
Einstein GPT for Sales Guide: "Automating Contract Summaries."

質問 39
Universal Containers のマーケティング チームは、顧客の行動、好み、購入履歴に基づ

いて電子メールをパーソナライズする方法を模索しています。
チームがソリューションとしてエージェントを使用する必要があるのはなぜですか?
（A）各顧客と関わる際に関連性の高いコンテンツを生成する
（B）過去のキャンペーンのパフォーマンスを分析する
（C）すべての顧客に自動メールを送信する

正解：A
Agent is designed to assist in generating personalized, AI-driven content based on customer data such as behavior, preferences, and purchase history. For the marketing team at Universal Containers, this is the perfect solution to create dynamic and relevant email content. By leveraging Agent, they can ensure that each customer receives tailored communications, improving engagement and conversion rates.
* Option A is correct as Agent helps generate real-time, personalized content based on comprehensive data about the customer.
* Option B refers more to Einstein Analytics or
* Marketing Cloud Intelligence, and Option C deals with automation, which isn't the primary focus of Agent.
:
Salesforce Agent Overview: https://help.salesforce.com/s/articleView?id=einstein_copilot_overview.htm

質問 40
Einstein Studio で基礎モデルを作成した後、応答の一貫性とランダム性のバランスを調整するために、An Agentforce はどのハイパーパラメータを使用する必要がありますか?
（A）ペナルティ存在
（B）変動性
（C）温度

正解：C
The Temperature hyperparameter controls the randomness of model outputs:
* Low Temperature (e.g., 0.2): More deterministic, consistent responses.
* High Temperature (e.g., 1.0): More creative, varied responses.
* Presence Penalty (Option A): Discourages repetition of tokens, unrelated to randomness.
* Variability (Option B): Not a standard hyperparameter in Einstein Studio.
References:
Einstein Studio Documentation: Model Hyperparameters
Explicitly states "Temperature adjusts the balance between predictable and random

outputs."

質問 41
Agentforce の推論エンジンの主な機能は何ですか?
（A）ユーザーの発話に応答するためのエージェントのトピックとアクションを識別する
（B）会話中にリアルタイムの自然言語応答を提供する
（C）会話履歴に基づいてレコードクエリを生成する

正解：A
Why is "Identifying agent topics and actions to respond to user utterances" the correct answer?
In Agentforce, the reasoning engine plays a critical role in interpreting user queries and determining the appropriate agent response.
Key Functions of the Reasoning Engine in Agentforce:
* Analyzing User Intent
* The reasoning engine interprets the meaning behind natural language user inputs.
* It maps user utterances to predefined topics to determine the correct AI-generated response.
* Selecting the Appropriate Agent Action
* The engine evaluates available actions and selects the best response based on the detected topic
.
* For example, if a user asks, "What is my current account balance?", the reasoning engine:
* Identifies the topic: "Account Information"
* Chooses the correct action: "Retrieve account balance"
* Executes the action and returns the response
* Ensuring AI Accuracy and Context Awareness
* The reasoning engine grounds AI-generated responses in relevant Salesforce data, ensuring accurate outputs.
Why Not the Other Options?
B. Offering real-time natural language response during conversations.
* Incorrect because real-time natural language processing (NLP) is handled by the large language model (LLM), not the reasoning engine.
* The reasoning engine focuses on action selection, not linguistic processing.
C. Generating record queries based on conversation history.
* Incorrect because query generation is handled by Copilot Actions (e.g., Query Records), not the reasoning engine.

* The reasoning engine decides which query should be run, but does not generate queries itself.
Agentforce Specialist References
* Salesforce AI Specialist Material explains that the reasoning engine identifies topics and selects agent actions.
* Salesforce Instructions for the Certification confirm that the reasoning engine determines AI workflow execution.

質問 42
Universal Containers (UC) は、Generative AI Salesforce 機能を使用して、既存のナレッジ記事に基づいて推奨される返信を提供することで、サービス エージェントの処理時間を短縮したいと考えています。UC はどの AI 機能についてサービス エージェントをトレーニングする必要がありますか?
（A）サービス応答
（B）ケース返信
（C）知識の返答

正解：A
Service Replies (specifically Einstein Service Replies) is the Salesforce Generative AI functionality designed to automatically draft responses for service agents in real-time, based on contextual information, including existing knowledge articles. This directly addresses Universal Containers' need to reduce handling time by providing recommended replies grounded in their knowledge base

質問 43
Universal Container の内部監査チームは、生成されるプロンプトで住所情報が適切にマスクされていることを確認するよう An Agentforce に依頼します。
Agentforce スペシャリストは、Einstein Trust Layer 内のマスクされたデータのプライバシーをどのように検証する必要がありますか?
（A）アドレスフィールドでデータ暗号化を有効にする
（B）プラットフォームのイベントログを確認する
（C）AI 監査証跡を検査する

正解：C
The AI audit trail in Salesforce provides a detailed log of AI activities, including the data used, its handling, and masking procedures applied in the Einstein Trust Layer. It allows the Agentforce Specialist to inspect and verify that sensitive data, such as addresses, is appropriately masked before being used in prompts or outputs.

* Enable data encryption on the address field: While encryption ensures data security at rest or in transit, it does not verify masking in AI operations.
* Review the platform event logs: Platform event logs capture system events but do not specifically focus on the handling or masking of sensitive data in AI processes.
* Inspect the AI audit trail: This is the most relevant option, as it provides visibility into how data is processed and masked in AI activities.
Reference:
How Salesforce Ensures Trust in AI with Einstein Trust Layer | Salesforce .

質問 44
Data Cloud でカスタム検索インデックスを作成すると、何が自動的に作成されますか?
（A）カスタム検索インデックスの名前を共有するリトリーバー。
（B）手動で構成することなく、実行時にリトリーバー パラメータを選択できるようにする動的リトリーバー。
（C）開発者が特定のニーズに合わせて編集できる定義済みの Apex リトリーバー クラス。

正解：A
Comprehensive and Detailed In-Depth Explanation:
In Salesforce Data Cloud, a custom search index is created to enable efficient retrieval of data (e.g., documents, records) for AI-driven processes, such as grounding Agentforce responses. Let's evaluate the options based on Data Cloud's functionality.
* Option A: A retriever that shares the name of the custom search index.When a custom search index is created in Data Cloud, a corresponding retriever is automatically generated with the same name as the index. This retriever leverages the index to perform contextual searches (e.g., vector-based lookups) and fetch relevant data for AI applications, such as Agentforce prompt templates. The retriever is tied to the indexed data and is ready to use without additional configuration, aligning with Data Cloud's streamlined approach to AI integration. This is explicitly documented in Salesforce resources and is the correct answer.
* Option B: A dynamic retriever to allow runtime selection of retriever parameters without manual configuration.While dynamic behavior sounds appealing, there's no concept of a "dynamic retriever" in Data Cloud that adjusts parameters at runtime without configuration. Retrievers are tied to specific indexes and operate based on predefined settings established during index creation. This option is not supported by official documentation and is incorrect.
* Option C: A predefined Apex retriever class that can be edited by a developer to meet specific needs.Data Cloud does not generate Apex classes for retrievers. Retrievers are

managed within the Data Cloud platform as part of its native AI retrieval system, not as customizable Apex code. While developers can extend functionality via Apex for other purposes, this is not an automatic outcome of creating a search index, making this option incorrect.
Why Option A is Correct:
The automatic creation of a retriever named after the custom search index is a core feature of Data Cloud's search and retrieval system. It ensures seamless integration with AI tools like Agentforce by providing a ready-to-use mechanism for data retrieval, as confirmed in official documentation.
References:
Salesforce Data Cloud Documentation: Custom Search Indexes - States that a retriever is auto-created with the same name as the index.
Trailhead: Data Cloud for Agentforce - Explains retriever creation in the context of search indexes.
Salesforce Help: Set Up Search Indexes in Data Cloud - Confirms the retriever-index relationship.

質問 45
Agentforce スペシャリストの役割は、エージェントのインタラクションを分析し、ユーザー入力、リクエスト、クエリを調べてパターンと傾向を特定することです。Agentforce スペシャリストがこれを実現できる機能は何ですか?
（A）エージェント イベント ログ ダッシュボード。
（B）AI 監査およびフィードバック データ ダッシュボード。
（C）ユーザー発話ダッシュボード。

正解：C
Comprehensive and Detailed In-Depth Explanation:
The task requires analyzing user inputs, requests, and queries to identify patterns and trends in Agentforce interactions. Let's assess the options based on Agentforce's analytics capabilities.
* Option A: Agent Event Logs dashboard.Agent Event Logs capture detailed technical events (e.g., API calls, errors, or system-level actions) related to agent operations. While useful for troubleshooting or monitoring system performance, they are not designed to analyze user inputs or conversational trends. This option does not meet the requirement and is incorrect.
* Option B: AI Audit and Feedback Data dashboard.There's no specific "AI Audit and Feedback Data dashboard" in Agentforce documentation. Feedback mechanisms exist (e.g., user feedback on responses), and audit trails may track changes, but no single

dashboard combines these for analyzing user queries and trends. This option appears to be a misnomer and is incorrect.
* Option C: User Utterances dashboard.The User Utterances dashboard in Agentforce Analytics is specifically designed to analyze user inputs, requests, and queries. It aggregates and visualizes what users are asking the agent, identifying patterns (e.g., common topics) and trends (e.g., rising query types). Specialists can use this to refine agent instructions or topics, making it the perfect tool for this task. This is the correct answer per Salesforce documentation.
Why Option C is Correct:
The User Utterances dashboard is tailored for conversational analysis, offering insights into user interactions that align with the specialist's goal of identifying patterns and trends. It's a documented feature of Agentforce Analytics for post-deployment optimization.
References:
Salesforce Agentforce Documentation: Agent Analytics > User Utterances Dashboard - Describes its use for analyzing user queries.
Trailhead: Monitor and Optimize Agentforce Agents - Highlights the dashboard's role in trend identification.
Salesforce Help: Agentforce Dashboards - Confirms User Utterances as a key tool for interaction analysis.

質問 46
Universal Containers (UC) は、エージェントを本番環境に導入する前に、その有効性、信頼性、信頼性を確認したいと考えています。UC は、大量の繰り返し可能な発話を効率的にテストしたいと考えています。
Agentforce スペシャリストは何を推奨すべきでしょうか?
（A) エージェントの大規模言語モデル (LLM) UI を活用し、エージェントをアクティブ化する前に、さまざまな発話で UC のエージェントをテストします。
（B) エージェントを QA サンドボックス環境にデプロイし、発話分析レポートを確認して有効性を確認します。
（C) テスト テンプレートを使用して、Agentforce テスト センターで UC のテスト ケースを含む CSV ファイルを作成します。

正解：C
Comprehensive and Detailed In-Depth Explanation:
The goal of Universal Containers (UC) is to test its Agentforce agents for effectiveness, reliability, and trust before production deployment, with a focus on efficiently handling a large and repeatable number of utterances. Let's evaluate each option against this

requirement and Salesforce's official Agentforce tools and best practices.

* Option A: Leverage the Agent Large Language Model (LLM) UI and test UC's agents with different utterances prior to activating the agent.While Agentforce leverages advanced reasoning capabilities (powered by the Atlas Reasoning Engine), there's no specific "Agent Large Language Model (LLM) UI" referenced in Salesforce documentation for testing agents. Testing utterances directly within an LLM interface might imply manual experimentation, but this approach lacks scalability and repeatability for a large number of utterances. It's better suited for ad-hoc testing of individual responses rather than systematic evaluation, making it inefficient for UC's needs.

* Option B: Deploy the agent in a QA sandbox environment and review the Utterance Analysis reports to review effectiveness.Deploying an agent in a QA sandbox is a valid step in the development lifecycle, as sandboxes allow testing in a production-like environment without affecting live data.

However, "Utterance Analysis reports" is not a standard term in Agentforce documentation. Salesforce provides tools like Agent Analytics or User Utterances dashboards for post-deployment analysis, but these are more about monitoring live performance than pre-deployment testing. This option doesn't explicitly address how to efficiently test a large and repeatable number of utterances before deployment, making it less precise for UC's requirement.

* Option C: Create a CSV file with UC's test cases in Agentforce Testing Center using the testing template.The Agentforce Testing Center is a dedicated tool within Agentforce Studio designed specifically for testing autonomous AI agents. According to Salesforce documentation, Testing Center allows users to upload a CSV file containing test cases (e.g., utterances and expected outcomes) using a provided template. This enables the generation and execution of hundreds of synthetic interactions in parallel, simulating real-world scenarios. The tool evaluates how the agent interprets utterances, selects topics, and executes actions, providing detailed results for iteration. This aligns perfectly with UC's need for efficiency (bulk testing via CSV), repeatability (standardized test cases), and reliability (systematic validation), ensuring the agent is production-ready. This is the recommended approach per official guidelines.

Why Option C is Correct:

The Agentforce Testing Center is explicitly built for pre-deployment validation of agents. It supports bulk testing by allowing users to upload a CSV with utterances, which is then processed by the Atlas Reasoning Engine to assess accuracy and reliability. This method ensures UC can systematically test a large dataset, refine agent instructions or topics based on results, and build trust in the agent's

performance-all before production deployment. This aligns with Salesforce's emphasis on testing non-deterministic AI systems efficiently, as noted in Agentforce setup documentation and Trailhead modules.
References:
Salesforce Trailhead: Get Started with Salesforce Agentforce Specialist Certification Prep - Details the use of Agentforce Testing Center for testing agents with synthetic interactions.
Salesforce Agentforce Documentation: Agentforce Studio > Testing Center - Explains how to upload CSV files with test cases for parallel testing.
Salesforce Help: Agentforce Setup > Testing Autonomous AI Agents - Recommends Testing Center for pre- deployment validation of agent effectiveness and reliability.

質問 47
Universal Containers (UC) には、Salesforce と統合する必要があるレガシー システムがあります。UC は、生成 API 機能を使用してアカウント アクション プランのダイジェストを作成したいと考えています。
この要件を満たすために UC はどの API サービスを使用する必要がありますか?
（A）REST API
（B）メタデータ API
（C）SOAP API

正解：A
To create a digest of account action plans using the generative API feature, Universal Containers should use the REST API. The REST API is ideal for integrating Salesforce with external systems and enabling interaction with Salesforce data, including generative capabilities like creating summaries or digests. It supports modern web standards and is suitable for flexible, lightweight interactions between Salesforce and legacy systems.
* Metadata API is used for retrieving and deploying metadata, not for data operations like generating summaries.
* SOAP API is an older API used for integration but is less flexible compared to REST for this specific use case.
For more details, refer to Salesforce REST API documentation regarding using REST for data integration and generating content.

質問 48
Universal Containers (UC) は、Salesforce Service Cloud を使用して、顧客とケースを処理するエージェントをサポートしています。

UC は、エージェントを実装し、Service Cloud をモバイル ユーザーに拡張することを検討しています。
エージェントの実装が最も有利なのはいつでしょうか?
（A）顧客サポートプロセスを合理化し、応答時間を改善することが目標である場合
（B）主な目的がデータセキュリティとコンプライアンス対策の強化である場合
（C）マーケティングキャンペーンと戦略の最適化に重点を置く場合

正解：A
Agent implementation would be most advantageous in Salesforce Service Cloud when the goal is to streamline customer support processes and improve response times. Agent can assist agents by providing real-time suggestions, automating repetitive tasks, and generating contextual responses, thus enhancing service efficiency.
* Option B (data security) is not the primary focus of Agent, which is more about improving operational efficiency.
* Option C (marketing campaigns) falls outside the scope of Service Cloud and Agent's primary benefits, which are aimed at improving customer service and case management.
For further reading, refer to Salesforce documentation on Agent for Service Cloud and how it improves support processes.

質問 49
Universal Containers (UC) は、すべての必須フィールドを使用して Data Cloud で新しい PDF ファイルの取り込みを構成し、マッピングと検索インデックスも作成しました。UC は現在、リトリーバーを設定していますが、必須フィールドが欠落していることに気付きました。
UC はこれをどのように解決すべきでしょうか?
（A）必要なフィールドを含む新しいカスタム Data Cloud オブジェクトを作成します。
（B）目的のフィールドが含まれるように検索インデックスを更新します。
（C）必要なフィールドが含まれるようにリトリーバーの構成を変更します。

正解：B
Why is "Update the search index to include the desired field" the correct answer?
When configuring a retriever in Data Cloud for PDF file ingestion, all necessary fields must be included in the search index. If a required field is missing, the correct action is to update the search index to ensure it is available for retrieval.
Key Considerations for Fixing Missing Fields in Data Cloud Retrievers:
* Search Index Controls Which Fields Are Searchable
* The search index defines which fields are indexed and accessible to the retriever.

* If a field is missing, it must be added to the index before it can be queried.
* Ensures Complete and Accurate Data Retrieval
* Without indexing, the retriever cannot reference the missing field in AI responses.
* Updating the index makes the field available for AI-powered retrieval.
* Supports AI-Grounded Responses
* Agentforce relies on Retriever-Augmented Generation (RAG) to ground AI responses in searchable Data Cloud content.
* Ensuring all relevant fields are indexed improves AI-generated answer accuracy.
Why Not the Other Options?
A. Create a new custom Data Cloud object that includes the desired field.
* Incorrect because the issue is with indexing, not with Data Cloud object structure.
* The field already exists in Data Cloud; it just needs to be indexed.
C. Modify the retriever's configuration to include the desired field.
* Incorrect because retriever configurations only define query rules; they do not modify the index itself.
* Updating the search index is the required step to ensure the field is retrievable.
Agentforce Specialist References
* Salesforce AI Specialist Material confirms that search indexing is required for retrievers to access specific fields in Data Cloud.

質問 50
Agentforce は Agent でカスタム アクションを作成しています。
Agentforce スペシャリストがカスタム コパイロット アクションに選択できるオプションはどれですか?
（A）Apex トリガー
（B）SOQL
（C）フロー

正解：C
When creating a custom action in Agent, one of the available options is to use Flows. Flows are a powerful automation tool in Salesforce, allowing the Agentforce Specialist to define custom logic and actions within the Copilot system. This makes it easy to extend Copilot's functionality without needing custom code.
While Apex triggers and SOQL are important Salesforce tools, Flows are the recommended method for creating custom actions within Agent because they are declarative and highly adaptable.
For further guidance, refer to Salesforce Flow documentation and Agent customization resources.

質問 51

Universal Containers では、音声通話とビデオ通話の記録を分析して、競合他社の言及、コーチングの機会、その他の重要な情報に関する洞察を提供できるツールを必要としています。目標は、改善の余地と競合情報を特定することで、チームのパフォーマンスを向上させることです。

競合他社の言及やコーチングの機会に関する洞察を提供する機能はどれですか?

（A）通話要約

（B）アインシュタインセールスインサイト

（C）エクスプローラーを呼び出す

正解：C

For analyzing voice and video call records to gain insights into competitor mentions, coaching opportunities, and other key information, Call Explorer is the most suitable feature. Call Explorer, a part of Einstein Conversation Insights, enables sales teams to analyze calls, detect patterns, and identify areas where improvements can be made. It uses natural language processing (NLP) to extract insights, including competitor mentions and moments for coaching. These insights are vital for improving sales performance by providing a clear understanding of the interactions during calls.

* Call Summaries offer a quick overview of a call but do not delve deep into competitor mentions or coaching insights.

* Einstein Sales Insights focuses more on pipeline and forecasting insights rather than call-based analysis.

:

Salesforce Einstein Conversation Insights Documentation: https://help.salesforce.com/s/articleView?id=einstein_conversation_insights.htm

質問 52

Agentforce は、営業チーム向けに営業メール プロンプト テンプレートの使用を有効にする必要があります。Agentforce スペシャリストは、すでにプロンプト ビルダーでテンプレートを作成しています。

ベスト プラクティスによれば、営業チームがこれらのテンプレートを使用できるようにするには、Agentforce スペシャリストはどのような手順を実行する必要がありますか?

（A）プロンプト テンプレート ユーザー権限セットを割り当て、セットアップで営業メールを有効にします。

（B）プロンプト テンプレート マネージャー権限セットを割り当て、セットアップでセールス メールを有効にします。

（C）Data Cloud 管理者権限セットを割り当て、セットアップで営業メールを有効にします。

正解：A
To enable Sales Email prompt templates:
* Permission Set: Assign the Prompt Template User permission set to the sales team to grant access to use pre-built templates.
* Feature Activation: Enable Sales Emails in Salesforce Setup to activate the integration between prompt templates and email workflows.
* Option B (Manager permission set): Required for creating/modifying templates, not for usage.
* Option C (Data Cloud Admin): Unrelated to prompt template access.
References:
Salesforce Help: Prompt Template Permissions
Specifies that "Prompt Template User" is required to leverage templates in workflows.
Sales Email Setup outlines enabling the feature in Setup.

質問 53
Universal Containers（UC）は、顧客サービス業務を強化するために、Service AI Grounding を実装しています。
UC は、AI によって生成された応答が最も関連性の高いデータ ソースに基づいていることを保証したいと考えています。チームは、サポートされているすべてのオブジェクトを基準としてシステムを構成する必要があります。
UC が Service AI Grounding を構成するために選択する必要があるオブジェクトはどれですか?
（A）ケース、知識、ケースノート
（B）事例と知識
（C）ケース、ケースメール、ナレッジ

正解：B
Universal Containers (UC) is implementing Service AI Grounding to enhance its customer service operations.
They aim to ensure that AI-generated responses are grounded in the most relevant data sources and need to configure the system to include all supported objects for grounding.
Supported Objects for Service AI Grounding:
* Case
* Knowledge

* Case Object:
* Role in Grounding: Provides contextual data about customer inquiries, including case details, status, and history.
* Benefit: Grounding AI responses in case data ensures that the information provided is relevant to the specific customer issue being addressed.
* Knowledge Object:
* Role in Grounding: Contains articles and documentation that offer solutions and information related to common issues.
* Benefit: Utilizing Knowledge articles helps the AI provide accurate and helpful responses based on verified information.
* Exclusion of Other Objects:
* Case Notes and Case Emails:
* Not Supported for Grounding: While useful for internal reference, these objects are not included in the supported objects for Service AI Grounding.
* Reason: They may contain sensitive or unstructured data that is not suitable for AI grounding purposes.
Why Options A and C are Incorrect:
* Option A (Case, Knowledge, and Case Notes):
* Case Notes Not Supported: Case Notes are not among the supported objects for grounding in Service AI.
* Option C (Case, Case Emails, and Knowledge):
* Case Emails Not Supported: Case Emails are also not included in the list of supported objects for grounding.
References:
Salesforce Agentforce Specialist Documentation - Service AI Grounding Configuration: Details the objects supported for grounding AI responses in Service Cloud.
Salesforce Help - Implementing Service AI Grounding: Provides guidance on setting up grounding with Case and Knowledge objects.
Salesforce Trailhead - Enhance Service with AI Grounding: Offers an interactive learning path on using AI grounding in service scenarios.

質問 54
Universal Containers は、Einstein Trust Layer を Einstein Generative AI Audit Data と組み合わせて活用することを検討しています。
Einstein Trust Layer を使用して利用できる監査データはどれですか?
（A）応答精度と攻撃性スコア
（B）幻覚スコアとバイアススコア
（C）マスクされたデータと毒性スコア

正解：C

Universal Containers is considering the use of the Einstein Trust Layer along with Einstein Generative AI Audit Data. The Einstein Trust Layer provides a secure and compliant way to use AI by offering features like data masking and toxicity assessment. The audit data available through the Einstein Trust Layer includes information about masked data-which ensures sensitive information is not exposed-and the toxicity score, which evaluates the generated content for inappropriate or harmful language.

References:

Salesforce Agentforce Specialist Documentation - Einstein Trust Layer: Details the auditing capabilities, including logging of masked data and evaluation of generated responses for toxicity to maintain compliance and trust.

質問 55

モデルプレイグラウンドでは、既存の

Salesforce 対応の基本モデルは Agentforce によって変更できますか?

（A）温度、頻度ペナルティ、存在ペナルティ

（B）温度、Top-k サンプリング、プレゼンスペナルティ

（C）温度、周波数ペナルティ、出力トークン

正解：A

In Model Playground, An Agentforce working with a Salesforce-enabled foundational model has control over specific hyperparameters that can directly affect the behavior of the generative model:

* Temperature: Controls the randomness of predictions. A higher temperature leads to more diverse outputs, while a lower temperature makes the model's responses more focused and deterministic.

* Frequency Penalty: Reduces the likelihood of the model repeating the same phrases or outputs frequently.

* Presence Penalty: Encourages the model to introduce new topics in its responses, rather than sticking with familiar, previously mentioned content.

These hyperparameters are adjustable to fine-tune the model's responses, ensuring that it meets the desired behavior and use case requirements. Salesforce documentation confirms that these three are the key tunable hyperparameters in the Model Playground.

For more details, refer to Salesforce AI Model Playground guidance from Salesforce's official documentation on foundational model adjustments.

質問 56
Universal Containers は、顧客の関心に最も近い製品に関するマーケティング メールを計画しています。
この電子メールを生成するために Agentforce が推奨するものは何ですか?
（A）製品への関心をマッチングするための Apex またはフローを使用した標準的な電子メール マーケティング テンプレート
（B）興味と製品情報に基づいたカスタム販売メールテンプレート
（C）Einstein を使用した標準メールの下書きと標準メール テンプレートの選択

正解：B
To generate an email about products that closely match a customer's expressed interests, An Agentforce should recommend using a custom sales email template that is grounded with interest and product information. This ensures that the email content is personalized based on the customer's preferences, increasing the relevance of the marketing message.
Using grounding ensures that the generative AI pulls the correct data related to customer interests and product matches, making the email more effective.
For more information, refer to Salesforce documentation on grounding AI-generated content and email personalization strategies.

質問 57
Universal Containers の現在の AI データ マスキング ルールは、組織のプライバシーとセキュリティのポリシーおよび要件に準拠していません。
問題を解決するために、An Agentforce は何を推奨すべきでしょうか?
（A）サンドボックスの更新のデータ マスキングを有効にします。
（B）Einstein Trust Layer セットアップでデータ マスキングを構成します。
（C）LLM セットアップに新しいデータ マスキング ルールを追加します。

正解：B
When Universal Containers' AI data masking rules do not meet organizational privacy and security standards, the Agentforce Specialist should configure the data masking rules within the Einstein Trust Layer. The Einstein Trust Layer provides a secure and compliant environment where sensitive data can be masked or anonymized to adhere to privacy policies and regulations.
* Option A, enabling data masking for sandbox refreshes, is related to sandbox environments, which are separate from how AI interacts with production data.
* Option C, adding masking rules in the LLM setup, is not appropriate because data masking is managed through the Einstein Trust Layer, not the LLM configuration.

The Einstein Trust Layer allows for more granular control over what data is exposed to the AI model and ensures compliance with privacy regulations.
Salesforce Agentforce Specialist References:
For more information, refer to: https://help.salesforce.com/s/articleView?id=sf.einstein_trust_layer_data_masking.htm

質問 58
Universal Containers はユーザー向けに Agentforce を実装しました。あるユーザーから、エージェントが過去 7 日間のアクティビティを削除していないという苦情がありました。この問題の原因は何ですか?
（A）Agentforce にはユーザーのレコードを削除する権限がありません。
（B）Agentforce レコード削除アクション権限がユーザーに関連付けられていません。
（C）Agentforce には標準のレコード削除アクションがありません。

正解：C
* Context of the QuestionUniversal Containers (UC) uses Agentforce, a specialized AI-driven assistant for Salesforce. A user reports that an Agent is unable to delete recent activities.
* Why Agentforce Cannot Delete Records
* Agentforce's Standard Actions: Agentforce typically has predefined or "standard" actions like Create, Update, or Summarize records. However, a standard Delete Record action is not part of the default set of Agentforce actions.
* Implication: If Agentforce has no built-in delete functionality, it cannot remove activities-even if the user has permission to delete them in the Salesforce UI.
* Why Other Options Are Incorrect
* Option A - Permission to Delete the User's Records: Standard Salesforce user permissions do not automatically extend to Agentforce's capabilities. Even if the user can delete records, that doesn't grant Agentforce a new action.
* Option B - Agentforce Delete Record Action Permission: There is no separate "Delete Record Action permission" for Agentforce to be toggled. The relevant issue is that the standard Delete Record action does not exist within Agentforce out of the box.
* ConclusionThe core reason for the issue is that Agentforce does not support a standard Delete Record action (Choice C).
Salesforce Agentforce Specialist References & Documents
* Salesforce Official Documentation - Agentforce(Note: Agentforce may be a pilot or specialized feature; check pilot release notes or official docs for standard actions.)
* Salesforce Agentforce Specialist Study GuideCovers the limitations of certain AI-enabled features regarding record operations.

質問 59
Universal Containers は、サービス センター運営の生産性を向上させるために、Einstein Generative AI 機能を評価しています。
Agentforce スペシャリストはどの機能を推奨すべきでしょうか?
（A）サービス返信とケース概要
（B）サービス返信と作業概要
（C）返信の推奨事項と販売概要

正解：A
To improve the productivity of the service center, the Agentforce Specialist should recommend the Service Replies and Case Summaries features.
* Service Replies helps agents by automatically generating suggested responses to customer inquiries, reducing response time and improving efficiency.
* Case Summaries provide a quick overview of case details, allowing agents to get up to speed faster on customer issues.
* Work Summaries are not as relevant for direct customer service operations, and Sales Summaries are focused on sales processes, not service center productivity.
For more information, see Salesforce's Einstein Service Cloud documentation on the use of generative AI to assist customer service teams.

質問 60
ユニバーサルコンテナーズが新しい AI プロジェクトを開始しました。
プロンプト テンプレートで使用するアカウント オブジェクトに関連リストを追加する場合、Agentforce では何を考慮すべきでしょうか?
（A）アカウントから関連リストを選択した後、フィールド ピッカーを使用してプロンプト ビルダーでマージ フィールドを選択します。
（B）関連リストからフィールドを JSON 形式として割り当てるには、プロンプト ビルダーを使用する必要があります。
（C）関連リストのフィールドは、現在のユーザーのアカウントのデフォルトのページ レイアウトに基づいています。

正解：A
* Context of the QuestionUniversal Containers (UC) wants to include details from a related list on the Account object in a prompt template. This is typically done via Prompt Builder in Salesforce's generative AI setup.
* Prompt Builder Behavior
* Selecting a Related List: Within Prompt Builder, you can navigate to the object

(Account) and choose which related list (e.g., Contacts, Opportunities) you want to reference.
* Field Picker: Once a related list is chosen, Prompt Builder provides a field picker interface, allowing you to select specific fields from that related list. These fields then become available for merge fields or dynamic insertion within your prompt.
* Why Option A is Correct
* Direct Alignment with the Standard Process: The recommended approach in Salesforce's documentation is to select a related list and then use the field picker to add the necessary fields into your AI prompt. This ensures the prompt has exactly the data you need from that related list.
* Why Not Option B (JSON Formatting)
* No Mandatory JSON Requirement: Although you can structure data as JSON if you desire advanced formatting, Prompt Builder does not require you to manually assign the fields from the related list in JSON. The platform automatically handles how the data is passed along in the background.
* Why Not Option C (Default Page Layout)
* Independent of Page Layout: Prompt Builder does not rely strictly on the default page layout for fields. You can configure the fields you want from the related list, independent of how the user's page layout is set up in the UI.
* ConclusionSince the official Salesforce approach involves selecting a related list and then using the field picker to insert merge fields, Option A is the correct and verified answer.
Salesforce Agentforce Specialist References & Documents
* Salesforce Official Documentation: Prompt Builder BasicsExplains how to reference objects and related lists when building AI prompts.
* Salesforce Trailhead: Get Started with Prompt BuilderProvides hands-on exercises demonstrating how to pick fields from related objects or lists.
* Salesforce Agentforce Specialist Study GuideOutlines best practices for referencing related records and fields in generative AI prompts.

質問 61
Universal Containers は、多くのレコードで機能するフィールド生成プロンプト テンプレートを作成しましたが、ユーザーからトークン制限エラーによるランダムな失敗が報告されています。このエラーがランダムに発生する原因は何ですか?
（A）プロンプトグラウンディングによって生成されるトークンの可変量に対応するには、テンプレート タイプを Flex に切り替える必要があります。
（B）プロンプト テンプレートの動的な性質によって生成されるトークンの数は、レコードによって異なります。

（C）LLM で処理できるトークンの数は、ユーザーの総需要によって異なります。

正解：B

Comprehensive and Detailed In-Depth Explanation:

In Salesforce Agentforce, prompt templates are used to generate dynamic responses or field values by leveraging an LLM, often with grounding data from Salesforce records or external sources. The scenario describes a Field Generation prompt template that fails intermittently with token limit errors, indicating that the issue is tied to exceeding the LLM's token capacity (e.g., input + output tokens). The random nature of these failures suggests variability in the token count across different records, which is directly addressed by Option B.

Prompt templates in Agentforce can be dynamic, meaning they pull in record-specific data (e.g., customer names, descriptions, or other fields) to generate output. Since the data varies by record-some records might have short text fields while others have lengthy ones-the total number of tokens (words, characters, or subword units processed by the LLM) fluctuates. When the token count exceeds the LLM's limit (e.g., 4,096 tokens for some models), the process fails, but this only happens for records with higher token-generating data, explaining the randomness.

* Option A: Switching to a "Flex" template type might sound plausible, but Salesforce documentation does not define "Flex" as a specific template type for handling token variability in this context (there are Flow-based templates, but they're unrelated to token limits). This option is a distractor and not a verified solution.

* Option C: The LLM's token processing capacity is fixed per model (e.g., a set limit like 128,000 tokens for advanced models) and does not vary with user demand. Demand might affect performance or availability, but not the token limit itself.

Option B is the correct answer because it accurately identifies the dynamic nature of the prompt template as the root cause of variable token counts leading to random failures.

:

Salesforce Agentforce Documentation: "Prompt Templates" (Salesforce Help: https://help.salesforce.com/s
/articleView?id=sf.agentforce_prompt_templates.htm&type=5)

Trailhead: "Build Prompt Templates for Agentforce" (https://trailhead.salesforce.com/content/learn/modules
/build-prompt-templates-for-agentforce)

質問 62

Agentforce は、外部サービス呼び出し（REST API コールアウト）の応答からのデータ

をプロンプト テンプレートに含める必要があります。
Agentforce スペシャリストはこの要件をどのように満たすべきでしょうか?
（A）JSON を XML マージ フィールドに変換します。
（B）外部サービスレコードのマージフィールドを使用します。
（C）「プロンプト指示の追加」フロー要素を使用します。

正解：B
An Agentforce wants to include data from the response of an external service invocation (REST API callout) into a prompt template. The goal is to incorporate dynamic data retrieved from an external API into the AI- generated content.
Solution:
* Use External Service Record Merge Fields
* External Service Integration:
* Definition: External Services in Salesforce allow the integration of external REST APIs into Salesforce without custom code.
* Registration: The external service must be registered in Salesforce, defining the API's schema and methods.
* External Service Record Merge Fields:
* Purpose: Enables the inclusion of data from external service responses directly into prompt templates using merge fields.
* Functionality:
* Dynamic Data Inclusion: Allows prompt templates to access and use data returned from REST API callouts.
* Merge Fields Syntax: Use merge fields in the prompt template to reference specific data points from the API response.
Implementation Steps:
* Register the External Service:
* Use External Services to register the REST API in Salesforce.
* Define the API's schema, including methods and data structures.
* Create a Named Credential:
* Configure authentication and endpoint details for the external API.
* Use External Service in Flow:
* Build a Flow that invokes the external service and captures the response.
* Ensure the flow outputs the necessary data for use in the prompt template.
* Configure the Prompt Template:
* Use External Service Record merge fields in the prompt template to reference data from the flow's output.
* Syntax Example: {{flowOutputVariable.fieldName}}

Why Other Options are Less Suitable:
* Option A (Convert the JSON to an XML merge field):
* Irrelevance: Converting JSON to XML merge fields is unnecessary and complicates the process.
* Unsupported Method: Salesforce prompt templates do not support direct inclusion of XML merge fields from JSON conversion.
* Option C (Use "Add Prompt Instructions" flow element):
* Purpose of Add Prompt Instructions:
* Allows adding instructions to the prompt within a flow but does not facilitate including external data.
* Limitation: Does not directly help in incorporating external service responses into the prompt template.
References:
Salesforce Agentforce Specialist Documentation - Integrating External Services with Prompt Templates
:
Explains how to use External Services and merge fields in prompt templates.
Salesforce Help - Using Merge Fields with External Data:
Provides guidance on referencing external data in templates using merge fields.
Salesforce Trailhead - External Services and Flow:
Offers a practical understanding of integrating external APIs using External Services and Flow.
Conclusion:
By using External Service Record merge fields, the Agentforce Specialist can effectively include data from external REST API responses into prompt templates, ensuring that the AI-generated content is enriched with up-to-date and relevant external data.

質問 63
カスタム コパイロット アクションをアクティブ化する前に、Agentforce は、実際のユーザー発話を複数理解して、アクションが適切に選択されていることを確認する必要があります。
Agentforce スペシャリストはどのツールを推奨すべきでしょうか?
（A）モデルプレイグラウンド
（B）エージェント
（C）コパイロットビルダー

正解：A

Model Playground (specifically within the context of Generative AI and Copilot in Salesforce) allows you to test and refine the behavior of your AI models and, by extension, how your copilot actions interpret and respond to different user inputs (utterances). It's a sandbox environment where you can:
* Input various user utterances.
* See how the underlying Large Language Model (LLM) and the copilot's reasoning engine classify those utterances.
* Observe which actions are triggered by those utterances.
* Adjust the action instructions and examples to improve the copilot's understanding and ensure the correct action is chosen for specific user requests. This iterative testing is crucial for ensuring the action performs as expected in real-world scenarios.

質問 64
Universal Containers (UC) は、ファイルアップロードベースのデータライブラリとカスタムプロンプトを使用して、AI 駆動型トレーニングコンテンツをサポートします。ただし、ユーザーからは、AI が頻繁に古いドキュメントを返すという報告があります。コンテンツの関連性を向上させるために、UC はどのような是正措置を実施する必要がありますか?
（A）Salesforce ナレッジベースはドキュメントの新しさを自動的に管理し、最新のドキュメントが返されるようにするため、データ ライブラリ ソースをファイルのアップロードからナレッジベースのデータ ライブラリに切り替えます。
（B）定義された最近の期間内に更新されたドキュメントに取得を制限するフィルター条件を含むカスタム リトリーバーを構成し、AI 応答に現在のコンテンツのみが使用されるようにします。
（C）定期的な再アップロードにより、追加の構成やカスタム リトリーバーを必要とせずに、最終的に古いドキュメントが段階的に削除されるため、フィルターなしでデフォルトのリトリーバーを引き続き使用します。

正解：B
Comprehensive and Detailed In-Depth Explanation:
UC's issue is that their file upload-based Data Library (where PDFs or documents are uploaded and indexed into Data Cloud's vector database) is returning outdated training content in AI responses. To improve relevancy by ensuring only current documents are retrieved, the most effective solution is to configure a custom retriever with a filter (Option B). In Agentforce, a custom retriever allows UC to define specific conditions-such as a filter on a "Last Modified Date" or similar timestamp field-to limit retrieval to documents updated within a recent period (e.g., last 6 months). This ensures the AI grounds its responses in the most current content, directly addressing

the problem of outdated documents without requiring a complete overhaul of the data source.
* Option A: Switching to a Knowledge-based Data Library (using Salesforce Knowledge articles) could work, as Knowledge articles have versioning and expiration features to manage recency.
However, this assumes UC's training content is already in Knowledge articles (not PDFs) and requires migrating all uploaded files, which is a significant shift not justified by the question's context. File- based libraries are still viable with proper filtering.
* Option B: This is the best corrective action. A custom retriever with a date filter leverages the existing file-based library, refining retrieval without changing the data source, making it practical and targeted.
* Option C: Relying on periodic re-uploads with the default retriever is passive and inefficient. It doesn't guarantee recency (old files remain indexed until manually removed) and requires ongoing manual effort, failing to proactively solve the issue.
Option B provides a precise, scalable solution to ensure content relevancy in UC's AI-driven training system.
:
Salesforce Agentforce Documentation: "Custom Retrievers for Data Libraries" (Salesforce Help: https://help.
salesforce.com/s/articleView?id=sf.agentforce_custom_retrievers.htm&type=5)
Salesforce Data Cloud Documentation: "Filter Retrieval for AI" (https://help.salesforce.com/s/articleView?
id=sf.data_cloud_retrieval_filters.htm&type=5)
Trailhead: "Manage Data Libraries in Agentforce" (https://trailhead.salesforce.com/content/learn/modules
/agentforce-data-libraries)

質問 65
Universal Containers には厳格な変更管理プロセスがあり、本番環境に展開されるサンドボックスですべての可能な構成を完了する必要があります。Agentforce スペシャリストは、拡張メッセージングの作業サマリーを設定することを任されています。Einstein Generative AI はすでに本番環境で有効になっており、Einstein 作業サマリー権限セットはすでに本番環境で利用可能です。
Agentforce スペシャリストは、本番組織に展開できるサンドボックスで他にどのような構成手順を実行する必要がありますか?
（A）問題、解決策、概要を保存するためのカスタム フィールドを作成し、これらのフィールドを更新するクイック アクションを作成します。メッセージング セッション レコ

ードの paae レイアウトに Wrap Up コンポーネントを追加します。また、対象のエージェントの権限セットの割り当てを作成します。
（B）Epstein 設定メニューから、[Einstein を有効にする] を選択します。問題、解決策、概要を保存するカスタム フィールドを作成します。これらのフィールドを更新するクイック アクションを作成します。そして、メッセージング セッション レコード ページ レイアウトにラップアップ コンポーネントを追加します。
（C）問題、解決策、概要を保存するためのカスタム フィールドを作成し、これらのフィールドを更新するクイック アクションを作成します。そして、メッセージング セッション レコード ページにラップアップ コンポーネントを追加します。

正解：C
* Context of the Question
* Universal Containers (UC) has a strict change management process that requires all possible configuration be completed in a sandbox and deployed to Production.
* Einstein Generative AI is already enabled in Production, and the "Einstein Work Summaries" permission set is already available in Production.
* The Agentforce Specialist needs to configure Work Summaries for Enhanced Messaging in the sandbox.
* What Can Actually Be Deployed from Sandbox to Production?
* Custom Fields: Metadata that is easily created in sandbox and then deployed.
* Quick Actions: Also metadata-based and can be deployed from sandbox to production.
* Layout Components: Page layout changes (such as adding the Wrap Up component) can be added to a change set or deployment package.
* Why Option C is Correct
* No Need to Turn on Einstein in Sandbox for Deployment: Einstein Generative AI is already enabled in Production; turning it on in the sandbox is typically a manual step if you want to test, but that step itself is not "deployable" in the sense of metadata.
* Permission Set Assignments (as in Option A) are not deployable metadata. You can deploy the Permission Set itself but not the specific user assignments. Since the question specifically asks
Which other configuration steps should be taken in the sandbox that can be deployed to the production org?, user assignment is not one of them.
* Why Not Option A or B?
* Option A: Mentions creating permission set assignments for agents. This cannot be directly deployed from sandbox to Production, as permission set assignments are user-specific and considered "data," not metadata.
* Option B: Mentions "Turn on Einstein." But Einstein Generative AI is already enabled in Production. Additionally, "Turning on Einstein" is typically an org-level

setting, not a deployable metadata item.
* ConclusionThe main deployable items you can reliably create and test in a sandbox, and then migrate to Production, are:
* Custom Fields (Issue, Resolution, Summary).
* A Quick Action that updates those fields.
* Page Layout Change to include the Wrap Up component.
Therefore, Option C is correct and focuses on actions that are truly deployable as metadata from a sandbox to Production.
Salesforce Agentforce Specialist References & Documents
* Salesforce Trailhead: Work Summaries with Einstein GPTProvides an overview of how to configure Work Summaries, including the need for custom fields, quick actions, and UI components.
* Salesforce Documentation: Deploying Metadata Between OrgsExplains what can and cannot be deployed via change sets (e.g., custom fields, page layouts, quick actions vs. user permission set assignments).
* Salesforce Agentforce Specialist Study GuideOutlines which Einstein Generative AI and Work Summaries configurations are deployable as metadata.

質問 66
Universal Containers は、Agentforce for Sales を使用して類似の商談を見つけ、取引をより迅速に成立させようとしています。チームは、エージェントが商談をマッチングするために使用する基準を理解したいと考えています。Agentforce for Sales が類似の商談をマッチングするために使用する 1 つの基準は何ですか?
（A）一致した商談のステータスは、過去 12 か月間で「受注成立」です。
（B）マッチングされた商談は同じアカウントに限定されます。
（C）一致する商談は過去 12 か月以内に作成されました。

正解：A
Comprehensive and Detailed In-Depth Explanation:
UC uses Agentforce for Sales to identify similar opportunities, aiding deal closure. Let's determine a criterion used by the "Find Similar Opportunities" feature.
* Option A: Matched opportunities have a status of Closed Won from the last 12 months.Agentforce for Sales analyzes historical data to find similar opportunities, prioritizing "Closed Won" deals as successful examples. Documentation specifies a 12-month lookback period for relevance, ensuring recent, applicable matches. This is a key criterion, making it the correct answer.
* Option B: Matched opportunities are limited to the same account.While account context may factor in, Agentforce doesn't restrict matches to the same account-it

considers broader patterns across opportunities (e.g., industry, deal size). This is too narrow and incorrect.
* Option C: Matched opportunities were created in the last 12 months.Creation date isn't a primary criterion-status (e.g., Closed Won) and recency of closure matter more. This doesn't align with documented behavior, making it incorrect.
Why Option A is Correct:
Closed Won status within 12 months is a documented criterion for Agentforce's similarity matching, providing actionable insights for deal closure.
References:
Salesforce Agentforce Documentation: Agentforce for Sales > Find Similar Opportunities - Specifies Closed Won, 12-month criterion.
Trailhead: Explore Agentforce Sales Agents - Details opportunity matching logic.
Salesforce Help: Sales Features in Agentforce - Confirms historical success focus.

質問 67
Agentforce は、カスタム プロンプト テンプレートでアカウントの関連リストを使用したいと考えています。
プロンプト テンプレートを構成する際に Agentforce スペシャリストが考慮すべきことは何ですか?
（A）テキストエンコーディング（UTF-8、ASCII など）オプション
（B）関連リストのマージフィールドの最大数
（C）リストのレンダリング形式として XML と JSON のどちらかを選択する

正解：B
When configuring a custom prompt template to use related lists, the Agentforce Specialist must be aware of the maximum number of related list merge fields that can be included. Salesforce enforces limits to ensure prompt templates perform efficiently and do not overload the system with too much data. As a best practice, it's important to monitor and optimize the number of merge fields used.
* Option B is correct because there is a limit on how many related list merge fields can be included in a prompt template.
* Option A (text encoding) and Option C (XML/JSON rendering) are not key considerations in this context.
:
Salesforce Prompt Builder Documentation: https://help.salesforce.com/s/articleView?id=sf.prompt_builder.
htm

質問 68
Salesforce Agentforce スペシャリストは、Einstein Trust Layer 内のデータマスキングで何を設定できますか?
（A）マスクが免除されるプロファイル
（B）マスキング用の暗号化キー
（C）マスクするプライバシーデータエンティティ

正解：C
In the Einstein Trust Layer, the Salesforce Agentforce Specialist can configure privacy data entities to be masked (Option C). This ensures sensitive or personally identifiable information (PII) is obfuscated when processed by AI models.
* Data Masking Configuration:
* The Agentforce Specialist defines which fields or data types (e.g., email, phone number, Social Security Number) should be masked. For example, masking the Email field in a prompt response to protect user privacy.
* This is done through declarative settings in Salesforce, where entities (standard or custom fields) are flagged for masking.
* Why Other Options Are Incorrect:
* A. Profiles exempt from masking: Exemptions are typically managed via permissions (e.g., field-level security), not directly within Einstein Trust Layer's Data Masking settings.
* B. Encryption keys for masking: Encryption is separate from masking. Masking involves obfuscation (e.g., replacing "john@example.com" with "@"), not encryption, which uses keys to secure data.
:
Einstein Trust Layer Documentation: States that Data Masking allows admins to "define which fields should be masked to protect sensitive data." Trailhead Module: "Einstein Trust Layer Basics" explains configuring privacy entities for masking.
Salesforce Help Article: "Secure AI with Einstein Trust Layer" details masking configurations for privacy compliance.

質問 69
Agentforce データ ライブラリが AI エージェントの応答精度の向上に最も役立つことを最もよく示すシナリオはどれですか。
（A）AI エージェントが、データ ライブラリに保存され、定期的に更新され、インデックス付けされた厳選されたポリシー ドキュメント セットに基づいて回答を提供する必要がある場合。
（B）AI エージェントが、顧客 ID や製品 ID などの共通データに基づいて、異なるソ

ースからのデータを結合する必要がある場合。
（C）ベクトル化と取得のためにゼロコピーを使用して Snowflake からデータが取得されている場合。

正解：A
Comprehensive and Detailed In-Depth Explanation:
The Agentforce Data Library enhances AI accuracy by grounding responses in curated, indexed data. Let's assess the scenarios.
* Option A: When the AI agent must provide answers based on a curated set of policy documents that are stored, regularly updated, and indexed in the data library.The Data Library is designed to store and index structured content (e.g., Knowledge articles, policy documents) for semantic search and grounding. It excels when an agent needs accurate, up-to-date responses from a managed corpus, like policy documents, ensuring relevance and reducing hallucinations. This is a prime use case per Salesforce documentation, making it the correct answer.
* Option B: When the AI agent needs to combine data from disparate sources based on mutually common data, such as Customer Id and Product Id for grounding.Combining disparate sources is more suited to Data Cloud's ingestion and harmonization capabilities, not the Data Library, which focuses on indexed content retrieval. This scenario is less aligned, making it incorrect.
* Option C: When data is being retrieved from Snowflake using zero-copy for vectorization and retrieval.Zero-copy integration with Snowflake is a Data Cloud feature, but the Data Library isn't specifically tied to this process-it's about indexed libraries, not direct external retrieval. This is a different context, making it incorrect.
Why Option A is Correct:
The Data Library shines in curated, indexed content scenarios like policy documents, improving agent accuracy, as per Salesforce guidelines.
References:
Salesforce Agentforce Documentation: Data Library > Use Cases - Highlights curated content grounding.
Trailhead: Ground Your Agentforce Prompts - Describes Data Library accuracy benefits.
Salesforce Help: Agentforce Data Library - Confirms policy document scenario.

質問 70
Universal Containers (UC) は最近、Einstein Generative AI 機能を導入し、ケース レコードを要約するカスタム プロンプトを作成しました。ユーザーから、生成されたケース要約が適切な情報を返さないという報告がありました。プロンプトのパフォーマンスが

悪い理由は何でしょうか。
（A）プロンプト テンプレートのバージョンは、選択した LLM と互換性がありません。
（B）接地に使用されているデータが不正確または不完全です。
（C）Einstein Trust Layer が正しく構成されていません。

正解：B
Comprehensive and Detailed In-Depth Explanation:
UC's custom prompt for summarizing case records is underperforming, and we need to identify a likely cause.
Let's evaluate the options based on Agentforce and Einstein Generative AI mechanics.
* Option A: The prompt template version is incompatible with the chosen LLM.Prompt templates in Agentforce are designed to work with the Atlas Reasoning Engine, which abstracts the underlying large language model (LLM). Salesforce manages compatibility between prompt templates and LLMs, and there's no user-facing versioning that directly ties to LLM compatibility. This option is unlikely and not a common issue per documentation.
* Option B: The data being used for grounding is incorrect or incomplete.Grounding is the process of providing context (e.g., case record data) to the AI via prompt templates. If the grounding data- sourced from Record Snapshots, Data Cloud, or other integrations-is incorrect (e.g., wrong fields mapped) or incomplete (e.g., missing key case details), the summaries will be inaccurate. For example, if the prompt relies on Case.Subject but the field is empty or not included, the output will miss critical information. This is a frequent cause of poor performance in generative AI and aligns with Salesforce troubleshooting guidance, making it the correct answer.
* Option C: The Einstein Trust Layer is incorrectly configured.The Einstein Trust Layer enforces guardrails (e.g., toxicity filtering, data masking) to ensure safe and compliant AI outputs.
Misconfiguration might block content or alter tone, but it's unlikely to cause summaries to lack appropriate information unless specific fields are masked unnecessarily. This is less probable than grounding issues and not a primary explanation here.
Why Option B is Correct:
Incorrect or incomplete grounding data is a well-documented reason for subpar AI outputs in Agentforce. It directly affects the quality of case summaries, and specialists are advised to verify grounding sources (e.g., field mappings, Data Cloud queries) when troubleshooting, as per official guidelines.
References:
Salesforce Agentforce Documentation: Prompt Templates > Grounding - Links poor

outputs to grounding issues.
Trailhead: Troubleshoot Agentforce Prompts - Lists incomplete data as a common problem.
Salesforce Help: Einstein Generative AI > Debugging Prompts - Recommends checking grounding data first.

質問 71
営業マネージャーは、エージェント アシスタントを使用して日常業務を効率化しています。エージェントに、オープンな商談のリストを表示するように依頼します。
Agentforce の大規模言語モデル (LLM) は、営業マネージャーにオープンな商談のリストを表示するアクションをどのように識別して実行するのでしょうか?
(A) LLM はユーザーのリクエストを解釈し、apcMopnete のトピックとアクションを識別してプランを生成し、アクションを実行してオープンな機会を取得して表示します。
(B) LLM は静的なルールセットを使用して、ユーザーの要求を事前定義されたトピックおよびアクションと照合し、動的な解釈と計画の必要性を回避します。
(C) ダイアログ パターンを使用します。LLM は、ユーザー クエリを利用可能なトピック、アクション、および手順と照合し、開いている機会の一覧を取得するなど、各アクションの手順を実行します。

正解：A
Agentforce's LLM dynamically interprets natural language requests (e.g., "Show me open opportunities"), generates an execution plan using the planner service, and retrieves data via actions (e.g., querying Salesforce records). This contrasts with static rules (B) or rigid dialog patterns (C), which lack contextual adaptability. Salesforce documentation highlights the planner's role in converting intents into actionable steps while adhering to security and business logic.
Reference:
Salesforce Help Article: Agentforce Planner Service ("Dynamic Request Interpretation" section).
Einstein Agentforce Specialist Trailhead: "How Agentforce Processes User Requests."

質問 72
Universal Containers は、サービス エージェントが自然言語を使用して注文の現在の履行状況を照会できるようにしたいと考えています。注文履行プロセスの記録システムである Oracle ERP から情報を照会するための自動起動フローが既に存在します。
Agentforce スペシャリストは、会話型 AI のパワーをこのユースケースにどのように適用すればよいでしょうか?
(A) フローを呼び出すカスタム エージェント アクションを作成します。

（B）Agent Builder で統合フローの標準アクションを構成します。
（C）プロンプト ビルダーで Flex プロンプト テンプレートを作成します。

正解：A
Why is "Create a custom Agent action which calls a flow" the correct answer?
In Agentforce, the best way to allow service agents to query order fulfillment status from an external system (Oracle ERP) using natural language is to create a custom Agent action that invokes an existing autolaunched flow.
Key Considerations for This Approach:
* Custom Agent Action Triggers the Flow
* A custom Agent action is designed to call Salesforce flows, enabling external system integration.
* The flow retrieves real-time fulfillment data from Oracle ERP and returns results to the agent.
* Enables AI-Powered Query Execution
* The Agent can understand natural language and map user utterances to the correct Agent action.
* This ensures that agents receive accurate order fulfillment updates quickly.
* No Need for Manual Data Entry
* Instead of manually searching Oracle ERP, agents can query fulfillment status using AI-powered Agentforce workflows.
Why Not the Other Options?
B. Configure the Integration Flow Standard Action in Agent Builder
* Incorrect because Integration Flow Standard Actions are for predefined use cases, not custom ERP integrations.
* They do not provide the flexibility needed to connect with Oracle ERP dynamically.
C. Create a Flex Prompt Template in Prompt Builder
* Incorrect because Flex prompts are used for structuring AI-generated responses, not executing queries on external systems.
* This approach does not enable the AI to retrieve live fulfillment status from Oracle ERP.
Agentforce Specialist References
* Salesforce AI Specialist Material confirms that custom Agent actions allow integration with external systems through Salesforce flows.
* Salesforce Instructions for Certification mention that Agentforce supports custom Agent actions for external data retrieval.

質問 73

Universal Containers (UC) は、統合された連絡先の Data Cloud で Web アクティビティを追跡しており、それをプロンプト テンプレートで使用してデータから洞察を抽出したいと考えています。
連絡先オブジェクトがプロンプト テンプレートに関連付けられたオブジェクトの 1 つであると仮定すると、DC がこれを行う有効な方法は何でしょうか?
（A）プロンプト定義に Web トレース アクティビティを含めて、Data Cloud から直接プロンプトを呼び出します。
（B）アクティビティ レコードをエンリッチメント関連リストとして連絡先に追加し、関連リスト グラウンディングを使用して連絡先をプロンプト テンプレート ワークスペースに渡します。
（C）すべての Data Cloud アクティビティ レコードのリストを入力として受け取り、大規模言語モデル (LLM) に渡すプロンプト テンプレートを作成します。

正解：B
To integrate web activity data from Data Cloud into a prompt template, the correct approach is to enrich the Contact object with the activity records as a related list and use related list grounding (Option B). Here's why:
* Data Cloud Integration: Data Cloud unifies web activity data and associates it with the unified Contact record. By adding these activities as a related list to the Contact, the data becomes accessible to the prompt template.
* Prompt Template Grounding: Salesforce prompt templates support grounding on related records.
When the Contact is passed to the prompt template, the template can reference the related web activity records (via the related list) to extract insights.
* Structured Data Handling: This method aligns with Salesforce best practices for grounding, ensuring the large language model (LLM) receives structured, context-rich data without overwhelming it with raw activity lists.
Why Other Options Are Incorrect:
* A. Calling the prompt directly from Data Cloud: Prompt templates are invoked within Salesforce, not directly from Data Cloud. Grounding requires associating data with Salesforce objects, not ad-hoc web activity inclusion.
* C. Passing a list of activity records as input: While technically possible, this bypasses Salesforce's grounding framework, which relies on object relationships. It also risks exceeding LLM input limits and lacks scalability.
:
Salesforce Data Cloud Implementation Guide: Explains how to enrich standard/custom objects with related data for AI use cases.
Prompt Template Documentation: Highlights grounding on related lists to leverage

contextual data for LLM prompts.
Trailhead Module: "Einstein Prompt Builder Basics" demonstrates grounding techniques using related records.

質問 74
Salesforce 管理者は、顧客とのやり取りのデータを組み込んだ、パーソナライズされたターゲット メールを生成したいと考えています。管理者は、大規模言語モデル (LLM) を活用してメールを作成し、さまざまな製品や顧客に対してテンプレートを再利用したいと考えています。
管理者はどのソリューションアプローチを活用すべきでしょうか?
（A）営業メールの標準テンプレートを使用する
（B）フィールド生成プロンプトテンプレートタイプで作成
（C）セールス メール プロンプト テンプレート タイプを作成します。

正解：C
To generate personalized emails using LLMs while reusing templates:
* Sales Email Prompt Template Type (Option C): Designed specifically for generating dynamic email content by combining LLMs with structured templates. It allows admins to define placeholders (e.g., customer name, product details) and reuse templates across scenarios.
* Option A: Standard email templates lack LLM integration and dynamic personalization.
* Option B: "t field Generation" is not a valid Salesforce prompt template type.
References:
Salesforce Help: Sales Email Prompt Templates
Describes using Sales Email prompt templates to "generate targeted emails using dynamic data and LLMs."

質問 75
Universal Containers (UC) は、AI エージェントが応答を迅速に返すことを望んでいます。UC は、AI 応答をグラウンディングする際の遅延を最小限に抑えるために、リトリーバーの構成を最適化する必要があります。
UC ではどの構成側面を優先すべきでしょうか?
（A）実行時に検索インデックス構造を変更するように、リトリーバーを動的モードで動作するように構成します。
（B）各検索の範囲を効率的に制限するように、リトリーバーのフィルターが定義されていることを確認します。
（C）リトリーバーの最新性バイアス設定を増やして、範囲をより最近のデータに制限し

ます。

正解：B
Why is "Ensure the retriever's filters are defined to limit the scope of each search efficiently" the correct answer?
In Agentforce, when optimizing a retriever's configuration to ensure minimal latency in AI-generated responses, the most effective approach is narrowing the scope of searches by applying specific filters.
Key Considerations for Optimizing Retrievers in Agentforce:
* Defining Effective Filters
* Applying precise search filters reduces unnecessary data retrieval, decreasing response time.
* Filters help focus on relevant records, avoiding delays caused by processing large datasets.
* Reducing Query Complexity
* Overly broad searches can increase retrieval time, leading to latency issues.
* Well-configured retriever filters streamline queries, improving response speed.
* Optimizing the Data Indexing Process
* Restricting retriever searches to indexed fields enhances efficiency.
* Pre-indexed data is faster to access, reducing retrieval time.
Why Not the Other Options?
A. Configure the retriever to operate in dynamic mode so that it modifies the search index structure at runtime.
* Incorrect because modifying the search index at runtime increases latency rather than reducing it.
* Index modifications require restructuring large datasets, which can slow down AI-generated responses.
C. Increase the recency bias setting for the retriever, limiting scope to more recent data.
* Incorrect because increasing recency bias only prioritizes recent records but does not necessarily improve overall retrieval speed.
* While it affects relevance, it does not directly address latency issues.
Agentforce Specialist References
* Salesforce AI Specialist Material confirms that retriever efficiency depends on well-defined filtering mechanisms to minimize latency.
* Salesforce Instructions for Certification highlight retriever optimization strategies to improve search response times.

質問 76
Universal Containers (UC) は、Salesforce の生成機能を評価したいと考えていますが、自社のデータがサードパーティの大規模言語モデル (LLM) に公開されることを懸念しています。具体的には、UC は次の機能を Einstein の生成 AI サービスの一部にしたいと考えています。
データは、サードパーティの LLM による LLM トレーニングや製品の改善には使用されません。
UC の Salesforce 組織外にはデータは保持されません。
送信されたデータは LLM プロバイダーがアクセスできません。
Agentforce スペシャリストは、これらの要件に対応する Einstein Trust Layer のどのプロパティを UC に強調表示する必要がありますか?
(A) 迅速な防御
(B) ゼロデータ保持ポリシー
(C) データマスキング

正解：B
Universal Containers (UC) has concerns about data privacy when using Salesforce's generative AI features, particularly around preventing third-party LLMs from accessing or retaining their data. The Zero- Data Retention Policy in the Einstein Trust Layer is designed to address these concerns by ensuring that:
* No data is used for training or product improvements by third-party LLMs.
* No data is retained outside of the customer's Salesforce organization.
* The LLM provider cannot access any customer data.
This policy aligns perfectly with UC's requirements for keeping their data safe while leveraging generative AI capabilities.
* Prompt Defense and Data Masking are also security features, but they do not directly address the concerns related to third-party data access and retention.
:
Salesforce Einstein Trust Layer Documentation: https://help.salesforce.com/s/articleView?id=sf.
einstein_trust_layer.htm

質問 77
Universal Containers (UC) は、営業チームが AI を使用してカタログから推奨製品を提案できるようにしたいと考えています。UC はどのタイプのプロンプト テンプレートを使用すればよいでしょうか?
(A) レコード要約プロンプトテンプレート
(B) メール生成プロンプトテンプレート

（C）Flex プロンプト テンプレート

正解：C

Comprehensive and Detailed In-Depth Explanation:

UC needs an AI solution to suggest products from a catalog for its sales team. Let's assess the prompt template types in Prompt Builder.

* Option A: Record summary prompt templateRecord summary templates generate concise summaries of records (e.g., Case, Opportunity). They're not designed for product recommendations, which require dynamic logic beyond summarization, making this incorrect.

* Option B: Email generation prompt templateEmail generation templates craft emails (e.g., customer outreach). While they could mention products, they're not optimized for standalone recommendations, making this incorrect.

* Option C: Flex prompt templateFlex prompt templates are versatile, allowing custom inputs (e.g., catalog data from objects or Data Cloud) and instructions (e.g., "Suggest products based on customer preferences"). This flexibility suits UC's need to recommend products dynamically, making it the correct answer.

Why Option C is Correct:

Flex templates offer the customization needed to suggest products from a catalog, aligning with Salesforce's guidance for tailored AI outputs.

References:

Salesforce Agentforce Documentation: Prompt Builder > Flex Templates - Details dynamic use cases.

Trailhead: Build Prompt Templates in Agentforce - Covers Flex for custom scenarios.

Salesforce Help: Prompt Template Types - Confirms Flex versatility.

質問 78

アカウント マネージャーは、今後の顧客との電話会議の準備をしており、Salesforce のアカウント、連絡先、リード、商談から重要なデータ ポイントのスナップショットを取得したいと考えています。

これを実現する機能はどれですか?

（A）売上概要

（B）セールスインサイトの概要

（C）作業概要

正解：B

Sales Insight Summary aggregates key data points from multiple Salesforce objects (accounts, contacts, leads, opportunities) into a consolidated view, enabling account

managers to quickly access relevant information for customer calls.
* Option A (Sales Summaries): Typically refers to Einstein-generated summaries of specific interactions (e.g., emails, calls), not multi-object snapshots.
* Option C (Work Summaries): Focuses on summarizing customer service interactions (e.g., chat transcripts), not sales data.
* Option B (Sales Insight Summary): Directly provides a holistic snapshot of sales-related objects, aligning with the scenario.
References:
Salesforce Help: Sales Insight Overview
Describes Sales Insight Summary as "a unified view of account, contact, and opportunity data for sales readiness."

質問 79
Universal Containers (UC) は、アカウント オブジェクトの説明フィールドに自動的に入力する予定です。
UC ではどのタイプのプロンプト テンプレートを使用する必要がありますか?
（A）フィールド生成プロンプトテンプレート
（B）Flex Prompt テンプレート
（C）セールスメールプロンプトテンプレート

正解：A
* Context of the QuestionUniversal Containers (UC) wants to automatically populate the Description field on the Account object. The AI-driven solution must generate textual data and write it directly into a field.
* Field Generation Prompt Template
* Primary Use Case: A Field Generation prompt template is specifically designed to create or fill in fields on a record with AI-generated text.
* Auto-population: By configuring a Field Generation prompt template, admins can define the instructions, data inputs, and desired output for the AI. The resulting text then populates the specified field, such as the Account Description.
* Why Not Flex or Sales Email Prompt Templates?
* Flex Prompt Template: Used to combine or manipulate data across objects, merges, or references from multiple sources in more advanced, flexible prompts. Typically not the go-to for straightforward text generation on a single field.
* Sales Email Prompt Template: Focused on drafting or summarizing emails for sales reps (like crafting outreach or follow-up messages). This template is not specifically built to populate a field on a record.
* ConclusionFor automatically populating the Description field with AI-generated

content, the Field Generation prompt template (Option A) is the correct choice.
Salesforce Agentforce Specialist References & Documents
* Salesforce Documentation: Prompt Template TypesExplains various template types (Field Generation, Flex, Email, etc.) and their typical use cases.
* Salesforce Agentforce Specialist Study GuideHighlights Field Generation prompt templates for populating or updating record fields with AI-generated text.

質問 80
Universal Containers (UC) は、顧客チャットへの返信におけるエージェントの生産性を向上させる必要があります。
どの生成 AI 機能が UC がこの課題に対処するのに役立つでしょうか?
（A）ケースサマリー
（B）サービス応答
（C）ケースのエスカレーション

正解：B
* Service Replies: This generative AI feature automates and assists in generating accurate, contextual, and efficient replies for customer service agents. It uses past interactions, case data, and the context of the conversation to provide draft responses, thereby enhancing productivity and reducing response times.
* Case Summaries: Summarizes case information but does not assist directly in replying to customer chats.
* Case Escalation: Refers to moving cases to higher-level support teams but does not address the need to improve chat response productivity.
Thus, Service Replies is the best feature for this requirement as it directly aligns with improving agent efficiency in replying to chats.
Reference:
Boost Productivity with Generative AI in Service Cloud | Salesforce Trailhead .

質問 81
Universal Containers は、サービス エージェントが自然言語を使用して注文の現在の履行状況を照会できるようにしたいと考えています。注文履行プロセスの記録システムである Oracle ERP から情報を照会するための自動起動フローが既に存在します。
Agentforce は会話型 AI のパワーをこのユースケースにどのように適用すべきでしょうか?
（A）プロンプト ビルダーで Flex プロンプト テンプレートを作成します。
（B）フローを呼び出すカスタム コパイロット アクションを作成します。
（C）エージェントで統合フローの標準アクションを構成します。

正解：B

To enable Universal Containers service agents to query the current fulfillment status of an order using natural language and leverage an existing auto-launched flow that queries Oracle ERP, the best solution is to create a custom copilot action that calls the flow. This action will allow Agent to interact with the flow and retrieve the required order fulfillment information seamlessly. Custom copilot actions can be tailored to call various backend systems or flows in response to user requests.

* Option B is correct because it enables integration between Agent and the flow that connects to Oracle ERP.

* Option A (Flex prompt template) is more suited for static responses and not for invoking flows.

* Option C (Integration Flow Standard Action) is not directly related to creating a specific copilot action for this use case.

:

Salesforce Agent Actions: https://help.salesforce.com/s/articleView?id=einstein_copilot_actions.htm

質問 82

Universal Containers (UC) は、ナレッジ記事を使用して Agentforce データ ライブラリを構成しました。Agent Builder と Experience Cloud サイトでテストすると、エージェントはグラウンデッド ナレッジ記事情報で応答しません。ただし、Prompt Builder でテストすると、応答が正しく返されます。UC は、この問題のトラブルシューティングを行うために何をすべきでしょうか。

（A）「ナレッジの管理」を割り当てる新しい権限セットを作成し、それを Agentforce サービス エージェント ユーザーに割り当てます。

（B）割り当てられたユーザー権限セットに、ナレッジ記事へのアクセスに使用されるプロンプト テンプレートへのアクセスが含まれていることを確認します。

（C）Data Cloud ユーザーの権限セットが Agentforce サービス エージェント ユーザーに割り当てられていることを確認します。

正解：C

Comprehensive and Detailed In-Depth Explanation:

UC has set up an Agentforce Data Library with Knowledge articles, and while Prompt Builder retrieves the data correctly, the agent fails to do so in Agent Builder and Experience Cloud. Let's troubleshoot the issue.

* Option A: Create a new permission set that assigns "Manage Knowledge" and assign it to the Agentforce Service Agent User.The "Manage Knowledge" permission is for

authoring and managing Knowledge articles, not for reading or retrieving them in an agent context. The Agentforce Service Agent User (a system user) needs read access to Knowledge, not management rights. This option is excessive and irrelevant to the grounding issue, making it incorrect.
* Option B: Ensure the assigned User permission set includes access to the prompt template used to access the Knowledge articles.Prompt templates in Prompt Builder don't require specific permissions beyond general Einstein Generative AI access. Since the Prompt Builder test works, the template and its grounding are accessible to the testing user. The issue lies with the agent's runtime access, not the template itself, making this incorrect.
* Option C: Ensure the Data Cloud User permission set has been assigned to the Agentforce Service Agent User.When Knowledge articles are grounded via an Agentforce Data Library, they are often ingested into Data Cloud for indexing and retrieval. The Agentforce Service Agent User, which runs the agent, needs the "Data Cloud User" permission set (or equivalent) to access Data Cloud resources, including the Data Library. If this permission is missing, the agent cannot retrieve Knowledge article data during runtime (e.g., in Agent Builder or Experience Cloud), even though Prompt Builder (running under a different user context) succeeds. This is a common setup oversight and aligns with the symptoms, making it the correct answer.
Why Option C is Correct:
The Agentforce Service Agent User's lack of Data Cloud access explains the failure in agent-driven contexts while Prompt Builder (likely run by an admin with broader permissions) succeeds. Assigning the "Data Cloud User" permission set resolves this, per Salesforce documentation.
References:
Salesforce Agentforce Documentation: Data Library Setup > Permissions - Requires Data Cloud access for agents.
Trailhead: Ground Your Agentforce Prompts - Notes Data Cloud User permission for Knowledge grounding.
Salesforce Help: Agentforce Security > Agent User Setup - Lists required permission sets.

質問 83
カスタマー サービス担当者は、旅行情報を保存するカスタム オブジェクトを確認しています。最近、気象警報を受け取ったため、この旅程に関連する顧客のフライトをキャンセルする必要があります。担当者は、顧客のフライトのキャンセルと再予約に関するナレッジ記事を確認する必要があります。
担当者がこれを達成するのに役立つ Agentforce の機能はどれですか?

（A）外部データを呼び出してナレッジ記事を作成するフローを呼び出します。
（B）利用可能なアクションに基づいてタスクを実行し、アクセス可能なナレッジ記事の情報を使用して
質問に答えます。
（C）エージェントがフライトをキャンセルする手順を作成するために入力したプロンプトに基づいてナレッジ記事を生成します。

正解：B
Comprehensive and Detailed In-Depth Explanation:
The scenario involves a customer service representative needing to cancel flights due to a weather alert and review existing Knowledge articles for guidance on canceling and rebooking. Agentforce provides capabilities to streamline such tasks. The most suitable option is Option B, which allows the agent to
execute tasks based on available actions (e.g., canceling flights via a predefined action) while "answering questions using information from accessible Knowledge articles." This capability leverages Agentforce's ability to integrate Knowledge articles into the agent's responses, enabling the representative to ask questions (e.g., "How do I cancel a flight?") and receive AI-generated answers grounded in approved Knowledge content. Simultaneously, the agent can trigger actions (e.g., a Flow to update the custom object) to perform the cancellations, meeting all requirements efficiently.
* Option A: Invoking a Flow to call external data and create a Knowledge article is unnecessary. The representative needs to review existing articles, not create new ones, and there's no indication external data is required for this task.
* Option B: This is correct. It combines task execution (canceling flights) with Knowledge article retrieval, aligning with the representative's need to act and seek guidance from existing content.
* Option C: Generating a new Knowledge article based on prompts is not relevant. The representative needs to use existing articles, not author new ones, especially in a time-sensitive weather alert scenario.
Option B best supports the representative's workflow in Agentforce.
:
Salesforce Agentforce Documentation: "Knowledge Replies and Actions" (Salesforce Help: https://help.
salesforce.com/s/articleView?id=sf.agentforce_knowledge_replies.htm&type=5)
Trailhead: "Agentforce for Service" (https://trailhead.salesforce.com/content/learn/modules/agentforce-for- service)

質問 84

顧客チャットが開始されると、Salesforce のどの機能が、推奨されるナレッジ記事に基づいて AI による返信やメールの下書きを提供しますか?

（A）アインシュタインの返信の推奨事項

（B）アインシュタインサービス応答

（C）アインシュタインのグラウンディング

正解：B

When a customer chat is initiated, Einstein Service Replies provides generative AI replies or draft emails based on recommended Knowledge articles. This feature uses the information from the Salesforce Knowledge base to generate responses that are relevant to the customer's query, improving the efficiency and accuracy of customer support interactions.

* Option B is correct because Einstein Service Replies is responsible for generating AI-driven responses based on knowledge articles.

* Option A (Einstein Reply Recommendations) is focused on recommending replies but does not generate them.

* Option C (Einstein Grounding) refers to grounding responses in data but is not directly related to drafting replies.

:

Einstein Service Replies Overview: https://help.salesforce.com/s/articleView?id=sf.einstein_service_replies.htm

質問 85

Universal Containers の営業担当者は非常に多忙で、音声通話やビデオ通話で非常に長い営業電話を掛けることがあり、重要な詳細を聞き逃してしまうことがあります。同社は、新しい生成 AI 機能を導入し始めたばかりです。

会話中に担当者が見逃した可能性のある詳細を把握できるようにするために、Agentforce が推奨すべき Einstein Generative AI 機能はどれですか?

（A）通話の概要

（B）エクスプローラーを呼び出す

（C）売上概要

正解：A

For a sales rep who may miss key details during long sales calls, the Agentforce Specialist should recommend the Call Summary feature. Call Summary uses Einstein Generative AI to automatically generate a concise summary of important points discussed during the call, helping the rep quickly review the key information they

might have missed.
* Call Explorer is designed for manually searching through call data but doesn't summarize.
* Sales Summary is focused more on summarizing overall sales activity, not call-specific content.
For more details, refer to Salesforce's Call Summary documentation on how AI-generated summaries can improve sales rep productivity.

質問 86
Universal Containers (UC) は、Flow を使用して、統合された Data Cloud オブジェクトからプロンプト テンプレートにデータを取り込むことを望んでいます。
UC ではどのタイプのフローを使用すればよいですか?
（A）データクラウドがトリガーするフロー
（B）テンプレートによってトリガーされるプロンプトフロー
（C）統合オブジェクトリンクフロー

正解：B
In this scenario, Universal Containers wants to bring data from unified Data Cloud objects into prompt templates, and the best way to do that is through a Data Cloud-triggered flow. This type of flow is specifically designed to trigger actions based on data changes within Salesforce Data Cloud objects.
Data Cloud-triggered flows can listen for changes in the unified data model and automatically bring relevant data into the system, making it available for prompt templates. This ensures that the data is both real-time and up-to-date when used in generative AI contexts.
For more detailed guidance, refer to Salesforce documentation on Data Cloud-triggered flows and Data Cloud integrations with generative AI solutions.

質問 87
管理者は、Universal Containers (UC) の CRM データのセキュリティと信頼性を確保する責任があります。UC には、強化されたデータ保護と最新の AI 機能が必要です。UC には、プロンプトとマージする Salesforce レコードからの関連情報も含める必要があります。
Einstein Trust Layer のどの機能が UC のニーズを最もよくサポートしますか?
（A）データマスキング
（B）安全なデータ取得による動的グラウンディング
（C）ゼロデータ保持ポリシー

正解：B

Dynamic grounding with secure data retrieval is a key feature in Salesforce's Einstein Trust Layer, which provides enhanced data protection and ensures that AI-generated outputs are both accurate and securely sourced. This feature allows relevant Salesforce data to be merged into the AI-generated responses, ensuring that the AI outputs are contextually aware and aligned with real-time CRM data.

Dynamic grounding means that AI models are dynamically retrieving relevant information from Salesforce records (such as customer records, case data, or custom object data) in a secure manner. This ensures that any sensitive data is protected during AI processing and that the AI model's outputs are trustworthy and reliable for business use.

The other options are less aligned with the requirement:

* Data masking refers to obscuring sensitive data for privacy purposes and is not related to merging Salesforce records into prompts.

* Zero-data retention policy ensures that AI processes do not store any user data after processing, but this does not address the need to merge Salesforce record information into a prompt.

:

Salesforce Developer Documentation on Einstein Trust Layer

Salesforce Security Documentation for AI and Data Privacy

質問 88

Universal Containers は、AI エージェントが顧客の
質問に正確かつ最新の情報で回答することを望んでいます。Agentforce データ ライブラリは、これをどのように簡素化し、実現するのでしょうか?

（A）データ クラウドへの知識の取り込み、分類、保存を自動化し、正確なキーワード検索を取得して、プロンプトとエージェントに関連情報を提供します。

（B）データの取り込みとインデックス作成を自動化し、プロンプトやエージェントで関連情報を提供するために使用されるデフォルトのリトリーバーを作成します。

（C）あらゆる PDF の取り込みと光学式文字認識（OCR）処理を自動化し、インデックスを作成して、定期的な SQL クエリ取得を可能にし、プロンプトとエージェントに関連情報を提供します。

正解：B

Why is "Automates Ingestion, Indexing, and Default Retriever Creation" the correct answer?

An Agentforce Data Library is a key component in ensuring that an AI agent provides precise and up-to- date responses by:

Automating data ingestion # Brings in data from various sources.
Indexing the data # Organizes it efficiently for AI retrieval.
Creating a default retriever # Enables the AI to fetch relevant data dynamically when answering customer queries.
Key Features of an Agentforce Data Library:
* Automates Data Ingestion
* Integrates real-time and historical data into Salesforce Data Cloud.
* Ensures that relevant updates are continuously fed into the AI system.
* Indexes Data for Efficient Retrieval
* Enhances searchability for quick, context-aware responses.
* Enables fast AI response times while maintaining accuracy.
* Creates a Default Retriever
* AI agents use the retriever to fetch the most relevant and current information.
* The retriever grounds AI-generated responses using structured and indexed data.
Why Not the Other Options?
A. Automates ingestion, taxonomical classification, and precision keyword search retrieval
* Incorrect because Agentforce does not rely on keyword searches but on indexing and AI-driven retrieval.
C. Automates ingestion and OCR processing of PDFs
* Incorrect because OCR (Optical Character Recognition) is not the primary function of an Agentforce Data Library.
* AI grounding is based on indexed and structured data, not raw OCR-extracted text.
Agentforce Specialist References
* Salesforce AI Specialist Material explains that Agentforce Data Libraries automate data ingestion, indexing, and retriever setup for AI-powered responses.
* Salesforce Instructions for Certification confirm that AI responses are grounded in structured and indexed Data Libraries.

質問 89
Agentforce は、ユーザー関連リストを使用して新しいプロンプト テンプレートを構築したいと考えています。
Agentforce スペシャリストは何を考慮すべきでしょうか?
（A）ユーザー関連リストには「すべて表示」アクセス権が必要です。
（B）ユーザー関連リストをレコード ページに含める必要があります。
（C）ユーザー関連リストはプロンプト テンプレートではサポートされていません。

正解：C

Salesforce has restrictions on which objects and related lists can be used for grounding prompt templates. This is likely due to security and privacy concerns related to user data.
While it might seem intuitive to use the User related list to provide context to the LLM, Salesforce prevents this to ensure that sensitive user information is not inadvertently exposed or misused.
Therefore, the Agentforce Specialist needs to explore alternative ways to incorporate the necessary user information into the prompt template, perhaps by using other related objects or fields that are supported.

質問 90
Universal Containers (UC) のユーザーから、エージェントの回答が満足のいくものではないという苦情が寄せられています。エージェントは、知識ソースとして PDF ファイルを使用しています。
UC はこの問題をどのようにトラブルシューティングすればよいでしょうか?
（A）ソース フィールドと Data Cloud オブジェクト フィールド間のデータ マッピングを分析します。
（B) エージェントにデータ ライブラリの PDF ファイル フィールド権限アクセス権があることを確認します。
（C）取得者のフィルター条件とデータ ソース接続を確認します。

正解：C
Why is "Verify the retriever's filter criteria and data source connection" the correct answer?
If agent answers are not satisfactory when using PDF files as a knowledge source, the issue is likely caused by:
* Retriever misconfiguration
* If filters are too broad or too restrictive, AI may fail to find relevant information.
* Checking filter logic and retrieval scope helps improve accuracy.
* Incorrect data source connection
* If the retriever is not properly linked to the PDF storage location, it may fail to retrieve relevant information.
* Ensuring a stable connection between Salesforce Data Cloud and the retriever prevents retrieval failures.
* Parsing Issues with PDF Files
* If PDFs are not properly indexed, AI may struggle to extract relevant content.
* Ensuring structured document formatting improves AI comprehension.
Why Not the Other Options?

A. Analyze the data mapping between source fields and Data Cloud object fields.
* Incorrect because data mapping issues primarily affect structured CRM data, not PDF-based knowledge sources.
* The issue likely stems from retrieval settings, not field mapping.
B. Check that the agent has the PDF file field permission access for the data library.
* Incorrect because permission access issues would prevent AI from accessing PDFs entirely rather than causing poor response quality.
* AI can still generate responses, even if they are inaccurate, which means the issue lies in retriever settings, not permissions.
Agentforce Specialist References
* Salesforce AI Specialist Material details how retriever filters and data sources impact AI- generated answers.
* Salesforce Certification Guide mentions the importance of verifying retriever configurations for accurate knowledge retrieval.

質問 91
Universal Containers (UC) は、AI で生成されたケース サマリーを使用してエージェントの時間を節約する必要があります。UC は作業サマリー機能を実装しました。
アインシュタインは要約を生成する際に何を考慮しますか?
（A）生成は会話のコンテキスト、ナレッジ記事、ケースに基づいています。
（B）生成は既存の会話コンテキストのみに基づいて行われます。
（C）生成は会話のコンテキストとナレッジ記事に基づいています。

正解：A
When generating a Work Summary, Einstein leverages multiple sources of information to provide a comprehensive and accurate case summary for agents.
* Conversation Context:
* Einstein analyzes the details of the customer interaction, including chat or email threads, to extract relevant information for the summary.
* Knowledge Articles:
* It considers linked Knowledge Articles or articles referred to during the case resolution process, ensuring the summary incorporates accurate resolutions or additional resources provided to the customer.
* Cases:
* Einstein also examines historical cases and related case records to ground the summary in context from past resolutions or interactions.
* Option A is correct as it includes all three: conversation context, Knowledge articles, and cases.

* Option B is incorrect because it limits the grounding to conversation context only, excluding other critical elements.
* Option C is incorrect because it omits case data, which Einstein considers for more accurate and contextually rich summaries.
Reference:
Einstein Work Summary and AI Case Management | Salesforce Trailhead .

質問 92
Universal Container (UC) は、プロンプト テンプレートを効果的に活用して、Lightning レコード ページの概要フィールドを更新しています。管理者は現在、Flow を使用して同様の機能を UC の自動化プロセスに組み込むことを希望しています。
管理者は、フロー内からこのプロンプト テンプレートからの応答を取得し、UC の自動化の一部として使用するにはどうすればよいですか?
（A）呼び出し可能な Apex
（B）フローアクション
（C）フローのためのアインシュタイン

正解：C
1.Context of the Question
oUniversal Container (UC) has used prompt templates to update summary fields on record pages.
oNow, the admin wants to incorporate similar generative AI functionality within a Flow for automation purposes.
2.How to Call a Prompt Template Within a Flow
oFlow Action: Salesforce provides a standard way to invoke generative AI templates or prompts within a Flow step. From the Flow Builder, you can add an "Action" that references the prompt template you created in Prompt Builder.
oOther Options:
Invocable Apex: Possible fallback if there's no out-of-the-box Flow Action available. However, Salesforce is releasing native Flow integration for AI prompts, making custom Apex less necessary.
Einstein for Flow: A broad label for Salesforce's generative AI features within Flow. Under the hood, you typically use a "Flow Action" that points to your prompt.
3.Conclusion
oThe easiest out-of-the-box solution is to use a Flow Action referencing the prompt template. Hence, Option B is correct.
Salesforce Agentforce Specialist References & Documents
*Salesforce Trailhead: Use Prompt Templates in Flow

Demonstrates how to add an Action in Flow that calls a prompt template.
*Salesforce Documentation: Einstein GPT for Flow

質問 93
Universal Containers (UC) は、顧客とのやり取り中にリアルタイムの洞察と推奨事項を提供することで、営業チームの生産性を向上したいと考えています。
UC が Agentforce Sales Agent の使用を検討する必要があるのはなぜですか?
（A）将来の分析のために顧客とのやり取りを追跡する
（B）販売プロセス全体を自動化して効率を最大限に高める
（C）販売プロセスを合理化し、コンバージョン率を向上させる

正解：C
Agentforce Sales Agent provides real-time insights and AI-powered recommendations, which are designed to streamline the sales process and help sales representatives focus on key tasks to increase conversion rates.
It offers features like lead scoring, opportunity prioritization, and proactive recommendations, ensuring that sales teams can interact with customers efficiently and close deals faster.
* Option A: While tracking customer interactions is beneficial, it is only part of the broader capabilities offered by Agentforce Sales Agent and is not the primary objective for improving real-time productivity.
* Option B: Agentforce Sales Agent does not automate the entire sales process but provides actionable recommendations to assist the sales team.
* Option C: This aligns with the tool's core purpose of enhancing productivity and driving sales success.
Reference:
Einstein Next Best Action for Sales Teams | Salesforce Trailhead .

質問 94
Agentforce スペシャリストは、エージェントのパフォーマンスのトラブルシューティングをしたいと考えています。エージェントのエラー、誤ってトリガーされたアクション、不完全なプランなど、エージェントとのすべてのユーザー インタラクションにアクセスするには、Agentforce スペシャリストはどこにアクセスすればよいでしょうか。
（A）プランキャンバス
（B）エージェント設定
（C）イベントログ

正解：C

Comprehensive and Detailed In-Depth Explanation:
The Agentforce Specialist needs a comprehensive view of user interactions, errors, and action issues for troubleshooting. Let's evaluate the options.
* Option A: Plan CanvasPlan Canvas in Agent Builder visualizes an agent's execution plan for a single interaction, useful for design but not for aggregated troubleshooting data like errors or all interactions, making it incorrect.
* Option B: Agent SettingsAgent Settings configure the agent (e.g., topics, channels), not provide interaction logs or error details. This is for setup, not analysis, making it incorrect.
* Option C: Event LogsEvent Logs in Agentforce (accessible via Setup or Agent Analytics) record all user interactions, including errors, incorrectly triggered actions, and incomplete plans. They provide detailed telemetry (e.g., timestamps, action outcomes) for troubleshooting performance issues, making this the correct answer.
Why Option C is Correct:
Event Logs offer the full scope of interaction data needed for troubleshooting, as per Salesforce documentation.
References:
Salesforce Agentforce Documentation: Agent Analytics > Event Logs - Details interaction and error logging.
Trailhead: Monitor and Optimize Agentforce Agents - Recommends Event Logs for troubleshooting.
Salesforce Help: Agentforce Performance - Confirms logs for diagnostics.

質問 95
Agentforce は、Einstein Trust Layer 内でデータ マスキングを構成しました。
Agentforce スペシャリストは、正しいフィールドがマスクされていることをどのように検証すればよいでしょうか?
（A）プロンプト ビルダーでフローベースのリソースを使用し、フロー デバッガーを使用してフィールドのマージ値をデバッグします。
（B）設定メニューのセキュリティセクションから Einstein Generative AI 監査データを要求します。
（C）Einstein フィードバック設定ページで、Einstein Generative AI 監査データの収集と保存を有効にします。

正解：C
To begin validating that the correct fields are being masked in Einstein Trust Layer, the Agentforce Specialist should request the Einstein Generative AI Audit Data from the Security section of the Salesforce Setup menu. This audit data allows the

Agentforce Specialist to see how data is being processed, including which fields are being masked, providing transparency and validation that the configuration is working as expected.
* Option B is correct because it allows for the retrieval of audit data that can be used to validate data masking.
* Option A (Flow Debugger) and Option C (Einstein Feedback) do not relate to validating field masking in the context of the Einstein Trust Layer.
:
Salesforce Einstein Trust Layer Documentation: https://help.salesforce.com/s/articleView?id=sf.
einstein_trust_layer_audit.htm

質問 96
Agentforce テスト センターについて真実は何ですか?
（A）テストを実行すると、運用環境で CRM データが変更されるリスクがあります。
（B）テストを実行しても Einstein リクエストは消費されません。
（C）Agentforce テスト センターは実稼働環境でのみ使用できます。

正解：B
Comprehensive and Detailed In-Depth Explanation:
The Agentforce Testing Center is a tool in Agentforce Studio for validating agent performance. Let's evaluate the statements.
* Option A: Running tests risks modifying CRM data in a production environment.Agentforce Testing Center runs synthetic interactions in a controlled environment (e.g., sandbox or isolated test space) and doesn't modify live CRM data. It's designed for safe pre-deployment testing, making this incorrect.
* Option B: Running tests does not consume Einstein Requests.Einstein Requests are part of the usage quota for Einstein Generative AI features (e.g., prompt executions in production). Testing Center uses synthetic data to simulate interactions without invoking live AI calls that count against this quota.
Salesforce documentation confirms tests don't consume requests, making this the correct answer.
* Option C: Agentforce Testing Center can only be used in a production environment.Testing Center is available in both sandbox and production orgs, but it's primarily used pre-deployment (e.g., in sandboxes) to validate agents safely. This restriction is false, making it incorrect.
Why Option B is Correct:
Not consuming Einstein Requests is a key feature of Testing Center, allowing extensive

testing without impacting quotas, as per Salesforce documentation.
References:
Salesforce Agentforce Documentation: Testing Center > Overview - Confirms no request consumption.
Trailhead: Test Your Agentforce Agents - Notes quota-free testing.
Salesforce Help: Agentforce Testing - Details safe, isolated testing.

質問 97
Data Cloud レトリーバーの有効な使用例は何ですか?
（A）ベクター データベースから関連データを返します。これによりプロンプトが拡張されます。
（B）外部 Web サイトからのデータを基に、RAG でプロンプトを補強します。
（C）Data Cloud に接続されたソース システム内のデータを変更および更新します。

正解：A
Comprehensive and Detailed In-Depth Explanation:
Salesforce Data Cloud integrates with Agentforce to provide real-time, unified data access for AI-driven applications. Data Cloud retrievers are specialized components that fetch relevant data from Data Cloud's vector database-a storage system optimized for semantic search and retrieval-to enhance agent responses or actions. A valid use case, as described in Option A, is using these retrievers to return pertinent data (e.g., customer purchase history, support tickets) from the vector database to augment a prompt. This process, often part of Retrieval-Augmented Generation (RAG), allows the LLM to generate more accurate, context-aware responses by grounding its output in structured, searchable data stored in Data Cloud.
* Option B: Grounding data from external websites is not a primary function of Data Cloud retrievers.
While RAG can incorporate external data, Data Cloud retrievers specifically work with data within Salesforce's ecosystem (e.g., the vector database or harmonized data lakes), not arbitrary external websites. This makes B incorrect.
* Option C: Data Cloud retrievers are read-only mechanisms designed for data retrieval, not for modifying or updating source systems. Updates to source systems are handled by other Salesforce tools (e.g., Flows or Apex), not retrievers.
Option A is correct because it aligns with the core purpose of Data Cloud retrievers: enhancing prompts with relevant, vectorized data from within Salesforce Data Cloud.
:
Salesforce Data Cloud Documentation: "Data Cloud for Agentforce" (Salesforce Help: https://help.salesforce.

com/s/articleView?id=sf.data_cloud_agentforce.htm&type=5)
Trailhead: "Data Cloud Basics" module (https://trailhead.salesforce.com/content/learn/modules/data-cloud- basics)

質問 98
Universal Containers は、サポート エージェントが Agentforce を使用して、製品チュートリアルや製品ガイドに関する
質問をできるようにしたいと考えています。
この要件を満たすために Agentforce スペシャリストは何をすべきでしょうか?
（A）製品のチュートリアルとガイド用のプロンプト テンプレートを作成します。
（B）チュートリアルの手順については、製品オブジェクトに「
質問に回答」カスタム フィールドを追加します。
（C）製品のチュートリアルとガイドをナレッジ記事として公開します。

正解：C
* Context of the QuestionUniversal Containers (UC) wants its support agents to use Agentforce to ask questions about product tutorials and product guides. Agentforce typically references knowledge sources to provide accurate and contextual responses.
* Why Knowledge Articles?
* Centralized Repository: Publishing product tutorials and guides as Knowledge articles in Salesforce ensures that the information is readily available and searchable by Agentforce.
* AI Integration: Salesforce's AI solutions, including Agentforce, can often be configured to pull content directly from Salesforce Knowledge articles, giving users on-demand answers without manual data duplication.
* Maintenance & Updates: Storing content in Salesforce Knowledge simplifies content updates, versioning, and user permissions.
* Why Not the Other Options?
* Option A (Create a Prompt Template): Creating a prompt template alone does not solve how the underlying content (tutorials, guides) is stored or accessed by Agentforce. Prompt templates shape the queries/responses but do not provide the knowledge base.
* Option B (Add an Answer Questions Custom Field): A single field on the product object is insufficient for the depth of information found in tutorials and guides. It also lacks the robust search and user-friendly interface that Knowledge articles provide.
* ConclusionTo ensure Agentforce can effectively retrieve and deliver accurate information about products, publishing product tutorials and guides as Knowledge articles is the recommended approach.
Salesforce Agentforce Specialist References & Documents

* Salesforce Documentation: Set Up Salesforce KnowledgeDiscusses how to publish articles for easy access
* by AI-driven assistants and support teams.
* Salesforce Agentforce Specialist Study GuideExplains best practices for feeding knowledge sources to generative AI and Agentforce.

質問 99
Agentforce States Agent を営業ユーザーに導入して成功した後、Universal Containers はこれをサービス チームに導入することを目指しています。
Agentforce スペシャリストがこの展開で留意すべき重要な考慮事項は何ですか?
（A）Service Cloud ユーザーに Agentforce for Service 権限を割り当てます。
（B）標準サービスアクションを Agentforce Service Agent に割り当てます。
（C）Service Center のユースケースの標準およびカスタムのエージェント トピックとアクションを確認してテストします。

正解：C
When deploying Einstein Agent (formerly Agentforce) from Sales to Service Cloud:
* Agent Topics and Actions are context-specific. Service Cloud use cases (e.g., case resolution, knowledge retrieval) require validation of existing topics/actions to ensure alignment with service workflows.
* Option A: Permissions like "Agentforce for Service" are necessary but secondary to functional compatibility.
* Option B: Standard service actions must be mapped to Agentforce, but testing ensures they function as intended.
References:
Salesforce Help: Einstein Agent Setup
Emphasizes reviewing "topics and actions for different user groups (Sales vs. Service)."

質問 100
Salesforce Agentforce スペシャリストは、プロンプト テンプレートの非効率性に関する顧客からのフィードバックを確認しています。
プロンプト テンプレートの有効性を確保するために、Agentforce スペシャリストは何をすべきでしょうか?
（A）ユーザーからのフィードバックに基づいてテンプレートを監視および改良します。
（B）プロンプト ビルダー スコアカードを使用して監視します。
（C）テンプレートの接地オブジェクトを定期的に変更します。

正解：B

To address the ineffectiveness of a prompt template reported by a customer, the Salesforce Agentforce Specialist should use the Prompt Builder Scorecard (Option B). This tool is explicitly designed to evaluate and monitor prompt templates against key criteria such as relevance, accuracy, safety, and grounding. By leveraging the scorecard, the specialist can systematically identify weaknesses in the template and make data-driven refinements. While monitoring and refining based on user feedback (Option A) is a general best practice, the Prompt Builder Scorecard is Salesforce's recommended tool for structured evaluation, aligning with documented processes for maintaining prompt effectiveness. Changing the grounding object (Option C) without proper evaluation is reactive and does not address the root cause.
:
Salesforce Einstein Agentforce Specialist Certification Guide: Emphasizes using the Prompt Builder Scorecard to evaluate prompts and iterate based on results.
Trailhead Module: "Einstein for Developers" highlights the scorecard as a critical tool for assessing prompt performance.
Salesforce Help Documentation: Details the Scorecard's role in evaluating prompts against predefined criteria.

質問 96
Agentforce テスト センターについて真実は何ですか?
（A）テストを実行すると、運用環境で CRM データが変更されるリスクがあります。
（B）テストを実行しても Einstein リクエストは消費されません。
（C）Agentforce テスト センターは実稼働環境でのみ使用できます。

正解：B
Comprehensive and Detailed In-Depth Explanation:
The Agentforce Testing Center is a tool in Agentforce Studio for validating agent performance. Let's evaluate the statements.
* Option A: Running tests risks modifying CRM data in a production environment.Agentforce Testing Center runs synthetic interactions in a controlled environment (e.g., sandbox or isolated test space) and doesn't modify live CRM data. It's designed for safe pre-deployment testing, making this incorrect.
* Option B: Running tests does not consume Einstein Requests.Einstein Requests are part of the usage quota for Einstein Generative AI features (e.g., prompt executions in production). Testing Center uses synthetic data to simulate interactions without invoking live AI calls that count against this quota.
Salesforce documentation confirms tests don't consume requests, making this the correct answer.

* Option C: Agentforce Testing Center can only be used in a production environment.Testing Center is available in both sandbox and production orgs, but it's primarily used pre-deployment (e.g., in sandboxes) to validate agents safely. This restriction is false, making it incorrect.

Why Option B is Correct:

Not consuming Einstein Requests is a key feature of Testing Center, allowing extensive testing without impacting quotas, as per Salesforce documentation.

References:

Salesforce Agentforce Documentation: Testing Center > Overview - Confirms no request consumption.

Trailhead: Test Your Agentforce Agents - Notes quota-free testing.

Salesforce Help: Agentforce Testing - Details safe, isolated testing.

質問 97

Data Cloud レトリーバーの有効な使用例は何ですか?

（A）ベクター データベースから関連データを返します。これによりプロンプトが拡張されます。

（B）外部 Web サイトからのデータを基に、RAG でプロンプトを補強します。

（C）Data Cloud に接続されたソース システム内のデータを変更および更新します。

正解：A

Comprehensive and Detailed In-Depth Explanation:

Salesforce Data Cloud integrates with Agentforce to provide real-time, unified data access for AI-driven applications. Data Cloud retrievers are specialized components that fetch relevant data from Data Cloud's vector database-a storage system optimized for semantic search and retrieval-to enhance agent responses or actions. A valid use case, as described in Option A, is using these retrievers to return pertinent data (e.g., customer purchase history, support tickets) from the vector database to augment a prompt. This process, often part of Retrieval-Augmented Generation (RAG), allows the LLM to generate more accurate, context-aware responses by grounding its output in structured, searchable data stored in Data Cloud.

* Option B: Grounding data from external websites is not a primary function of Data Cloud retrievers.

While RAG can incorporate external data, Data Cloud retrievers specifically work with data within Salesforce's ecosystem (e.g., the vector database or harmonized data lakes), not arbitrary external websites. This makes B incorrect.

* Option C: Data Cloud retrievers are read-only mechanisms designed for data retrieval, not for modifying or updating source systems. Updates to source systems are

handled by other Salesforce tools (e.g., Flows or Apex), not retrievers.
Option A is correct because it aligns with the core purpose of Data Cloud retrievers: enhancing prompts with relevant, vectorized data from within Salesforce Data Cloud.
:
Salesforce Data Cloud Documentation: "Data Cloud for Agentforce" (Salesforce Help: https://help.salesforce.
com/s/articleView?id=sf.data_cloud_agentforce.htm&type=5)
Trailhead: "Data Cloud Basics" module (https://trailhead.salesforce.com/content/learn/modules/data-cloud- basics)

質問 98
Universal Containers は、サポート エージェントが Agentforce を使用して、製品チュートリアルや製品ガイドに関する
質問をできるようにしたいと考えています。
この要件を満たすために Agentforce スペシャリストは何をすべきでしょうか?
（A）製品のチュートリアルとガイド用のプロンプト テンプレートを作成します。
（B）チュートリアルの手順については、製品オブジェクトに「
質問に回答」カスタム フィールドを追加します。
（C）製品のチュートリアルとガイドをナレッジ記事として公開します。

正解：C
* Context of the QuestionUniversal Containers (UC) wants its support agents to use Agentforce to ask questions about product tutorials and product guides. Agentforce typically references knowledge sources to provide accurate and contextual responses.
* Why Knowledge Articles?
* Centralized Repository: Publishing product tutorials and guides as Knowledge articles in Salesforce ensures that the information is readily available and searchable by Agentforce.
* AI Integration: Salesforce's AI solutions, including Agentforce, can often be configured to pull content directly from Salesforce Knowledge articles, giving users on-demand answers without manual data duplication.
* Maintenance & Updates: Storing content in Salesforce Knowledge simplifies content updates, versioning, and user permissions.
* Why Not the Other Options?
* Option A (Create a Prompt Template): Creating a prompt template alone does not solve how the underlying content (tutorials, guides) is stored or accessed by Agentforce. Prompt templates shape the queries/responses but do not provide the knowledge base.
* Option B (Add an Answer Questions Custom Field): A single field on the product

object is insufficient for the depth of information found in tutorials and guides. It also lacks the robust search and user-friendly interface that Knowledge articles provide.
* ConclusionTo ensure Agentforce can effectively retrieve and deliver accurate information about products, publishing product tutorials and guides as Knowledge articles is the recommended approach.
Salesforce Agentforce Specialist References & Documents
* Salesforce Documentation: Set Up Salesforce KnowledgeDiscusses how to publish articles for easy access
* by AI-driven assistants and support teams.
* Salesforce Agentforce Specialist Study GuideExplains best practices for feeding knowledge sources to generative AI and Agentforce.

質問 99
Agentforce States Agent を営業ユーザーに導入して成功した後、Universal Containers はこれをサービス チームに導入することを目指しています。
Agentforce スペシャリストがこの展開で留意すべき重要な考慮事項は何ですか?
（A）Service Cloud ユーザーに Agentforce for Service 権限を割り当てます。
（B）標準サービスアクションを Agentforce Service Agent に割り当てます。
（C）Service Center のユースケースの標準およびカスタムのエージェント トピックとアクションを確認してテストします。

正解：C
When deploying Einstein Agent (formerly Agentforce) from Sales to Service Cloud:
* Agent Topics and Actions are context-specific. Service Cloud use cases (e.g., case resolution, knowledge retrieval) require validation of existing topics/actions to ensure alignment with service workflows.
* Option A: Permissions like "Agentforce for Service" are necessary but secondary to functional compatibility.
* Option B: Standard service actions must be mapped to Agentforce, but testing ensures they function as intended.
References:
Salesforce Help: Einstein Agent Setup
Emphasizes reviewing "topics and actions for different user groups (Sales vs. Service)."

質問 100
Salesforce Agentforce スペシャリストは、プロンプト テンプレートの非効率性に関する顧客からのフィードバックを確認しています。
プロンプト テンプレートの有効性を確保するために、Agentforce スペシャリストは何を

すべきでしょうか?
（A）ユーザーからのフィードバックに基づいてテンプレートを監視および改良します。
（B）プロンプト ビルダー スコアカードを使用して監視します。
（C）テンプレートの接地オブジェクトを定期的に変更します。

正解：B
To address the ineffectiveness of a prompt template reported by a customer, the Salesforce Agentforce Specialist should use the Prompt Builder Scorecard (Option B). This tool is explicitly designed to evaluate and monitor prompt templates against key criteria such as relevance, accuracy, safety, and grounding. By leveraging the scorecard, the specialist can systematically identify weaknesses in the template and make data-driven refinements. While monitoring and refining based on user feedback (Option A) is a general best practice, the Prompt Builder Scorecard is Salesforce's recommended tool for structured evaluation, aligning with documented processes for maintaining prompt effectiveness. Changing the grounding object (Option C) without proper evaluation is reactive and does not address the root cause.
:
Salesforce Einstein Agentforce Specialist Certification Guide: Emphasizes using the Prompt Builder Scorecard to evaluate prompts and iterate based on results.
Trailhead Module: "Einstein for Developers" highlights the scorecard as a critical tool for assessing prompt performance.
Salesforce Help Documentation: Details the Scorecard's role in evaluating prompts against predefined criteria

質問 101
Universal Containers は、Prompt Builder で外部の大規模言語モデル (LLM) を使用したいと考えています。
Agentforce は何を推奨すべきでしょうか?
（A）Apex を使用して外部 LLM に接続し、プロンプトを接地します。
（B）Einstein Studio で BYO-LLM 機能を使用します。
（C）フローおよび外部サービスを使用して、外部 LLM からデータを取得します。

正解：B
Bring Your Own Large Language Model (BYO-LLM) functionality in Einstein Studio allows organizations to integrate and use external large language models (LLMs) within the Salesforce ecosystem.
Universal Containers can leverage this feature to connect and ground prompts with external LLMs, allowing for custom AI model use cases and seamless integration with

Salesforce data.
* Option B is the correct choice as Einstein Studio provides a built-in feature to work with external models.
* Option A suggests using Apex, but BYO-LLM functionality offers a more streamlined solution.
* Option C focuses on Flow and External Services, which is more about data integration and isn't ideal for working with LLMs.
:
Salesforce Einstein Studio BYO-LLM Documentation: https://help.salesforce.com/s/articleView?id=sf.
einstein_studio_llm.htm

質問 102
Agentforce は、セットアップで Einstein Generative AI をオンにしました。現在、Agentforce スペシャリストは、プロンプト ビルダーでカスタム プロンプト テンプレートを作成したいと考えています。ただし、セットアップ メニューでプロンプト ビルダーにアクセスできません。
問題の原因は何ですか?
（A）プロンプト テンプレート ユーザー権限セットが正しく割り当てられませんでした。
（B）プロンプト テンプレート マネージャーの権限セットが正しく割り当てられませんでした。
（C）Data Cloud で大規模言語モデル（LLM）が正しく構成されていません。

正解：B
In order to access and create custom prompt templates in Prompt Builder, the Agentforce Specialist must have the Prompt Template Manager permission set assigned. Without this permission, they will not be able to access Prompt Builder in the Setup menu, even though Einstein Generative AI is enabled.
* Option B is correct because the Prompt Template Manager permission set is required to use Prompt Builder.
* Option A (Prompt Template User permission set) is incorrect because this permission allows users to use prompts, but not create or manage them.
* Option C (LLM configuration in Data Cloud) is unrelated to the ability to access Prompt Builder.
:
Salesforce Prompt Builder Permissions: https://help.salesforce.com/s/articleView?id=sf.
prompt_builder_permissions.htm

質問 103
Universal Containers のエージェント アクションには、新しい Agentforce エージェント用の Apex クラスがいくつか含まれています。エージェント アクションによって呼び出される Apex を展開する場合の重要な考慮事項は何ですか?
（A）Apex クラスは、単体テストで少なくとも 75% のコード カバレッジを持ち、すべての依存関係がデプロイメント パッケージに含まれている必要があります。
（B）エージェントアクションによって呼び出される Apex クラスは、エージェントが本番環境でアクティブ化されていない限り、75% 未満のテスト カバレッジでデプロイできます。
（C）Apex クラスは、エージェントによってのみ使用される限り、75% のコード カバレッジ要件をバイパスできます。

正解：A
Comprehensive and Detailed In-Depth Explanation:
Universal Containers (UC) is using Apex classes within an Agent Action for their Agentforce Agent.
Deploying Apex in Salesforce has specific requirements, especially when tied to Agentforce functionality. Let' s evaluate the options.
* Option A: The Apex classes must have at least 75% code coverage from unit tests, and all dependencies must be in the deployment package.Salesforce enforces a strict requirement that all Apex classes must achieve at least 75% code coverage from unit tests for deployment to production, regardless of their use case (e.g., Agentforce, triggers, or web services). Additionally, when Apex is invoked by an Agent Action (e.g., via a Flow or direct invocation), all dependencies (e.g., referenced classes, objects) must be included in the deployment package to ensure functionality. This is a standard deployment consideration in Salesforce and applies to Agentforce, making this the correct answer.
* Option B: Apex classes invoked by an Agent Action may be deployed with less than 75% test coverage as long as the agent is not activated in production.Salesforce's 75% code coverage requirement is mandatory for production deployment, regardless of whether the agent is activated.
There's no exemption based on activation status-coverage is enforced at the deployment stage. This option is incorrect and contradicts Salesforce's Apex deployment rules.
* Option C: The Apex classes may bypass the 75% code coverage requirement as long as they are only used by the agent.No such bypass exists in Salesforce. The 75% code coverage rule applies universally to all Apex in production, including classes used by Agentforce. Agent-specific usage doesn' t waive this requirement, making this

incorrect.
Why Option A is Correct:
The 75% code coverage requirement and inclusion of dependencies are fundamental Salesforce deployment rules, applicable to Apex in Agent Actions. This ensures reliability and functionality in production, as per official documentation.
References:
Salesforce Agentforce Documentation: Agent Builder > Custom Actions > Apex - Notes standard Apex deployment rules apply.
Salesforce Developer Guide: Apex Testing - Confirms 75% coverage requirement.
Trailhead: Deploy Apex Code - Emphasizes coverage and dependencies for production.

質問 104
Universal Containers には、注文処理システムから注文のリアルタイム ステータスを取得するためのフローを呼び出すカスタム エージェント アクションがあります。
特定のフローでは、Agentforce スペシャリストは実行中のユーザーのデータ アクセスについて何を考慮すればよいでしょうか?
（A）フローでは、権限、フィールド レベルのセキュリティ、共有設定の詳細設定で「共有あり」権限が選択されている必要があります。
（B）カスタム アクションは、フロー内で構成されたアクセス許可、保持レベルのセキュリティ、および共有設定に準拠します。
エージェントは常にシステム モードでフローを実行するため、実行中のユーザーのデータ アクセスは返されるデータに影響しません。

正解：B
When a flow is invoked via a custom Agent action, its data access depends on the flow's runtime configuration, not system mode by default. Salesforce flows can be configured to respect the running user's permissions and sharing settings:
* If the flow is set to "Run as the User Who Launched the Flow" (enabled in Flow Settings), it adheres to the user's permissions, field-level security (FLS), and sharing rules.
* Option C is incorrect because flows do not always run in system mode unless explicitly configured to do so.
* Option A is misleading because "with sharing" is an Apex concept, not a flow setting. Flows use runtime settings like FLS and sharing enforcement.
References:
Salesforce Help: Flow Runtime and Security Context
Flow Settings: "Run with User Permission and Field-Level Security" ensures data access aligns with the user' s permissions.

質問 105
プロンプト テンプレートを構成するとき、Agentforce スペシャリストは、作成したプロンプト テンプレートの結果をプレビューします。2 つの異なるテキスト出力 (解決と応答) が表示されます。解決テキストはどのような情報を提供しますか?
（A）信頼レイヤーに送信される全文を表示します。
（B）サンプルレコードに基づく LLM からの応答を表示します。
（C）LLM に送信される前にマスクされる機密データを示します。

正解：B
Comprehensive and Detailed In-Depth Explanation:
In Salesforce Agentforce, when previewing a prompt template, the interface displays two outputs: Resolution and Response. These terms relate to how the prompt is processed and evaluated, particularly in the context of the Einstein Trust Layer, which ensures AI safety, compliance, and auditability. The Resolution text specifically refers to the full text that is sent to the Trust Layer for processing, monitoring, and governance (Option A). This includes the constructed prompt (with grounding data, instructions, and variables) as it's submitted to the large language model (LLM), along with any Trust Layer interventions (e.g., masking, filtering) applied before or after LLM processing. It's a comprehensive view of the input/output flow that the Trust Layer captures for auditing and compliance purposes.
* Option B: The "Response" output in the preview shows the LLM's generated text based on the sample record, not the Resolution. Resolution encompasses more than just the LLM response-it includes the entire payload sent to the Trust Layer.
* Option C: While the Trust Layer does mask sensitive data (e.g., PII) as part of its guardrails, the Resolution text doesn't specifically isolate "which sensitive data is masked." Instead, it shows the full text, including any masked portions, as processed by the Trust Layer-not a separate masking log.
* Option A: This is correct, as Resolution provides a holistic view of the text sent to the Trust Layer, aligning with its role in monitoring and auditing the AI interaction.
Thus, Option A accurately describes the purpose of the Resolution text in the prompt template preview.
:
Salesforce Agentforce Documentation: "Preview Prompt Templates" (Salesforce Help: https://help.salesforce.
com/s/articleView?id=sf.agentforce_prompt_preview.htm&type=5)
Salesforce Einstein Trust Layer Documentation: "Trust Layer Outputs" (https://help.salesforce.com/s

/articleView?id=sf.einstein_trust_layer.htm&type=5)

質問 106
Universal Containers の管理者が Einstein データライブラリを設定しています。新しいライブラリを作成した後、管理者は、ファイルのアップロード オプションしか使用できず、Salesforce ナレッジベースを使用してライブラリを構成するオプションがないことに気付きました。
この問題の最も可能性の高い原因は何ですか?
（A) 現在の Salesforce 組織には、ナレッジベース データ ライブラリ オプションをサポートするために必要な Einstein for Service 権限がないため、ファイル アップロード オプションのみが表示されます。
（B) Salesforce ナレッジは組織内で有効になっていません。Salesforce ナレッジが有効になっていないと、ナレッジベースのデータ ソース オプションは Einstein データ ライブラリで使用できません。
（C) 管理者は Lightning Experience を使用していません。Lightning Experience は、Einstein データライブラリを構成するときに、ナレッジベース オプションを含むすべてのデータ ソース オプションを表示するために必要です。

正解：B
Why is "Salesforce Knowledge is not enabled" the correct answer?
If an administrator only sees the file upload option in Einstein Data Libraries and cannot configure a Salesforce Knowledge base, the most likely reason is that Salesforce Knowledge is not enabled in the organization.
Key Considerations for Einstein Data Libraries:
* Salesforce Knowledge Integration is Optional
* Einstein Data Libraries can pull knowledge data only if Salesforce Knowledge is enabled.
* If Knowledge is not activated, the system will default to file uploads as the only available option.
* How to Fix This Issue?
* The administrator should enable Salesforce Knowledge in Setup # Knowledge Settings.
* Once enabled, the option to configure Knowledge-based Data Libraries will become available.
Why Not the Other Options?
A. The current Salesforce org lacks the necessary Einstein for Service permissions
* Incorrect because even without certain permissions, the Knowledge option would still be visible but greyed out.

C. The administrator is not using Lightning Experience
* Incorrect because Einstein Data Libraries are accessible in both Classic and Lightning, and Lightning does not control Knowledge base visibility.
Agentforce Specialist References
* Salesforce AI Specialist Material confirms that Salesforce Knowledge must be enabled for Data Libraries to use Knowledge as a data source.
* Salesforce Certification Guide explicitly states that file uploads are the default option if Knowledge is not available.

質問 107
Universal Containers (UC) は、次の機能を備えた AI 搭載のカスタマー サービス エージェントを実装したいと考えています。
* PDF として保存されている独自のポリシー ドキュメントを取得します。
* 回答が一般的な LLM の知識ではなく、承認された企業データに基づいていることを確認します。UC はまず何をすべきでしょうか?
（A）ポリシー文書の AI 検索用に Agentforce データ ライブラリを設定します。
（B) AI エージェントのスコープを拡張して、すべての Salesforce レコードを検索します。
（C）コンテンツをファイルに追加し、データ ライブラリ オプションを選択します。

正解：A
Comprehensive and Detailed In-Depth Explanation:
To implement an AI-powered customer service agent that retrieves proprietary policy documents (stored as PDFs) and ensures responses are grounded in approved company data, UC must first establish a foundation for the AI to access and use this data. The Agentforce Data Library (Option A) is the correct starting point.
A Data Library allows UC to upload PDFs containing policy documents, index them into Salesforce Data Cloud's vector database, and make them available for AI retrieval. This setup ensures the agent can perform Retrieval-Augmented Generation (RAG), grounding its responses in the specific, approved content from the PDFs rather than relying on generic LLM knowledge, directly meeting UC's requirements.
* Option B: Expanding the AI agent's scope to search all Salesforce records is too broad and unnecessary at this stage. The requirement focuses on PDFs with policy documents, not all Salesforce data (e.g., cases, accounts), making this premature and irrelevant as a first step.
* Option C: "Add the files to the content, and then select the data library option" is vague and not a precise process in Agentforce. While uploading files is part of setting up a Data Library, the phrasing suggests adding files to Salesforce Content (e.g.,

ContentDocument) without indexing, which doesn't enable AI retrieval. Setting up the Data Library (A) encompasses the full process correctly.
* Option A: This is the foundational step-creating a Data Library ensures the PDFs are uploaded, indexed, and retrievable by the agent, fulfilling both retrieval and grounding needs.
Option A is the correct first step for UC to achieve its goals.
:
Salesforce Agentforce Documentation: "Set Up a Data Library" (Salesforce Help: https://help.salesforce.com/s
/articleView?id=sf.agentforce_data_library.htm&type=5)
Salesforce Data Cloud Documentation: "Ground AI Responses with Data Cloud" (https://help.salesforce.com/s
/articleView?id=sf.data_cloud_agentforce.htm&type=5)

質問 108
ユニバーサルコンテナーズは、AI を使用して顧客サポートチームの生産性を向上させる予定です。
どのような特定のユースケースで Prompt Builder の使用が必要になりますか?
（A）新しい製品パッチに関するサポート速報投稿の下書きを作成しています
（B）AI 生成のカスタマー サポート エージェントのパフォーマンス スコアの作成
（C）履歴データと季節的な傾向に基づいてサポートチケットの量を推定する

正解：A
The use case that necessitates the use of Prompt Builder is creating a draft of a support bulletin post for new product patches. Prompt Builder allows the Agentforce Specialist to create and refine prompts that generate specific, relevant outputs, such as drafting support communication based on product information and patch details.
* Option B (agent performance score) would likely involve predictive modeling, not prompt generation.
* Option C (estimating support ticket volume) would require data analysis and predictive tools, not prompt building.
For more details, refer to Salesforce's Prompt Builder documentation for generative AI content creation.

質問 109
Universal Containers はセキュリティ コンプライアンスに非常に関心があり、次の点を理解したいと考えています。
大規模言語モデル（LLM）に送信されるプロンプトテキスト

* マスクの仕方
* マスクされた応答

Agentforce スペシャリストは何を推奨すべきでしょうか?

（A）Einstein Shield イベント ログを CRM Analytics に取り込みます。
（B）実行中のユーザーのデバッグ ログを確認します。
（C）Einstein Trust Layer で監査証跡を有効にします。

正解：C

To address security compliance concerns and provide visibility into the prompt text sent to the LLM, how it is masked, and the masked response, the Agentforce Specialist should recommend enabling the audit trail in the Einstein Trust Layer. This feature captures and logs the prompts sent to the large language model (LLM) along with the masking of sensitive information and the AI's response. This audit trail ensures full transparency and compliance with security requirements.

* Option A (Einstein Shield Event logs) is focused on system events rather than specific AI prompt data.
* Option B (debug logs) would not provide the necessary insight into AI prompt masking or responses.

For further details, refer to Salesforce's Einstein Trust Layer documentation about auditing and security measures.

質問 110

Universal Containers は、関連リストを含むプロンプト テンプレートを基盤としています。ユーザー受け入れテスト (UAT) 中に、ユーザーは正しい応答を受け取りません。この問題の原因は何ですか?

（A）関連リストは読み取り専用です。
（B）関連リストプロンプトテンプレートオプションが有効になっていません。
（C）関連リストが親オブジェクトのページレイアウト上にありません。

正解：C

Comprehensive and Detailed In-Depth Explanation:

UC has grounded a prompt template with a related list, but the responses are incorrect during UAT.

Grounding with related lists in Agentforce allows the AI to access data from child records linked to a parent object. Let's analyze the options.

* Option A: The related list is Read Only.Read-only status (e.g., via field-level security or sharing rules) might limit user edits, but it doesn't inherently prevent the AI from accessing related list data for grounding, as long as the running user (or system

context) has read access. This is unlikely to cause incorrect responses and is not a primary consideration, making it incorrect.
* Option B: The related list prompt template option is not enabled.There's no specific "related list prompt template option" toggle in Prompt Builder. When grounding with a Record Snapshot or Flex template, related lists are included if properly configured (e.g., via object relationships). This option seems to be a misphrasing and doesn't align with documented settings, making it incorrect.
* Option C: The related list is not on the parent object's page layout.In Agentforce, grounding with related lists relies on the related list being defined and accessible in the parent object's metadata, often tied to its presence on the page layout. If the related list isn't on the layout, the AI might not recognize or retrieve its data correctly, leading to incomplete or incorrect responses. Salesforce documentation notes that related list data availability can depend on layout configuration, making this a plausible and common issue during UAT, and thus the correct answer.
Why Option C is Correct:
The absence of the related list from the parent object's page layout can disrupt data retrieval for grounding, leading to incorrect AI responses. This is a known configuration consideration in Agentforce setup and testing, as per official guidance.
References:
Salesforce Agentforce Documentation: Grounding with Related Lists - Notes dependency on page layout configuration.
Trailhead: Ground Your Agentforce Prompts - Highlights related list setup for accurate grounding.
Salesforce Help: Troubleshoot Prompt Responses - Lists layout issues as a common grounding problem.

質問 111
サービス エージェントは、旅行情報を保存するカスタム オブジェクトを確認しています。最近、気象警報を受け取ったため、この旅程に関連する顧客のフライトをキャンセルする必要があります。サービス エージェントは、顧客のフライトのキャンセルと再予約に関するナレッジ記事を確認する必要があります。
エージェントがこれを達成するのに役立つエージェント機能はどれですか?
（A）利用可能なアクションに基づいてタスクを実行し、アクセス可能なナレッジ記事の情報を使用して
質問に答えます。
（B）外部データを呼び出してナレッジ記事を作成するフローを呼び出します。
（C）エージェントが入力したプロンプトに基づいてナレッジ記事を生成し、フライトをキャンセルする手順を作成します。

正解：C

In this scenario, the Agent capability that best helps the agent is its ability to execute tasks based on available actions and answer questions using data from Knowledge articles. Agent can assist the service agent by providing relevant Knowledge articles on canceling and rebooking flights, ensuring that the agent has access to the correct steps and procedures directly within the workflow.

This feature leverages the agent's existing context (the travel itinerary) and provides actionable insights or next steps from the relevant Knowledge articles to help the agent quickly resolve the customer's needs.

The other options are incorrect:

* B refers to invoking a flow to create a Knowledge article, which is unrelated to the task of retrieving existing Knowledge articles.

* C focuses on generating Knowledge articles, which is not the immediate need for this situation where the agent requires guidance on existing procedures.

:

Salesforce Documentation on Agent

Trailhead Module on Einstein for Service

質問 112

Agentforce は、営業チーム向けに Einstein Sales Emails を実装しています。チームは、リードとのやり取りと Salesforce に保存されているデータに基づいて、パーソナライズされたフォローアップ メールをリードに送信したいと考えています。Agentforce スペシャリストは、メール生成に最も正確で最新の情報を使用するようにシステムを構成する必要があります。

Agentforce スペシャリストはどの接地技術を使用する必要がありますか?

（A）Apex マージ フィールドを使用したグラウンド

（B）レコード結合フィールドを持つグラウンド

（C）Draft with Einstein 機能を使用した自動接地

正解：C

For Einstein Sales Emails to generate personalized follow-up emails, it is crucial to ground the email content with the most up-to-date and accurate information. Grounding refers to connecting the AI model with real- time data. The most appropriate technique in this case is Ground with Record Merge Fields. This method ensures that the content in the emails pulls dynamic and accurate data directly from Salesforce records, such as lead or contact information, ensuring the follow-up is relevant and customized based on the specific record.

* Record Merge Fields ensure the generated emails are highly personalized using data like lead name, company, or other Salesforce fields directly from the records.
* Apex Merge Fields are typically more suited for advanced, custom logic-driven scenarios but are not the most straightforward for this use case.
* Automatic grounding using Draft with Einstein is a different feature where Einstein automatically drafts the email, but it does not specifically ground the content with record-specific data like Record Merge Fields.
:
Salesforce Einstein Sales Emails Documentation: https://help.salesforce.com/s/articleView?id=release-notes.rn_einstein_sales_emails.htm

質問 113
プロンプト テンプレートのバージョンが不変と記載されている場合、それはどういう意味ですか?
（A）テンプレートの最新バージョンのみをアクティブ化できます。
（B）テンプレートのすべての変更は、自動的に新しいバージョンとして保存されます。
（C）プロンプト テンプレート バージョンがアクティブ化されました。このバージョンにはこれ以上の変更を保存できません。

正解：C
When a prompt template version is immutable, it means that once the version is activated, it cannot be edited or modified. This ensures consistency in production environments where changes could disrupt workflows.
* Option A is incorrect: Any version (not just the latest) can be activated, depending on the use case.
* Option D is incorrect: Modifications require manually creating a new version; automatic versioning is not enforced.
* Option C is correct: Activation locks the version, enforcing immutability.
References:
Salesforce Help: Prompt Template Versioning
States that "activated prompt template versions are immutable and cannot be edited."

質問 114
Universal Containers は、Agentforce サービス エージェントからサービス担当者に SMS テキスト メッセージをルーティングしたいと考えています。適切にルーティングされるようにするには、フロー内でどのサービス チャネルを使用する必要がありますか?
（A）メッセージング

（B）ルート作業アクション
（C）ライブエージェント

正解：A
Comprehensive and Detailed In-Depth Explanation:
UC wants to route SMS text messages from an Agentforce Service Agent to a service rep using a flow. Let's identify the correct Service Channel.
* Option A: MessagingIn Salesforce, the "Messaging" Service Channel (part of Messaging for In-App and Web or SMS) handles text-based interactions, including SMS. When integrated with Omni-Channel Flow, the "Route Work" action uses this channel to route SMS messages to agents. This aligns with UC' s requirement for SMS routing, making it the correct answer.
* Option B: Route Work Action"Route Work" is an action in Omni-Channel Flow, not a Service Channel. It uses a channel (e.g., Messaging) to route work, so this is a component, not the channel itself, making it incorrect.
* Option C: Live Agent"Live Agent" refers to an older chat feature, not the current Messaging framework for SMS. It's outdated and unrelated to SMS routing, making it incorrect.
* Option D: SMS ChannelThere's no standalone "SMS Channel" in Salesforce Service Channels-SMS is encompassed within the "Messaging" channel. This is a misnomer, making it incorrect.
Why Option A is Correct:
The "Messaging" Service Channel supports SMS routing in Omni-Channel Flow, ensuring proper handoff from the Agentforce Service Agent to a rep, per Salesforce documentation.
References:
Salesforce Agentforce Documentation: Omni-Channel Integration > Messaging - Details SMS in Messaging channel.
Trailhead: Omni-Channel Flow Basics - Confirms Messaging for SMS.
Salesforce Help: Service Channels - Lists Messaging for text-based routing.

質問 115
Einstein Trust Layer のどの機能が、ジェイルブレイクやプロンプトインジェクション攻撃のリスクを最小限に抑えるのに役立ちますか?
（A）安全なデータ取得とグラウンディング
（B）データマスキング
（C）迅速な防御

正解：C
The Einstein Trust Layer is designed to ensure responsible and compliant AI usage. Data Masking (B) is the mechanism that directly addresses compliance with data protection regulations like GDPR by obscuring or anonymizing sensitive personal data (e.g., names, emails, phone numbers) before it is processed by AI models. This prevents unauthorized exposure of personally identifiable information (PII) and ensures adherence to privacy laws.
Salesforce documentation explicitly states that Data Masking is a core component of the Einstein Trust Layer, enabling organizations to meet GDPR requirements by automatically redacting sensitive fields during AI interactions. For example, masked data ensures that PII is not stored or used in AI model training or inference without explicit consent.
In contrast:
* Toxicity Scoring (A) identifies harmful or inappropriate content in outputs but does not address data privacy.
* Prompt Defense (C) guards against malicious prompts or injection attacks but focuses on security rather than data protection compliance.
Reference:
Salesforce Help Article: Einstein Trust Layer ("Data Masking" section).
Einstein Trust Layer Overview: "Data Protection and Compliance Features" (GDPR alignment via Data Masking).

質問 116
Universal Containers は、ナレッジ記事に基づいて
質問に答えるエージェントを実装しました。エージェント ビルダーにはどのトピックとエージェント アクションが表示されますか?
（A）一般的な Q&A トピックとナレッジ記事の回答アクション。
（B）一般的な CRM トピックと LLM アクションによる
質問への回答。
（C）一般的な FAQ トピックと、ナレッジ アクションによる
質問への回答。

正解：C
Comprehensive and Detailed In-Depth Explanation:
UC's agent answers questions using Knowledge articles, configured in Agent Builder. Let's identify the topic and action.
* Option A: General Q&A topic and Knowledge Article Answers action."General Q&A" is not a standard topic name in Agentforce, and "Knowledge Article Answers" isn't a

predefined action. This lacks specificity and doesn't match documentation, making it incorrect.
* Option B: General CRM topic and Answers Questions with LLM Action."General CRM" isn't a default topic, and "Answers Questions with LLM" suggests raw LLM responses, not Knowledge- grounded ones. This doesn't align with the Knowledge focus, making it incorrect.
* Option C: General FAQ topic and Answers Questions with Knowledge Action.In Agent Builder, the "General FAQ" topic is a common default or starting point for question-answering agents. The
Answers Questions with Knowledge action (sometimes styled as "Answer with Knowledge") is a prebuilt action that retrieves and grounds responses with Knowledge articles. This matches UC's implementation and is explicitly supported in documentation, making it the correct answer.
Why Option C is Correct:
General FAQ and "Answers Questions with Knowledge" are the standard topic-action pair for Knowledge- based question answering in Agentforce, per Salesforce resources.
References:
Salesforce Agentforce Documentation: Agent Builder > Actions - Lists "Answers Questions with Knowledge." Trailhead: Build Agents with Agentforce - Describes FAQ topics with Knowledge actions.
Salesforce Help: Knowledge in Agentforce - Confirms this configuration.

質問 117
Universal Containers (UC) は、生成 AI テクノロジーを使用して営業チームの生産性を向上したいと考えています。
しかし、UC は、一般の AI 仮想アシスタントには、一般的な有用な応答を行うための十分な企業データが不足していることを懸念しています。
UC はどのソリューションを検討すべきでしょうか?
（A）CBM データを使用して Einstein AI モデルを微調整します。
（B）Einstein Discovery を使用して AI モデルを構築し、営業ユーザーに展開します。
（C）Agentforce を有効にし、営業ユーザーに展開します。

正解：A
* Context of the QUESTION Universal Containers (UC) wants to harness generative AI to boost sales productivity. They are wary of public AI virtual assistants (like generic chatbots) that lack sufficient UC-specific data to generate useful business responses.
* Why Fine-Tune an Einstein AI Model with CRM Data?

* Company-Specific Relevance: By fine-tuning Einstein AI with UC's CRM data (accounts, opportunities, products, and historical interactions), the model learns the enterprise-specific context. This ensures that the generative outputs are accurate and tailored to UC's sales scenarios.
* Security and Compliance: Using Salesforce Einstein within the Salesforce ecosystem keeps data under UC's control, aligning with trust, security, and compliance requirements.
* Better Predictions: Einstein AI can produce more relevant insights (e.g., recommended next steps, content suggestions, or AI-generated email responses) when it has been trained on real, high-quality internal data.
* Why Not Build an AI Model with Einstein Discovery (Option B)?
* Einstein Discovery Use Case: Einstein Discovery is best suited for predictive and prescriptive analytics (e.g., analyzing large data sets for patterns, scoring leads, or predicting churn). While it provides advanced analytics, it is not primarily designed for generative text-based interactions for end-user consumption in a conversational format.
* Why Not Enable Agentforce (Option C)?
* Agentforce Overview: "Agentforce" (sometimes referencing a pilot or non-mainstream name) typically focuses on interactive help or workforce collaboration. It does not inherently solve the problem of large-scale generative AI using internal CRM data. Moreover, you still need a robust generative engine fine-tuned on company data.
* Outcome: Fine-tuning the Einstein AI model with UC's CRM data (Answer A) is the most direct, Salesforce-native solution to provide generative AI responses that are aligned with UC's context, driving productivity gains and ensuring data privacy.
Salesforce Agentforce Specialist References & Documents
* Salesforce Official: Einstein GPT Overview
* Discusses how Einstein GPT can be fine-tuned with specific CRM data to deliver contextually relevant, generative AI responses.
* Salesforce Trailhead: Get Started with Salesforce Einstein
* Explains the fundamentals of AI within the Salesforce platform, including training and optimizing Einstein models.
* Salesforce Documentation: Einstein Discovery
* Details how Einstein Discovery is primarily used for advanced analytics and predictions, not direct generative text solutions.
* Salesforce Agentforce Specialist Study Guide
* Provides the official outline of Einstein AI capabilities, referencing how to configure and fine- tune models for specialized enterprise use cases.

質問 118
Salesforce Agentforce データライブラリ（データソースに関係なく）を設定して保存すると、どのコンポーネントが自動的に作成され、Data Cloud で使用できるようになりますか?
（A）データ パイプライン、インデックス エンジン、クエリ プロセッサ
（B）データコネクタ、分析ダッシュボード、ワークフロールール
（C）データストリーム、検索インデックス、リトリーバー

正解：C
Why is "A data stream, a search index, and a retriever" the correct answer?
When a Salesforce Agentforce Data Library is configured and saved, it automatically creates three essential components in Data Cloud to facilitate AI-driven search and retrieval.
Key Components Created in Data Cloud:
* Data Stream
* This acts as the pipeline that brings data into Data Cloud.
* It enables real-time data ingestion from sources such as Salesforce records, PDFs, or external databases.
* Search Index
* After ingestion, data is indexed for efficient search and retrieval.
* This allows AI models to perform structured queries and retrieve relevant data faster.
* Retriever
* The retriever is an AI-powered search mechanism that uses the search index to fetch the most relevant data.
* It ensures that AI-generated responses are grounded in structured, reliable data.
Why Not the Other Options?
A. A data pipeline, an indexing engine, and a query processor
* Incorrect because Data Cloud does not use a query processor in the same way as traditional databases.
* Instead, retrievers handle AI-powered data searches.
B. A data connector, an analytics dashboard, and a workflow rule
* Incorrect because these components are not automatically created when setting up a Data Library.
* Analytics dashboards and workflow rules are separate tools used for reporting and automation.
Agentforce Specialist References
* Salesforce AI Specialist Material confirms that a Data Stream, Search Index, and Retriever are created automatically in Data Cloud when configuring a Data Library.

質問 119
ユニバーサル コンテナーズの営業担当者は、多忙なスケジュールの合間に、更新や新規取引に関するメールによる見込み客や既存顧客のフォローアップに時間を割いています。営業担当者は、営業活動を行う前に、過去のやり取りや顧客の詳細を確認するのに、週を通して多くの時間を費やしています。
以前の成功したコミュニケーションに基づいてテキストを生成し、営業担当者が見込み客にパーソナライズされた電子メールを作成するのに役立つ、標準の Copilot アクションはどれですか?
（A）エージェントのアクション: 類似の機会を見つける
（B）エージェントのアクション: 営業メールの下書きまたは修正
（C）エージェントアクション: レコードの要約

正解：B
For sales reps who need to draft personalized emails based on previous communications, the Agentforce Specialist should recommend the Agent Action: Draft or Revise Sales Email. This action uses AI to generate or revise email content, leveraging past successful communications to create personalized and relevant outreach to prospects or clients.
* Find Similar Opportunities is used for opportunity matching, not email drafting.
* Summarize Record provides a summary of customer data but does not directly help with drafting emails.
For more information, refer to Salesforce's Agent documentation on standard actions for sales teams.

質問 120
Universal Containers の営業チームは、全国の見込み客と多数のビデオ営業通話を行っています。営業管理部門は、取引条件や顧客の感情などの重要な情報を簡単に理解できる方法を求めています。
このリクエストに対して、An Agentforce はどの Einstein Generative AI 機能を推奨すべきでしょうか?
（A）アインシュタイン通話概要
（B）アインシュタイン会話インサイト
（C）アインシュタインビデオ KPI

正解：B
Einstein Conversation Insights analyzes sales calls (including video and voice) to capture key moments, deal terms, competitor mentions, and customer sentiment. It

helps sales management quickly understand what was discussed without manually reviewing the entire call.This feature ensures actionable insights are delivered directly into the Salesforce CRM, allowing sales managers to gain a concise overview without manually reviewing long recordings.

Reference:

Boost Sales with Automated AI Strategies | Salesforce Trailhead .

Introduction to Einstein Discovery | Salesforce .