ACADEMIC EARLY WARNING SYSTEM

Classes and Upload Test Results

Card 05 | Prepared procedure - tests not run

Prepared test procedures. All cases are Not run. Fill the yellow fields after actual execution and save this PDF. Attach real sanitized screenshots separately to this card. Repeat a case in a saved copy for different inputs or builds.

Team / tester / reviewer

Build / test date / browser / environment

Use isolated accounts: two instructors with separate classes, authorized AMU staff, admin, and two students. Never run destructive tests on production records.

Fixture instructions

Use the three Synthetic workbooks in this folder: Classlist, Gradesheet and Attendance. They contain five invented identities with reserved example.com addresses. Use isolated database and intercepted/disabled outgoing email. Upload classlist first, then gradesheet and attendance to the same class. Reconcile exact IDs. Duplicate Classlist and Unsupported_File are deliberate negative fixtures; they are not valid baseline uploads. Parsing compatibility still needs execution against your running version.

TC-09 - R04 Classes

Setup and procedure

Create Class A with valid required fields; separately omit required values; reload instructor list.

Expected result

Correct class appears for correct owner; invalid creation fails clearly.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-10 - R04

Setup and procedure

Archive then restore a synthetic class; inspect active/archived lists and associated enrollments after each step.

Expected result

Lifecycle and related records match approved archive rules; no loss or duplicate enrollments.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-11 - R05 Upload

Setup and procedure

Upload valid five-student classlist using supported template; reconcile every identity and displayed total.

Expected result

Correct five records mapped once; preview/persisted values agree with source.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-12 - R05

Setup and procedure

Upload valid gradesheet and attendance for known roster; compare selected source cells to stored/displayed values.

Expected result

Correct student/term/field mapping with no shift, unintended overwrite or missing rows.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-13 - R05

Setup and procedure

Upload file with mismatched student ID/name; separately repeat upload and introduce duplicate row.

Expected result

Approved reject/update policy enforced; no cross-student writes or unintended duplicate record; partial handling reported clearly.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-14 - R05

Setup and procedure

Upload empty file, malformed supported file and unsupported MIME type in isolated setup.

Expected result

Rejected clearly without crash or unintended data changes.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-15 - R05

Setup and procedure

Test file sizes at and just above 10 MiB; where endpoint supports multiple files, test aggregate at/above 50 MiB. Ensure fixture is otherwise valid.

Expected result

Reviewed class-router limits allow boundary size validation and reject above-limit requests; record parsing errors separately from size checks. Other endpoints verified against their own rules.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date