ACADEMIC EARLY WARNING SYSTEM

Prediction and Routing Test Results

Card 08 | Prepared procedure - tests not run

Prepared test procedures. All cases are Not run. Fill the yellow fields after actual execution and save this PDF. Attach real sanitized screenshots separately to this card. Repeat a case in a saved copy for different inputs or builds.

Team / tester / reviewer

Build / test date / browser / environment

Use isolated accounts: two instructors with separate classes, authorized AMU staff, admin, and two students. Never run destructive tests on production records.

TC-25 - R10 Prediction

Setup and procedure

AMU predict with complete fixture; separately remove midterm, attendance, and genuine assessment answers.

Expected result

Complete fixture can proceed; each missing-source case returns insufficient data and no prediction; model not invoked for incomplete cases.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-26 - R10

Setup and procedure

Set attendance to 0 with valid midterm and complete genuine assessment containing false answers; separately leave only derived assessment scores.

Expected result

Valid zero/false data accepted as present; derived scores alone do not count as completed assessment.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-27 - R10

Setup and procedure

Record artifact/profile/feature order; repeat fixed complete input; compare API and UI result, label, probability scale and model source.

Expected result

Stable result for fixed version/input; class mapping and percent scale correct; displayed explanation matches actual inputs; no promised label based solely on referral threshold.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-28 - R10

Setup and procedure

In isolated config remove model availability and restart/clear cache as required; predict complete fixture; compare instructor and AMU entry-point prerequisites.

Expected result

Fallback/unavailability handled according to approved requirements; provenance not represented as trained-model output; prerequisite differences documented and resolved.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-29 - R11 Routing

Setup and procedure

Save support-routing action for Student A referral; reload and inspect Student B referral.

Expected result

Correct action persists only for intended referral/student; required details validated.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date

TC-30 - R11 Communication

Setup and procedure

Send invitation/notice to controlled recipient; inspect receipt or test sink; simulate configured delivery/queue failure.

Expected result

Correct recipient/content/link; queued and delivered states distinguished; failure is observable and retry policy does not cause unintended duplicates.

Exact input / fixture / prerequisites

Actual result (leave blank until tested)

Status: Not run / Pass / Fail / Blocked

Not run

Tester / execution date / build

Screenshot filenames or evidence links / linked BUG ID

Reviewer / decision / date