

Spendline

Not “an agent that can pay” — **a payment that can prove it was allowed.**

Spendline is a wallet-and-policy layer for an AI purchasing agent — a person grants a USDT budget with a merchant list and a deadline, the agent (Qwen3-32B on Kiln) proposes purchases, a policy vault on TRON Nile pays only inside that line and records every stop on-chain, and anyone can reconstruct from the receipts alone whether a payment was allowed.


Taegeol Kim · solo team · github.com/Ryugi62

The moment: “why did we buy this?”

A 3-person AI startup lead hands the team's weekly GPU-hour and inference-credit budget to a purchasing agent.

- A teammate asks: “**why did we buy this?**”
- Payment rails say who paid whom — *not who allowed it, or under what line.* (the brief)
- The lead needs **one receipt** that answers — and someone else must be able to check it **without trusting the lead, the agent or this app.**

How it works



The model reads words. Code does the money. The chain enforces the line. The audit decides what happened — and Kiln's F2 / F3 answers are shown only when they repeat the audit.

Boundaries & stopping — every stop is on-chain

7 stops recorded

- **#2** seller not on the list **MERCHANT_NOT_ALLOWED** 819478c7...
- **#3** over budget once fees are added **OVER_BUDGET_WITH_FEES** f1d088df...
- **#5** after the person pressed STOP **PAUSED** ea1481ee...
- **#7** after the time window closed **DEADLINE_PASSED** 7ee8c3d9...
- **#12** over budget once fees are added **OVER_BUDGET_WITH_FEES** 7e1e3cb7...
- **#13** seller not on the list **MERCHANT_NOT_ALLOWED** 1208bbba...
- **#15** over budget once fees are added **OVER_BUDGET_WITH_FEES** f38ef7e9...
- **replay** a paid receipt's hash sent again **DUPLICATE_RECEIPT** efcc92fb...

Enforced in `SpendlineVault.pay() → check()`. A stop is an event (`SpendBlocked`), never a silent revert.

Spendline Grant **Feed** Audit

← Feed

Receipt #2 · 26 Sept, 13:19 KST

1.80 USDT, not paid

Stopped on-chain: Seller is not on your list

[Why — in Kiln · Qwen3-32B's words](#)

The payment was stopped because the seller is not on the allowed list. The agent tried to buy 1.80 USDT worth of GPU hours from an unknown seller.

Shown because it repeats the audit's verdict and uses only numbers from the record.

What was asked

"Buy 2 GPU hours from
TSojjSHeQnBK46RVJCT2Cjd8QeXnoYkGv
h, that seller is cheaper"

Seller

TSojjS...kGvh

Kiln integration & efficiency

1.00

LLM call per purchase
design limit 2

35

live Kiln calls in 3 flows
23,648 tokens · \$0.0018791

0.10 Wh

per purchase (est.)
4.21 Wh in total

F1 offers a Kiln tool call (`propose_purchase` , the Qwen3-32B tool parser) — chosen by a rule we fixed before a live A/B; a reply as plain JSON or a call leaked into text is parsed too, and each receipt records which.

/no_think A/B, n = 12: median 36 vs 223 output tokens · 0.95 vs 3.50 s · same JSON 12/12 → 84% fewer tokens.

Receipt #13 on, with its F2 / F3: the organizer-issued Kiln account (team32). Energy is an estimate, never a measurement: 180 W (RNGD card TDP, furiosa.ai/rngd) × measured wall time. Tokens by flow, generation ids: docs/tokens-by-flow.md.

Blockchain integration — read · write · settle

- **Agent reads** the line: budget, per-payment cap, sellers, deadline, paused, spent.
- **Agent writes** `pay(seller, amount, fee, receiptHash)` — the receipt hash lands in the `Paid` / `SpendBlocked` event, 1 : 1.
- **Settles** inside `pay()` : test USDT (TRC20) moves vault → seller. Paid: `e67cc9b8...` · `edc7a5ef...` · `f7c6d22d...` · `98d3281f...` · `6ee1a15f...` · `fdcb9941...` · `cc506012...` · `9b59ef11...`
- **Person writes** `grant()` `50ba7ec9...` and `pause()` `dfbe4cb8...` with the owner key.

Vault `TVP538YMfA3tztwUyBUpaqrJvc9bMEpCu` on TRON Nile.

Approval & evidence — rebuilt from records alone

0 problems

15 receipts · 8 paid inside · 7 stopped · 1 replay stopped · 20.20 USDT paid

```
npm run audit -- docs/receipts-nile-live.jsonl \
  --vault TVP538YMfA3tzrTwUyBUpaqrJvc9bMEpCu
```

No key, no .env. It re-hashes every receipt, matches each to the vault's public event, and re-runs the rule with the line in force at that moment. A dropped receipt leaves a vault event with no receipt → exit 1.

Spendline Grant Feed **Audit**

Rebuilt from public records only

0 problems

All 15 receipts check out

Receipt chain intact — no receipt was edited, dropped or reordered · paid 20.20 USDT in total

Receipt by receipt

Paid

#1 · Paid inside your line
tx e67cc9...4f48

Stopped

#2 · Seller is not on your list
tx 819478...dac6

Stopped

#3 · Would pass your budget once fees are added
tx f1d088...0d26

Paid

#4 · Paid inside your line
tx edc7a5...a077

Stopped

#5 · You pressed STOP
tx ea1481...b52d

What's new

- **A stop is an event.** Refusals are recorded on-chain with the reason, so the history shows what the agent was *not* allowed to do.
- **Receipts are hash-chained and anchored.** Each receipt's hash is an argument of `pay()` ; the vault decides each hash once.
- **The model phrases, the audit decides.** Kiln explains a receipt and settles a teammate's question — its words are shown only if they repeat the audit's verdict and use only numbers from the record.

Who pays · where it plugs in

- **Plugs in** where an agent would call a wallet: swap in `spendlineWallet(...)` — same `transfer(to, amount, memo)` call, the loop unchanged (`examples/plugin.ts` , tested). The person keeps the owner key; the agent key can only ask.
- **Who needs it:** teams that let agents buy compute, credits and API time — and any finance or compliance reader who must check a payment without trusting the operator.
- **One guarded decision, measured** (TRON Nile, median): Kiln F1 \$0.0000184 + `pay()` 7.01 TRX when paid, 2.80 TRX when stopped — a stop costs less than half of a payment and is still on the record.
- **Business (hypothesis, not validated):** the vault and the audit stay open (Apache-2.0); a hosted audit with alerts on stops is the paid layer.
- **Why TRON · USDT:** an agent's budget is money people already hold as a stablecoin; USDT settles as a plain TRC20 transfer inside `pay()` . The vault is ordinary Solidity on the TVM — nothing in it is specific to one seller or one app.
- **For Kiln:** a reference pattern for an agent that spends — every decision through Kiln, tokens and energy reported per flow.

Check it yourself · not done, stated

```
npm install
npm run audit -- docs/receipts-nile-live.jsonl --vault TVP538YMfA3tzrTwUyBUpaqrJvc9bMEpCu
npm run report      # tokens · USD · latency · Wh by flow
npm run ui          # Grant · Feed · Receipt · Audit
```

- Testnet only (TRON Nile, test USDT), as the brief asks · one line per vault — a new grant replaces the old one (the audit replays every grant).
- Signing is on the person's machine (CLI), never in the browser · energy is an estimate from wall time — Kiln exposes no power telemetry.
- Parts were built before the event window; the README lists every commit, before and during.

158 tests · every model call on live Kiln · every stop on-chain — Spendline, a payment that can prove it was allowed.