

# Ryuji Hirayama

1-33 Yayoi-cho, Inage-ku, Chiba 263-8522, Japan  
hirayama@chiba-u.jp  
+81-43-290-3356  
<https://ryujihirayama.github.io/web/>

## Research Interests

---

**Volumetric display, Holographic display, Light field display, Human-Computer Interaction, Media art, Steganography, Computational fabrication, Acceleration of computing**

## Education

---

<b>Ph.D., Engineering</b> Graduate School of Engineering, Chiba University, Japan Theme: Volumetric display containing multiple 2D images Advisor: Professor Tomoyoshi Ito	<b>04/2014 – 03/2017</b>
<b>M.S., Engineering</b> Graduate School of Engineering, Chiba University, Japan	<b>04/2012 – 03/2014</b>
<b>B.S., Engineering</b> Faculty of Engineering, Chiba University, Japan	<b>04/2008 – 03/2012</b>

## Experiences

---

<b>Postdoctoral Researcher</b> Graduate School of Engineering, Chiba University, Japan Advisor: Professor Tomoyoshi Ito	<b>04/2017 – present</b>
<b>Research Fellow</b> Japan Society for the Promotion of Science Theme: Volumetric display exhibiting multiple 2D information Advisor: Professor Tomoyoshi Ito	<b>04/2015 – present</b>
<b>Research Assistant of the ImPACT Program</b> Graduate School of Engineering, Chiba University, Japan Theme: Acceleration of a cell searching algorithm for the Serendipiter Project Leader: Professor Tomoyoshi Shimobaba	<b>11/2014 – 03/2015</b>
<b>Teaching Assistant</b> Faculty of Engineering, Chiba University Lecture: Experiment of electrical and electronics engineering III	<b>10/2014 – 03/2015</b>
<b>Student Assistant</b> Academic Link Center, Chiba University Job: Learning support for undergraduate students	<b>07/2013 – 10/2014</b>

## Research Grants

---

<b>Grant-in-Aid for JSPS Fellows, No. 16J30007</b> Japan Society for the Promotion of Science 2,300,000 JPY / 2 years	<b>04/2016 – present</b>
<b>Grant-in-Aid for JSPS Fellows, No. 15J07684</b> Japan Society for the Promotion of Science 1,200,000 JPY / 1 year	<b>04/2015 – 03/2016</b>

## Honors and Awards

---

<b>President Award for the Excellent Record</b> Chiba University	<b>03/2017</b>
<b>Dean Award for the Excellent Record</b> Graduate School of Engineering, Chiba University	<b>03/2017</b>
<b>Global Prominent Research Program to Support Sending Graduate Students Abroad</b> Chiba University	<b>12/2016</b>
<b>Program to Support Sending Graduate Students Abroad</b> Chiba University	<b>10/2016</b>
<b>JSPS Ikushi Prize</b> Japan Society for the Promotion of Science	<b>03/2016</b>
<b>KONICA MINOLTA Science and Technology Foundation Award</b> The Optical Society of Japan	<b>06/2015</b>
<b>Scholarship Loan Forgiveness for Academic Excellence (Full Amount)</b> Japan Student Services Organization	<b>05/2015</b>
<b>Best Poster Award (FORUM 8 Award)</b> Computer Graphic Arts Society	<b>03/2015</b>
<b>Outstanding Paper Award for Young C&amp;C Researchers</b> NEC C&C Foundation	<b>01/2015</b>
<b>Scholarship Loan Forgiveness for Academic Excellence (Full Amount)</b> Japan Student Services Organization	<b>05/2014</b>
<b>Program to Support Sending Graduate Students Abroad</b> Chiba University	<b>04/2014</b>
<b>Grants for Researchers Attending International Conferences</b> NEC C&C Foundation	<b>04/2014</b>
<b>President Award for the Excellent Record</b> Chiba University	<b>03/2014</b>
<b>Dean Award for the Excellent Record</b> Graduate School of Engineering, Chiba University	<b>03/2014</b>

## Journal Papers

---

1. A. Shiraki, M. Ikeda, H. Nakayama, **R. Hirayama**, T. Kakue, T. Shimobaba, and T. Ito, "Efficient method for fabricating a directional volumetric display using strings displaying multiple images," *Applied Optics* **57**(1), A33–A38 (2018).
2. T. Shimobaba, N. Kuwata, M. Honma, T. Takahashi, Y. Nagahama, M. Sano, S. Hasegawa, **R. Hirayama**, T. Kakue, A. Shiraki, N. Takada, and T. Ito, "Convolutional neural network-based data page classification for holographic memory," *Applied Optics* **56**(26), 7327–7330 (2017).
3. **R. Hirayama**, A. Shiraki, H. Nakayama, T. Kakue, T. Shimobaba, and T. Ito, "Operating scheme of a light-emitting diode array for a volumetric display exhibiting multiple full-color dynamic images," *Optical Engineering* **56**(7), 073108 (2017).
4. **R. Hirayama**, T. Suzuki, T. Shimobaba, A. Shiraki, M. Naruse, H. Nakayama, T. Kakue, and T. Ito, "Inkjet printing-based volumetric display projecting multiple full-colour 2D patterns," *Scientific Reports* **7**, 46511 (2017).
5. T. Shimobaba, Y. Endo, **R. Hirayama**, Y. Nagahama, T. Takahashi, T. Nishitsuji, T. Kakue, A. Shiraki, N. Takada, N. Masuda, and T. Ito, "Autoencoder-based holographic image restoration," *Applied Optics* **56**(13), F27–F30 (2017).
6. T. Shimobaba, Y. Endo, **R. Hirayama**, D. Hiyama, Y. Nagahama, S. Hasegawa, M. Sano, T. Takahashi, T. Kakue, M. Oikawa, and T. Ito, "Holographic micro-information hiding," *Applied Optics* **56**(4), 833–837 (2017).

7. **R. Hirayama**, A. Shiraki, M. Naruse, S. Nakamura, H. Nakayama, T. Kakue, T. Shimobaba, and T. Ito, “Optical Addressing of Multi-Colour Photochromic Material Mixture for Volumetric Display,” *Scientific Reports* **6**, 31543 (2016).
8. T. Shimobaba, M. Makowski, Y. Nagahama, Y. Endo, **R. Hirayama**, D. Hiyama, S. Hasegawa, M. Sano, T. Kakue, M. Oikawa, T. Sugie, N. Takada, and T. Ito, “Color computer-generated hologram generation using the random phase-free method and color space conversion,” *Applied Optics* **55**(15), 4159–4165 (2016).
9. **R. Hirayama**, H. Nakayama, A. Shiraki, T. Kakue, T. Shimobaba, and T. Ito, “Image quality improvement for a 3D structure exhibiting multiple 2D patterns and its implementation,” *Optics Express* **24**(7), 7319–7327 (2016).
10. T. Sanpei, T. Shimobaba, T. Kakue, Y. Endo, **R. Hirayama**, D. Hiyama, S. Hasegawa, Y. Nagahama, M. Sano, M. Oikawa, T. Sugie, and T. Ito, “Optical encryption for large-sized images,” *Optics Communications* **361**, 138–142 (2016).
11. T. Shimobaba, T. Kakue, Y. Endo, **R. Hirayama**, D. Hiyama, S. Hasegawa, Y. Nagahama, M. Sano, M. Oikawa, T. Sugie, and T. Ito, “Improvement of the image quality of random phase-free holography using an iterative method,” *Optics Communications* **355**, 596–601 (2015).
12. T. Shimobaba, T. Kakue, Y. Endo, **R. Hirayama**, D. Hiyama, S. Hasegawa, Y. Nagahama, M. Sano, M. Oikawa, T. Sugie, and T. Ito, “Random phase-free kinoform for large objects,” *Optics Express* **23**(13), 17269–17274 (2015).
13. **R. Hirayama**, M. Naruse, H. Nakayama, N. Tate, A. Shiraki, T. Kakue, T. Shimobaba, M. Ohtsu, and T. Ito, “Design, implementation and characterization of a quantum-dot-based volumetric display,” *Scientific Reports* **5**, 8472 (2015), *highlighted in Nature Japan*
14. D. Arai, T. Shimobaba, K. Murano, Y. Endo, **R. Hirayama**, D. Hiyama, T. Kakue, and T. Ito, “Acceleration of computer-generated hologram using tilted wavefront recording plane method,” *Optics Express* **23**(2), 1740–1747 (2015).
15. T. Shimobaba, M. Makowski, T. Kakue, N. Okada, Y. Endo, **R. Hirayama**, D. Hiyama, S. Hasegawa, Y. Nagahama, and T. Ito, “Numerical investigation of lensless zoomable holographic projection to multiple tilted planes,” *Optics Communications* **333**, 274–280 (2014).
16. T. Shimobaba, T. Kakue, N. Okada, Y. Endo, **R. Hirayama**, D. Hiyama, and T. Ito, “Ptychography by changing the area of probe light and scaled ptychography,” *Optics Communications* **331**, 189–193 (2014).
17. T. Shimobaba, T. Kakue, M. Oikawa, N. Takada, N. Okada, Y. Endo, **R. Hirayama**, and T. Ito, “Calculation reduction method for color computer-generated hologram using color space conversion,” *Optical Engineering*, **53**(2), 024108 (2014).
18. T. Shimobaba, T. Kakue, M. Oikawa, N. Okada, Y. Endo, **R. Hirayama**, N. Masuda, and T. Ito, “Non-uniform sampled scalar diffraction calculation using non-uniform fast Fourier transform,” *Optics Letters* **38**(23), 5130–5133 (2013).
19. T. Shimobaba, M. Makowski, T. Kakue, M. Oikawa, N. Okada, Y. Endo, **R. Hirayama**, N. Masuda, and T. Ito, “Lensless zoomable holographic projection using scaled Fresnel diffraction,” *Optics Express* **21**(21), 25285–25290 (2013).
20. T. Shimobaba, H. Yamanashi, T. Kakue, M. Oikawa, N. Okada, Y. Endo, **R. Hirayama**, and T. Ito, “Inline digital holographic microscopy using a consumer scanner,” *Scientific Reports* **3**, 2664 (2013).
21. H. Nakayama, A. Shiraki, **R. Hirayama**, N. Masuda, T. Shimobaba, and T. Ito, “Three-dimensional volume containing multiple two-dimensional information patterns,” *Scientific Reports* **3**, 1931 (2013).

## Presentations

---

1. **R. Hirayama**, H. Nakayama, A. Shiraki, T. Kakue, T. Shimobaba, and T. Ito, “Controllable color particles in a 3D crystal projecting multiple dynamic full-color images,” *ACM SIGGRAPH 2017 Posters*, 73, Los Angeles, USA (July 2017).
2. **R. Hirayama**, T. Suzuki, T. Shimobaba, A. Shiraki, M. Naruse, H. Nakayama, T. Kakue, and T. Ito, “Inkjet-printed 3D structure projecting multiple full-color images,” *OPIC IP2017*, IP-20AM-1-5, Yokohama, Japan (Apr. 2017).
3. F. Kawashima, **R. Hirayama**, A. Shiraki, H. Nakayama, T. Kakue, T. Shimobaba, and T. Ito “Gradation expression by overlap of voxels in volumetric display composed of photochromic materials,” *IDW / AD 2016*, 3DSAp2/3Dp2-1, Fukuoka, Japan (Dec. 2016).

4. **R. Hirayama**, A. Shiraki, H. Nakayama, T. Kakue, T. Shimobaba, and T. Ito, “3-D crystal with a curved surface projecting multiple 2-D images,” ACM SIGGRAPH Asia 2016 Posters, 41, Macao, China (Dec. 2016).
5. **R. Hirayama**, A. Shiraki, H. Nakayama, T. Kakue, T. Shimobaba, and T. Ito, “Refraction-compensating algorithm for a 3D glass structure exhibiting multiple 2D images,” FiO / LS 2016, JTh2A-68, Rochester, USA (Oct. 2016).
6. M. Oikawa, D. Hiyama, **R. Hirayama**, S. Hasegawa, Y. Endo, T. Sugie, N. Tsumura, M. Kuroshima, M. Maki, G. Okada, C. Lei, Y. Ozeki, K. Goda, and T. Shimobaba, “A computational approach to real-time image processing for serial time-encoded amplified microscopy,” SPIE Photonics West BIOS 2016 (Proc. SPIE 9720), 97200E, San Francisco USA (Mar. 2016).
7. (invited) A. Shiraki, H. Nakayama, **R. Hirayama**, T. Kakue, T. Shimobaba, and T. Ito, “Volumetric display containing multiple two dimensional information patterns,” IDW 2015, PRJ1-1, Otsu, Japan (Dec. 2015).
8. **R. Hirayama**, A. Shiraki, H. Nakayama, T. Kakue, T. Shimobaba, and T. Ito, “3-D crystal exhibiting multiple 2-D images with directivity,” ACM SIGGRAPH Asia 2015 Posters, 1, Kobe, Japan (Nov. 2015).
9. (invited) **R. Hirayama**, A. Shiraki, H. Nakayama, T. Kakue, T. Shimobaba, and T. Ito, “3-D crystal exhibiting multiple 2-D images with directivity,” VRCAI 2015, 33, Kobe, Japan (Oct. 2015).
10. **R. Hirayama**, A. Shiraki, M. Naruse, H. Nakayama, N. Tate, T. Kakue, T. Shimobaba, and T. Ito, “Optically controlled quantum-dot-based volumetric display exhibiting multiple patterns,” JSAP-OSA Joint Symposia 2015, 15p-2F-10, Nagoya, Japan (Sep. 2015).
11. (invited) **R. Hirayama**, M. Naruse, H. Nakayama, A. Shiraki, T. Kakue, T. Shimobaba, and T. Ito, “Optically controlled volumetric display exhibiting multiple two-dimensional patterns,” CC3DMR 2015, 340–341, Busan, South Korea (June 2015).
12. **R. Hirayama**, H. Nakayama, A. Shiraki, T. Kakue, T. Shimobaba, and T. Ito, “Development of volumetric display based on multi-bit color LED,” APCCAS 2014, 547–550, Okinawa, Japan (Nov. 2014).
13. **R. Hirayama**, H. Nakayama, A. Shiraki, T. Kakue, T. Shimobaba, and T. Ito, “Volumetric display containing multiple two-dimensional color motion pictures,” SPIE DSS 2014 (Proc. SPIE 9117), 911717, Baltimore, USA (May 2014).
14. (invited) T. Kakue, N. Masuda, Y. Endo, **R. Hirayama**, N. Okada, T. Shimobaba, and T. Ito, “Special-purpose computer for real-time reconstruction of holographic motion picture,” OIT 2013 (Proc. SPIE 9042), 90420B, Beijing, China (Nov. 2013).
15. **R. Hirayama**, R. Omura, Y. Kobayashi, A. Shiraki, H. Nakayama, T. Kakue, N. Masuda, T. Shimobaba, and T. Ito, “Development of a digitized volumetric display containing multiple two-dimensional patterns,” 3DSA 2013, P7-2, Osaka, Japan (June 2013).
16. **R. Hirayama**, H. Ando, A. Shiraki, H. Nakayama, T. Kakue, N. Masuda, T. Shimobaba, and T. Ito, “Image-quality improvement of multiple two-dimensional patterns contained in three-dimensional volume,” 3DSA 2013, S11-1, Osaka, Japan (June 2013).
17. **R. Hirayama**, T. Shimobaba, H. Nakayama, A. Shiraki, T. Kakue, N. Masuda, and T. Ito, “Optical encryption using three-dimensional volume containing multiple two-dimensional information patterns,” DHIP 2012, C015, Tokushima, Japan (Sep. 2012).

## Media

---

1. **R. Hirayama**, A. Shiraki, T. Kakue, T. Shimobaba, and T. Ito, “Optical addressing method for full-color 3D display,” SPIE Newsroom (2016).

## Membership

---

Association for Computing Machinery (ACM)	10/2016 – present
The Optical Society (OSA)	08/2016 – present
The Japan Society of Applied Physics (JSAP)	01/2014 – present

## Skills

---

**Programming**

C, C++, Python, CUDA, Matlab, VHDL, Verilog, HTML/CSS

**Others**

Illustrator, LaTeX, Maya, Unity, Excel, Word, PowerPoint