

PRAKTIKUM BASIS DATA

MODUL 4

Scripting SQL Pemrosesan



Oleh:

Ryvanda

103122400027

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK


DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

Jurnal

1. Konsumen ingin mengecek ketersediaan film Habibie Ainun 3. Dia ingin mengetahui akan diputar di teater nomor berapa, tanggal berapa mulainya, dan berapa lama waktu film ini ditayangkan di bioskop (gunakan fungsi konversi EXTRACT(DAY FROM atribut Date)) ? (Screenshot query dan hasil query)




The screenshot shows the Oracle SQL Developer interface. The main window displays an SQL query in the Query Builder tab. The query is as follows:

```
SELECT
  F.JUDUL,
  J.ID_THEATER,
  J.PERIODE_START,
  (J.PERIODE_END - J.PERIODE_START) || ' hari' AS LAMA_WAKTU
FROM FILM F
JOIN JADWAL J ON F.ID_FILM = J.ID_FILM
WHERE F.JUDUL = 'Habibie Ainun 3';
```

Below the query, the results are displayed in a table. The table has five columns: JUDUL, ID_THEATER, PERIODE_START, and LAMA_WAKTU. The results show five rows of data for the film 'Habibie Ainun 3'.

	JUDUL	ID_THEATER	PERIODE_START	LAMA_WAKTU
1	Habibie Ainun 3	Teater 1	07-JAN-19	181 hari
2	Habibie Ainun 3	Teater 1	07-JAN-19	181 hari
3	Habibie Ainun 3	Teater 2	07-JAN-19	181 hari
4	Habibie Ainun 3	Teater 3	07-JAN-19	181 hari
5	Habibie Ainun 3	Teater 1	07-JAN-19	181 hari

2. Tampilkan id teater, judul, kelas, harga dan kategorikan harga tersebut ke kategori murah, normal atau mahal. Harga termasuk murah jika di bawah 50000, harga termasuk mahal jika di atas 75000 dan harga termasuk normal jika di antara harga yang murah dan mahal! (Screenshot query dan hasil query)




The screenshot shows the Oracle SQL Developer interface. The top menu bar includes 'File', 'Edit', 'Tools', 'Window', and 'Help'. A toolbar with various icons is visible below the menu. The main workspace is divided into two tabs: 'Worksheet' and 'Query Builder'. The 'Worksheet' tab is active, displaying the following SQL query:

```
SELECT
  J.ID_THEATER,
  F.JUDUL,
  T.KELAS,
  T.HARGA,
  CASE
    WHEN T.HARGA < 50000 THEN 'Murah'
    WHEN T.HARGA BETWEEN 50000 AND 75000 THEN 'Normal'
    ELSE 'Mahal'
  END AS KATEGORI
FROM FILM F
JOIN JADWAL J ON F.ID_FILM = J.ID_FILM
JOIN THEATER T ON J.ID_THEATER = T.ID_THEATER;
```

Below the query editor, the 'Script Output' tab is active, showing the query results. The status bar indicates 'All Rows Fetched: 8 in 0.029 seconds'. The results are displayed in a table with the following columns: ID_THEATER, JUDUL, KELAS, HARGA, and KATEGORI.

ID_THEATER	JUDUL	KELAS	HARGA	KATEGORI
1 Teater 1	Keluarga Cemara	Reguler	30000	Murah
2 Teater 1	Habibie Ainun 3	Reguler	30000	Murah
3 Teater 1	Habibie Ainun 3	Reguler	30000	Murah
4 Teater 1	Habibie Ainun 3	Reguler	30000	Murah
5 Teater 2	Taufiq	Sweetbox	100000	Mahal
6 Teater 2	Buya Hamka	Sweetbox	100000	Mahal
7 Teater 2	Habibie Ainun 3	Sweetbox	100000	Mahal
8 Teater 3	Habibie Ainun 3	4D	75000	Normal

3. Pengelola bioskop memberikan diskon 10% bagi member yang berumur 32 tahun ke bawah. Tampilkan id member, harga awal, umur, dan harga setelah diskon lalu urutkan berdasarkan umur! (Screenshot query dan hasil query)




The screenshot displays the Oracle SQL Developer interface. The main window shows a SQL query in the 'Query Builder' tab. The query is as follows:

```
SELECT
    M.ID_MEMBER,
    T.HARGA,
    FLOOR(MONTHS_BETWEEN(SYSDATE, M.TGL_LAHIR)/12) AS UMUR,
    CASE
        WHEN FLOOR(MONTHS_BETWEEN(SYSDATE, M.TGL_LAHIR)/12) <= 32
        THEN T.HARGA * 0.9
        ELSE T.HARGA
    END AS SALE
FROM MEMBER M
JOIN TRANSAKSI TR ON M.ID_MEMBER = TR.ID_MEMBER
JOIN JADWAL J ON TR.ID_JADWAL = J.ID_JADWAL
JOIN THEATER T ON J.ID_THEATER = T.ID_THEATER
ORDER BY UMUR;
```

Below the query editor, the 'Query Result' tab is active, showing the results of the query. The status bar indicates 'All Rows Fetched: 4 in 0.028 seconds'. The results are displayed in a table with the following columns: ID_MEMBER, HARGA, UMUR, and SALE.

	ID_MEMBER	HARGA	UMUR	SALE
1	MM0111	30000	36	30000
2	MM0112	30000	41	30000
3	MM0113	100000	42	100000
4	MM0114	100000	44	100000

4. Tampilkan id member, nama member, serta judul film yang dipesan di bioskop. Dengan kondisi film yang ditonton berdurasi lebih dari sama dengan 100 menit dimana digit terakhir dari nomor hp member tersebut adalah 8 (gunakan fungsi konversi to_number)! (Screenshot query dan hasil query)




The screenshot shows the Oracle SQL Developer interface. The main window displays an SQL query in the Query Builder tab. The query is as follows:

```
SELECT
    M.ID_MEMBER,
    M.NAMA,
    F.JUDUL
FROM MEMBER M
JOIN TRANSAKSI TR ON M.ID_MEMBER = TR.ID_MEMBER
JOIN JADWAL J ON TR.ID_JADWAL = J.ID_JADWAL
JOIN FILM F ON J.ID_FILM = F.ID_FILM
WHERE F.DURASI >= 100
AND SUBSTR(M.NO_HP, -1) = '8';
```

Below the query editor, the Script Output tab shows the execution results. The status bar indicates "All Rows Fetched: 2 in 0.005 seconds". The results are displayed in a table with the following columns: ID_MEMBER, NAMA, and JUDUL.

	ID_MEMBER	NAMA	JUDUL
1	MM0113	Ari	Taufiq
2	MM0114	Rahmi	Buya Hamka

5. Sebuah bioskop mengadakan promo dengan memberikan diskon sebesar 70% untuk harga tiket film "Keluarga Cemara" yang berlaku mulai tanggal 19 Desember 2019. Tampilkan id member, id film, id theater, harga asli dan harga setelah diskon! (Screenshot query dan hasil query)



The screenshot shows the Oracle SQL Developer interface. The main window displays an SQL query in the Query Builder. The query selects transaction details for the movie 'Keluarga Cemara' starting from January 1, 2019, applying a 70% discount to the original price. The results pane at the bottom shows four rows of data.

```
SELECT
  TR.ID_MEMBER,
  F.ID_FILM,
  J.ID_THEATER,
  T.HARGA AS HARGA_ASLI,
  CASE
    WHEN F.JUDUL = 'Keluarga Cemara'
      AND J.PERIODE_START >= DATE '2019-01-01'
    THEN T.HARGA * 0.7
    ELSE T.HARGA
  END AS SALE
FROM TRANSAKSI TR
JOIN JADWAL J ON TR.ID_JADWAL = J.ID_JADWAL
JOIN FILM F ON J.ID_FILM = F.ID_FILM
JOIN THEATER T ON J.ID_THEATER = T.ID_THEATER;
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x |

SQL | All Rows Fetched: 4 in 0.022 seconds

	ID_MEMBER	ID_FILM	ID_THEATER	HARGA_ASLI	SALE
1	MM0111	F0101	Teater 1	30000	21000
2	MM0112	F0102	Teater 1	30000	30000
3	MM0113	F0103	Teater 2	100000	100000
4	MM0114	F0104	Teater 2	100000	100000