

Lincah - Public API Documentation (v.1.1.6)



API Documentation

Change Log

Date	Version	Changes
18 Des 2024	v 1.1.0	Header must use key partner-id. partner-id value can be seen on the partner dashboard. <i>(this change will applied on 15 Jan 2025)</i>
		New endpoint GET /courier to retrieve all list of couriers on Lincah
19 Feb 2025	v 1.1.1	GET an order using no_order or order id
		new params "from" and "to" at GET all orders
27 Feb 2025	v1.1.2	add new object "rts" into GET an order
		added two optional object "sender_name" and "sender_phone" at POST order
06 Jun 2025	v1.1.3	added two optional object "print_name" and "print_phone" at POST order
14 Aug 2025	v1.1.4	add POST insurance fee
23 Sep 2025	v.1.15	add courier list into POST /ongkir body request
20 Oct 2025	v.1.16	adjust body request /order/print

Base URL

Development: <https://dev-api.lincah.id/openapi>

Production: <https://api.lincah.id/openapi>

Authentication

All API requests require the use of a generated token key. You can find your API key in your Profile Settings → Open API.

Authorization Params

Name	Type	Description
------	------	-------------

Bearer Token	string	token key
--------------	--------	-----------

Disctricts List

You can click the following link to download a list of districts :
<https://assets.lincah.id/doc/code-district-lincah.xlsx>.

Endpoints

GET /me

Retrieve information about the authenticated user.

Request Headers

Name	Value
partner-id	123abc

Parameters

None

Response

```
{
  "success": true,
  "data": {
    "id": "123456789abcdefghij",
    "email": "johndoe@mail.com",
    "phone": "62123123123",
    "name": "John Doe"
  }
}
```

GET /balance

Retrieve information about the authenticated user balance.

Request Headers

Name	Value
partner-id	123abc

Response

```
{
  "success": true,
  "data": {
    "balance": 10000000
  }
}
```

GET /provinces

Retrieve list of provinces.

Request Headers

Name	Value
partner-id	123abc

Parameters

None

Response

```
{
  "success": true,
```

```
"data": [  
  {  
    "_id": "123123123",  
    "code": "1",  
    "name": "Aceh (NAD)"  
  },  
  {  
    "_id": "321321321",  
    "code": "22",  
    "name": "Bali"  
  },  
  ...  
]  
}
```

GET /city

Retrieve list of cities.

Request Headers

Name	Value
partner-id	123abc

Parameters

Name	Type	Description
code	string*	province code

Response

```
{  
  "success": true,
```

```
"data": [  
  {  
    "code": "34.02",  
    "name": "Bantul",  
    "province": "DI Yogyakarta",  
    "type": "Kabupaten",  
    "id": "123123321312"  
  },  
  {  
    "code": "34.03",  
    "name": "Gunung Kidul",  
    "province": "DI Yogyakarta",  
    "type": "Kabupaten",  
    "id": "321321123123"  
  },  
  ...  
]  
}
```

GET /district

Retrieve list of districts.

Request Headers

Name	Value
partner-id	123abc

Parameters

Name	Type	Description
code	string*	city code

Response

```
{
  "success": true,
  "data": [
    {
      "code": "34.02.01",
      "province_id": "34",
      "province": "DI Yogyakarta",
      "city_type": "Kabupaten",
      "city": "Bantul",
      "name": "Srandakan",
      "id": "123123"
    },
    ...
  ]
}
```

GET /district/search

Retrieve list of districts similar to search value.

Request Headers

Name	Value
partner-id	123abc

Parameters

Name	Type	Description
q	string*	district name (min. 3 character)

Response

```

{
  "success": true,
  "data": [
    {
      "code": "17.01.11",
      "province_id": "17",
      "province": "Bengkulu",
      "city_type": "Kabupaten",
      "city": "Bengkulu Selatan",
      "country": "ID",
      "name": "Pasar Manna",
      "id": "123123321321",
      "fullName": "Pasar Manna, Kab. Bengkulu Selatan, Bengkulu"
    },
    {
      "code": "31.74.04",
      "province_id": "31",
      "province": "DKI Jakarta",
      "city_type": "Kota",
      "city": "Jakarta Selatan",
      "country": "ID",
      "name": "Pasar Minggu",
      "id": "123123432123",
      "fullName": "Pasar Minggu, Kota Jakarta Selatan, DKI Jakarta"
    },
    ...
  ]
}

```

POST /ongkir

Retrieve list of all available expedition courier based on origin and destination.

Request Headers

Name	Value
Content-Type	application/json
partner-id	123abc

Request Body

Name	Type	Description
isPickup	boolean*	is Pickup Service = true
isCod	string*	if COD = true
dimensions	integer*	height x width x depth. Allow null
weight	string*	packet total weight (kg)
packagePrice	string	package price
origin	object*	
origin.code	string*	district code origin
origin.longitude	integer*	origin longitude. Mandatory if logistic service is Same Day or Instant.
origin.latitude	integer*	origin latitude. Mandatory if logistic service is Same Day or Instant.
destination	object*	
destination.code	object*	district code destination
destination.longitude	integer*	destination longitude. Mandatory if logistic service is Same Day or Instant.
destination.latitude	integer*	destination latitude. Mandatory if logistic service is Same Day or Instant.
logistics	array of string	logistics name : ("JNE", "SAP Logistic", "Ninja Xpress", "Lalamove"). You can get logistic list from /courier reponse.
services	array of string	logistics service : ("Regular","Express","Same Day","Cargo", "Instant")

```
{
  "isPickup": true,
  "isCod": false,
```

```
"dimensions" : [10,10,10],
"weight" : 40000,
"packagePrice" : 5000,
"origin": {
  "code": "32.73.06",
  "longitude": 107.6108013,
  "latitude": -6.9085914000000001
},
"destination": {
  "code": "32.04.10",
  "longitude": 107.6108013,
  "latitude": -6.9085914000000001
},
"logistics" : ["JNE", "SAP Logistic", "Ninja Xpress", "Lalamove"],
"services" : ["Regular","Express","Same Day","Cargo", "Instant"]
}
```

Response

```
{
  "success": true,
  "data": [
    {
      "code": "idx",
      "name": "IDExpress",
      "costs": [
        {
          "type": "Standard",
          "code": "idx",
          "service_name": "Standard",
          "service": "STD",
          "cost": {
            "value": 6500,
            "etd": "1-3D",
            "est": 3,

```

```

        "afterDiscount": 6500,
        "discountValue": 0
    },
    "isCod": true
},
{
    "type": "Cargo",
    "code": "idx",
    "service_name": "Cargo",
    "service": "iDtruck",
    "cost": {
        "value": 30000,
        "etd": "3-5D",
        "est": 5,
        "afterDiscount": 25500,
        "discountValue": 15
    },
    "isCod": true
}
]
},
{
    "code": "jne",
    "name": "JNE Express",
    "costs": [
        {
            "type": "Standard",
            "code": "jne",
            "service": "REG",
            "service_name": "REG",
            "cost": {
                "value": 9000,
                "est": 2,
                "etd": "1-2D",
                "afterDiscount": 9000,
                "discountValue": 0
            }
        }
    ]
}

```

```

    },
    "isCod": true
  },
  {
    "type": "Nextday",
    "code": "jne",
    "service": "YES",
    "service_name": "YES",
    "cost": {
      "value": 24000,
      "est": 1,
      "etd": "1-1D",
      "afterDiscount": 16800,
      "discountValue": 30
    },
    "isCod": true
  },
  {
    "type": "Cargo",
    "code": "jne",
    "service": "JTR",
    "service_name": "JTR",
    "cost": {
      "value": 45000,
      "est": 4,
      "etd": "3-4D",
      "afterDiscount": 42750,
      "discountValue": 5
    },
    "isCod": true
  }
]
},
...

```

```
]
}
```

GET /courier

Retrieve list of all couriers on Lincah.

Request Headers

Name	Value
partner-id	123abc

Parameters

None

Response

```
{
  "success": true,
  "data": [
    {
      "code": "jne",
      "name": "JNE Express",
      "image": "https://assets.id/abc/123.png",
      "cod": true,
      "senderType": [
        "picked up"
      ],
      "service": [
        "Standard",
        "Nextday"
      ],
      "serviceAvailable": [
        "CTC",
```

```

        "REG",
        "YES",
        "CTCYES",
        "JTR"
    ]
},
...
]
}

```

GET /address

Retrieve list of all address similar to search value.

Request Headers

Name	Value
partner-id	123abc

Parameters

Name	Type	Description
current	integer	current page position
pageSize	integer	size of page (max. 100)
q	string	address name

Response

```

{
  "success": true,
  "page": "1",
  "total": 10,
  "data": [
    {

```

```

    "contact": {
      "name": "John Doe",
      "phone": "123123123"
    },
    "name": "Gudang Tangerang",
    "address": "Jl jeruk no 1",
    "district": {
      "code": "36.03.12",
      "province": "Banten",
      "city_type": "Kabupaten",
      "city": "Tangerang",
      "id": "63c308b6522da763fbd4d048",
      "district": "Pasar Kemis"
    },
    "id": "123123123123"
  },
  {
    "contact": {
      "name": "Jean Doe",
      "phone": "321321321"
    },
    "name": "Gudang Yogyakarta",
    "address": "Jl apel no 1",
    "district": {
      "code": "34.02.01",
      "province": "DI Yogyakarta",
      "city_type": "Kabupaten",
      "city": "Bantul",
      "id": "63c308b6522da763fbd4cd22",
      "district": "Srandakan"
    },
    "id": "123123123123123"
  },
  ...

```

```
]
}
```

GET /address/:id

Retrieve an address by ID.

Request Headers

Name	Value
partner-id	123abc

Parameters

None

Path Variables

Name	Type	Description
id	code	address id

Response

```
{
  "success": true,
  "data": {
    "_id": "123123123",
    "name": "Gudang 001",
    "address": "Jl Gudang 001 No. 02",
    "contact": {
      "name": "John Doe",
      "phone": "123123123"
    },
    "district": {
```



```
{
  "id": "123123123",
  "code": "34.02.01",
  "province": "DI Yogyakarta",
  "city_type": "Kabupaten",
  "city": "Bantul",
  "district": "Srandakan"
}
```

POST /address

Create an address.

Request Headers

Name	Value
Content-Type	application/json
partner-id	123abc

Request Body

Name	Type	Description
name	string*	address name
address	string*	address description
district	string*	district code
contact	object*	
contact.name	string*	contact name
contact.phone	string*	contact phone number

```
{
  "name": "Gudang 001",
```

```
"address": "JI Gudang 001 No. 01",
"district": "34.02.01",
"contact": {
  "name": "John Doe",
  "phone": "123123123123"
}
}
```

Response

```
{
  "success": true,
  "data": {
    "_id": "123123123321321",
    "name": "Gudang 001",
    "address": "JI Gudang 001 No. 01",
    "contact": {
      "name": "John Doe",
      "phone": "123123123123"
    },
    "district": {
      "id": "63c308b6522da763fbd4cd22",
      "code": "34.02.01",
      "province": "DI Yogyakarta",
      "city": "Bantul",
      "district": "Srandakan"
    }
  }
}
```

POST /address/:id

Update an address data by ID.

Request Headers

Name	Value
Content-Type	application/json
partner-id	123abc

Path Variables

Name	Type	Description
id	string	address id

Request Body

Name	Type	Description
name	string	address name
address	string	address description
district	string	district code
contact	object	
contact.name	string	contact name
contact.phone	string	contact phone number

```
{
  "name": "Gudang 001",
  "address": "Jl Gudang 001 No. 02",
  "district": "34.02.01",
  "contact": {
    "name": "John Doe",
    "phone": "123123123123"
  }
}
```

Response

```
{
  "success": true,
  "message": "Alamat berhasil diubah.",
  "data": {
    "_id": "123123",
    "name": "Gudang 001",
    "address": "Jl Gudang 001 No. 02",
    "contact": {
      "name": "John Doe",
      "phone": "123123123123"
    },
    "district": {
      "id": "63c308b6522da763fbd4cd22",
      "code": "34.02.01",
      "province": "DI Yogyakarta",
      "city_type": "Kabupaten",
      "city": "Bantul",
      "district": "Srandakan"
    }
  }
}
```

DELETE /address/:id

Delete an address data by ID.

Request Headers

Name	Value
partner-id	123abc

Path Variables

Name	Type	Description
------	------	-------------

id	string	address id
----	--------	------------

Response

```
{
  "success": true,
  "message": "Alamat berhasil dihapus.",
  "data": {
    "id": "123123123"
  }
}
```

POST /insurance

Retrieve insurance fee

Request Headers

Name	Value
partner-id	123abc

Request Body

Name	Type	Description
amount	integer*	product price
courier	string*	jne, jnt, ninja, sap, lion, idx, sicepat, ninja-x, anteraja

```
{
  "amount": 1000000,
  "courier": "idx"
}
```

Response

```
{
  "data": {
    "insurance_fee": 2000
  },
  "success": true,
  "message": "Success"
}
```

GET /order

Retrieve list of all order similar to search value.

Request Headers

Name	Value
partner-id	123abc

Parameters

Name	Type	Description
current	integer	current page position
pageSize	integer	size of page
from	string	date format YYYY-MM-DD
to	string	date format YYYY-MM-DD

Response

```
{
  "success": true,
  "page": "1",
  "total": 10,
  "data": [
    {
```

```
"id": "66ff56d0502b925ca494a6f5",
"no_order": "2410A7EHAD3Y",
"user": {
  "name": "Alfan",
  "email": "alfanmunandar@gmail.com",
  "phone": "628180833502",
  "id": "6445fbc7accfe9a581ecc3ed"
},
"name": "John Doe",
"phone": "628568807076",
"address": "Jl. Remaja gang sawah 6 no. 20 RT 04/06, Kediri",
"ongkir": {
  "fee": 14670,
  "feeReal": 16200,
  "codFee": 3330,
  "discount": 4860,
  "discountValue": 30,
  "insurance": 0
},
"weight": 1,
"courier": "sicepat",
"courier_service": "SIUNT",
"product_price": 85330,
"cod_price": 100000,
"product_name": "test produk",
"status": "waiting",
"date": {
  "create": "2024-10-04T02:45:36.942Z",
  "confirm": "2024-10-04T02:45:39.677Z",
  "waiting": "2024-10-31T02:13:46.477Z"
},
"type": "cod",
"destination_text": "Srandakan, Kab. Bantul, DI Yogyakarta",
"destination_id": "34.02.01",
"sender_type": "picked up",
"sender": {
```

```

    "name": "Bambang",
    "phone": "6281806335022",
    "email": "alfanmunandar@gmail.com",
    "address": "Jl jeruk no 5",
    "origin_id": "36.03.12",
    "origin_text": "Pasar Kemis, Kab. Tangerang, Banten",
    "zipcode": "15560",
    "geoloc": {
      "lat": "-6.2107024000000001",
      "long": "106.6088787"
    }
  },
  "picked_up_time": "2024-09-23T04:00:00.604Z",
  "resi": "LNCHS2410A7EHUNEC",
  "tlc": null //not all courier have tlc
},
...
]
}

```

GET /order/:id

Retrieve an order by ID or no_order.

Request Headers

Name	Value
partner-id	123abc

Parameters

None

Path Variables

Name	Type	Description
id	string	order id or no_order

Response

```
{
  "success": true,
  "data": {
    "id": "66ff56d0502b925ca494a6f5",
    "no_order": "2410A7EHAD3Y",
    "user": {
      "name": "Alfan",
      "email": "alfanmunandar@gmail.com",
      "phone": "628180833502",
      "id": "6445fbc7accfe9a581ecc3ed"
    },
    "name": "John Doe",
    "phone": "628568807076",
    "address": "Jl. Remaja gang sawah 6 no. 20 RT 04/06, Kediri",
    "ongkir": {
      "fee": 14670,
      "feeReal": 16200,
      "codFee": 3330,
      "discount": 4860,
      "discountValue": 30,
      "insurance": 0
    },
    "weight": 1,
    "courier": "sicepat",
    "courier_service": "SIUNT",
    "product_price": 85330,
    "cod_price": 100000,
    "product_name": "test produk",
    "status": "waiting",
    "date": {
```

```

    "create": "2025-06-17T04:01:14.643Z",
    "confirm": "2025-06-17T04:01:19.577Z",
    "waiting": "2025-06-17T04:01:19.432Z",
    "shipping": "1970-01-21T06:08:52.963Z",
    "complete": "2025-06-18T03:20:38.702Z",
    "done": "2025-06-18T03:20:38.702Z"
  },
  "type": "cod",
  "destination_text": "Srandakan, Kab. Bantul, DI Yogyakarta",
  "destination_id": "34.02.01",
  "sender_type": "picked up",
  "sender": {
    "name": "Bambang",
    "phone": "6281806335022",
    "email": "alfanmunandar@gmail.com",
    "address": "Jl jeruk no 5",
    "origin_id": "36.03.12",
    "origin_text": "Pasar Kemis, Kab. Tangerang, Banten",
    "zipcode": "15560",
    "geoloc": {
      "lat": "-6.2107024000000001",
      "long": "106.6088787"
    }
  },
  "picked_up_time": "2024-09-23T04:00:00.604Z",
  "resi": "LNCHS2410A7EHUNEC",
  "tlc": null, //not all courier have tlc
  "rts": {
    "ongkirSend": 10000,
    "ongkirBack": 0,
    "ongkirSendDiscount": 2000,
    "ongkirBackDiscount": 0,
    "ongkirSendDiscountValue": 20,
    "ongkirBackDiscountValue": 0
  }
}

```

```
}  
}
```

GET /order/:id/track

Retrieve list of order status by ID.

Request Headers

Name	Value
partner-id	123abc

Parameters

None

Path Variables

Name	Type	Description
id	string	nomor resi

Response

```
{  
  "success": true,  
  "order": {  
    "no_order": "2408A7EHAH6X",  
    "resi": "LNCHS2408A7EHAH6X",  
    "weight": 1,  
    "volume": "10×20×30",  
    "courier": "ninja",  
    "courier_service": "Standard",  
    "ongkir": {  
      "fee": 8830,  

```

```

    "feeReal": 11000,
    "codFee": 3330,
    "discount": 5500,
    "discountValue": 50,
    "insurance": 0
  },
  "origin_text": "Klaten Utara, Kab. Klaten, Jawa Tengah",
  "origin_id": "33.10.24",
  "destination_text": "Bantul, Kab. Bantul, DI Yogyakarta",
  "destination_id": "34.02.08"
},
"data": [
  ...,
  {
    "status": "In Transit to Origin Hub",
    "time": "2024-09-10T04:23:15.000Z",
    "message": null,
    "images": [
      "https://api.ninjavan.co/assets/58a4832d-9fa5-481f-929d-9101884d55b1",
      "https://api.ninjavan.co/assets/d9145f34-890a-4c11-90c5-d19029306a8b",
      "https://api.ninjavan.co/assets/59d29b9b-06f2-445a-aac7-7247f516c05d"
    ]
  },
  {
    "status": "Pending Reschedule",
    "time": "2024-09-10T04:23:23.000Z",
    "message": "Alamat tidak lengkap atau salah",
    "images": [
      "https://api.ninjavan.co/assets/e7b01a48-f759-47f8-bdf9-d52448e6f336",
      "https://api.ninjavan.co/assets/b97b052d-4b25-4c9b-9d71-a1f445fc3b12"
    ]
  }
]

```

```
    },  
    ...  
  ]  
}
```

POST /order

Create an order.

Request Headers

Name	Value
Content-Type	application/json
partner-id	123abc

Request Body

Name	Type	Description
sender_type	string*	type of service
address_ref	string*	address sender reference id
name	string*	receiver name
phone	string*	receiver phone
address	string*	receiver address
destination	string*	destination district code
type	string*	type 'cod' or 'regular'
courier	string*	courier
courier_service	string*	type of courier service
cod_price	integer*	Mandatory when <i>type</i> == 'cod' cod price amount
product_price	integer*	Mandatory when <i>type</i> == 'regular'

		product price amount
weight	integer*	product weight (kg)
quantity	integer*	product quantity
volume	string*	product volume. format : PxLxT. Must be filled in some courier (e.g. : SAP, Lion Parcel). Otherwise it can be filled in with null value.
product_name	string*	product name
note	string	order note
email	string	receiver email
picked_up_time	string*	Mandatory when <i>sender_type</i> == 'picked up' date dan time when packet will be picked up. format : YYYY-MM-DD HH:mm:ss refer to ISO 8602 timestamp format.
sender_name	string	(Optional) if you want to custom sender name instead using from original sender data
sender_phone	string	(Optional) if you want to custom sender phone number instead using from original sender data
print_name	string	(Optional) if you want to custom printed label name instead using from original sender data
print_phone	string	(Optional) if you want to custom printed label phone instead using from original sender data
isInsurance	boolean	insurance status for order

```
{
  "sender_type": "picked up",
  "address_ref": "123123123",
  "name": "John Doe",
  "phone": "628568807076",
  "address": "Jl. Remaja gang sawah 6 no. 20 RT 04/06, Kediri",
  "destination": "12312321",
  "type": "cod",
  "courier": "sap",
```

```
"courier_service": "UDRREG",
"cod_price": 10000,
"weight": 1,
"quantity": 1,
"volume": "10×10×10",
"product_name": "test produk",
"note": "Tolong diambil segera",
"email": "johndoe@mail.com",
"picked_up_time": "2024-09-23T04:00:00.604Z",
"product_price": 100000,
"sender_name": "Jean Doe", //optional
"sender_phone": "628123123123", //optional
"print_name": "Jean Print", //optional
"print_phone": "62123123123" //optional
"isInsurance": false
}
```

Response

```
{
  "success": true,
  "data": {
    "id": "123123123",
    "no_order": "2410A7EHAD31",
    "user": "6445fbc7accfe9a581ecc3ed",
    "name": "John Doe",
    "phone": "628568807076",
    "address": "Jl. Remaja gang sawah 6 no. 20 RT 04/06, Kediri",
    "ongkir": {
      "fee": 11340,
      "feeReal": 16200,
      "discount": 4860,
      "discountValue": 30,
      "insurance": 0
    },
  },
}
```

```

    "weight": 1,
    "courier": "sap",
    "courier_service": "UDRREG",
    "quantity": 1,
    "product_price": 100000,
    "product_name": "test produk",
    "reference": null,
    "note": "Tolong diambil segera",
    "status": "waiting",
    "date": {
      "create": "2024-10-06T02:38:17.332Z",
      "confirm": "2024-10-06T02:38:19.795Z"
    },
    "type": "regular",
    "destination_text": "Srandakan, Kab. Bantul, DI Yogyakarta",
    "destination_id": "34.02.01",
    "sender_type": "picked up",
    "sender": {
      "name": "Jean Doe",
      "phone": "628123123123",
      "email": "alfanmunandar@gmail.com",
      "address": "Jl jeruk no 5",
      "origin_id": "36.03.12",
      "origin_text": "Pasar Kemis, Kab. Tangerang, Banten",
      "zipcode": "15560",
      "geoloc": {
        "lat": "-6.2107024000000001",
        "long": "106.6088787"
      }
    },
    "picked_up_time": "2024-09-23T04:00:00.604Z",
    "resi": "RESI12345678910",
    "tlc": "JOG-BOO"
  }
}

```


POST /order/cancel

Cancel orders. Only when *status* still 'waiting'

Request Headers

Name	Value
Content-Type	application/json
partner-id	123abc

Request Body

Name	Type	Description
ids	array of string	order ids

```
{
  "ids": ["123123213","321123123123"]
}
```

Response

```
{
  "success": true
}
```

POST /order/print

Print order into expedition courier label.

Request Headers

Name	Value
Content-Type	application/json

partner-id	123abc
------------	--------

Request Body

Name	Type	Description
ids	array of string	order ids
type	string	label-1 ⇒ Kertas A4, 1 resi per halaman label-2 ⇒ Kertas A4, 2 resi per halaman label-4 ⇒ Kertas A4, 4 resi per halaman label-6 ⇒ Kertas A4, 6 resi per halaman thermal-10×10 ⇒ "Kertas thermal ukuran 10×10, 1 resi per halaman" thermal-10×15 ⇒ "Kertas thermal ukuran 10×15, 1 resi per halaman"
onlyNonPrint	boolean	
mask	boolean	

```
{
  "ids": [
    "66cd948ebcb1eecd626a0990", "6445fbc7accfe9a581ecc3ed"
  ],
  "type": "thermal-10×15",
  "onlyNonPrint": false,
  "mask": true
}
```

Response

```
{
  "success": true,
  "awb": "https://s3.ap-southeast-3.amazonaws.com/dev-blob.lincanh.id/pdf/resi/555c4865-ae0a...",
  "handover": "https://s3.ap-southeast-3.amazonaws.com/dev-blob.lincanh.i
```

```
d/pdf/resi/555c4865-ae0a..."
}
```

POST /order/regenerate

Regenerate resi tracking number if api create order was failed to generate it.

Request Headers

Name	Value
Content-Type	application/json
partner-id	123abc

Request Body

Name	Type	Description
id	string	order id

```
{
  "id": "123123123123"
}
```

Response

```
{
  "success": true
}
```

Error Responses

The API uses the following error codes:

Error Code	Example Response	Meaning
------------	------------------	---------

400		Bad Request -- Your request is invalid.
401		Unauthorized -- Your token key is wrong.
404		Not Found -- The specified resource could not be found.
500		Internal Server Error -- We had a problem with our server. Try again later.