

XSD-check of ORIGINAL FC

- XML is VALID against <http://localhost/navpub/fihoUpload/html/S100/schemas/S100/5.2.0/S100FC/20231214/S100FC.xsd>

Fixes

Replacements	Change reserved keyword function	
1 x	>function<	>functionFihoXyz<
Replacements	Change reserved keyword function references	
1 x	ref="function"	ref="functionFihoXyz"
Replacements	Change reserved keyword parent	
1 x	>parent<	>parentFihoXyz<
Replacements	Change reserved keyword parent references	
2 x	ref="parent"	ref="parentFihoXyz"
Replacements	Change reserved keyword navigationLine	
1 x	>navigationLine<	>navigationLineFihoXyz<
Replacements	Change reserved keyword navigationLine references	
2 x	ref="navigationLine"	ref="navigationLineFihoXyz"
Replacements	Amend version	
1 x	</S100FC:versionNumber>	with FIHO_FIXES 2025-10-03</S100FC:versionNumber>
Replacements	REPLACE BETWEEN: <S100FC:code>RadioStation</S100FC:code> (483235) and </S100FC:S100_FC_FeatureType> (488161)	
1 x	<S100FC:superType>GenericBuoy</S100FC:superType>	<S100FC:superType>Equipment</S100FC:superType>
Replacements	REPLACE BETWEEN: <S100FC:code>Daymark</S100FC:code> (452962) and </S100FC:S100_FC_FeatureType> (462356)	
1 x	<S100FC:superType>GenericBuoy</S100FC:superType>	<S100FC:superType>Equipment</S100FC:superType>
Replacements	REPLACE BETWEEN: <S100FC:code>FogSignal</S100FC:code> (463993) and </S100FC:S100_FC_FeatureType> (467250)	
1 x	<S100FC:superType>GenericBuoy</S100FC:superType>	<S100FC:superType>Equipment</S100FC:superType>
Replacements	REPLACE BETWEEN: <S100FC:code>RadarReflector</S100FC:code> (467483) and </S100FC:S100_FC_FeatureType> (470223)	
1 x	<S100FC:superType>GenericBuoy</S100FC:superType>	<S100FC:superType>Equipment</S100FC:superType>
Replacements	REPLACE BETWEEN: <S100FC:code>RadarTransponderBeacon</S100FC:code> (478137) and </S100FC:S100_FC_FeatureType> (482919)	
1 x	<S100FC:superType>GenericBuoy</S100FC:superType>	<S100FC:superType>Equipment</S100FC:superType>
Replacements	REPLACE BETWEEN: <S100FC:code>Retroreflector</S100FC:code> (492300) and </S100FC:S100_FC_FeatureType> (496753)	
1 x	<S100FC:superType>GenericBuoy</S100FC:superType>	<S100FC:superType>Equipment</S100FC:superType>
Replacements	REPLACE BETWEEN: <S100FC:code>Lighthouse</S100FC:code> (524111) and </S100FC:S100_FC_FeatureType> (524500)	
1 x	<S100FC:permittedPrimitives>noGeometry</S100FC:permittedPrimitives>	<S100FC:permittedPrimitives>point</S100FC:permittedPrimitives> <S100FC:permittedPrimitives>surface</S100FC:permittedPrimitives>
Definition update	Category Of Aggregation	
-	-	Named aggregations between two or more aids to navigation and/or navigationally relevant features.
Definition update	Category Of Association	
-	-	Named associations between two or more aids to navigation and/or navigationally relevant features.
Definition update	Category Of Physical AIS Aid To Navigation	
-	-	A classification of AIS AtoNs that correspond to an actual, physical Aid to Navigation at a real-world location.
Definition update	Category Of Synthetic AIS Aid To Navigation	
-	-	A classification of AIS AtoNs that are transmitted electronically and linked to a real-world object but do not physically exist at the broadcast location.
Definition update	Change Types	
-	-	Different categories or kinds of modifications that can be made to data, positions, or objects. For example, changes may involve updates to position, orientation, or attributes of an object.
Definition update	Daymark	
-	-	The identifying characteristics of an aid to navigation which serve to facilitate its recognition against a daylight viewing background. On those structures that do not by themselves present an adequate viewing area to be seen at the required distance, the aid is made more visible by affixing a daymark to the structure. A daymark so affixed has a distinctive colour and shape depending on the purpose of the aid.
Definition update	Landmark	

-	-	A prominent object at a fixed location on land which can be used in determining a location or a direction.
Definition update	Pile	
-	-	A long heavy timber or section of steel, wood, concrete, etc., forced into the earth or sea floor to serve as a support, as for a pier, or to resist lateral pressure; or as a free standing pole within a marine environment.
Definition update	Range System	
-	-	Navigation system limited in their positioning capability to coastal regions, or those systems limited to making landfall
Definition update	Retroreflector	
-	-	A means of distinguishing unlighted marks at night. Retro-reflective material is secured to the mark in a particular pattern to reflect back light.
Definition update	Seasonal Action Required	
-	-	Indicates whether specific actions or maintenance must be performed based on the season (for example, repositioning, removal, or other adjustments).
Definition update	Structure Equipment	
-	-	A feature association for the binding between a navigation aid equipment feature and the structure that supports it.
Definition update	Synthetic AIS Aid To Navigation	
-	-	An Automatic Identification System (AIS) message 21 transmitted from an AIS station located remotely from the intended physical Aid to Navigation.
Definition update	Topmark	
-	-	A characteristic shape secured at the top of a buoy or beacon to aid in its identification.
Definition update	Aton Commissioning	
-	-	The process of deploying and activating a new Aid to Navigation (AtoN), ensuring that it is properly installed and operational.
Definition update	Aton Removal	
-	-	The process of decommissioning and physically removing an AtoN from its designated location, either temporarily or permanently.
Definition update	Aton Replacement	
-	-	The act of swapping an existing AtoN with a new or upgraded unit, either due to maintenance needs or technological improvements.
Definition update	Audible Signal Aton Change	
-	-	Any modification to an AtoN that uses sound signals, such as foghorns or bells, to assist in navigation under low visibility conditions.
Definition update	Danger	
-	-	A signal or message warning of the presence of a danger to navigation.
Definition update	Effective Intensity	
-	-	The luminous intensity of a fictitious juxtaposed steady-burning point light source that would appear to exhibit a luminosity equal to that of the rhythmic point light source it describes. The apparent reduction in intensity of the rhythmic light is subjective and is due to the nature of the response of the eye of the observer.
Definition update	Electronic Aton Change	
-	-	Modifications to electronic or digital AtoNs, such as AIS (Automatic Identification System) AtoNs, virtual AtoNs, or remote-controlled systems.
Definition update	Fixed Aton Change	
-	-	Modifications or updates to fixed AtoNs, such as lighthouses or beacons, which are permanently positioned.
Definition update	Floating Aton Change	

-	-	Adjustments or replacements related to floating AtoNs, such as buoys, which are anchored but can move with water currents.
Definition update	Height	
-	-	The value of the vertical distance to the highest point of the object, measured from a specified vertical datum.
Definition update	Lighted Aton Change	
-	-	Updates or modifications to light-emitting AtoNs, including changing light characteristics, intensity, or operational status.
Definition update	Multiplicity of Features	
-	-	The number of features of identical character that exist as a colocated group.
Definition update	Orientation	
-	-	The angular distance measured from true north to the major axis of the feature.
Definition update	Peak Intensity	
-	-	The maximum luminous intensity of a light during its flash cycle.
Definition update	Pictorial Representation	
-	-	Indicates whether a pictorial representation of the feature is available.
Definition update	Signal Sequence	
-	-	The sequence of times occupied by intervals of light and eclipse for all light characteristics.
Definition update	Vertical Accuracy	
-	-	The degree to which a vertical measurement is accurate, typically referring to the accuracy of an object's position in the vertical plane (height or depth)
Replacements	Change channel markings to Channel Markings	
1 x	<S100FC:label>channel markings</S100FC:label>	<S100FC:label>Channel Markings</S100FC:label>
Replacements	Change danger markings to Danger Markings	
1 x	<S100FC:label>danger markings</S100FC:label>	<S100FC:label>Danger Markings</S100FC:label>
Replacements	Change Buoy establishment to Buoy Establishment	
1 x	<S100FC:label>Buoy establishment</S100FC:label>	<S100FC:label>Buoy Establishment</S100FC:label>
Replacements	Change Light establishment to Light Establishment	
1 x	<S100FC:label>Light establishment</S100FC:label>	<S100FC:label>Light Establishment</S100FC:label>
Replacements	Change Beacon establishment to Beacon Establishment	
1 x	<S100FC:label>Beacon establishment</S100FC:label>	<S100FC:label>Beacon Establishment</S100FC:label>
Replacements	Change Audible signal establishment to Audible Signal Establishment	
1 x	<S100FC:label>Audible signal establishment</S100FC:label>	<S100FC:label>Audible Signal Establishment</S100FC:label>
Replacements	Change Fog signal establishment to Fog Signal Establishment	
1 x	<S100FC:label>Fog signal establishment</S100FC:label>	<S100FC:label>Fog Signal Establishment</S100FC:label>
Replacements	Change AIS transmitter establishment to AIS Transmitter Establishment	
1 x	<S100FC:label>AIS transmitter establishment</S100FC:label>	<S100FC:label>AIS Transmitter Establishment</S100FC:label>
Replacements	Change V-AIS establishment to V-AIS Establishment	
1 x	<S100FC:label>V-AIS establishment</S100FC:label>	<S100FC:label>V-AIS Establishment</S100FC:label>
Replacements	Change RACON establishment to RACON Establishment	
1 x	<S100FC:label>RACON establishment</S100FC:label>	<S100FC:label>RACON Establishment</S100FC:label>
Replacements	Change DGPS station establishment to DGPS Station Establishment	
1 x	<S100FC:label>DGPS station establishment</S100FC:label>	<S100FC:label>DGPS Station Establishment</S100FC:label>
Replacements	Change eLORAN station establishment to ELORAN Station Establishment	
1 x	<S100FC:label>eLORAN station establishment</S100FC:label>	<S100FC:label>ELORAN Station Establishment</S100FC:label>
Replacements	Change DGLONASS station establishment to DGLONASS Station Establishment	
1 x	<S100FC:label>DGLONASS station establishment</S100FC:label>	<S100FC:label>DGLONASS Station Establishment</S100FC:label>
Replacements	Change e-Chayka station establishment to E-Chayka Station Establishment	
1 x	<S100FC:label>e-Chayka station establishment</S100FC:label>	<S100FC:label>E-Chayka Station Establishment</S100FC:label>
Replacements	Change Buoy removal to Buoy Removal	
1 x	<S100FC:label>Buoy removal</S100FC:label>	<S100FC:label>Buoy Removal</S100FC:label>
Replacements	Change Buoy temporary removal to Buoy Temporary Removal	
1 x	<S100FC:label>Buoy temporary removal</S100FC:label>	<S100FC:label>Buoy Temporary Removal</S100FC:label>
Replacements	Change Light removal to Light Removal	
1 x	<S100FC:label>Light removal</S100FC:label>	<S100FC:label>Light Removal</S100FC:label>
Replacements	Change Light temporary removal to Light Temporary Removal	

1 x	<S100FC:label>Light temporary removal</S100FC:label>	<S100FC:label>Light Temporary Removal</S100FC:label>
Replacements	Change Beacon removal to Beacon Removal	
1 x	<S100FC:label>Beacon removal</S100FC:label>	<S100FC:label>Beacon Removal</S100FC:label>
Replacements	Change Beacon temporary removal to Beacon Temporary Removal	
1 x	<S100FC:label>Beacon temporary removal</S100FC:label>	<S100FC:label>Beacon Temporary Removal</S100FC:label>
Replacements	Change Fog signal removal to Fog Signal Removal	
1 x	<S100FC:label>Fog signal removal</S100FC:label>	<S100FC:label>Fog Signal Removal</S100FC:label>
Replacements	Change Fog signal temporary removal to Fog Signal Temporary Removal	
1 x	<S100FC:label>Fog signal temporary removal</S100FC:label>	<S100FC:label>Fog Signal Temporary Removal</S100FC:label>
Replacements	Change Audible signal removal to Audible Signal Removal	
1 x	<S100FC:label>Audible signal removal</S100FC:label>	<S100FC:label>Audible Signal Removal</S100FC:label>
Replacements	Change Audible signal temporary removal to Audible Signal Temporary Removal	
1 x	<S100FC:label>Audible signal temporary removal</S100FC:label>	<S100FC:label>Audible Signal Temporary Removal</S100FC:label>
Replacements	Change V-AIS removal to V-AIS Removal	
1 x	<S100FC:label>V-AIS removal</S100FC:label>	<S100FC:label>V-AIS Removal</S100FC:label>
Replacements	Change V-AIS temporary removal to V-AIS Temporary Removal	
1 x	<S100FC:label>V-AIS temporary removal</S100FC:label>	<S100FC:label>V-AIS Temporary Removal</S100FC:label>
Replacements	Change RACON temporary removal to RACON Temporary Removal	
1 x	<S100FC:label>RACON temporary removal</S100FC:label>	<S100FC:label>RACON Temporary Removal</S100FC:label>
Replacements	Change LORAN C station removal to LORAN C Station Removal	
1 x	<S100FC:label>LORAN C station removal</S100FC:label>	<S100FC:label>LORAN C Station Removal</S100FC:label>
Replacements	Change LORAN C station temporary removal to LORAN C Station Temporary Removal	
1 x	<S100FC:label>LORAN C station temporary removal</S100FC:label>	<S100FC:label>LORAN C Station Temporary Removal</S100FC:label>
Replacements	Change Chayka station removal to Chayka Station Removal	
1 x	<S100FC:label>Chayka station removal</S100FC:label>	<S100FC:label>Chayka Station Removal</S100FC:label>
Replacements	Change Chayka station temporary removal to Chayka Station Temporary Removal	
1 x	<S100FC:label>Chayka station temporary removal</S100FC:label>	<S100FC:label>Chayka Station Temporary Removal</S100FC:label>
Replacements	Change e-Chayka station removal to E-Chayka Station Removal	
1 x	<S100FC:label>e-Chayka station removal</S100FC:label>	<S100FC:label>E-Chayka Station Removal</S100FC:label>
Replacements	Change e-Chayka station temporary removal to E-Chayka Station Temporary Removal	
1 x	<S100FC:label>e-Chayka station temporary removal</S100FC:label>	<S100FC:label>E-Chayka Station Temporary Removal</S100FC:label>
Replacements	Change Buoy change to Buoy Change	
1 x	<S100FC:label>Buoy change</S100FC:label>	<S100FC:label>Buoy Change</S100FC:label>
Replacements	Change Buoy temporary change to Buoy Temporary Change	
1 x	<S100FC:label>Buoy temporary change</S100FC:label>	<S100FC:label>Buoy Temporary Change</S100FC:label>
Replacements	Change Light change to Light Change	
1 x	<S100FC:label>Light change</S100FC:label>	<S100FC:label>Light Change</S100FC:label>
Replacements	Change Light temporary change to Light Temporary Change	
1 x	<S100FC:label>Light temporary change</S100FC:label>	<S100FC:label>Light Temporary Change</S100FC:label>
Replacements	Change Sector light change to Sector Light Change	
1 x	<S100FC:label>Sector light change</S100FC:label>	<S100FC:label>Sector Light Change</S100FC:label>
Replacements	Change Sector light temporary change to Sector Light Temporary Change	
1 x	<S100FC:label>Sector light temporary change</S100FC:label>	<S100FC:label>Sector Light Temporary Change</S100FC:label>
Replacements	Change Beacon change to Beacon Change	
1 x	<S100FC:label>Beacon change</S100FC:label>	<S100FC:label>Beacon Change</S100FC:label>
Replacements	Change Beacon temporary change to Beacon Temporary Change	
1 x	<S100FC:label>Beacon temporary change</S100FC:label>	<S100FC:label>Beacon Temporary Change</S100FC:label>
Replacements	Change Fog signal change to Fog Signal Change	
1 x	<S100FC:label>Fog signal change</S100FC:label>	<S100FC:label>Fog Signal Change</S100FC:label>
Replacements	Change Fog signal temporary change to Fog Signal Temporary Change	
1 x	<S100FC:label>Fog signal temporary change</S100FC:label>	<S100FC:label>Fog Signal Temporary Change</S100FC:label>
Replacements	Change Audible signal change to Audible Signal Change	
1 x	<S100FC:label>Audible signal change</S100FC:label>	<S100FC:label>Audible Signal Change</S100FC:label>
Replacements	Change Audible signal temporary change to Audible Signal Temporary Change	
1 x	<S100FC:label>Audible signal temporary change</S100FC:label>	<S100FC:label>Audible Signal Temporary Change</S100FC:label>
Replacements	Change V-AIS change to V-AIS Change	
1 x	<S100FC:label>V-AIS change</S100FC:label>	<S100FC:label>V-AIS Change</S100FC:label>
Replacements	Change V-AIS temporary change to V-AIS Temporary Change	
1 x	<S100FC:label>V-AIS temporary change</S100FC:label>	<S100FC:label>V-AIS Temporary Change</S100FC:label>
Replacements	Change RACON temporary change to RACON Temporary Change	
1 x	<S100FC:label>RACON temporary change</S100FC:label>	<S100FC:label>RACON Temporary Change</S100FC:label>
Replacements	Change Audible signal out of service to Audible Signal Out Of Service	
1 x	<S100FC:label>Audible signal out of service</S100FC:label>	<S100FC:label>Audible Signal Out Of Service</S100FC:label>
Replacements	Change Fog signal out of service to Fog Signal Out Of Service	

1 x	<S100FC:label>Fog signal out of service</S100FC:label>	<S100FC:label>Fog Signal Out Of Service</S100FC:label>
Replacements	Change Audible signal operating properly to Audible Signal Operating Properly	
1 x	<S100FC:label>Audible signal operating properly</S100FC:label>	<S100FC:label>Audible Signal Operating Properly</S100FC:label>
Replacements	Change Fog signal operating properly to Fog Signal Operating Properly	
1 x	<S100FC:label>Fog signal operating properly</S100FC:label>	<S100FC:label>Fog Signal Operating Properly</S100FC:label>
Replacements	Change AIS transmitter out of service to AIS Transmitter Out Of Service	
1 x	<S100FC:label>AIS transmitter out of service</S100FC:label>	<S100FC:label>AIS Transmitter Out Of Service</S100FC:label>
Replacements	Change AIS transmitter unreliable to AIS Transmitter Unreliable	
1 x	<S100FC:label>AIS transmitter unreliable</S100FC:label>	<S100FC:label>AIS Transmitter Unreliable</S100FC:label>
Replacements	Change AIS transmitter operating properly to AIS Transmitter Operating Properly	
1 x	<S100FC:label>AIS transmitter operating properly</S100FC:label>	<S100FC:label>AIS Transmitter Operating Properly</S100FC:label>
Replacements	Change V-AIS out of service to V-AIS Out Of Service	
1 x	<S100FC:label>V-AIS out of service</S100FC:label>	<S100FC:label>V-AIS Out Of Service</S100FC:label>
Replacements	Change V-AIS unreliable to V-AIS Unreliable	
1 x	<S100FC:label>V-AIS unreliable</S100FC:label>	<S100FC:label>V-AIS Unreliable</S100FC:label>
Replacements	Change V-AIS operating properly to V-AIS Operating Properly	
1 x	<S100FC:label>V-AIS operating properly</S100FC:label>	<S100FC:label>V-AIS Operating Properly</S100FC:label>
Replacements	Change RACON out of service to RACON Out Of Service	
1 x	<S100FC:label>RACON out of service</S100FC:label>	<S100FC:label>RACON Out Of Service</S100FC:label>
Replacements	Change RACON unreliable to RACON Unreliable	
1 x	<S100FC:label>RACON unreliable</S100FC:label>	<S100FC:label>RACON Unreliable</S100FC:label>
Replacements	Change RACON operating properly to RACON Operating Properly	
1 x	<S100FC:label>RACON operating properly</S100FC:label>	<S100FC:label>RACON Operating Properly</S100FC:label>
Replacements	Change DGPS out of service to DGPS Out Of Service	
1 x	<S100FC:label>DGPS out of service</S100FC:label>	<S100FC:label>DGPS Out Of Service</S100FC:label>
Replacements	Change DGPS operating properly to DGPS Operating Properly	
1 x	<S100FC:label>DGPS operating properly</S100FC:label>	<S100FC:label>DGPS Operating Properly</S100FC:label>
Replacements	Change DGPS unreliable to DGPS Unreliable	
1 x	<S100FC:label>DGPS unreliable</S100FC:label>	<S100FC:label>DGPS Unreliable</S100FC:label>
Replacements	Change eLORAN operating properly to ELORAN Operating Properly	
1 x	<S100FC:label>eLORAN operating properly</S100FC:label>	<S100FC:label>ELORAN Operating Properly</S100FC:label>
Replacements	Change eLORAN unreliable to ELORAN Unreliable	
1 x	<S100FC:label>eLORAN unreliable</S100FC:label>	<S100FC:label>ELORAN Unreliable</S100FC:label>
Replacements	Change eLORAN out of service to ELORAN Out Of Service	
1 x	<S100FC:label>eLORAN out of service</S100FC:label>	<S100FC:label>ELORAN Out Of Service</S100FC:label>
Replacements	Change Chayka operating properly to Chayka Operating Properly	
1 x	<S100FC:label>Chayka operating properly</S100FC:label>	<S100FC:label>Chayka Operating Properly</S100FC:label>
Replacements	Change Chayka unreliable to Chayka Unreliable	
1 x	<S100FC:label>Chayka unreliable</S100FC:label>	<S100FC:label>Chayka Unreliable</S100FC:label>
Replacements	Change Chayka out of service to Chayka Out Of Service	
1 x	<S100FC:label>Chayka out of service</S100FC:label>	<S100FC:label>Chayka Out Of Service</S100FC:label>
Replacements	Change e-Chayka operating properly to E-Chayka Operating Properly	
1 x	<S100FC:label>e-Chayka operating properly</S100FC:label>	<S100FC:label>E-Chayka Operating Properly</S100FC:label>
Replacements	Change e-Chayka unreliable to E-Chayka Unreliable	
1 x	<S100FC:label>e-Chayka unreliable</S100FC:label>	<S100FC:label>E-Chayka Unreliable</S100FC:label>
Replacements	Change e-Chayka out of service to E-Chayka Out Of Service	
1 x	<S100FC:label>e-Chayka out of service</S100FC:label>	<S100FC:label>E-Chayka Out Of Service</S100FC:label>
Replacements	Change EGNOS operating properly to EGNOS Operating Properly	
1 x	<S100FC:label>EGNOS operating properly</S100FC:label>	<S100FC:label>EGNOS Operating Properly</S100FC:label>
Replacements	Change EGNOS unreliable to EGNOS Unreliable	
1 x	<S100FC:label>EGNOS unreliable</S100FC:label>	<S100FC:label>EGNOS Unreliable</S100FC:label>
Replacements	Change EGNOS out of service to EGNOS Out Of Service	
1 x	<S100FC:label>EGNOS out of service</S100FC:label>	<S100FC:label>EGNOS Out Of Service</S100FC:label>
Replacements	Change Beacon missing to Beacon Missing	
1 x	<S100FC:label>Beacon missing</S100FC:label>	<S100FC:label>Beacon Missing</S100FC:label>
Replacements	Change Beacon damaged to Beacon Damaged	
1 x	<S100FC:label>Beacon damaged</S100FC:label>	<S100FC:label>Beacon Damaged</S100FC:label>
Replacements	Change Beacon topmark missing to Beacon Topmark Missing	
1 x	<S100FC:label>Beacon topmark missing</S100FC:label>	<S100FC:label>Beacon Topmark Missing</S100FC:label>
Replacements	Change Beacon topmark damaged to Beacon Topmark Damaged	
1 x	<S100FC:label>Beacon topmark damaged</S100FC:label>	<S100FC:label>Beacon Topmark Damaged</S100FC:label>
Replacements	Change Beacon daymark unreliable to Beacon Daymark Unreliable	
1 x	<S100FC:label>Beacon daymark unreliable</S100FC:label>	<S100FC:label>Beacon Daymark Unreliable</S100FC:label>
Replacements	Change Beacon restored to normal to Beacon Restored To Normal	
1 x	<S100FC:label>Beacon restored to normal</S100FC:label>	<S100FC:label>Beacon Restored To Normal</S100FC:label>

Replacements	Change Buoy adrift to Buoy Adrift	
1 x	<S100FC:label>Buoy adrift</S100FC:label>	<S100FC:label>Buoy Adrift</S100FC:label>
Replacements	Change Buoy damaged to Buoy Damaged	
1 x	<S100FC:label>Buoy damaged</S100FC:label>	<S100FC:label>Buoy Damaged</S100FC:label>
Replacements	Change Buoy daymark unreliable to Buoy Daymark Unreliable	
1 x	<S100FC:label>Buoy daymark unreliable</S100FC:label>	<S100FC:label>Buoy Daymark Unreliable</S100FC:label>
Replacements	Change Buoy destroyed to Buoy Destroyed	
1 x	<S100FC:label>Buoy destroyed</S100FC:label>	<S100FC:label>Buoy Destroyed</S100FC:label>
Replacements	Change Buoy missing to Buoy Missing	
1 x	<S100FC:label>Buoy missing</S100FC:label>	<S100FC:label>Buoy Missing</S100FC:label>
Replacements	Change Buoy move to Buoy Move	
1 x	<S100FC:label>Buoy move</S100FC:label>	<S100FC:label>Buoy Move</S100FC:label>
Replacements	Change Buoy off position to Buoy off Position	
1 x	<S100FC:label>Buoy off position</S100FC:label>	<S100FC:label>Buoy off Position</S100FC:label>
Replacements	Change Buoy restored to normal to Buoy Restored to Normal	
1 x	<S100FC:label>Buoy restored to normal</S100FC:label>	<S100FC:label>Buoy Restored to Normal</S100FC:label>
Replacements	Change Buoy topmark damaged to Buoy Topmark Damaged	
1 x	<S100FC:label>Buoy topmark damaged</S100FC:label>	<S100FC:label>Buoy Topmark Damaged</S100FC:label>
Replacements	Change Buoy topmark missing to Buoy Topmark Missing	
1 x	<S100FC:label>Buoy topmark missing</S100FC:label>	<S100FC:label>Buoy Topmark Missing</S100FC:label>
Replacements	Change Buoy will be withdrawn to Buoy Will Be Withdrawn	
1 x	<S100FC:label>Buoy will be withdrawn</S100FC:label>	<S100FC:label>Buoy Will Be Withdrawn</S100FC:label>
Replacements	Change Buoy withdrawn to Buoy Withdrawn	
1 x	<S100FC:label>Buoy withdrawn</S100FC:label>	<S100FC:label>Buoy Withdrawn</S100FC:label>
Replacements	Change Marine Aids to Navigation unreliable to Marine Aids to Navigation Unreliable	
1 x	<S100FC:label>Marine Aids to Navigation unreliable</S100FC:label>	<S100FC:label>Marine Aids to Navigation Unreliable</S100FC:label>
Replacements	Change Seasonal decommissioning complete to Seasonal Decommissioning Complete	
1 x	<S100FC:label>Seasonal decommissioning complete</S100FC:label>	<S100FC:label>Seasonal Decommissioning Complete</S100FC:label>
Replacements	Change Seasonal decommissioning in progress to Seasonal Decommissioning in Progress	
1 x	<S100FC:label>Seasonal decommissioning in progress</S100FC:label>	<S100FC:label>Seasonal Decommissioning in Progress</S100FC:label>
Replacements	Change Light unlit to Light Unlit	
1 x	<S100FC:label>Light unlit</S100FC:label>	<S100FC:label>Light Unlit</S100FC:label>
Replacements	Change Light unreliable to Light Unreliable	
1 x	<S100FC:label>Light unreliable</S100FC:label>	<S100FC:label>Light Unreliable</S100FC:label>
Replacements	Change Light re-establishment to Light Re-Establishment	
1 x	<S100FC:label>Light re-establishment</S100FC:label>	<S100FC:label>Light Re-Establishment</S100FC:label>
Replacements	Change Light range reduced to Light Range Reduced	
1 x	<S100FC:label>Light range reduced</S100FC:label>	<S100FC:label>Light Range Reduced</S100FC:label>
Replacements	Change Light without rhythm to Light Without Rhythm	
1 x	<S100FC:label>Light without rhythm</S100FC:label>	<S100FC:label>Light Without Rhythm</S100FC:label>
Replacements	Change Light out of synchronization to Light Out Of Synchronization	
1 x	<S100FC:label>Light out of synchronization</S100FC:label>	<S100FC:label>Light Out Of Synchronization</S100FC:label>
Replacements	Change Light daymark unreliable to Light Daymark Unreliable	
1 x	<S100FC:label>Light daymark unreliable</S100FC:label>	<S100FC:label>Light Daymark Unreliable</S100FC:label>
Replacements	Change Light operating properly to Light Operating Properly	
1 x	<S100FC:label>Light operating properly</S100FC:label>	<S100FC:label>Light Operating Properly</S100FC:label>
Definition update	channel markings	
-	-	A group of channel marks which indicate channel limits.
Definition update	danger markings	
-	-	One of more aids to navigation and the danger(s) that are marked.
Definition update	Buoy establishment	
-	-	A new buoy has been or will be established.
Definition update	Light establishment	
-	-	A new light has been or will be established.
Definition update	Beacon establishment	
-	-	A new beacon has been or will be established.
Definition update	Audible signal establishment	

-	-	A new audible signal (device activated by e.g. sea state or wind, irrespective of visibility) has been or will be established.
Definition update	Fog signal establishment	
-	-	A new fog signal has been or will be established.
Definition update	AIS transmitter establishment	
-	-	A new AIS site has been or will be established.
Definition update	V-AIS establishment	
-	-	A new V-AIS has been or will be established.
Definition update	RACON establishment	
-	-	A new RACON has been or will be established.
Definition update	DGPS station establishment	
-	-	A new DGPS station has been or will be established.
Definition update	eLORAN station establishment	
-	-	A new eLORAN station has been or will be established.
Definition update	DGLONASS station establishment	
-	-	A new DGLONASS station has been or will be established.
Definition update	e-Chayka station establishment	
-	-	A new e-Chayka station has been or will be established.
Definition update	Buoy removal	
-	-	Buoy has been or will be permanently removed from service.
Definition update	Buoy temporary removal	
-	-	Buoy has been or will be temporarily removed from service.
Definition update	Light removal	
-	-	Light has been or will be permanently removed from service.
Definition update	Light temporary removal	
-	-	Light has been or will be temporarily removed from service.
Definition update	Beacon removal	
-	-	Beacon has been or will be permanently removed from service.
Definition update	Beacon temporary removal	
-	-	Beacon has been or will be temporarily removed from service.
Definition update	Fog signal removal	
-	-	Fog signal has been or will be permanently removed from service.
Definition update	Fog signal temporary removal	
-	-	Fog signal has been or will be temporarily removed from service.
Definition update	Audible signal removal	
-	-	Audible signal (device activated by e.g. sea state or wind, irrespective of visibility) has been or will be permanently removed from service.
Definition update	Audible signal temporary removal	
-	-	Audible signal (device activated by e.g. sea state or wind, irrespective of visibility) has been or will be temporarily removed from service.
Definition update	V-AIS removal	
-	-	V-AIS has been or will be permanently removed from service.
Definition update	V-AIS temporary removal	
-	-	V-AIS has been or will be temporarily removed from service.
Definition update	RACON temporary removal	
-	-	RACON has been or will be temporarily removed from service.
Definition update	LORAN C station removal	

-	-	LORAN C station has been or will be permanently removed from service.
Definition update	LORAN C station temporary removal	
-	-	LORAN C station has been or will be temporarily removed from service.
Definition update	Chayka station removal	
-	-	Chayka station has been or will be permanently removed from service.
Definition update	Chayka station temporary removal	
-	-	Chayka station has been or will be temporarily removed from service.
Definition update	e-Chayka station removal	
-	-	The e-Chayka station has been or will be permanently removed from service.
Definition update	e-Chayka station temporary removal	
-	-	The e-Chayka station has been or will be temporarily removed from service
Definition update	Buoy change	
-	-	The characteristics of the buoy have been or will be changed.
Definition update	Buoy temporary change	
-	-	The characteristics of the buoy have been or will be temporarily changed.
Definition update	Light change	
-	-	The characteristics of the light have been or will be changed.
Definition update	Light temporary change	
-	-	The characteristics of the light have been or will be temporarily changed.
Definition update	Sector light change	
-	-	The characteristics of the sector light have been or will be changed.
Definition update	Sector light temporary change	
-	-	The characteristics of the sector light have been or will be temporarily changed.
Definition update	Beacon change	
-	-	The characteristics of the beacon have been or will be changed.
Definition update	Beacon temporary change	
-	-	The characteristics of the beacon have been or will be temporarily changed.
Definition update	Fog signal change	
-	-	The characteristics of the fog signal have been or will be changed.
Definition update	Fog signal temporary change	
-	-	The characteristics of the fog signal have been or will be temporarily changed.
Definition update	Audible signal change	
-	-	The characteristics of the audible signal (device activated by e.g. sea state or wind, irrespective of visibility) have been or will be changed.
Definition update	Audible signal temporary change	
-	-	The characteristics of the audible signal (device activated by e.g. sea state or wind, irrespective of visibility) have been or will be temporarily changed.
Definition update	V-AIS change	
-	-	The characteristics of the V-AIS have been or will be changed.
Definition update	V-AIS temporary change	
-	-	The characteristics of the V-AIS have been or will be temporarily changed.

Definition update	RACON temporary change	
-	-	The characteristics of the RACON have been or will be temporarily changed.
Definition update	Audible signal out of service	
-	-	The audible signal (device activated by e.g. sea state or wind, irrespective of visibility) is inoperative.
Definition update	Fog signal out of service	
-	-	The fog signal is inoperative.
Definition update	Audible signal operating properly	
-	-	The audible signal (device activated by e.g. sea state or wind, irrespective of visibility) is operating as advertised.
Definition update	Fog signal operating properly	
-	-	The fog signal is operating as advertised.
Definition update	Bridge	
-	-	A structure erected over a depression or an obstacle such as a body of water, railroad, etc., to provide a roadway for vehicles or pedestrians.
Definition update	Articulated Loading Platform	
-	-	A metal lattice tower, buoyant at one end and attached at the other by a universal joint to a concrete filled base on the sea bed. The platform may be fitted with a helicopter platform, emergency accommodation and hawser/hose retrieval.
Definition update	Single Anchor Leg Mooring	
-	-	A rigid frame or tube with a buoyancy device at its upper end , secured at its lower end to a universal joint on a large steel or concrete base resting on the sea bed, and at its upper end to a mooring buoy by a chain or wire.
Definition update	Mooring Tower	
-	-	A platform secured to the sea bed and surmounted by a turntable to which ships moor.
Definition update	Floating Production, Storage and Off-Loading Vessel	
-	-	An offshore oil/gas facility consisting of a moored tanker/barge by which the product is extracted, stored and exported.
Definition update	Navigation, Communication and Control Buoy	
-	-	A floating structure with control room, power and storage facilities, attached to the sea bed by a flexible pipeline and cables.
Definition update	Post	
-	-	A vertical piece of timber, metal or concrete forced into the earth or sea bed.
Definition update	Tripodal	
-	-	A single structure comprising 3 or more piles held together (sections of heavy timber, steel or concrete), and forced into the earth or sea bed.
Definition update	Differential GNSS	
-	-	A radiobeacon transmitting DGPS correction signals.
Definition update	Chaika	
-	-	Chaika is a low frequency electronic position fixing system using pulsed transmissions at 100 Khz.
Definition update	AIS Base Station	
-	-	An onshore AIS unit that monitors traffic in the waterways.
Definition update	Seaplane Landing Mark	
-	-	A mark indicating an area where sea-planes land.
Definition update	Fish Aggregating Device	
-	-	A fish aggregating (or aggregation) device (FAD) is a man-made object used to attract ocean going pelagic fish such as marlin, tuna and

		mahi-mahi (dolphin fish). They usually consist of buoys or floats tethered to the ocean floor with concrete blocks.
Definition update	Border Stripe	
-	-	A band or stripe of colour which is displayed around the outer edge of the object, which may also form a border to an inner pattern or plain colour.
Definition update	AIS transmitter out of service	
-	-	The terrestrial AIS transmitter is inoperative due to a technical issue.
Definition update	AIS transmitter unreliable	
-	-	The terrestrial AIS transmitter is unreliable due to a technical issue or maintenance.
Definition update	AIS transmitter operating properly	
-	-	The terrestrial AIS transmitter is operating as advertised.
Definition update	V-AIS out of service	
-	-	Virtual AIS aid to navigation is extinguished.
Definition update	V-AIS unreliable	
-	-	Virtual AIS aid is unreliable due to a technical issue or maintenance.
Definition update	V-AIS operating properly	
-	-	Virtual AIS aid to navigation is operating as advertised.
Definition update	RACON out of service	
-	-	The RACON is inoperative.
Definition update	RACON unreliable	
-	-	The RACON is unreliable due to a technical issue or maintenance.
Definition update	RACON operating properly	
-	-	The RACON is operating as advertised.
Definition update	DGPS out of service	
-	-	The DGPS station is inoperative due to a technical issue.
Definition update	DGPS operating properly	
-	-	The DGPS station is operating as advertised.
Definition update	DGPS unreliable	
-	-	The DGPS station is unreliable due to a technical issue or maintenance.
Definition update	eLORAN operating properly	
-	-	The eLORAN station is operating as advertised.
Definition update	eLORAN unreliable	
-	-	The eLORAN station is unreliable due to a technical issue or maintenance.
Definition update	eLORAN out of service	
-	-	The eLORAN station is inoperative due to a technical issue.
Definition update	Chayka operating properly	
-	-	The Chayka station is operating as advertised.
Definition update	Chayka unreliable	
-	-	The Chayka station is unreliable due to a technical issue or maintenance.
Definition update	Chayka out of service	
-	-	The Chayka station is inoperative due to a technical issue.
Definition update	e-Chayka operating properly	
-	-	The e-Chayka station is operating as advertised.
Definition update	e-Chayka unreliable	

-	-	The e-Chayka station is unreliable due to a technical issue or maintenance.
Definition update	e-Chayka out of service	
-	-	The e-Chayka station is inoperative due to a technical issue.
Definition update	EGNOS operating properly	
-	-	The EGNOS station is operating as advertised.
Definition update	EGNOS unreliable	
-	-	The EGNOS station is unreliable due to a technical issue or maintenance.
Definition update	EGNOS out of service	
-	-	The EGNOS station is inoperative due to a technical issue.
Definition update	Beacon missing	
-	-	No beacon at the advertised position.
Definition update	Beacon damaged	
-	-	The beacon has sustained damage due to external factors (wind, sea state, collision with a vessel).
Definition update	Beacon topmark missing	
-	-	The topmark of the beacon is missing.
Definition update	Beacon topmark damaged	
-	-	The topmark of the beacon is damaged due to external factors (wind, sea state, collision with a vessel).
Definition update	Beacon daymark unreliable	
-	-	Colour of the beacon daymark is not visible due to damage or fading of colours (out of tolerance with colour recommendations).
Definition update	Beacon restored to normal	
-	-	The beacon has been restored to normal condition.
Definition update	Buoy adrift	
-	-	The buoy is no longer secured to its moorings and is adrift.
Definition update	Buoy damaged	
-	-	The buoy has been damaged due to external factors (wind, sea state, collision with a vessel).
Definition update	Buoy daymark unreliable	
-	-	Colour of the buoy daymark is not visible due to damage or fading of colours (out of tolerance with colour recommendations).
Definition update	Buoy destroyed	
-	-	The buoy has suffered extensive damage and is not useable.
Definition update	Buoy missing	
-	-	No buoy at its advertised/charted position or in the vicinity.
Definition update	Buoy move	
-	-	The buoy has been or will be moved intentionally.
Definition update	Buoy off position	
-	-	The buoy has been dragged off its advertised position due to wind or current affecting the mooring system.
Definition update	Buoy restored to normal	
-	-	The buoy has been restored to normal condition.
Definition update	Buoy topmark damaged	
-	-	The topmark of the buoy is damaged due to external factors (wind, sea state, collision with a vessel).
Definition update	Buoy topmark missing	
-	-	The topmark of the buoy is missing.

Definition update	Buoy will be withdrawn	
-	-	The buoy has been scheduled for removal from service for a fixed term.
Definition update	Buoy withdrawn	
-	-	The buoy has been removed from service for a fixed term.
Definition update	Marine Aids to Navigation unreliable	
-	-	The position or status of Marine Aids to Navigation, over an extensive area, is unreliable due to a natural event (freshet, storm surge, flooding).
Definition update	Seasonal decommissioning complete	
-	-	The completion of the process to remove summer buoys (and possibly replace some with winter spar buoys).
Definition update	Seasonal decommissioning in progress	
-	-	The commencement of the process to remove summer buoys (and possibly replace some with winter spar buoys).
Definition update	Educational Facility	
-	-	A building concerned with education (for example school, college, university, etc).
Definition update	Long-Flashing	
-	-	A single-flashing light in which a single flash of not less than two seconds duration is regularly repeated.
Definition update	Alternating	
-	-	A signal light that shows, in any given direction, two or more colours in a regularly repeated sequence with a regular periodicity.
Definition update	Visible in Line of Range	
-	-	Lights that must in line to be visible.
Definition update	Light unlit	
-	-	The light is extinguished.
Definition update	Light unreliable	
-	-	The light is unreliable due to technical problems.
Definition update	Light re-establishment	
-	-	The re-establishment of a light which was previously announced as either destroyed or temporarily removed.
Definition update	Light range reduced	
-	-	The nominal range of the light is less than the advertised range.
Definition update	Light without rhythm	
-	-	Due to technical problems the light has no more rhythm and is in fixed light mode.
Definition update	Light out of synchronization	
-	-	The light is no longer synchronized with another light or group of lights.
Definition update	Light daymark unreliable	
-	-	The light daymark is not visible due to damage or fading of colours (out of tolerance with colour recommendations).
Definition update	Light operating properly	
-	-	The light is operating as advertised
Definition update	Illuminated	
-	-	Lit by floodlights, strip lights, etc.
Definition update	Found by Echo Sounder	
-	-	The depth was determined by using an instrument that determines depth of water by measuring the time interval between emission of a sonic or ultrasonic signal and return of its echo from the bottom.

Definition update	Found by Multi Beam	
-	-	The depth was determined by using a wide swath echo sounder that uses multiple beams to measure depths directly below and transverse to the ship's track.
Definition update	Found by Lead Line	
-	-	The depth was determined by using a line, graduated with attached marks and fastened to a sounding lead.
Definition update	Cone (Point Up)	
-	-	Is where the vertex points up. A cone is a solid figure generated by straight lines drawn from a fixed point (the vertex) to a circle in a plane not containing the vertex. Cones are commonly used as International Association of Lighthouse Authorities - IALA topmarks, lateral.
Definition update	Cone (Point Down)	
-	-	Is where the vertex points down. A cone is a solid figure generated by straight lines drawn from a fixed point (the vertex) to a circle in a plane not containing the vertex. Cones are commonly used as International Association of Lighthouse Authorities - IALA topmarks, lateral.
Definition update	Cylinder	
-	-	A solid geometrical figure generated by straight lines fixed in direction and describing with one of point a closed curve, especially a circle (in which case the figure is circular cylinder, it's ends being parallel circles). Cylinders are commonly used as International Association of Lighthouse Authorities - IALA topmarks lateral.
Definition update	X-Shaped	
-	-	Having a shape or a cross-section like the capital letter X. An x-shape as an International Association of Lighthouse Authorities - IALA topmark should be 3 dimensional in shape. It is made of at least three crossed bars.
Definition update	Besom (Point Up)	
-	-	Besom: A bundle of rods or twigs. Perch: A staff placed on top of a buoy, rock or shoal as a mark for navigation. A besom, point up is where the thicker (untied) end of the besom is at the bottom.
Definition update	Besom (Point Down)	
-	-	Besom: A bundle of rods or twigs. Perch: A staff placed on top of a buoy, rock or shoal as a mark for navigation. A besom, point down is where the thinner (tied) end of the besom is at the bottom.
Definition update	Rectangle (Horizontal)	
-	-	Where the two longer opposite sides are standing horizontally. A rectangle is a plane figure with four right angles and four straight sides, opposite sides being parallel and equal in length.
Definition update	Rectangle (Vertical)	
-	-	Where the two longer opposite sides are standing vertically. A rectangle is a plane figure with four right angles and four straight sides, opposite sides being parallel and equal in length.
Definition update	Mean Low Water Springs	
-	-	The average height of the low waters of spring tides. This level is used as a tidal datum in some areas. Also called spring low water.
Definition update	Lowest Low Water	
-	-	An arbitrary level conforming to the lowest tide observed at a place, or some what lower.
Definition update	Low Water	
-	-	The lowest level reached at a place by the water surface in one oscillation. Also called low tide.
Definition update	Mean High Water Springs	
-	-	The average height of the high waters of spring tides. Also called spring high water.

Definition update	Visually Conspicuous	
-	-	Term applied to a feature either natural or artificial which is distinctly and notably visible from seaward.
Replacements	Change Category Of Aggreagation to Category of Aggregation	
1 x	>Category Of Aggregation<	>Category of Aggregation<
Replacements	Change Category Of Aggregation to Category of Aggregation	
0 x	ref="Category Of Aggregation"	ref="Category of Aggregation"
Replacements	Change Category Of Association to Category of Association	
1 x	>Category Of Association<	>Category of Association<
Replacements	Change Category Of Association to Category of Association	
0 x	ref="Category Of Association"	ref="Category of Association"
Replacements	Change Structure Equipment to Structure/Equipment	
1 x	>Structure Equipment<	>Structure/Equipment<
Replacements	Change Structure Equipment to Structure/Equipment	
0 x	ref="Structure Equipment"	ref="Structure/Equipment"
Replacements	Change Synthetic AIS Aid To Navigation to Synthetic AIS Aid to Navigation	
1 x	>Synthetic AIS Aid To Navigation<	>Synthetic AIS Aid to Navigation<
Replacements	Change Synthetic AIS Aid To Navigation to Synthetic AIS Aid to Navigation	
0 x	ref="Synthetic AIS Aid To Navigation"	ref="Synthetic AIS Aid to Navigation"

XSD-check of FIXED FC

- XML is VALID against http://localhost/navpub/fihoUpload/html/S100/schemas/S100/5.2.0/S100FC/20231214/S100FC.xsd

FC-FILES

Original file pretty-printed by SimpleXML

[original.xml](#)

FIXED file pretty-printed by SimpleXML

[fixed.xml](#)