#### 117TH CONGRESS 2D SESSION

# H. R. 7962

To amend the Energy Policy and Conservation Act to modify the definition of water heater under energy conservation standards, and for other purposes.

### IN THE HOUSE OF REPRESENTATIVES

June 7, 2022

Mrs. Dingell (for herself, Ms. Blunt Rochester, Ms. Moore of Wisconsin, Mr. Cooper, Mr. Rose, Mr. Tonko, Mr. Welch, Mr. Walberg, Ms. Escobar, Mr. Mullin, Mr. Kind, and Mrs. Harshbarger) introduced the following bill; which was referred to the Committee on Energy and Commerce

## A BILL

To amend the Energy Policy and Conservation Act to modify the definition of water heater under energy conservation standards, and for other purposes.

- 1 Be it enacted by the Senate and House of Representa-
- 2 tives of the United States of America in Congress assembled,
- 3 SECTION 1. WATER HEATERS.
- 4 (a) Definition of Water Heater.—Section 321
- 5 of the Energy Policy and Conservation Act (42 U.S.C.
- 6 6291) is amended by striking paragraph (27) and insert-
- 7 ing the following:
- 8 (27) Water heater.—

1	"(A) IN GENERAL.—The term 'water heat-
2	er' means a product that utilizes oil, gas, or
3	electricity to heat potable water for use outside
4	the heater on demand, including—
5	"(i) storage type units that heat and
6	store water at a thermostatically controlled
7	temperature, including—
8	"(I) gas storage water heaters
9	with an input of 75,000 Btu per hour
10	or less, including heat pump type
11	units that meet the current and volt-
12	age limits described in clause (iii);
13	"(II) oil storage water heaters
14	with an input of 105,000 Btu per
15	hour or less; and
16	"(III) electric storage water heat-
17	ers with an input of 12 kilowatts or
18	less, including heat pump type units
19	that meet the current and voltage lim-
20	its described in clause (iii);
21	"(ii)(I) instantaneous type units that
22	heat water but contain not more than 1
23	gallon of water per 4,000 Btu per hour of
24	input; and
25	"(II) in the case of—

1	"(aa) gas instantaneous water
2	heaters, have an input of 200,000 Btu
3	per hour or less and are designed and
4	marketed to provide outlet hot water
5	at a thermostatically controlled tem-
6	perature of less than 180 degrees
7	Fahrenheit;
8	"(bb) oil instantaneous water
9	heaters, have an input of 210,000 Btu
10	per hour or less; and
11	"(cc) electric instantaneous water
12	heaters, have an input of 12 kilowatts
13	or less;
14	"(iii) heat pump type units (including
15	add-on heat pumps, integrated heat pumps
16	with storage, split-system heat pumps that
17	consist of a separate heat pump and stor-
18	age tank that are designed and marketed
19	to operate together, and all ancillary equip-
20	ment, such as fans, storage tanks, pumps,
21	electric resistance heating elements, or
22	controls necessary for the device to per-
23	form its function) that—

1 "(I) have a maximum curren
2 rating of 24 amperes at a voltage no
greater than 250 volts; and
4 "(II) are designed to transfe
5 thermal energy from 1 temperature
6 level to a different temperature level
for the purpose of heating water;
8 "(iv) solar thermal-assisted electric
9 storage units; and
10 "(v) solar thermal-assisted fossil fu
11 storage units.
12 "(B) Exclusions.—Except as provided b
the Secretary in accordance with section
325(e)(7)(B), the term 'water heater' does no
include—
16 "(i) electric storage type units de
scribed in subparagraph (A)(i)(III) that—
18 "(I) are designed and markete
exclusively for commercial buildin
applications; and
21 "(II)(aa) are designed, cor
structed, inspected, tested, an
stamped in accordance with the mos
current Section IV, Part HLW, o
Section X of the Boiler and Pressur

1	Vessel Code promulgated by the
2	American Society of Mechanical Engi-
3	neers;
4	"(bb) exclusively use 3-phase
5	electricity, are designed and marketed
6	to provide outlet hot water at a
7	thermostatically controlled tempera-
8	ture of 180 degrees Fahrenheit or
9	greater, and operate only at rated
10	voltages of not less than 208 volts; or
11	"(cc) exclusively use single-phase
12	electricity, are designed and marketed
13	to provide outlet hot water at a
14	thermostatically controlled tempera-
15	ture of 180 degrees Fahrenheit or
16	greater, and operate only at a rated
17	voltage of 277 volts; or
18	"(ii) gas storage type units described
19	in subparagraph (A)(i)(I) that—
20	"(I) are designed and marketed
21	exclusively for commercial building
22	applications; and
23	"(II) are designed, constructed,
24	inspected, tested, and stamped in ac-
25	cordance with the most current Sec-

1	tion IV, Part HLW, of the Boiler and
2	Pressure Vessel Code promulgated by
3	the American Society of Mechanical
4	Engineers.
5	"(C) Multi-input electric storage
6	WATER HEATER.—The term 'multi-input elec-
7	tric storage water heater' means a product
8	that—
9	"(i) is not a heat pump type unit de-
10	scribed in subparagraph (A)(iii); and
11	"(ii) is designed, marketed, or shipped
12	from the manufacturer with a capability of
13	operating or being configured to operate at
14	inputs greater than, equal to, or below 12
15	kilowatts.
16	"(D) Solar thermal-assisted electric
17	STORAGE UNIT.—The term 'solar thermal-as-
18	sisted electric storage unit' means a unit that—
19	"(i) has an input of 12 kilowatts or
20	less;
21	"(ii) has at least 2 dedicated ports in
22	addition to the ports used for introduction
23	and delivery of potable water for the sup-
24	ply and return of water or a heat transfer

1	fluid heated externally by solar collector or
2	solar thermal collector;
3	"(iii) does not have electric resistance
4	heating elements located in the lower half
5	of the storage tank;
6	"(iv) has the temperature sensing de-
7	vice that controls the auxiliary electric heat
8	source located in the upper half of the
9	storage tank; and
10	"(v) has a ratio of less than 0.70 for
11	the proportion that the certified first hour
12	rating bears to the nominal volume of the
13	storage tank tested without solar energy
14	input.".
15	(b) Test Procedures.—Section 323(b)(3) of the
16	Energy Policy and Conservation Act (42 U.S.C.
17	6293(b)(3)) is amended—
18	(1) by striking "(3) Any test" and inserting the
19	following:
20	"(3) Design of test procedures.—
21	"(A) IN GENERAL.—Any test"; and
22	(2) by adding at the end the following:
23	"(B) ELECTRIC STORAGE WATER HEATERS
24	DEMAND RESPONSE CAPABILITIES REQUIRE-
25	MENTS.—Any test procedures prescribed or

amended under this section for electric storage
water heaters for which the Secretary has established requirements for demand response capabilities under section 325A shall be designed
to assess compliance with those requirements in
addition to producing the test results described
in subparagraph (A).".

8 (c) STANDARDS FOR WATER HEATERS.—Section 9 325(e) of the Energy Policy and Conservation Act (42 10 U.S.C. 6295(e)) is amended by adding at the end the fol-11 lowing:

### "(7) Exempted water heaters.—

"(A) DEFINITION OF EXEMPTED WATER
HEATER.—In this paragraph, the term 'exempted water heater' means a water heater described in section 321(27)(B).

### "(B) Monitoring of Shipments.—

"(i) Submission of data.—Not later than 90 days after the date of enactment of this paragraph, and not later than May 1 of each year thereafter, the Secretary shall require each manufacturer of water heaters to report to the Secretary the quantity of exempted water heaters, in each category of exempted water heaters,

12

13

14

15

16

17

18

19

20

21

22

23

24

25

1	that the manufacturer shipped in the pre-
2	ceding calendar year.
3	"(ii) Confidentiality require-
4	MENTS.—The Secretary shall treat ship-
5	ment data reported by manufacturers
6	under clause (i) as confidential business in-
7	formation subject to appropriate confiden-
8	tial data safeguards.
9	"(iii) Publication.—
10	"(I) BASELINE SHIPMENT
11	DATA.—Not later than 120 days after
12	the date of enactment of this para-
13	graph, the Secretary shall publish an
14	analysis of the data collected under
15	clause (i) for public comment, subject
16	to applicable confidentiality safe-
17	guards, which shall serve as the base-
18	line data for the analysis described in
19	subclause (II)(bb).
20	"(II) PERCENTAGE GROWTH
21	FROM BASELINE.—Not later than
22	June 1 of each year after the year in
23	which the Secretary publishes data
24	under subclause (I), the Secretary
25	shall publish—

1	"(aa) an analysis of the data
2	collected under clause (i) for pub-
3	lic comment, subject to applicable
4	confidentiality safeguards;
5	"(bb) the percentage growth
6	in the number of shipments with-
7	in each category of exempted
8	water heater relative to the base-
9	line data described in subclause
10	(I); and
11	"(cc) the determination of
12	the Secretary as to whether the
13	number of shipments for any cat-
14	egory of exempted water heater
15	have increased by more than 25
16	percent compared to the baseline
17	data for that category.
18	"(C) Inclusion of exempted water
19	HEATERS.—
20	"(i) In General.—If the Secretary
21	makes an affirmative determination under
22	subparagraph (B)(iii)(II)(cc) for a cat-
23	egory of exempted water heater—
24	"(I) the Secretary, by regulation,
25	shall provide that, for purposes of this

1	part, the term 'water heater' includes
2	that category of exempted water heat-
3	er; and
4	"(II) beginning on the effective
5	date of the regulation described in
6	subclause (I), the exclusion described
7	in section 321(27)(B) shall not apply
8	to that category of exempted water
9	heater.
10	"(ii) Energy conservation stand-
11	ARDS.—Any category of exempted water
12	heater included in the definition of water
13	heater under clause (i) shall be required to
14	meet the energy conservation standards
15	applicable to an electric or gas storage type
16	water heater under this part.
17	"(iii) Effective date.—For any
18	category of exempted water heater, the
19	Secretary shall carry out clause (i), and re-
20	quire compliance under clause (ii), not
21	later than 1 year after the date on which
22	the Secretary makes the affirmative deter-
23	mination described in clause (i) for that
24	category.

1	"(8) Standards for multi-input electric
2	STORAGE WATER HEATERS.—A multi-input electric
3	storage water heater shall be subject to the test pro-
4	cedures, energy conservation standards, labeling (if
5	applicable), and certification requirements—
6	"(A) for electric storage water heaters
7	under this part; and
8	"(B) for storage water heaters under part
9	C.".
10	(d) Water Heater Demand Response Capabili-
11	TIES REQUIREMENTS.—
12	(1) IN GENERAL.—Part B of title III of the
13	Energy Policy and Conservation Act (42 U.S.C.
14	6291 et seq.) is amended by inserting after section
15	325 the following:
16	"SEC. 325A. WATER HEATER DEMAND RESPONSE CAPABILI-
17	TIES REQUIREMENTS.
18	"(a) Definitions.—In this section:
19	"(1) Demand response.—The term 'demand
20	response' means changes in electricity usage by de-
21	mand-side resources from the normal consumption
22	patterns of those demand-side resources in response
23	to—
24	"(A) changes in the price of electricity over
25	time; or

1	"(B) incentive payments designed to in-
2	duce lower electricity use—
3	"(i) at times of high wholesale market
4	prices; or
5	"(ii) during periods in which system
6	reliability is jeopardized.
7	"(2) Demand Response Capabilities.—The
8	term 'demand response capabilities' means the hard-
9	ware or software, including any combination of hard-
10	ware and software, that is necessary to participate
11	in a demand response program, as determined by
12	the Secretary.
13	"(b) Requirements.—
14	"(1) Initial requirements.—
15	"(A) IN GENERAL.—The Secretary shall—
16	"(i) determine, in accordance with
17	subparagraph (D), whether to require that
18	electric storage water heaters possess de-
19	mand response capabilities; and
20	"(ii) not later than December 31,
21	2024—
22	"(I) promulgate a final rule with
23	the requirement described in clause
24	(i); or

1	"(II) issue a public notice of a
2	negative determination under that
3	clause.
4	"(B) STORAGE CAPACITIES.—The Sec-
5	retary may make separate determinations under
6	subparagraph (A) for water heaters of different
7	storage capacities.
8	"(C) EFFECT OF NEGATIVE DETERMINA-
9	TION.—If the Secretary makes a negative deter-
10	mination under subparagraph (A)(i), nothing in
11	this paragraph shall prohibit the Secretary from
12	completing the rulemaking described in sub-
13	clause (I) of subparagraph (A)(ii) after the date
14	described in that subparagraph if the Secretary
15	later determines that such rulemaking is nec-
16	essary.
17	"(D) Determination.—
18	"(i) In general.—In carrying out
19	subparagraph (A)(i), the Secretary shall
20	make an affirmative determination under
21	that subparagraph if the Secretary deter-
22	mines that—
23	"(I) the requirement is needed to
24	promote participation in demand re-
25	sponse programs; and

1	"(II) the demand response capa-
2	bilities are—
3	"(aa) technologically fea-
4	sible; and
5	"(bb) economically justified.
6	"(ii) Economically justified.—In
7	considering whether demand response ca-
8	pabilities are economically justified under
9	clause (i)(II)(bb), the Secretary shall con-
10	sider—
11	"(I) the factors described in sub-
12	clauses (I), (II), (IV), (V), (VI), and
13	(VII) of section $325(0)(2)(B)(i)$ ; and
14	"(II) in the case of the factor de-
15	scribed in subclause (II) of that sec-
16	tion, the projected financial impact on
17	consumers participating in demand re-
18	sponse programs.
19	"(E) Requirement.—Any rule promul-
20	gated by the Secretary under subparagraph
21	(A)(ii)(I) shall not be used to justify a higher
22	or lower energy conservation standard than
23	would otherwise have been selected.
24	"(F) Industry standards.—In estab-
25	lishing requirements for demand response capa-

1	bilities under a rule promulgated under sub-
2	paragraph (A)(ii)(I), the Secretary shall con-
3	sider industry consensus standards developed or
4	recognized by the Air-Conditioning, Heating,
5	and Refrigeration Institute.
6	"(2) Revisions.—
7	"(A) IN GENERAL.—The Secretary may re-
8	vise any requirements established under a rule
9	promulgated under paragraph (1)(A)(ii)(I) if, in
10	the determination of the Secretary—
11	"(i) a revision is needed to promote
12	participation in demand response pro-
13	grams; and
14	"(ii) the demand response capabilities
15	to be required under the revised require-
16	ments are—
17	"(I) technologically feasible; and
18	``(II) economically justified.
19	"(B) REQUIREMENT.—Any revision under
20	this paragraph shall be subject to the require-
21	ments of subparagraphs (C) through (E) of
22	paragraph (1).
23	"(c) Preemption.—
24	"(1) In general.—Except as provided in para-
25	graph (2), effective on the date on which a final rule

1 issued by the Secretary under subsection 2 (b)(1)(A)(ii)(I), no law or regulation of a State or 3 political subdivision of a State requiring electric 4 storage water heater demand response capabilities 5 for water heaters subject to requirements established 6 by the Secretary shall be effective. 7 "(2) Exception.— "(A) IN GENERAL.—Paragraph (1) shall 8 9 not apply to a law or regulation of a State or 10 political subdivision of a State if the law was in 11 effect, or the regulation was finalized, before 12 the date on which the final rule described in 13 that paragraph is issued. 14 "(B) AMENDMENT OF STATE OR LOCAL 15 LAW.— 16 "(i) In general.—Subject to clause 17 (ii), paragraph (1) shall not apply to the 18 amendment of a law or regulation de-19 scribed in subparagraph (A) if the amend-20 ment is made— "(I) in the case of the first 21 22 amendment, not less than 5 years 23 after the date on which the law or 24 regulation became effective or was fi-25 nalized, respectively; or

1	"(II) in the case of any subse-
2	quent amendment, not less than 5
3	years after the date of any previous
4	amendment to that law or regulation.
5	"(ii) Consensus standards.—An
6	amendment to a law or regulation de-
7	scribed in subparagraph (A) solely to in-
8	corporate a more recent version of a vol-
9	untary consensus standard (as defined in
10	the document of the Office of Management
11	and Budget entitled 'Federal Participation
12	in the Development and Use of Voluntary
13	Consensus Standards and in Conformity
14	Assessment Activities' (OMB Circular A-
15	119)) shall not be considered to be an
16	amendment to that law or regulation for
17	the purposes of this subparagraph.
18	"(d) Enforcement.—A failure to comply with any
19	requirements established by the Secretary under this sec-
20	tion shall be—
21	"(1) considered to be a violation of section 332;
22	and
23	"(2) subject to the enforcement provisions of
24	sections 333 and 334.

1	"(e) Savings Provision.—Nothing in this section
2	alters the authority of the Secretary to establish product
3	classes for electric storage water heaters designed to par-
4	ticipate in demand response programs.".
5	(2) CLERICAL AMENDMENT.—The table of con-
6	tents of the Energy Policy and Conservation Act
7	(Public Law 94–163; 89 Stat. 872) is amended by
8	inserting after the item relating to section 325 the
9	following:
	"Sec. 325A. Water heater demand response capabilities requirements.".
10	(3) Conforming amendments.—
11	(A) Section 326 of the Energy Policy and
12	Conservation Act (42 U.S.C. 6296) is amend-
13	$\operatorname{ed}$ —
14	(i) in subsection (b)—
15	(I) in paragraph (3)(A)—
16	(aa) by inserting "or a re-
17	quirement established under sec-
18	tion 325A" after "section 325";
19	and
20	(bb) by inserting "or re-
21	quirement" after "that stand-
22	ard"; and
23	(II) in paragraph (5), by striking
24	"or 325" and inserting "325, or
25	325A''; and

1	(ii) in subsection (d)(1)—
2	(I) in the second sentence, by
3	striking "In making" and inserting
4	the following:
5	"(C) Requirement.—In making";
6	(II) in the first sentence—
7	(aa) by striking "energy effi-
8	ciency" and all that follows
9	through "standard, as" and in-
10	serting "the matters described in
11	subparagraph (B), as"; and
12	(bb) by striking "and energy
13	conservation standards" and in-
14	serting "energy conservation
15	standards, and requirements for
16	water heater demand response
17	capabilities (as defined in section
18	325A(a))";
19	(III) by striking "(1) For pur-
20	poses" and inserting the following:
21	"(1) Information and reports.—
22	"(A) In general.—For purposes"; and
23	(IV) by inserting after subpara-
24	graph (A) (as so designated) the fol-
25	lowing:

1	"(B) Matters described.—The matters
2	referred to in subparagraph (A) are, with re-
3	spect to a covered product described in that
4	subparagraph—
5	"(i) energy efficiency;
6	"(ii) energy use;
7	"(iii) in the case of showerheads, fau-
8	cets, water closets, and urinals, the water
9	use of that covered product;
10	"(iv) the economic impact of any pro-
11	posed energy conservation standard; and
12	"(v) in the case of electric storage
13	water heaters—
14	"(I) water heater demand re-
15	sponse capabilities (as defined in sec-
16	tion 325A(a)); and
17	"(II) the economic impact of any
18	proposed requirement for water heater
19	demand response capabilities (as de-
20	fined in that section).".
21	(B) Section 335 of the Energy Policy and
22	Conservation Act (42 U.S.C. 6305) is amended
23	by inserting "or 325A" after "section 325"
24	each place it appears.

1	(C) Section 336 of the Energy Policy and
2	Conservation Act (42 U.S.C. 6306) is amend-
3	$\operatorname{ed}$ —
4	(i) in subsection (a)—
5	(I) in paragraph (1), by inserting
6	"325A," after "325,"; and
7	(II) in paragraph (2), by insert-
8	ing "or 325A" after "325"; and
9	(ii) in subsection (b) by striking "or
10	325" each place it appears and inserting
11	"325, or 325A".
12	(e) DEFINITION OF COMMERCIAL WATER HEATER.—
13	Section 340 of the Energy Policy and Conservation Act
14	(42 U.S.C. 6311) is amended by striking paragraph (12)
15	and inserting the following:
16	"(12)(A) Storage water heater.—
17	"(i) IN GENERAL.—The term 'storage
18	water heater' means a water heater that—
19	"(I) heats and stores water within an
20	appliance at a thermostatically controlled
21	temperature for delivery on demand; and
22	"(II) is not a water heater described
23	in section $321(27)(A)$ .
24	"(ii) Exclusion.—The term 'storage
25	water heater' does not include a unit with an

1	input rating of 4,000 Btu per hour or more per
2	gallon of stored water.
3	"(B) Instantaneous water heater.—The
4	term 'instantaneous water heater' means a water
5	heater that—
6	"(i) has an input rating of at least 4,000
7	Btu per hour per gallon of stored water; and
8	"(ii) is not a water heater described in sec-
9	tion $321(27)(A)$ .
10	"(C) Unfired hot water storage tank.—
11	The term 'unfired hot water storage tank' means a
12	tank used to store water that is heated externally.".
13	(f) Labeling Requirements.—Section 344 of the
14	Energy Policy and Conservation Act (42 U.S.C. 6315) is
15	amended by adding at the end the following:
16	"(l) Labels for Certain Commercial Water
17	Heaters.—
18	"(1) In General.—Notwithstanding any other
19	provision of this section, water heaters described in
20	section 321(27)(B) shall be required to bear a per-
21	manent label, applied at the point of manufacture,
22	that, subject to paragraph (3), satisfies the require-
23	ments described in paragraph (2).
24	"(2) Requirements.—A label required under
25	paragraph (1) shall—

1	"(A) be made of material not adversely af-
2	fected by water;
3	"(B) be attached by means of nonwater-
4	soluble adhesive; and
5	"(C) bear the following notice printed in
6	16.5 point Arial Narrow Bold font: 'IMPOR-
7	TANT INFORMATION: Exclusively intended
8	for commercial installations. This model is not
9	certified by the manufacturer to the U.S. De-
10	partment of Energy as a residential water heat-
11	er. This model does not have a certified First
12	Hour or UEF rating.'.
13	"(3) REVISION UPON PETITION.—On receipt of
14	a petition by an interested party, the Secretary may
15	conduct a rulemaking to revise the scope and re-
16	quirements of the label required under paragraph
17	(1).".
18	(g) Effective Date.—This section and the amend-
19	ments made by this section shall take effect on the date
20	that is 180 days after the date of enactment of this Act.