



January 2026 Most Probable 24-Month Study

The operation of Lake Powell and Lake Mead in the January 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the draft 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre feet (maf). To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the December 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026³. That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual WY 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in WY 2026 may be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

The 2026 operational tier determinations for Lake Powell and Lake Mead will be documented in the 2026 AOP, which is currently in development.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of December was 0.317 maf or 99% of the 30-year average from 1991 to 2020. The January 2026 unregulated inflow forecast for Lake Powell is 0.300 maf or 89% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 3.65 maf or 57% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 6.50 maf or 68% of average.

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² 2024 Interim Guidelines SEIS ROD is available online at: https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

³ Consistent with the Drought Response Operating Agreement and Framework.

In this study, the CY 2026 diversion for Metropolitan Water District of Southern California (MWD) is projected to be 0.907 maf. The CY 2026 diversion for the Central Arizona Project (CAP) is projected to be 0.808 maf. Consumptive use for Nevada above Hoover (SNWP Use) is projected to be 0.187maf for CY 2026.

Due to changing Lake Mead elevations, Hoover's generator capacity is adjusted based on estimated effective capacity and plant availability. The estimated effective capacity is based on projected Lake Mead elevations. Unit capacity tests will be performed as the lake elevation changes. This study reflects these changes in the projections.

For questions on Upper Colorado River Basin (UCB) reservoir operations, please contact Alex Pivarnik, the UCB River Operations Group Supervisor at apivarnik@usbr.gov. For questions on Lower Colorado River Basin (LCB) reservoir operations, please contact Noe Santos, the LCB River Operations Manager at nsantos@usbr.gov.

Hoover, Davis, and Parker Dam historical gross energy figures come from Power, Operations, and Maintenance reports provided by the Lower Colorado Region's Power Office, Bureau of Reclamation, Boulder City, Nevada. Questions regarding these historical energy numbers can be directed to Rebecca Rogers (rrogers@usbr.gov) or Kyra Cubi (kcubi@usbr.gov).

References

The draft 2026 Annual Operating Plan is available online at:

https://www.usbr.gov/lc/region/g4000/AOP2026/AOP26_draft.pdf.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_01_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Fontenelle Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jan 2025	24	1	49	2	52	6477.58	146
Feb 2025	27	0	47	0	47	6473.13	126
Mar 2025	52	0	50	1	52	6473.08	125
Apr 2025	84	1	35	26	62	6477.72	147
May 2025	133	1	98	0	98	6484.04	181
Jun 2025	187	2	82	0	82	6499.39	284
Jul 2025	60	3	55	0	55	6499.76	287
Aug 2025	29	2	53	0	53	6496.23	261
Sep 2025	22	2	49	0	49	6492.13	233
WY 2025	710	14	662	38	700		
Oct 2025	33	1	28	22	50	6489.48	215
Nov 2025	37	1	49	2	50	6487.29	201
Dec 2025	39	1	51	0	51	6485.22	188
Jan 2026	35	1	49	0	49	6482.69	173
Feb 2026	25	1	44	0	44	6479.00	153
Mar 2026	50	1	49	0	49	6479.06	154
Apr 2026	75	1	17	31	48	6483.90	180
May 2026	125	2	84	0	84	6490.25	220
Jun 2026	330	2	105	154	258	6500.14	289
Jul 2026	130	3	102	2	104	6503.31	313
Aug 2026	50	2	76	0	76	6499.50	285
Sep 2026	33	2	55	0	55	6496.26	261
WY 2026	962	15	708	210	918		
Oct 2026	40	1	55	0	55	6493.91	245
Nov 2026	40	1	61	0	61	6490.76	223
Dec 2026	32	1	65	0	65	6485.55	190
Jan 2027	31	1	65	0	65	6479.52	156
Feb 2027	29	0	58	0	58	6473.26	126
Mar 2027	51	0	65	0	65	6469.92	112
Apr 2027	77	1	38	15	53	6475.35	136
May 2027	166	1	101	17	118	6484.24	182
Jun 2027	301	2	103	93	196	6499.50	285
Jul 2027	146	3	102	8	109	6504.01	318
Aug 2027	59	2	91	0	91	6499.46	284
Sep 2027	39	2	54	0	54	6497.14	267
WY 2027	1011	15	856	134	990		
Oct 2027	45	1	55	0	55	6495.52	256
Nov 2027	42	1	62	0	62	6492.51	235
Dec 2027	32	1	65	0	65	6487.45	202

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Flaming Gorge Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Jensen Flow (1000 Ac-Ft)
Jan 2025	16	43	2	74	0	75	118	6025.15	3088	107
Feb 2025	66	87	2	54	0	54	119	6025.97	3117	94
Mar 2025	81	85	3	65	0	65	120	6026.41	3133	122
Apr 2025	109	85	5	68	0	68	121	6026.72	3144	225
May 2025	157	127	7	75	0	75	122	6027.90	3186	355
Jun 2025	194	84	10	88	0	88	122	6027.51	3172	294
Jul 2025	57	51	12	95	0	95	120	6026.01	3119	117
Aug 2025	25	48	12	102	0	102	117	6024.21	3055	114
Sep 2025	21	47	10	96	0	96	115	6022.58	2999	114
WY 2025	832	822	75	908	1	909				1821
Oct 2025	35	52	7	51	0	51	115	6022.44	2994	84
Nov 2025	42	55	3	49	0	49	115	6022.52	2997	78
Dec 2025	40	52	2	51	0	51	115	6022.48	2995	81
Jan 2026	45	59	2	49	0	49	115	6022.71	3003	69
Feb 2026	40	59	2	44	0	44	115	6023.08	3016	62
Mar 2026	73	72	3	49	0	49	116	6023.63	3035	104
Apr 2026	85	58	4	48	0	48	116	6023.79	3040	183
May 2026	170	129	7	49	0	49	119	6025.77	3110	424
Jun 2026	380	308	10	135	0	135	125	6030.04	3267	480
Jul 2026	135	109	14	96	0	96	125	6030.02	3266	141
Aug 2026	53	79	13	114	0	114	124	6028.83	3220	124
Sep 2026	34	56	11	110	0	110	121	6027.11	3158	120
WY 2026	1132	1088	77	846	0	846				1950
Oct 2026	45	60	7	81	0	81	120	6026.37	3131	103
Nov 2026	47	68	3	71	0	71	120	6026.18	3125	99
Dec 2026	34	67	2	83	0	83	119	6025.70	3108	108
Jan 2027	42	76	2	83	0	83	119	6025.45	3099	108
Feb 2027	43	72	2	75	0	75	119	6025.33	3094	100
Mar 2027	85	99	3	59	0	59	120	6026.32	3130	133
Apr 2027	111	87	5	58	0	58	121	6027.00	3154	261
May 2027	239	191	7	228	0	228	119	6025.81	3112	741
Jun 2027	389	284	10	117	0	117	125	6029.94	3263	484
Jul 2027	161	124	14	87	0	87	126	6030.54	3286	147
Aug 2027	66	98	13	120	0	120	125	6029.67	3252	139
Sep 2027	43	58	11	121	0	121	122	6027.77	3181	134
WY 2027	1305	1284	78	1182	0	1182				2556
Oct 2027	52	62	7	87	0	87	121	6026.93	3151	113
Nov 2027	50	70	3	75	0	75	121	6026.71	3144	105
Dec 2027	34	67	2	95	0	95	119	6025.89	3114	120

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Taylor Park Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jan 2025	5	5	9309.85	70
Feb 2025	4	5	9309.41	69
Mar 2025	5	5	9309.39	69
Apr 2025	10	6	9312.10	73
May 2025	18	9	9317.35	82
Jun 2025	25	15	9322.73	92
Jul 2025	8	18	9317.27	82
Aug 2025	6	16	9311.09	72
Sep 2025	6	13	9306.59	65
WY 2025	104	113		
Oct 2025	7	7	9306.49	64
Nov 2025	4	5	9306.13	64
Dec 2025	4	5	9305.47	63
Jan 2026	4	5	9304.88	62
Feb 2026	3	4	9303.92	61
Mar 2026	4	5	9303.32	60
Apr 2026	6	5	9304.22	61
May 2026	19	6	9312.50	74
Jun 2026	26	15	9318.96	85
Jul 2026	11	18	9315.24	79
Aug 2026	7	15	9310.17	70
Sep 2026	5	12	9305.70	63
WY 2026	100	101		
Oct 2026	6	6	9305.60	63
Nov 2026	5	5	9305.86	64
Dec 2026	4	5	9305.34	63
Jan 2027	5	5	9305.50	63
Feb 2027	4	4	9305.30	63
Mar 2027	5	5	9305.46	63
Apr 2027	9	7	9306.50	64
May 2027	26	14	9314.12	77
Jun 2027	40	18	9326.27	99
Jul 2027	15	22	9322.87	92
Aug 2027	8	18	9317.13	82
Sep 2027	7	15	9312.50	74
WY 2027	134	123		
Oct 2027	7	9	9311.14	72
Nov 2027	5	5	9311.10	72
Dec 2027	4	5	9310.34	70

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Blue Mesa Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jan 2025	25	26	0	34	0	34	7481.98	517
Feb 2025	26	27	0	34	0	34	7480.99	509
Mar 2025	43	43	0	36	19	55	7479.19	496
Apr 2025	85	80	1	53	11	63	7481.45	513
May 2025	120	112	1	104	0	104	7482.44	520
Jun 2025	160	150	1	91	0	91	7490.03	578
Jul 2025	44	54	1	112	0	112	7482.27	519
Aug 2025	29	40	1	95	0	95	7474.44	462
Sep 2025	30	37	1	80	0	80	7467.96	418
WY 2025	657	666	8	770	30	799		
Oct 2025	45	45	0	67	0	67	7464.57	396
Nov 2025	30	31	0	22	0	22	7465.86	404
Dec 2025	27	28	0	20	0	20	7467.02	412
Jan 2026	20	21	0	17	0	17	7467.62	416
Feb 2026	19	20	0	16	0	16	7468.32	420
Mar 2026	33	34	0	28	0	28	7469.20	426
Apr 2026	50	49	1	54	0	54	7468.32	420
May 2026	130	117	1	65	0	65	7475.81	472
Jun 2026	162	151	1	53	0	53	7488.81	568
Jul 2026	58	65	1	98	0	98	7484.29	534
Aug 2026	43	51	1	97	0	97	7478.02	488
Sep 2026	30	37	1	78	0	78	7472.03	445
WY 2026	647	648	7	613	0	613		
Oct 2026	33	33	0	67	0	67	7466.96	411
Nov 2026	30	30	0	17	0	17	7468.82	424
Dec 2026	26	27	0	16	0	16	7470.47	435
Jan 2027	25	25	0	16	0	16	7471.79	444
Feb 2027	23	23	0	13	0	13	7473.19	453
Mar 2027	38	38	0	29	0	29	7474.42	462
Apr 2027	78	76	1	64	0	64	7476.12	474
May 2027	204	192	1	170	0	170	7478.97	495
Jun 2027	251	229	1	41	0	41	7502.68	681
Jul 2027	86	93	1	102	0	102	7501.39	670
Aug 2027	55	65	1	91	0	91	7498.23	644
Sep 2027	35	43	1	82	0	82	7493.24	603
WY 2027	884	873	8	707	0	707		
Oct 2027	36	38	1	68	0	68	7489.43	573
Nov 2027	31	31	0	23	0	23	7490.49	582
Dec 2027	26	27	0	31	0	31	7490.00	578

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Morrow Point Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Blue Mesa Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jan 2025	27	34	1	35	35	0	35	7152.49	111
Feb 2025	29	34	2	37	37	0	37	7152.43	111
Mar 2025	45	55	3	58	54	0	54	7157.15	115
Apr 2025	94	63	9	72	76	0	76	7152.22	111
May 2025	133	104	12	116	119	0	119	7148.94	108
Jun 2025	170	91	9	100	99	0	99	7149.91	109
Jul 2025	44	112	0	112	106	0	106	7157.96	115
Aug 2025	30	95	1	96	99	0	99	7153.99	112
Sep 2025	30	80	0	81	47	0	79	7156.14	114
WY 2025	698	799	41	841	796	0	838		
Oct 2025	45	67	0	67	70	0	70	7152.16	111
Nov 2025	30	22	0	22	18	0	18	7156.71	114
Dec 2025	28	20	1	21	22	0	22	7155.76	114
Jan 2026	22	17	2	19	20	0	20	7153.73	112
Feb 2026	21	16	2	18	18	0	18	7153.73	112
Mar 2026	36	28	3	31	31	0	31	7153.73	112
Apr 2026	58	54	8	62	62	0	62	7153.73	112
May 2026	147	65	17	82	82	0	82	7153.73	112
Jun 2026	175	53	13	66	66	0	66	7153.72	112
Jul 2026	60	98	2	100	100	0	100	7153.73	112
Aug 2026	45	97	2	99	99	0	99	7153.73	112
Sep 2026	31	78	1	79	79	0	79	7153.73	112
WY 2026	698	613	51	665	666	0	666		
Oct 2026	34	67	1	68	68	0	68	7153.73	112
Nov 2026	31	17	1	18	18	0	18	7153.73	112
Dec 2026	27	16	1	17	17	0	17	7153.73	112
Jan 2027	26	16	1	17	17	0	17	7153.73	112
Feb 2027	25	13	2	15	15	0	15	7153.73	112
Mar 2027	40	29	2	31	31	0	31	7153.73	112
Apr 2027	89	64	11	75	75	0	75	7153.73	112
May 2027	226	170	22	192	192	0	192	7153.73	112
Jun 2027	265	41	14	55	55	0	55	7153.72	112
Jul 2027	90	102	4	106	106	0	106	7153.73	112
Aug 2027	56	91	1	92	91	0	91	7153.73	112
Sep 2027	36	82	1	83	83	0	83	7153.73	112
WY 2027	945	707	61	768	768	0	768		
Oct 2027	37	68	1	69	69	0	69	7153.73	112
Nov 2027	32	23	1	24	23	0	23	7153.73	112
Dec 2027	27	31	1	32	32	0	32	7153.73	112



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Crystal Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Morrow Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Tunnel Flow (1000 Ac-Ft)	Below Tunnel Flow (1000 Ac-Ft)
Jan 2025	28	35	2	36	33	4	37	6748.76	16	0	33
Feb 2025	30	37	1	37	36	0	37	6751.77	17	0	33
Mar 2025	48	54	3	57	56	0	57	6752.75	17	12	41
Apr 2025	99	76	5	81	81	0	81	6751.73	17	49	31
May 2025	139	119	7	125	100	20	123	6757.45	18	63	60
Jun 2025	187	99	17	116	99	17	117	6752.70	17	62	57
Jul 2025	46	106	2	107	102	5	108	6752.20	17	66	43
Aug 2025	30	99	0	99	99	0	99	6751.19	16	63	36
Sep 2025	31	79	1	80	65	20	85	6731.14	11	61	25
WY 2025	740	838	42	879	730	147	882			439	432
Oct 2025	47	70	2	72	59	8	67	6749.67	16	46	21
Nov 2025	33	18	3	21	13	9	21	6749.46	16	0	20
Dec 2025	30	22	2	24	24	0	24	6749.70	16	1	22
Jan 2026	26	20	4	24	23	0	23	6753.04	17	0	23
Feb 2026	24	18	3	21	21	0	21	6753.04	17	0	21
Mar 2026	41	31	5	36	36	0	36	6753.04	17	5	31
Apr 2026	67	62	9	71	71	0	71	6753.04	17	42	29
May 2026	168	82	21	103	103	0	103	6753.04	17	62	41
Jun 2026	200	66	25	91	91	0	91	6753.03	17	61	30
Jul 2026	65	100	5	105	105	0	105	6753.04	17	65	40
Aug 2026	51	99	6	105	105	0	105	6753.04	17	65	40
Sep 2026	33	79	2	81	81	0	81	6753.04	17	55	26
WY 2026	785	666	86	752	730	16	746			402	342
Oct 2026	37	68	3	71	64	6	71	6753.04	17	49	22
Nov 2026	34	18	3	21	21	0	21	6753.04	17	0	21
Dec 2026	32	17	5	22	22	0	22	6753.04	17	0	21
Jan 2027	31	17	5	22	22	0	22	6753.04	17	0	22
Feb 2027	29	15	4	19	19	0	19	6753.04	17	0	19
Mar 2027	46	31	6	37	37	0	37	6753.04	17	5	32
Apr 2027	100	75	11	86	86	0	86	6753.04	17	42	44
May 2027	251	192	25	217	134	83	217	6753.04	17	62	155
Jun 2027	293	55	28	83	83	0	83	6753.03	17	61	22
Jul 2027	98	106	8	114	114	0	114	6753.04	17	65	49
Aug 2027	63	91	7	98	98	0	98	6753.04	17	65	33
Sep 2027	42	83	6	89	89	0	89	6753.04	17	55	34
WY 2027	1056	768	111	879	789	89	878			405	473
Oct 2027	43	69	6	75	70	5	75	6753.04	17	49	26
Nov 2027	37	23	5	28	28	0	28	6753.04	17	0	28
Dec 2027	32	32	5	37	37	0	37	6753.04	17	0	37



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Vallecito Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jan 2025	4	2	7648.63	84
Feb 2025	3	1	7649.51	86
Mar 2025	6	2	7651.32	90
Apr 2025	21	5	7657.59	106
May 2025	40	32	7660.43	113
Jun 2025	35	38	7659.35	110
Jul 2025	10	39	7647.41	81
Aug 2025	5	37	7631.88	48
Sep 2025	8	27	7619.96	29
WY 2025	159	199		
Oct 2025	65	5	7650.81	89
Nov 2025	10	2	7654.03	97
Dec 2025	7	2	7655.94	102
Jan 2026	5	3	7656.66	104
Feb 2026	4	3	7657.10	105
Mar 2026	7	3	7658.55	109
Apr 2026	20	6	7663.83	122
May 2026	52	52	7663.83	122
Jun 2026	38	47	7660.24	113
Jul 2026	12	42	7648.17	83
Aug 2026	10	38	7635.17	55
Sep 2026	10	30	7623.78	35
WY 2026	240	232		
Oct 2026	9	17	7617.75	26
Nov 2026	8	0	7623.24	34
Dec 2026	7	0	7627.37	40
Jan 2027	6	0	7630.55	46
Feb 2027	5	0	7633.03	50
Mar 2027	10	0	7637.80	60
Apr 2027	23	1	7647.49	81
May 2027	68	31	7662.10	118
Jun 2027	62	57	7663.82	122
Jul 2027	21	42	7655.72	101
Aug 2027	15	38	7646.11	78
Sep 2027	16	30	7639.81	64
WY 2027	250	217		
Oct 2027	13	17	7637.71	60
Nov 2027	9	1	7641.29	67
Dec 2027	7	2	7643.74	73

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Navajo Reservoir



— BUREAU OF —
RECLAMATION

Date	Modified Unregulated Inflow (1000 Ac-Ft)	Azotea Tunnel Diversion (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	NIIP Diversion (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Farmington Flow (1000 Ac-Ft)
Jan 2025	11	0	8	1	0	22	6037.80	1038	34
Feb 2025	16	0	14	1	1	22	6036.86	1028	34
Mar 2025	31	2	25	1	5	26	6036.19	1021	37
Apr 2025	78	9	53	2	15	25	6037.35	1033	44
May 2025	102	13	81	3	26	22	6040.32	1064	63
Jun 2025	61	11	50	3	27	23	6040.05	1061	108
Jul 2025	-11	0	18	4	37	48	6033.15	991	48
Aug 2025	-13	0	20	3	38	64	6024.30	905	51
Sep 2025	16	1	34	2	18	42	6021.25	877	48
WY 2025	363	36	366	22	174	382			612
Oct 2025	217	9	148	1	6	25	6033.50	994	101
Nov 2025	32	0	23	1	0	26	6033.12	990	51
Dec 2025	26	0	21	0	0	17	6033.40	993	38
Jan 2026	22	0	20	1	0	22	6033.19	991	34
Feb 2026	23	0	21	1	0	19	6033.31	992	29
Mar 2026	55	4	47	1	5	22	6035.15	1011	39
Apr 2026	108	13	81	2	21	21	6038.82	1048	63
May 2026	178	23	154	3	35	22	6047.54	1143	126
Jun 2026	87	9	86	4	51	22	6048.36	1152	114
Jul 2026	7	0	37	4	55	48	6041.98	1082	80
Aug 2026	17	0	44	3	47	38	6037.84	1038	63
Sep 2026	23	0	42	2	26	31	6036.27	1022	52
WY 2026	794	60	725	23	246	312			788
Oct 2026	29	1	36	1	9	22	6036.61	1025	42
Nov 2026	27	1	19	1	0	21	6036.33	1023	38
Dec 2026	24	0	17	1	0	22	6035.85	1018	37
Jan 2027	22	0	16	1	0	22	6035.29	1012	35
Feb 2027	29	1	23	1	0	19	6035.60	1015	31
Mar 2027	92	10	72	1	5	22	6039.88	1059	45
Apr 2027	147	18	107	2	21	21	6045.73	1123	72
May 2027	251	34	180	3	35	22	6055.99	1243	157
Jun 2027	187	25	157	4	51	21	6062.43	1324	165
Jul 2027	33	2	52	4	55	28	6059.65	1288	79
Aug 2027	24	1	46	4	47	33	6056.65	1251	62
Sep 2027	31	1	43	3	26	30	6055.44	1236	56
WY 2027	896	94	769	25	250	281			817
Oct 2027	35	2	38	2	9	22	6055.86	1241	45
Nov 2027	30	1	22	1	0	21	6055.84	1241	39
Dec 2027	24	0	18	1	0	22	6055.52	1237	37

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Lake Powell



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Plant Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Bank Storage (1000 Ac-Ft)	End Of Month Storage (1000 Ac-Ft)	Lees Ferry Gage (1000 Ac-Ft)
Jan 2025	235	303	5	723	0	723	3566.75	4751	8275	720
Feb 2025	306	329	6	639	0	639	3562.75	4728	7983	642
Mar 2025	366	370	9	626	0	626	3559.30	4708	7737	633
Apr 2025	583	507	15	598	0	598	3557.90	4701	7639	608
May 2025	849	698	17	599	0	599	3558.98	4707	7715	609
Jun 2025	1083	883	28	678	0	678	3561.30	4720	7879	681
Jul 2025	120	289	33	706	0	706	3555.36	4686	7462	707
Aug 2025	6	268	31	688	73	761	3548.18	4648	6977	762
Sep 2025	162	346	28	367	198	565	3544.69	4629	6749	577
WY 2025	4688	5136	239	6994	487	7481				7503
Oct 2025	663	554	19	373	108	480	3545.46	4633	6799	487
Nov 2025	374	365	19	500	0	500	3543.26	4622	6656	497
Dec 2025	317	313	15	501	0	501	3540.31	4607	6469	497
Jan 2026	300	301	4	625	0	625	3535.43	4583	6165	631
Feb 2026	280	278	4	525	0	525	3531.60	4564	5932	534
Mar 2026	430	377	7	500	0	500	3529.58	4554	5812	510
Apr 2026	600	513	11	490	0	490	3529.75	4555	5822	502
May 2026	1100	816	13	600	0	600	3532.88	4570	6010	616
Jun 2026	1450	1092	22	800	0	800	3536.97	4590	6260	812
Jul 2026	500	597	27	890	0	890	3532.11	4566	5963	897
Aug 2026	230	413	25	900	0	900	3524.02	4529	5489	905
Sep 2026	260	418	22	669	0	669	3519.54	4508	5236	677
WY 2026	6503	6035	189	7372	108	7480				7565
Oct 2026	368	441	15	480	0	480	3518.63	4504	5186	488
Nov 2026	423	429	15	500	0	500	3517.19	4498	5106	503
Dec 2026	361	397	12	600	0	600	3513.51	4482	4907	602
Jan 2027	350	381	3	664	0	664	3508.48	4461	4642	670
Feb 2027	397	411	3	587	0	587	3505.24	4448	4476	596
Mar 2027	614	524	5	620	0	620	3503.37	4440	4382	630
Apr 2027	920	765	9	552	0	552	3507.11	4455	4572	564
May 2027	2060	1855	12	550	0	550	3528.85	4551	5769	566
Jun 2027	2423	1851	23	577	0	577	3547.43	4644	6927	589
Jul 2027	711	704	30	652	0	652	3547.74	4645	6948	659
Aug 2027	371	517	30	696	0	696	3544.79	4630	6755	701
Sep 2027	316	467	27	522	0	522	3543.61	4624	6679	530
WY 2027	9314	8741	183	7000	0	7000				7098
Oct 2027	417	481	19	480	0	480	3543.35	4622	6662	488
Nov 2027	450	458	19	500	0	500	3542.47	4618	6606	503
Dec 2027	361	425	15	600	0	600	3539.71	4604	6431	602

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Glen Release (1000 Ac-Ft)	Side Inflow Glen to Hoover (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	SNWP Use (1000 Ac-Ft)	Downstream Requirements (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Jan 2025	723	37	24	471	7.7	9	470	579	1066.37	8913
Feb 2025	639	57	23	513	9.2	8	513	589	1068.18	9056
Mar 2025	626	43	25	778	12.7	13	773	580	1066.43	8918
Apr 2025	598	28	33	921	15.5	18	915	559	1062.23	8593
May 2025	599	24	41	983	16.0	19	978	533	1057.02	8199
Jun 2025	678	31	50	797	13.4	23	795	523	1054.98	8047
Jul 2025	706	23	47	721	11.7	26	718	519	1054.14	7985
Aug 2025	761	55	51	628	10.2	26	620	526	1055.54	8088
Sep 2025	565	96	51	456	7.7	18	632	534	1057.25	8216
WY 2025	7481	547	474	7872		205	8067			
Oct 2025	480	93	48	485	7.9	15	484	536	1057.57	8240
Nov 2025	500	75	42	415	7.0	10	410	542	1058.91	8341
Dec 2025	501	82	35	272	4.4	6	321	559	1062.24	8594
Jan 2026	625	74	24	396	6.4	5	396	575	1065.57	8851
Feb 2026	525	61	23	461	8.3	3	461	581	1066.76	8944
Mar 2026	500	102	25	871	14.2	9	871	563	1063.09	8659
Apr 2026	490	93	33	975	16.4	15	975	536	1057.65	8246
May 2026	600	52	40	1001	16.3	21	1001	511	1052.44	7860
Jun 2026	800	18	49	837	14.1	24	837	505	1051.26	7774
Jul 2026	890	53	47	761	12.4	29	761	512	1052.64	7875
Aug 2026	900	102	51	667	10.9	27	667	527	1055.89	8115
Sep 2026	669	83	51	582	9.8	18	582	534	1057.17	8210
WY 2026	7480	889	468	7723		184	7765			
Oct 2026	480	62	48	409	6.7	19	409	538	1057.99	8272
Nov 2026	500	42	42	459	7.7	10	459	540	1058.37	8300
Dec 2026	600	65	35	483	7.8	7	483	548	1060.13	8433
Jan 2027	664	74	24	525	8.5	14	525	559	1062.28	8597
Feb 2027	587	61	22	544	9.8	14	544	563	1063.11	8661
Mar 2027	620	102	24	806	13.1	18	806	555	1061.56	8542
Apr 2027	552	93	33	1023	17.2	19	1023	529	1056.21	8139
May 2027	550	52	40	1070	17.4	29	1070	496	1049.33	7635
Jun 2027	577	18	48	898	15.1	30	898	473	1044.31	7277
Jul 2027	652	53	45	824	13.4	37	824	461	1041.60	7088
Aug 2027	696	102	48	778	12.6	33	778	457	1040.77	7031
Sep 2027	522	83	47	719	12.1	24	719	446	1038.24	6857
WY 2027	7000	807	456	8538		254	8538			
Oct 2027	480	62	44	509	8.3	22	509	444	1037.80	6827
Nov 2027	500	42	38	581	9.8	16	581	438	1036.50	6739
Dec 2027	600	65	31	540	8.8	13	540	443	1037.62	6815

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Spill Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Jan 2025	471	-11	9	398	0	398	6.5	641.52	1659
Feb 2025	513	-12	8	489	0	489	8.8	641.71	1663
Mar 2025	778	-16	10	723	0	723	11.8	642.74	1692
Apr 2025	921	-11	13	913	0	913	15.3	642.18	1676
May 2025	983	-12	15	927	0	927	15.1	643.20	1704
Jun 2025	797	-14	14	771	0	771	13.0	643.14	1703
Jul 2025	721	-18	13	684	0	684	11.1	643.36	1709
Aug 2025	628	-11	16	606	0	606	9.9	643.16	1703
Sep 2025	456	-1	17	552	0	552	9.3	639.10	1593
WY 2025	7872	-132	157	7581	0	7581			
Oct 2025	485	-6	15	501	0	501	8.2	637.75	1614
Nov 2025	415	5	13	335	0	335	5.6	640.38	1686
Dec 2025	272	-7	13	262	0	262	4.3	640.01	1676
Jan 2026	396	-3	9	334	0	334	5.4	641.80	1726
Feb 2026	461	-13	8	435	0	435	7.8	642.00	1731
Mar 2026	871	-11	10	821	0	821	13.4	643.00	1759
Apr 2026	975	-16	13	946	0	946	15.9	643.00	1759
May 2026	1001	-10	15	977	0	977	15.9	643.00	1759
Jun 2026	837	-15	14	807	0	807	13.6	643.00	1759
Jul 2026	761	-19	13	757	0	757	12.3	642.00	1731
Aug 2026	667	-14	16	637	0	637	10.4	642.00	1731
Sep 2026	582	-5	17	616	0	616	10.3	640.00	1675
WY 2026	7723	-112	157	7429	0	7428			
Oct 2026	409	-8	15	575	0	575	9.3	633.00	1487
Nov 2026	459	-14	13	379	0	379	6.4	635.00	1540
Dec 2026	483	-1	13	346	0	346	5.6	639.50	1662
Jan 2027	525	-3	9	449	0	449	7.3	641.80	1726
Feb 2027	544	-13	8	523	0	523	9.4	641.80	1725
Mar 2027	806	-11	10	751	0	751	12.2	643.00	1759
Apr 2027	1023	-16	13	994	0	994	16.7	643.00	1759
May 2027	1070	-10	15	1046	0	1046	17.0	643.00	1759
Jun 2027	898	-15	14	869	0	869	14.6	643.00	1759
Jul 2027	824	-19	13	821	0	821	13.3	642.00	1731
Aug 2027	778	-14	16	747	0	747	12.2	642.00	1731
Sep 2027	719	-5	17	754	0	754	12.7	640.00	1675
WY 2027	8538	-128	156	8254	0	8254			
Oct 2027	509	-8	15	674	0	674	11.0	633.00	1487
Nov 2027	581	-14	13	502	0	502	8.4	635.00	1540
Dec 2027	540	-1	13	404	0	404	6.6	639.50	1662

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Davis Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	MWD Diversion (1000 Ac-Ft)	CAP Diversion (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Flow To Mexico (1000 Ac-Ft)	Flow To Mexico (1000 CFS)
Jan 2025	398	5	6	286	4.6	65	34	446.84	558	96	1.6
Feb 2025	489	-2	8	369	6.6	45	46	447.64	573	104	1.9
Mar 2025	723	0	9	538	8.7	12	170	447.01	561	145	2.4
Apr 2025	913	1	11	640	10.8	74	172	447.53	571	140	2.3
May 2025	927	1	13	625	10.2	92	171	448.59	591	113	1.8
Jun 2025	771	17	16	604	10.1	95	71	448.25	585	117	2.0
Jul 2025	684	12	17	563	9.2	89	14	448.51	590	117	1.9
Aug 2025	606	11	17	486	7.9	95	19	448.06	581	108	1.8
Sep 2025	552	16	16	365	6.1	89	80	448.63	592	96	1.6
WY 2025	7581	107	140	5579		954	915			1286	
Oct 2025	501	9	12	394	6.4	65	58	447.36	519	72	1.2
Nov 2025	335	28	9	236	4.0	48	33	449.14	553	88	1.5
Dec 2025	262	19	7	215	3.5	44	40	447.75	527	80	1.3
Jan 2026	334	7	6	248	4.0	26	78	446.50	503	96	1.6
Feb 2026	435	1	8	347	6.3	0	65	447.00	513	105	1.9
Mar 2026	821	10	9	613	10.0	63	145	446.70	507	141	2.3
Apr 2026	946	17	11	682	11.5	64	158	448.70	545	137	2.3
May 2026	977	4	14	719	11.7	83	155	448.70	545	113	1.8
Jun 2026	807	11	16	666	11.2	96	29	448.70	545	122	2.0
Jul 2026	757	17	17	643	10.5	104	12	448.00	531	128	2.1
Aug 2026	637	17	17	517	8.4	104	16	447.50	522	105	1.7
Sep 2026	616	9	15	448	7.5	102	50	447.50	522	96	1.6
WY 2026	7428	150	140	5728		799	838			1284	
Oct 2026	575	19	12	460	7.5	75	39	447.50	522	69	1.1
Nov 2026	379	14	9	248	4.2	95	36	447.50	522	93	1.6
Dec 2026	346	14	6	248	4.0	95	25	446.50	503	97	1.6
Jan 2027	449	7	6	302	4.9	92	49	446.50	503	138	2.2
Feb 2027	523	1	8	403	7.3	53	54	446.50	503	124	2.2
Mar 2027	751	10	9	585	9.5	14	141	446.70	507	119	1.9
Apr 2027	994	17	11	683	11.5	88	181	448.70	545	118	2.0
May 2027	1046	4	14	748	12.2	95	181	448.70	545	110	1.8
Jun 2027	869	11	16	698	11.7	92	61	448.70	545	116	2.0
Jul 2027	821	17	17	704	11.4	95	22	448.00	531	123	2.0
Aug 2027	747	17	17	628	10.2	94	23	447.50	522	130	2.1
Sep 2027	754	9	15	570	9.6	95	71	447.50	522	128	2.1
WY 2027	8254	142	139	6276		983	883			1366	
Oct 2027	674	19	12	519	8.4	59	94	447.50	522	89	1.4
Nov 2027	502	14	9	389	6.5	55	56	447.50	522	115	1.9
Dec 2027	404	14	6	322	5.2	57	45	446.50	503	110	1.8

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Hoover Static Head (Ft)	Hoover Generation Capacity (MW)	Hoover Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Jan 2025	471	7.7	1066.37	8913	239	420.07	697.1	177.3	47	376.4
Feb 2025	513	9.2	1068.18	9056	142	418.72	562.0	194.6	38	378.9
Mar 2025	778	12.7	1066.43	8918	-137	417.77	1039.1	294.2	70	378.1
Apr 2025	921	15.5	1062.23	8593	-325	413.68	999.0	346.1	69	375.7
May 2025	983	16.0	1057.02	8199	-394	407.77	776.0	364.9	54	371.4
Jun 2025	797	13.4	1054.98	8047	-152	407.58	1309.0	292.0	94	366.2
Jul 2025	721	11.7	1054.14	7985	-62	405.96	1186.1	262.6	85	364.1
Aug 2025	628	10.2	1055.54	8088	104	407.73	1180.9	227.3	85	362.1
Sep 2025	456	7.7	1057.25	8216	127	415.02	905.0	164.7	65	361.1
WY 2025	7872							2920.7		
Oct 2025	485	7.9	1057.57	8240	24	415.75	738.0	175.7	53	362.3
Nov 2025	415	7.0	1058.91	8341	101	417.59	752.5	151.8	54	365.5
Dec 2025	272	4.4	1062.24	8594	253	420.18	701.1	97.0	49	356.7
Jan 2026	396	6.4	1065.57	8851	257	416.33	854.0	145.5	58	367.5
Feb 2026	461	8.3	1066.76	8944	93	417.92	862.0	175.1	58	379.9
Mar 2026	871	14.2	1063.09	8659	-285	417.51	680.1	343.5	47	394.4
Apr 2026	975	16.4	1057.65	8246	-413	411.97	758.1	375.3	53	385.0
May 2026	1001	16.3	1052.44	7860	-386	402.66	1277.0	359.6	92	359.1
Jun 2026	837	14.1	1051.26	7774	-86	398.93	1361.5	303.0	97	362.1
Jul 2026	761	12.4	1052.64	7875	100	399.35	1361.5	272.4	97	358.1
Aug 2026	667	10.9	1055.89	8115	240	401.95	1368.5	237.1	97	355.3
Sep 2026	582	9.8	1057.17	8210	95	404.84	1368.5	209.1	97	359.6
WY 2026	7723							2845.1		
Oct 2026	409	6.7	1057.99	8272	62	410.24	1090.5	148.1	78	362.1
Nov 2026	459	7.7	1058.37	8300	29	413.12	1090.5	169.9	78	370.4
Dec 2026	483	7.8	1060.13	8433	133	412.05	1091.5	178.6	78	370.2
Jan 2027	525	8.5	1062.28	8597	164	411.76	1114.5	189.9	78	361.6
Feb 2027	544	9.8	1063.11	8661	64	411.73	1218.5	199.7	85	367.1
Mar 2027	806	13.1	1061.56	8542	-119	411.66	1125.0	302.2	79	374.8
Apr 2027	1023	17.2	1056.21	8139	-403	407.85	1092.0	379.3	79	370.7
May 2027	1070	17.4	1049.33	7635	-504	400.13	1298.8	384.6	95	359.3
Jun 2027	898	15.1	1044.31	7277	-357	393.95	1314.1	316.4	97	352.3
Jul 2027	824	13.4	1041.60	7088	-189	390.45	1297.2	289.8	97	351.8
Aug 2027	778	12.6	1040.77	7031	-57	388.95	1292.1	276.4	97	355.4
Sep 2027	719	12.1	1038.24	6857	-174	387.94	1276.3	253.8	97	352.8
WY 2027	8538							3088.8		
Oct 2027	509	8.3	1037.80	6827	-30	390.15	1102.7	179.0	84	351.9
Nov 2027	581	9.8	1036.50	6739	-88	391.57	1095.7	202.5	84	348.5
Dec 2027	540	8.8	1037.62	6815	76	393.33	601.1	191.0	46	353.5



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Davis Static Head (Ft)	Davis Generation Capacity (MW)	Davis Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Jan 2025	398	6.5	641.52	1659	53	142.86	172.7	51.6	68	129.8
Feb 2025	489	8.8	641.71	1663	5	140.99	156.6	60.9	61	124.7
Mar 2025	723	11.8	642.74	1692	29	139.14	195.8	92.3	77	127.8
Apr 2025	913	15.3	642.18	1676	-16	138.61	204.0	116.1	80	127.1
May 2025	927	15.1	643.20	1704	29	139.55	204.0	117.9	80	127.1
Jun 2025	771	13.0	643.14	1703	-2	139.47	204.0	98.6	80	127.9
Jul 2025	684	11.1	643.36	1709	6	140.92	204.0	87.7	80	128.1
Aug 2025	606	9.9	643.16	1703	-6	144.29	204.0	77.5	80	127.8
Sep 2025	552	9.3	639.10	1593	-113	138.06	204.0	69.4	80	125.9
WY 2025	7581							959.9		
Oct 2025	501	8.2	637.75	1614	-37	136.51	162.9	62.0	64	123.7
Nov 2025	335	5.6	640.38	1686	72	142.96	154.7	41.0	61	122.4
Dec 2025	262	4.3	640.01	1676	-10	141.23	154.7	33.0	61	126.0
Jan 2026	334	5.4	641.80	1726	50	141.10	190.8	42.5	75	127.1
Feb 2026	435	7.8	642.00	1731	6	140.98	153.0	55.2	60	127.0
Mar 2026	821	13.4	643.00	1759	28	139.34	153.0	103.1	60	125.5
Apr 2026	946	15.9	643.00	1759	0	138.94	158.1	118.4	62	125.2
May 2026	977	15.9	643.00	1759	0	138.94	204.0	122.3	80	125.2
Jun 2026	807	13.6	643.00	1759	0	139.76	253.3	101.6	99	125.9
Jul 2026	757	12.3	642.00	1731	-28	139.72	255.0	95.3	100	125.9
Aug 2026	637	10.4	642.00	1731	0	139.99	255.0	80.4	100	126.1
Sep 2026	616	10.3	640.00	1675	-56	139.00	255.0	77.1	100	125.2
WY 2026	7429							931.9		
Oct 2026	575	9.3	633.00	1487	-188	134.92	227.0	69.9	89	121.6
Nov 2026	379	6.4	635.00	1540	53	133.74	159.8	45.7	63	120.5
Dec 2026	346	5.6	639.50	1662	122	137.34	154.7	42.9	61	123.7
Jan 2027	449	7.3	641.80	1726	64	139.97	156.3	56.6	61	126.1
Feb 2027	523	9.4	641.80	1725	0	140.19	156.6	66.1	61	126.3
Mar 2027	751	12.2	643.00	1759	34	139.66	194.1	94.5	76	125.8
Apr 2027	994	16.7	643.00	1759	0	138.68	249.9	124.2	98	124.9
May 2027	1046	17.0	643.00	1759	0	138.57	255.0	130.6	100	124.8
Jun 2027	869	14.6	643.00	1759	0	139.39	255.0	109.1	100	125.6
Jul 2027	821	13.3	642.00	1731	-28	139.34	255.0	103.0	100	125.5
Aug 2027	747	12.2	642.00	1731	0	139.29	255.0	93.8	100	125.5
Sep 2027	754	12.7	640.00	1675	-56	138.09	255.0	93.8	100	124.4
WY 2027	8254							1030.1		
Oct 2027	674	11.0	633.00	1487	-188	134.25	227.0	81.6	89	121.0
Nov 2027	502	8.4	635.00	1540	53	132.81	159.8	60.0	63	119.7
Dec 2027	404	6.6	639.50	1662	122	136.90	154.7	49.8	61	123.3



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Parker Static Head (Ft)	Parker Generation Capacity (MW)	Parker Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Jan 2025	286	4.6	446.84	558	7	78.93	94.8	19.7	79	69.1
Feb 2025	369	6.6	447.64	573	15	80.63	92.1	24.0	77	65.0
Mar 2025	538	8.7	447.01	561	-12	78.73	114.2	37.2	95	69.1
Apr 2025	640	10.8	447.53	571	10	77.25	118.0	43.6	98	68.2
May 2025	625	10.2	448.59	591	20	76.52	120.0	43.2	100	69.1
Jun 2025	604	10.1	448.25	585	-6	79.81	120.0	41.6	100	68.9
Jul 2025	563	9.1	448.51	590	5	80.19	120.0	39.3	100	69.9
Aug 2025	486	7.9	448.06	581	-9	81.84	120.0	33.8	100	69.6
Sep 2025	365	6.1	448.63	592	11	79.19	116.0	25.2	97	69.0
WY 2025	5579							382.6		
Oct 2025	394	6.4	447.36	519	-24	80.98	90.0	26.8	75	68.0
Nov 2025	236	4.0	449.14	553	34	84.07	92.0	15.2	77	64.5
Dec 2025	215	3.5	447.75	527	-27	82.95	108.4	13.3	90	61.9
Jan 2026	248	4.0	446.50	503	-23	80.91	94.8	16.8	79	67.9
Feb 2026	347	6.3	447.00	513	9	79.35	92.1	24.2	77	69.7
Mar 2026	613	10.0	446.70	507	-6	77.75	120.0	42.2	100	68.8
Apr 2026	682	11.5	448.70	545	38	78.00	120.0	47.6	100	69.7
May 2026	719	11.7	448.70	545	0	78.91	120.0	50.6	100	70.3
Jun 2026	666	11.2	448.70	545	0	79.11	120.0	46.9	100	70.5
Jul 2026	643	10.5	448.00	531	-13	79.05	120.0	45.1	100	70.1
Aug 2026	517	8.4	447.50	522	-9	79.33	120.0	36.2	100	70.1
Sep 2026	448	7.5	447.50	522	0	79.49	120.0	31.3	100	69.9
WY 2026	5728							396.2		
Oct 2026	460	7.5	447.50	522	0	79.51	93.9	32.3	78	70.3
Nov 2026	248	4.2	447.50	522	0	81.21	92.0	17.2	77	69.6
Dec 2026	248	4.0	446.50	503	-19	80.78	102.6	15.8	85	63.8
Jan 2027	302	4.9	446.50	503	0	79.79	92.9	20.2	77	66.9
Feb 2027	403	7.3	446.50	503	0	78.61	92.1	27.8	77	69.1
Mar 2027	585	9.5	446.70	507	4	77.69	108.4	40.2	90	68.8
Apr 2027	683	11.5	448.70	545	38	77.99	120.0	47.6	100	69.7
May 2027	748	12.2	448.70	545	0	78.73	120.0	52.5	100	70.2
Jun 2027	698	11.7	448.70	545	0	78.90	120.0	49.1	100	70.3
Jul 2027	704	11.4	448.00	531	-13	78.66	120.0	49.1	100	69.7
Aug 2027	628	10.2	447.50	522	-9	78.54	120.0	43.6	100	69.4
Sep 2027	570	9.6	447.50	522	0	78.56	120.0	39.4	100	69.1
WY 2027	6276							434.8		
Oct 2027	519	8.4	447.50	522	0	79.06	90.0	36.3	75	69.9
Nov 2027	389	6.5	447.50	522	0	79.96	92.0	26.6	77	68.5
Dec 2027	322	5.2	446.50	503	-19	80.13	109.4	20.4	91	63.2



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow

Upper Basin Power



— BUREAU OF —
RECLAMATION

Date	Glen Canyon (1000 MWHR)	Flaming Gorge (1000 MWHR)	Blue Mesa (1000 MWHR)	Morrow Point (1000 MWHR)	Crystal Reservoir (1000 MWHR)	Fontenelle Reservoir (1000 MWHR)
Jan 2025	294	28	9	11	5	3
Feb 2025	258	20	9	12	6	3
Mar 2025	250	25	10	18	10	3
Winter 2025	1366	147	63	82	29	19
Apr 2025	237	26	14	26	16	2
May 2025	237	28	28	41	20	6
Jun 2025	271	33	25	34	19	6
Jul 2025	279	36	31	37	20	4
Aug 2025	268	39	26	34	20	4
Sep 2025	141	36	21	16	12	4
Summer 2025	1434	199	147	189	107	27
Oct 2025	142	19	17	24	11	2
Nov 2025	191	18	5	6	1	3
Dec 2025	190	19	5	6	2	3
Jan 2026	227	16	5	7	4	3
Feb 2026	189	15	4	6	4	3
Mar 2026	178	17	8	11	6	3
Winter 2026	1118	103	44	61	28	18
Apr 2026	174	16	15	22	12	1
May 2026	213	17	18	29	18	6
Jun 2026	287	46	15	24	16	8
Jul 2026	319	32	29	36	18	8
Aug 2026	317	39	28	36	18	6
Sep 2026	233	37	22	29	14	4
Summer 2026	1542	186	127	175	96	32
Oct 2026	166	27	19	24	11	4
Nov 2026	172	24	5	6	4	4
Dec 2026	205	28	4	6	4	4
Jan 2027	224	28	4	6	4	4
Feb 2027	196	25	4	6	3	3
Mar 2027	206	20	8	11	6	4
Winter 2027	1169	152	44	59	32	24
Apr 2027	184	19	18	27	15	2
May 2027	189	77	48	69	23	6
Jun 2027	208	40	12	20	14	7
Jul 2027	241	29	31	38	20	8
Aug 2027	257	41	27	33	17	7
Sep 2027	192	41	25	30	15	4
Summer 2027	1271	247	162	217	105	34
Oct 2027	176	29	20	25	12	4
Nov 2027	183	25	7	8	5	4
Dec 2027	218	32	9	11	6	4



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Predicted Space – Beginning of Month Conditions

Date	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Upper Basin Total (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)
Jan 2026	828	416	655	16845	18744	19026	37770
Feb 2026	834	412	657	17149	19052	18769	37821
Mar 2026	842	408	656	17381	19287	18676	37963
Apr 2026	822	402	637	17502	19363	18961	38324
May 2026	790	408	600	17491	19289	19374	38663
Jun 2026	681	356	505	17304	18846	19760	38606
Jul 2026	455	260	496	17054	18264	19846	38110
Aug 2026	432	294	566	17351	18643	19745	38388
Sep 2026	506	340	610	17825	19281	19505	38786
Oct 2026	592	383	626	18078	19679	19410	39089
Nov 2026	635	417	622	18128	19802	19348	39151
Dec 2026	663	404	625	18208	19900	19320	39220
Jan 2027	713	393	630	18407	20143	19187	39330
Feb 2027	756	384	636	18672	20448	19023	39471
Mar 2027	790	375	633	18837	20635	18959	39594
Apr 2027	769	366	589	18932	20655	19078	39733
May 2027	721	354	525	18742	20343	19481	39824
Jun 2027	717	333	405	17545	19001	19985	38986
Jul 2027	463	147	324	16386	17321	20343	37664
Aug 2027	406	158	360	16366	17290	20532	37822
Sep 2027	474	184	397	16559	17615	20589	38204
Oct 2027	562	225	412	16635	17834	20763	38597
Nov 2027	603	255	407	16652	17917	20793	38710
Dec 2027	632	246	407	16708	17993	20881	38875

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

January 2026 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Creditable / Effective Space – Beginning of Month Conditions

Date	Space	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Total or Maximum Allowed (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)	Beginning of Month Space Required (1000 Ac-Ft)	Mead Scheduled Release (1000 Ac-Ft)	Mead Flood Control Release (1000 Ac-Ft)	System Content (MAF)
Jan 2026	Effective	828	416	655	1899	16845	19026	37770	5350	396	0	22.0
Jan 2026	Effective	458	143	272	872	16845	19026	36743	5350	396	0	22.0
Feb 2026	Effective	462	139	273	874	17149	18769	36792	1500	461	0	21.9
Mar 2026	Effective	466	136	271	873	17381	18676	36931	1500	871	0	21.6
Apr 2026	Effective	442	131	246	819	17502	18961	37282	1500	975	0	21.3
May 2026	Effective	405	135	186	725	17491	19374	37591	1500	1001	0	21.3
Jun 2026	Effective	284	69	53	406	17304	19760	37470	1500	837	0	21.8
Jul 2026	Effective	39	-40	-11	-12	17054	19846	36888	1500	761	0	21.5
Aug 2026	Creditable	432	294	566	1292	17351	19745	38388	1500	667	0	21.1
Sep 2026	Creditable	506	340	610	1456	17825	19505	38786	2270	582	0	20.7
Oct 2026	Creditable	592	383	626	1600	18078	19410	39089	3040	409	0	20.5
Nov 2026	Creditable	635	417	622	1674	18128	19348	39151	3810	459	0	20.5
Dec 2026	Creditable	663	404	625	1692	18208	19320	39220	4580	483	0	20.4
Jan 2027	Creditable	713	393	630	1736	18407	19187	39330	5350	525	0	20.4
Jan 2027	Effective	364	270	455	1089	18407	19187	38683	5350	525	0	20.4
Feb 2027	Effective	405	260	460	1126	18672	19023	38820	1500	544	0	20.3
Mar 2027	Effective	437	251	456	1144	18837	18959	38941	1500	806	0	20.2
Apr 2027	Effective	411	242	405	1058	18932	19078	39068	1500	1023	0	20.1
May 2027	Effective	358	227	319	904	18742	19481	39128	1500	1070	0	20.9
Jun 2027	Effective	346	194	161	701	17545	19985	38231	1500	898	0	22.3
Jul 2027	Effective	74	-16	24	83	16386	20343	36812	1500	824	0	22.1
Aug 2027	Creditable	406	158	360	924	16366	20532	37822	1500	778	0	21.7
Sep 2027	Creditable	474	184	397	1056	16559	20589	38204	2270	719	0	21.2
Oct 2027	Creditable	562	225	412	1199	16635	20763	38597	3040	509	0	20.9
Nov 2027	Creditable	603	255	407	1265	16652	20793	38710	3810	581	0	20.8
Dec 2027	Creditable	632	246	407	1286	16708	20881	38875	4580	540	0	20.7

Model Run ID: 3303

Processed on: 1/13/2026 11:17:32 PM



February 2026 Most Probable 24-Month Study

The operation of Lake Powell and Lake Mead in the February 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre feet (maf). To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the December 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026.³ That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual WY 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in WY 2026 may be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of January was 0.265 maf or 79% of the 30-year average from 1991 to 2020. The February 2026 unregulated inflow forecast for Lake Powell is 0.260 maf or 71% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 2.40 maf or 38% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 5.02 maf or 52% of average.

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² 2024 Interim Guidelines SEIS ROD is available online at: https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

³ Consistent with the Drought Response Operating Agreement and Framework.

In this study, the CY 2026 diversion for Metropolitan Water District of Southern California (MWD) is projected to be 0.905 maf. The CY 2026 diversion for the Central Arizona Project (CAP) is projected to be 0.810 maf. Consumptive use for Nevada above Hoover (SNWP Use) is projected to be 0.187 maf for CY 2026.

Due to changing Lake Mead elevations, Hoover's generator capacity is adjusted based on estimated effective capacity and plant availability. The estimated effective capacity is based on projected Lake Mead elevations. Unit capacity tests will be performed as the lake elevation changes. This study reflects these changes in the projections.

For questions on Upper Colorado River Basin (UCB) reservoir operations, please contact Alex Pivarnik, the UCB River Operations Group Supervisor at apivarnik@usbr.gov. For questions on Lower Colorado River Basin (LCB) reservoir operations, please contact Noe Santos, the LCB River Operations Manager at nsantos@usbr.gov.

Hoover, Davis, and Parker Dam historical gross energy figures come from Power, Operations, and Maintenance reports provided by the Lower Colorado Region's Power Office, Bureau of Reclamation, Boulder City, Nevada. Questions regarding these historical energy numbers can be directed to Rebecca Rogers (rrogers@usbr.gov) or Kyra Cubi (kcubi@usbr.gov).

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_02_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Fontenelle Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Feb 2025	27	0	47	0	47	6473.13	126
Mar 2025	52	0	50	1	52	6473.08	125
Apr 2025	84	1	35	26	62	6477.72	147
May 2025	133	1	98	0	98	6484.04	181
Jun 2025	187	2	82	0	82	6499.39	284
Jul 2025	60	3	55	0	55	6499.76	287
Aug 2025	29	2	53	0	53	6496.23	261
Sep 2025	22	2	49	0	49	6492.13	233
WY 2025	710	14	662	38	700		
Oct 2025	33	1	28	22	50	6489.48	215
Nov 2025	37	1	49	2	50	6487.29	201
Dec 2025	39	1	51	0	51	6485.22	188
Jan 2026	32	1	51	0	51	6481.93	169
Feb 2026	25	1	44	0	44	6478.16	149
Mar 2026	50	0	49	0	49	6478.22	149
Apr 2026	75	1	17	31	48	6483.17	176
May 2026	105	1	84	0	84	6486.47	196
Jun 2026	260	2	104	59	163	6500.29	290
Jul 2026	120	3	92	0	92	6503.69	316
Aug 2026	47	2	76	0	76	6499.48	284
Sep 2026	32	2	55	0	55	6496.10	260
WY 2026	855	15	699	114	813		
Oct 2026	40	1	55	0	55	6493.75	244
Nov 2026	39	1	61	0	61	6490.44	221
Dec 2026	32	1	65	0	65	6485.21	188
Jan 2027	31	1	65	0	65	6479.11	154
Feb 2027	29	0	58	0	58	6472.78	124
Mar 2027	51	0	65	0	65	6469.41	110
Apr 2027	77	1	38	15	53	6474.89	133
May 2027	166	1	89	0	89	6488.55	209
Jun 2027	301	2	104	115	219	6500.01	288
Jul 2027	146	3	101	12	113	6503.98	318
Aug 2027	59	2	92	0	92	6499.23	283
Sep 2027	39	2	54	0	54	6496.91	266
WY 2027	1010	15	847	142	990		
Oct 2027	45	1	55	0	55	6495.29	254
Nov 2027	42	1	62	0	62	6492.26	233
Dec 2027	32	1	65	0	65	6487.19	200
Jan 2028	31	1	65	0	65	6481.40	166

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Flaming Gorge Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Jensen Flow (1000 Ac-Ft)
Feb 2025	66	87	2	54	0	54	119	6025.97	3117	94
Mar 2025	81	85	3	65	0	65	120	6026.41	3133	122
Apr 2025	109	85	5	68	0	68	121	6026.72	3144	225
May 2025	157	127	7	75	0	75	122	6027.90	3186	355
Jun 2025	194	84	10	88	0	88	122	6027.51	3172	294
Jul 2025	57	51	12	95	0	95	120	6026.01	3119	117
Aug 2025	25	48	12	102	0	102	117	6024.21	3055	114
Sep 2025	21	47	10	96	0	96	115	6022.58	2999	114
WY 2025	832	822	75	908	1	909				1821
Oct 2025	35	52	7	51	0	51	115	6022.44	2994	84
Nov 2025	42	55	3	49	0	49	115	6022.52	2997	78
Dec 2025	40	52	2	51	0	51	115	6022.48	2995	81
Jan 2026	31	50	2	52	0	52	114	6022.39	2992	80
Feb 2026	40	59	2	44	0	44	115	6022.75	3005	66
Mar 2026	70	69	3	49	0	49	116	6023.23	3021	99
Apr 2026	80	53	4	48	0	48	116	6023.24	3022	153
May 2026	130	109	7	107	0	107	115	6023.09	3016	382
Jun 2026	295	198	10	66	0	66	120	6026.44	3134	291
Jul 2026	125	97	13	71	0	71	121	6026.78	3146	96
Aug 2026	50	79	12	78	0	78	120	6026.49	3136	85
Sep 2026	33	56	10	76	0	76	119	6025.66	3106	83
WY 2026	971	929	74	743	0	743				1579
Oct 2026	44	59	7	63	0	63	119	6025.37	3096	81
Nov 2026	46	68	3	59	0	59	119	6025.52	3101	84
Dec 2026	34	67	2	69	0	69	119	6025.40	3097	94
Jan 2027	42	76	2	69	0	69	119	6025.53	3102	94
Feb 2027	43	72	2	62	0	62	119	6025.75	3109	87
Mar 2027	85	99	3	68	0	68	120	6026.50	3136	142
Apr 2027	111	87	5	64	0	64	121	6027.00	3154	267
May 2027	239	162	7	194	0	194	119	6025.94	3116	707
Jun 2027	389	307	10	150	0	150	125	6029.79	3257	517
Jul 2027	161	128	14	94	0	94	126	6030.32	3277	154
Aug 2027	66	99	13	119	0	119	125	6029.52	3247	138
Sep 2027	43	58	11	86	0	86	123	6028.53	3209	99
WY 2027	1303	1283	78	1098	0	1098				2465
Oct 2027	52	62	7	83	0	83	122	6027.79	3182	109
Nov 2027	50	70	3	90	0	90	121	6027.17	3160	120
Dec 2027	34	67	2	99	0	99	120	6026.26	3127	124
Jan 2028	42	76	2	99	0	99	119	6025.58	3104	124

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Taylor Park Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Feb 2025	4	5	9309.41	69
Mar 2025	5	5	9309.39	69
Apr 2025	10	6	9312.10	73
May 2025	18	9	9317.35	82
Jun 2025	25	15	9322.73	92
Jul 2025	8	18	9317.27	82
Aug 2025	6	16	9311.09	72
Sep 2025	6	13	9306.59	65
WY 2025	104	113		
Oct 2025	7	7	9306.49	64
Nov 2025	4	5	9306.13	64
Dec 2025	4	5	9305.47	63
Jan 2026	3	5	9304.41	61
Feb 2026	3	4	9303.44	60
Mar 2026	3	5	9302.11	58
Apr 2026	6	5	9303.03	59
May 2026	18	6	9310.86	71
Jun 2026	22	15	9315.14	78
Jul 2026	9	15	9311.29	72
Aug 2026	6	15	9305.23	63
Sep 2026	5	12	9300.38	56
WY 2026	90	99		
Oct 2026	6	6	9300.31	56
Nov 2026	5	3	9301.75	58
Dec 2026	4	3	9302.39	58
Jan 2027	5	3	9303.72	60
Feb 2027	4	3	9304.55	62
Mar 2027	5	3	9305.83	63
Apr 2027	9	9	9305.90	64
May 2027	26	15	9312.64	74
Jun 2027	40	18	9324.98	96
Jul 2027	15	22	9321.54	90
Aug 2027	8	18	9315.72	79
Sep 2027	7	15	9310.98	71
WY 2027	134	118		
Oct 2027	7	9	9309.61	69
Nov 2027	5	5	9309.54	69
Dec 2027	4	5	9308.78	68
Jan 2028	5	5	9308.71	68

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Blue Mesa Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Feb 2025	26	27	0	34	0	34	7480.99	509
Mar 2025	43	43	0	36	19	55	7479.19	496
Apr 2025	85	80	1	53	11	63	7481.45	513
May 2025	120	112	1	104	0	104	7482.44	520
Jun 2025	160	150	1	91	0	91	7490.03	578
Jul 2025	44	54	1	112	0	112	7482.27	519
Aug 2025	29	40	1	95	0	95	7474.44	462
Sep 2025	30	37	1	80	0	80	7467.96	418
WY 2025	657	666	8	770	30	799		
Oct 2025	45	45	0	67	0	67	7464.57	396
Nov 2025	30	31	0	22	0	22	7465.86	404
Dec 2025	27	28	0	20	0	20	7467.02	412
Jan 2026	22	23	0	22	0	22	7467.17	413
Feb 2026	18	19	0	16	0	16	7467.72	416
Mar 2026	32	34	0	29	0	29	7468.46	421
Apr 2026	49	48	1	56	0	56	7467.09	412
May 2026	124	112	1	61	0	61	7474.48	462
Jun 2026	122	115	1	73	0	73	7480.10	503
Jul 2026	45	51	1	97	0	97	7473.54	456
Aug 2026	37	46	1	81	0	81	7468.37	421
Sep 2026	28	35	1	75	0	75	7461.98	379
WY 2026	579	588	7	619	0	619		
Oct 2026	31	31	0	64	0	64	7456.52	346
Nov 2026	29	27	0	15	0	15	7458.50	358
Dec 2026	26	25	0	16	0	16	7460.05	367
Jan 2027	25	23	0	16	0	16	7461.26	375
Feb 2027	23	22	0	13	0	13	7462.57	383
Mar 2027	38	36	0	27	0	27	7463.94	392
Apr 2027	78	78	1	55	0	55	7467.37	414
May 2027	204	193	1	160	0	160	7472.15	446
Jun 2027	251	229	1	41	0	41	7496.85	632
Jul 2027	86	93	1	100	0	100	7495.69	623
Aug 2027	55	65	1	78	0	78	7493.96	609
Sep 2027	35	43	1	74	0	74	7489.87	577
WY 2027	881	865	8	660	0	660		
Oct 2027	36	38	1	65	0	65	7486.39	550
Nov 2027	31	31	0	20	0	20	7487.87	561
Dec 2027	26	27	0	25	0	25	7488.16	563
Jan 2028	25	25	0	31	0	31	7487.38	557

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Morrow Point Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Blue Mesa Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Feb 2025	29	34	2	37	37	0	37	7152.43	111
Mar 2025	45	55	3	58	54	0	54	7157.15	115
Apr 2025	94	63	9	72	76	0	76	7152.22	111
May 2025	133	104	12	116	119	0	119	7148.94	108
Jun 2025	170	91	9	100	99	0	99	7149.91	109
Jul 2025	44	112	0	112	106	0	106	7157.96	115
Aug 2025	30	95	1	96	99	0	99	7153.99	112
Sep 2025	30	80	0	81	47	0	79	7156.14	114
WY 2025	698	799	41	841	796	0	838		
Oct 2025	45	67	0	67	70	0	70	7152.16	111
Nov 2025	30	22	0	22	18	0	18	7156.71	114
Dec 2025	28	20	1	21	22	0	22	7155.76	114
Jan 2026	23	22	1	24	24	0	24	7155.79	114
Feb 2026	20	16	2	18	19	0	19	7153.73	112
Mar 2026	34	29	2	31	31	0	31	7153.73	112
Apr 2026	56	56	7	63	63	0	63	7153.73	112
May 2026	137	61	13	74	74	0	74	7153.73	112
Jun 2026	130	73	8	81	81	0	81	7153.72	112
Jul 2026	47	97	2	99	99	0	99	7153.73	112
Aug 2026	39	81	2	83	83	0	83	7153.73	112
Sep 2026	30	75	2	77	77	0	77	7153.73	112
WY 2026	619	619	41	660	661	0	661		
Oct 2026	33	64	2	66	66	0	66	7153.73	112
Nov 2026	30	15	1	16	16	0	16	7153.73	112
Dec 2026	27	16	1	17	17	0	17	7153.73	112
Jan 2027	26	16	1	17	17	0	17	7153.73	112
Feb 2027	25	13	2	15	15	0	15	7153.73	112
Mar 2027	40	27	2	29	29	0	29	7153.73	112
Apr 2027	89	55	11	66	66	0	66	7153.73	112
May 2027	226	160	22	182	182	0	182	7153.73	112
Jun 2027	265	41	14	55	55	0	55	7153.72	112
Jul 2027	90	100	4	104	104	0	104	7153.73	112
Aug 2027	56	78	1	79	79	0	79	7153.73	112
Sep 2027	36	74	1	75	75	0	75	7153.73	112
WY 2027	943	660	62	722	722	0	722		
Oct 2027	37	65	1	66	66	0	66	7153.73	112
Nov 2027	32	20	1	21	20	0	20	7153.73	112
Dec 2027	27	25	1	26	26	0	26	7153.73	112
Jan 2028	26	31	1	32	32	0	32	7153.73	112



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Crystal Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Morrow Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Tunnel Flow (1000 Ac-Ft)	Below Tunnel Flow (1000 Ac-Ft)
Feb 2025	30	37	1	37	36	0	37	6751.77	17	0	33
Mar 2025	48	54	3	57	56	0	57	6752.75	17	12	41
Apr 2025	99	76	5	81	81	0	81	6751.73	17	49	31
May 2025	139	119	7	125	100	20	123	6757.45	18	63	60
Jun 2025	187	99	17	116	99	17	117	6752.70	17	62	57
Jul 2025	46	106	2	107	102	5	108	6752.20	17	66	43
Aug 2025	30	99	0	99	99	0	99	6751.19	16	63	36
Sep 2025	31	79	1	80	65	20	85	6731.14	11	61	25
WY 2025	740	838	42	879	730	147	882			439	432
Oct 2025	47	70	2	72	59	8	67	6749.67	16	46	21
Nov 2025	33	18	3	21	13	9	21	6749.46	16	0	20
Dec 2025	30	22	2	24	24	0	24	6749.70	16	1	22
Jan 2026	25	24	2	25	24	0	24	6752.71	17	1	23
Feb 2026	23	19	3	22	22	0	22	6753.04	17	0	22
Mar 2026	39	31	5	36	36	0	36	6753.04	17	5	31
Apr 2026	63	63	7	70	70	0	70	6753.04	17	42	28
May 2026	150	74	13	87	87	0	87	6753.04	17	62	25
Jun 2026	138	81	8	89	89	0	89	6753.03	17	61	28
Jul 2026	49	99	2	101	101	0	101	6753.04	17	65	36
Aug 2026	44	83	5	88	88	0	88	6753.04	17	65	23
Sep 2026	34	77	4	81	81	0	81	6753.04	17	55	26
WY 2026	675	661	55	716	693	17	710			403	304
Oct 2026	38	66	5	71	64	6	71	6753.04	17	49	22
Nov 2026	35	16	5	21	21	0	21	6753.04	17	0	21
Dec 2026	32	17	5	22	22	0	22	6753.04	17	0	21
Jan 2027	31	17	5	22	22	0	22	6753.04	17	0	22
Feb 2027	29	15	4	19	19	0	19	6753.04	17	0	19
Mar 2027	46	29	6	35	35	0	35	6753.04	17	5	30
Apr 2027	100	66	11	77	77	0	77	6753.04	17	42	35
May 2027	251	182	25	207	134	73	207	6753.04	17	62	145
Jun 2027	293	55	28	83	83	0	83	6753.03	17	61	22
Jul 2027	98	104	8	112	112	0	112	6753.04	17	65	47
Aug 2027	63	79	7	86	86	0	86	6753.04	17	65	21
Sep 2027	42	75	6	81	81	0	81	6753.04	17	55	26
WY 2027	1058	722	115	837	757	79	836			405	431
Oct 2027	43	66	6	72	70	2	71	6753.04	17	49	22
Nov 2027	37	20	5	25	25	0	25	6753.04	17	0	25
Dec 2027	32	26	5	31	31	0	31	6753.04	17	0	30
Jan 2028	31	32	5	37	37	0	37	6753.04	17	0	37



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Vallecito Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Feb 2025	3	1	7649.51	86
Mar 2025	6	2	7651.32	90
Apr 2025	21	5	7657.59	106
May 2025	40	32	7660.43	113
Jun 2025	35	38	7659.35	110
Jul 2025	10	39	7647.41	81
Aug 2025	5	37	7631.88	48
Sep 2025	8	27	7619.96	29
WY 2025	159	199		
Oct 2025	65	5	7650.81	89
Nov 2025	10	2	7654.03	97
Dec 2025	7	2	7655.94	102
Jan 2026	5	2	7657.19	105
Feb 2026	4	3	7657.63	106
Mar 2026	7	3	7659.06	110
Apr 2026	18	4	7664.29	124
May 2026	50	50	7664.29	124
Jun 2026	26	43	7657.73	106
Jul 2026	10	42	7644.48	74
Aug 2026	9	38	7630.08	45
Sep 2026	10	30	7616.85	25
WY 2026	222	222		
Oct 2026	9	17	7609.33	17
Nov 2026	8	0	7616.22	25
Dec 2026	7	0	7621.25	31
Jan 2027	6	0	7624.97	37
Feb 2027	5	0	7627.77	41
Mar 2027	10	0	7633.04	51
Apr 2027	23	1	7643.69	73
May 2027	68	31	7658.78	109
Jun 2027	62	48	7663.90	123
Jul 2027	21	42	7655.81	102
Aug 2027	15	38	7646.21	78
Sep 2027	16	30	7639.92	64
WY 2027	250	208		
Oct 2027	13	17	7637.82	60
Nov 2027	9	1	7641.39	67
Dec 2027	7	2	7643.84	73
Jan 2028	6	2	7645.78	77



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Navajo Reservoir



— BUREAU OF —
RECLAMATION

Date	Modified Unregulated Inflow (1000 Ac-Ft)	Azotea Tunnel Diversion (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	NIIP Diversion (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Farmington Flow (1000 Ac-Ft)
Feb 2025	16	0	14	1	1	22	6036.86	1028	35
Mar 2025	31	2	25	1	5	26	6036.19	1021	37
Apr 2025	78	9	53	2	15	25	6037.35	1033	44
May 2025	102	13	81	3	26	22	6040.32	1064	63
Jun 2025	61	11	50	3	27	23	6040.05	1061	108
Jul 2025	-11	0	18	4	37	48	6033.15	991	48
Aug 2025	-13	0	20	3	38	64	6024.30	905	51
Sep 2025	15	1	34	2	18	42	6021.25	877	48
WY 2025	363	36	366	22	174	382			620
Oct 2025	215	9	146	1	6	23	6033.50	994	101
Nov 2025	33	0	24	1	0	27	6033.12	990	51
Dec 2025	26	0	21	0	0	18	6033.40	993	38
Jan 2026	21	0	18	0	0	19	6033.24	991	36
Feb 2026	20	0	19	1	0	19	6033.09	990	29
Mar 2026	46	3	39	1	5	22	6034.18	1001	37
Apr 2026	87	9	63	2	21	21	6036.15	1021	63
May 2026	165	21	143	3	35	22	6044.08	1104	119
Jun 2026	53	6	64	4	51	35	6041.70	1079	105
Jul 2026	-5	2	25	4	55	56	6032.93	988	82
Aug 2026	8	0	37	3	47	44	6027.12	932	65
Sep 2026	26	1	45	2	26	32	6025.52	917	52
WY 2026	695	51	645	22	246	338			778
Oct 2026	31	1	38	1	9	23	6026.00	921	42
Nov 2026	28	1	20	1	0	21	6025.81	919	38
Dec 2026	24	0	17	0	0	22	6025.29	915	37
Jan 2027	22	0	16	0	0	22	6024.68	909	35
Feb 2027	29	1	23	1	0	19	6025.03	912	31
Mar 2027	92	10	72	1	5	22	6029.69	957	45
Apr 2027	147	18	106	2	21	21	6036.01	1019	72
May 2027	251	34	180	3	35	22	6047.23	1139	157
Jun 2027	187	25	148	4	51	21	6053.47	1212	165
Jul 2027	33	2	52	4	55	28	6050.49	1177	79
Aug 2027	24	1	46	3	47	33	6047.24	1140	62
Sep 2027	31	1	43	2	26	30	6045.94	1125	56
WY 2027	899	94	763	23	250	281			816
Oct 2027	35	2	38	2	9	22	6046.40	1130	45
Nov 2027	30	1	22	1	0	21	6046.39	1130	39
Dec 2027	24	0	18	1	0	22	6046.04	1126	37
Jan 2028	22	0	17	1	0	22	6045.63	1121	35

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Lake Powell



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Plant Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Bank Storage (1000 Ac-Ft)	End Of Month Storage (1000 Ac-Ft)	Lees Ferry Gage (1000 Ac-Ft)
Feb 2025	306	329	6	639	0	639	3562.75	4728	7983	642
Mar 2025	366	370	9	626	0	626	3559.30	4708	7737	633
Apr 2025	583	507	15	598	0	598	3557.90	4701	7639	608
May 2025	849	698	17	599	0	599	3558.98	4707	7715	609
Jun 2025	1083	883	28	678	0	678	3561.30	4720	7879	681
Jul 2025	120	289	33	706	0	706	3555.36	4686	7462	707
Aug 2025	6	268	31	688	73	761	3548.18	4648	6977	762
Sep 2025	162	346	28	367	198	565	3544.69	4629	6749	577
WY 2025	4688	5136	239	6994	487	7481				7503
Oct 2025	663	554	19	373	108	480	3545.46	4633	6799	487
Nov 2025	374	365	19	500	0	500	3543.26	4622	6656	498
Dec 2025	317	313	15	501	0	501	3540.31	4607	6469	499
Jan 2026	265	274	4	625	0	625	3535.02	4581	6140	622
Feb 2026	260	263	4	525	0	525	3530.95	4561	5893	534
Mar 2026	360	320	7	500	0	500	3528.02	4547	5720	510
Apr 2026	400	339	11	490	0	490	3525.43	4535	5570	502
May 2026	800	627	13	600	0	600	3525.66	4536	5583	616
Jun 2026	940	701	20	800	0	800	3523.75	4527	5473	812
Jul 2026	260	377	23	890	0	890	3514.80	4488	4976	897
Aug 2026	170	324	21	900	0	900	3504.20	4443	4424	905
Sep 2026	210	333	18	669	0	669	3497.52	4417	4095	677
WY 2026	5018	4788	174	7372	108	7480				7559
Oct 2026	324	378	12	480	0	480	3495.31	4409	3990	488
Nov 2026	400	393	12	500	0	500	3492.97	4400	3880	503
Dec 2026	361	384	9	391	209	600	3488.42	4383	3671	602
Jan 2027	350	367	2	0	664	664	3482.17	4361	3394	670
Feb 2027	397	398	2	0	587	587	3478.06	4347	3217	596
Mar 2027	614	531	4	0	620	620	3476.03	4340	3132	630
Apr 2027	920	763	6	0	552	552	3480.49	4355	3321	564
May 2027	2060	1811	9	339	211	550	3505.33	4448	4481	566
Jun 2027	2423	1884	18	577	0	577	3527.24	4543	5674	589
Jul 2027	711	710	25	652	0	652	3527.75	4546	5705	659
Aug 2027	371	504	25	696	0	696	3524.28	4530	5503	701
Sep 2027	316	424	23	522	0	522	3522.32	4521	5392	530
WY 2027	9247	8547	147	4158	2842	7000				7098
Oct 2027	417	474	16	480	0	480	3521.96	4519	5372	488
Nov 2027	450	471	16	500	0	500	3521.22	4516	5330	503
Dec 2027	361	422	12	600	0	600	3518.07	4502	5154	602
Jan 2028	350	412	3	780	0	780	3511.70	4474	4811	786

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Glen Release (1000 Ac-Ft)	Side Inflow Glen to Hoover (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	SNWP Use (1000 Ac-Ft)	Downstream Requirements (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Feb 2025	639	57	23	513	9.2	8	513	589	1068.18	9056
Mar 2025	626	43	25	778	12.7	13	773	580	1066.43	8918
Apr 2025	598	28	33	921	15.5	18	915	559	1062.23	8593
May 2025	599	24	41	983	16.0	19	978	533	1057.02	8199
Jun 2025	678	31	50	797	13.4	23	795	523	1054.98	8047
Jul 2025	706	23	47	721	11.7	26	718	519	1054.14	7985
Aug 2025	761	55	51	628	10.2	26	620	526	1055.54	8088
Sep 2025	565	96	51	456	7.7	18	632	534	1057.25	8216
WY 2025	7481	547	474	7872		204	8067			
Oct 2025	480	93	48	485	7.9	15	484	536	1057.57	8240
Nov 2025	500	75	42	415	7.0	10	410	542	1058.91	8341
Dec 2025	501	82	35	272	4.4	7	321	559	1062.24	8594
Jan 2026	625	50	24	387	6.3	6	543	574	1065.37	8836
Feb 2026	525	61	23	500	9.0	6	500	578	1066.06	8890
Mar 2026	500	102	25	890	14.5	10	890	558	1062.13	8585
Apr 2026	490	93	33	970	16.3	15	970	531	1056.72	8177
May 2026	600	52	40	1001	16.3	21	1001	507	1051.51	7793
Jun 2026	800	18	49	835	14.0	23	835	501	1050.37	7710
Jul 2026	890	53	47	749	12.2	26	749	509	1051.94	7823
Aug 2026	900	102	51	660	10.7	25	660	525	1055.32	8072
Sep 2026	669	83	51	575	9.7	18	575	531	1056.70	8175
WY 2026	7480	866	467	7740		183	7937			
Oct 2026	480	62	48	408	6.6	18	408	535	1057.54	8238
Nov 2026	500	42	42	547	9.2	11	547	532	1056.80	8183
Dec 2026	600	65	34	499	8.1	8	499	539	1058.35	8299
Jan 2027	664	74	24	516	8.4	12	516	551	1060.67	8474
Feb 2027	587	61	22	488	8.8	11	488	559	1062.23	8593
Mar 2027	620	102	24	922	15.0	17	922	544	1059.25	8367
Apr 2027	552	93	32	1039	17.5	22	1039	516	1053.61	7946
May 2027	550	52	39	1103	17.9	28	1103	482	1046.23	7413
Jun 2027	577	18	47	931	15.6	30	931	457	1040.69	7025
Jul 2027	652	53	44	797	13.0	34	797	446	1038.36	6865
Aug 2027	696	102	48	738	12.0	33	738	445	1038.08	6846
Sep 2027	522	83	46	660	11.1	25	660	437	1036.34	6728
WY 2027	7000	807	451	8647		249	8647			
Oct 2027	480	62	43	493	8.0	25	493	436	1036.07	6710
Nov 2027	500	42	38	601	10.1	17	601	429	1034.47	6602
Dec 2027	600	65	31	535	8.7	14	535	434	1035.66	6682
Jan 2028	780	74	21	509	8.3	9	509	454	1039.99	6977



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Spill Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Feb 2025	513	-12	8	489	0	489	8.8	641.71	1663
Mar 2025	778	-16	10	723	0	723	11.8	642.74	1692
Apr 2025	921	-11	13	913	0	913	15.3	642.18	1676
May 2025	983	-12	15	927	0	927	15.1	643.20	1704
Jun 2025	797	-14	14	771	0	771	13.0	643.14	1703
Jul 2025	721	-18	13	684	0	684	11.1	643.36	1709
Aug 2025	628	-11	16	606	0	606	9.9	643.16	1703
Sep 2025	456	-1	17	552	0	552	9.3	639.10	1593
WY 2025	7872	-132	157	7581	0	7581			
Oct 2025	485	-6	15	501	0	501	8.2	637.75	1614
Nov 2025	415	5	13	335	0	335	5.6	640.38	1686
Dec 2025	272	-7	13	262	0	262	4.3	640.01	1676
Jan 2026	387	-13	9	319	0	319	5.2	641.64	1721
Feb 2026	500	-13	8	455	0	455	8.2	642.50	1745
Mar 2026	890	-11	10	869	0	869	14.1	642.50	1745
Apr 2026	970	-16	13	927	0	927	15.6	643.00	1759
May 2026	1001	-10	15	976	0	976	15.9	643.00	1759
Jun 2026	835	-15	14	805	0	805	13.5	643.00	1759
Jul 2026	749	-19	13	745	0	745	12.1	642.00	1731
Aug 2026	660	-14	16	630	0	630	10.2	642.00	1731
Sep 2026	575	-5	17	609	0	609	10.2	640.00	1675
WY 2026	7740	-122	157	7435	0	7435			
Oct 2026	408	-8	15	574	0	574	9.3	633.00	1487
Nov 2026	547	-14	13	467	0	467	7.9	635.00	1540
Dec 2026	499	-1	13	363	0	363	5.9	639.50	1662
Jan 2027	516	-3	9	440	0	440	7.2	641.80	1726
Feb 2027	488	-13	8	467	0	467	8.4	641.80	1725
Mar 2027	922	-11	10	867	0	867	14.1	643.00	1759
Apr 2027	1039	-16	13	1010	0	1010	17.0	643.00	1759
May 2027	1103	-10	15	1078	0	1078	17.5	643.00	1759
Jun 2027	931	-15	14	901	0	901	15.1	643.00	1759
Jul 2027	797	-19	13	794	0	794	12.9	642.00	1731
Aug 2027	738	-14	16	708	0	708	11.5	642.00	1731
Sep 2027	660	-5	17	694	0	694	11.7	640.00	1675
WY 2027	8647	-128	156	8363	0	8363			
Oct 2027	493	-8	15	659	0	659	10.7	633.00	1487
Nov 2027	601	-14	13	521	0	521	8.8	635.00	1540
Dec 2027	535	-1	13	399	0	399	6.5	639.50	1662
Jan 2028	509	-3	9	433	0	433	7.0	641.80	1726

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	MWD Diversion (1000 Ac-Ft)	CAP Diversion (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Flow To Mexico (1000 Ac-Ft)	Flow To Mexico (1000 CFS)
Feb 2025	489	-2	8	369	6.6	45	46	447.64	573	104	1.9
Mar 2025	723	0	9	538	8.7	12	170	447.01	561	145	2.4
Apr 2025	913	1	11	640	10.8	74	172	447.53	571	140	2.3
May 2025	927	1	13	625	10.2	92	171	448.59	591	113	1.8
Jun 2025	771	17	16	604	10.1	95	71	448.25	585	117	2.0
Jul 2025	684	12	17	563	9.2	89	14	448.51	590	117	1.9
Aug 2025	606	11	17	486	7.9	95	19	448.06	581	108	1.8
Sep 2025	552	16	16	365	6.1	89	80	448.63	592	96	1.6
WY 2025	7581	107	140	5579		954	915			1286	
Oct 2025	501	10	12	394	6.4	65	58	447.36	519	72	1.2
Nov 2025	335	28	9	236	4.0	48	33	449.14	553	88	1.5
Dec 2025	262	19	7	215	3.5	44	40	447.75	527	80	1.3
Jan 2026	319	14	6	246	4.0	27	70	446.74	508	97	1.6
Feb 2026	455	1	8	358	6.4	0	70	447.49	522	105	1.9
Mar 2026	869	10	9	615	10.0	86	161	447.50	522	144	2.3
Apr 2026	927	17	11	681	11.4	64	156	448.70	545	135	2.3
May 2026	976	4	14	720	11.7	83	154	448.70	545	114	1.9
Jun 2026	805	11	16	668	11.2	96	25	448.70	545	124	2.1
Jul 2026	745	17	17	639	10.4	96	12	448.00	531	124	2.0
Aug 2026	630	17	17	518	8.4	96	16	447.50	522	106	1.7
Sep 2026	609	9	15	447	7.5	96	50	447.50	522	96	1.6
WY 2026	7435	158	140	5738		801	842			1284	
Oct 2026	574	19	12	460	7.5	75	39	447.50	522	69	1.1
Nov 2026	467	14	9	340	5.7	93	34	447.50	522	93	1.6
Dec 2026	363	14	6	268	4.4	93	23	446.50	503	97	1.6
Jan 2027	440	7	6	305	5.0	66	63	446.50	503	138	2.2
Feb 2027	467	1	8	391	7.0	3	59	446.50	503	124	2.2
Mar 2027	867	10	9	630	10.2	58	167	446.70	507	119	1.9
Apr 2027	1010	17	11	708	11.9	69	190	448.70	545	118	2.0
May 2027	1078	4	14	776	12.6	89	193	448.70	545	110	1.8
Jun 2027	901	11	16	718	12.1	86	80	448.70	545	116	2.0
Jul 2027	794	17	17	683	11.1	99	13	448.00	531	123	2.0
Aug 2027	708	17	17	586	9.5	99	21	447.50	522	130	2.1
Sep 2027	694	9	15	519	8.7	99	59	447.50	522	128	2.1
WY 2027	8363	142	139	6383		928	940			1366	
Oct 2027	659	19	12	517	8.4	80	60	447.50	522	89	1.4
Nov 2027	521	14	9	388	6.5	83	49	447.50	522	115	1.9
Dec 2027	399	14	6	308	5.0	82	29	446.50	503	110	1.8
Jan 2028	433	7	6	296	4.8	70	61	446.50	503	131	2.1

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Hoover Static Head (Ft)	Hoover Generation Capacity (MW)	Hoover Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Feb 2025	513	9.2	1068.18	9056	142	418.72	562.0	194.6	38	378.9
Mar 2025	778	12.7	1066.43	8918	-137	417.77	1039.1	294.2	70	378.1
Apr 2025	921	15.5	1062.23	8593	-325	413.68	999.0	346.1	69	375.7
May 2025	983	16.0	1057.02	8199	-394	407.77	776.0	364.9	54	371.4
Jun 2025	797	13.4	1054.98	8047	-152	407.58	1309.0	292.0	94	366.2
Jul 2025	721	11.7	1054.14	7985	-62	405.96	1186.1	262.6	85	364.1
Aug 2025	628	10.2	1055.54	8088	104	407.73	1180.9	227.3	85	362.1
Sep 2025	456	7.7	1057.25	8216	127	415.02	905.0	164.7	65	361.1
WY 2025	7872							2920.7		
Oct 2025	485	7.9	1057.57	8240	24	415.75	738.0	175.7	53	362.3
Nov 2025	415	7.0	1058.91	8341	101	417.59	752.5	151.8	54	365.5
Dec 2025	272	4.4	1062.24	8594	253	420.18	701.1	97.0	49	356.7
Jan 2026	387	6.3	1065.37	8836	242	422.58	854.0	143.3	58	370.2
Feb 2026	500	9.0	1066.06	8890	54	417.36	862.0	186.5	58	372.7
Mar 2026	890	14.5	1062.13	8585	-304	416.68	680.1	351.2	47	394.4
Apr 2026	970	16.3	1056.72	8177	-409	411.19	758.1	372.6	53	383.9
May 2026	1001	16.3	1051.51	7793	-384	401.74	1277.0	358.4	92	358.2
Jun 2026	835	14.0	1050.37	7710	-83	398.03	1361.5	301.5	97	361.1
Jul 2026	749	12.2	1051.94	7823	114	398.56	1361.5	267.1	97	356.7
Aug 2026	660	10.7	1055.32	8072	249	401.32	1368.5	233.9	97	354.2
Sep 2026	575	9.7	1056.70	8175	102	404.33	1368.5	206.2	97	358.7
WY 2026	7740							2845.0		
Oct 2026	408	6.6	1057.54	8238	63	409.10	1181.5	147.3	84	360.7
Nov 2026	547	9.2	1056.80	8183	-55	411.44	1181.5	199.1	84	364.1
Dec 2026	499	8.1	1058.35	8299	116	409.71	1182.4	184.1	84	368.9
Jan 2027	516	8.4	1060.67	8474	175	409.40	1207.5	190.6	84	369.8
Feb 2027	488	8.8	1062.23	8593	119	409.81	1311.6	175.6	92	359.9
Mar 2027	922	15.0	1059.25	8367	-226	409.40	1218.1	340.8	85	369.7
Apr 2027	1039	17.5	1053.61	7946	-421	404.74	1182.1	380.9	85	366.4
May 2027	1103	17.9	1046.23	7413	-533	397.30	1298.8	394.4	95	357.7
Jun 2027	931	15.6	1040.69	7025	-388	390.35	1335.0	325.4	100	349.6
Jul 2027	797	13.0	1038.36	6865	-160	386.98	1261.5	282.3	97	354.3
Aug 2027	738	12.0	1038.08	6846	-19	386.02	1259.7	258.7	97	350.6
Sep 2027	660	11.1	1036.34	6728	-118	385.67	1248.5	229.1	97	347.3
WY 2027	8647							3108.4		
Oct 2027	493	8.0	1036.07	6710	-19	388.30	1079.5	175.0	84	354.9
Nov 2027	601	10.1	1034.47	6602	-108	388.02	381.2	211.4	29	351.7
Dec 2027	535	8.7	1035.66	6682	80	391.34	587.8	187.9	46	351.1
Jan 2028	509	8.3	1039.99	6977	295	388.53	1017.1	181.3	78	356.0



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Davis Static Head (Ft)	Davis Generation Capacity (MW)	Davis Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Feb 2025	489	8.8	641.71	1663	5	140.99	156.6	60.9	61	124.7
Mar 2025	723	11.8	642.74	1692	29	139.14	195.8	92.3	77	127.8
Apr 2025	913	15.3	642.18	1676	-16	138.61	204.0	116.1	80	127.1
May 2025	927	15.1	643.20	1704	29	139.55	204.0	117.9	80	127.1
Jun 2025	771	13.0	643.14	1703	-2	139.47	204.0	98.6	80	127.9
Jul 2025	684	11.1	643.36	1709	6	140.92	204.0	87.7	80	128.1
Aug 2025	606	9.9	643.16	1703	-6	144.29	204.0	77.5	80	127.8
Sep 2025	552	9.3	639.10	1593	-113	138.06	204.0	69.4	80	125.9
WY 2025	7581							959.9		
Oct 2025	501	8.2	637.75	1614	-37	136.51	162.9	62.0	64	123.7
Nov 2025	335	5.6	640.38	1686	72	142.96	154.7	41.0	61	122.4
Dec 2025	262	4.3	640.01	1676	-10	141.23	154.7	33.0	61	126.0
Jan 2026	319	5.2	641.64	1721	45	142.94	190.8	41.6	75	130.3
Feb 2026	455	8.2	642.50	1745	24	140.98	153.0	57.8	60	127.0
Mar 2026	869	14.1	642.50	1745	0	139.06	153.0	108.9	60	125.3
Apr 2026	927	15.6	643.00	1759	14	138.80	153.0	116.0	60	125.0
May 2026	976	15.9	643.00	1759	0	138.95	156.3	122.2	61	125.2
Jun 2026	805	13.5	643.00	1759	0	139.78	253.3	101.4	99	125.9
Jul 2026	745	12.1	642.00	1731	-28	139.80	255.0	93.9	100	126.0
Aug 2026	630	10.2	642.00	1731	0	140.05	255.0	79.5	100	126.2
Sep 2026	609	10.2	640.00	1675	-56	139.05	255.0	76.3	100	125.3
WY 2026	7435							933.5		
Oct 2026	574	9.3	633.00	1487	-188	134.92	227.0	69.8	89	121.6
Nov 2026	467	7.9	635.00	1540	53	133.07	159.8	56.0	63	119.9
Dec 2026	363	5.9	639.50	1662	122	137.22	154.7	44.9	61	123.6
Jan 2027	440	7.2	641.80	1726	64	140.03	156.3	55.5	61	126.2
Feb 2027	467	8.4	641.80	1725	0	140.62	156.6	59.2	61	126.7
Mar 2027	867	14.1	643.00	1759	34	138.97	194.1	108.5	76	125.2
Apr 2027	1010	17.0	643.00	1759	0	138.59	249.9	126.2	98	124.9
May 2027	1078	17.5	643.00	1759	0	138.41	255.0	134.4	100	124.7
Jun 2027	901	15.1	643.00	1759	0	139.20	255.0	113.0	100	125.4
Jul 2027	794	12.9	642.00	1731	-28	139.51	255.0	99.7	100	125.7
Aug 2027	708	11.5	642.00	1731	0	139.54	255.0	89.0	100	125.7
Sep 2027	694	11.7	640.00	1675	-56	138.48	255.0	86.6	100	124.8
WY 2027	8363							1042.8		
Oct 2027	659	10.7	633.00	1487	-188	134.35	227.0	79.8	89	121.0
Nov 2027	521	8.8	635.00	1540	53	132.67	159.8	62.3	63	119.5
Dec 2027	399	6.5	639.50	1662	122	136.94	154.7	49.2	61	123.4
Jan 2028	433	7.0	641.80	1726	64	140.08	156.3	54.7	61	126.2



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Parker Static Head (Ft)	Parker Generation Capacity (MW)	Parker Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Feb 2025	369	6.6	447.64	573	15	80.63	92.1	24.0	77	65.0
Mar 2025	538	8.7	447.01	561	-12	78.73	114.2	37.2	95	69.1
Apr 2025	640	10.8	447.53	571	10	77.25	118.0	43.6	98	68.2
May 2025	625	10.2	448.59	591	20	76.52	120.0	43.2	100	69.1
Jun 2025	604	10.1	448.25	585	-6	79.81	120.0	41.6	100	68.9
Jul 2025	563	9.1	448.51	590	5	80.19	120.0	39.3	100	69.9
Aug 2025	486	7.9	448.06	581	-9	81.84	120.0	33.8	100	69.6
Sep 2025	365	6.1	448.63	592	11	79.19	116.0	25.2	97	69.0
WY 2025	5579							382.6		
Oct 2025	394	6.4	447.36	519	-24	80.98	90.0	26.8	75	68.0
Nov 2025	236	4.0	449.14	553	34	84.07	92.0	15.2	77	64.5
Dec 2025	215	3.5	447.75	527	-27	82.95	108.4	13.3	90	61.9
Jan 2026	245	4.0	446.74	508	-19	78.49	94.8	16.0	79	65.0
Feb 2026	358	6.4	447.49	522	14	79.62	92.1	25.1	77	70.0
Mar 2026	615	10.0	447.50	522	0	78.37	120.0	42.7	100	69.4
Apr 2026	681	11.4	448.70	545	23	78.41	120.0	47.7	100	70.1
May 2026	720	11.7	448.70	545	0	78.91	120.0	50.6	100	70.3
Jun 2026	668	11.2	448.70	545	0	79.09	120.0	47.1	100	70.5
Jul 2026	639	10.4	448.00	531	-13	79.07	120.0	44.8	100	70.1
Aug 2026	518	8.4	447.50	522	-9	79.32	120.0	36.3	100	70.1
Sep 2026	447	7.5	447.50	522	0	79.49	120.0	31.3	100	69.9
WY 2026	5737							396.8		
Oct 2026	460	7.5	447.50	522	0	79.51	93.9	32.3	78	70.3
Nov 2026	340	5.7	447.50	522	0	80.38	92.0	23.4	77	68.9
Dec 2026	268	4.4	446.50	503	-19	80.60	102.6	17.1	85	63.6
Jan 2027	305	5.0	446.50	503	0	79.77	92.9	20.4	77	66.9
Feb 2027	391	7.0	446.50	503	0	78.71	92.1	27.1	77	69.2
Mar 2027	630	10.2	446.70	507	4	77.38	108.4	43.1	90	68.5
Apr 2027	708	11.9	448.70	545	38	77.83	120.0	49.2	100	69.6
May 2027	776	12.6	448.70	545	0	78.56	120.0	54.3	100	70.0
Jun 2027	718	12.1	448.70	545	0	78.76	120.0	50.4	100	70.2
Jul 2027	683	11.1	448.00	531	-13	78.79	120.0	47.7	100	69.8
Aug 2027	586	9.5	447.50	522	-9	78.83	120.0	40.8	100	69.7
Sep 2027	519	8.7	447.50	522	0	78.94	120.0	36.0	100	69.4
WY 2027	6383							441.8		
Oct 2027	517	8.4	447.50	522	0	79.08	90.0	36.1	75	69.9
Nov 2027	388	6.5	447.50	522	0	79.97	92.0	26.6	77	68.5
Dec 2027	308	5.0	446.50	503	-19	80.25	109.4	19.5	91	63.3
Jan 2028	296	4.8	446.50	503	0	79.85	92.9	19.8	77	67.0



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow

Upper Basin Power



— BUREAU OF —
RECLAMATION

Date	Glen Canyon (1000 MWHR)	Flaming Gorge (1000 MWHR)	Blue Mesa (1000 MWHR)	Morrow Point (1000 MWHR)	Crystal Reservoir (1000 MWHR)	Fontenelle Reservoir (1000 MWHR)
Feb 2025	258	20	9	12	6	3
Mar 2025	250	25	10	18	10	3
Winter 2025	1366	147	63	82	29	19
Apr 2025	237	26	14	26	16	2
May 2025	237	28	28	41	20	6
Jun 2025	271	33	25	34	19	6
Jul 2025	279	36	31	37	20	4
Aug 2025	268	39	26	34	20	4
Sep 2025	141	36	21	16	12	4
Summer 2025	1434	199	147	189	107	27
Oct 2025	142	19	17	24	11	2
Nov 2025	191	18	5	6	1	3
Dec 2025	190	19	5	6	2	3
Jan 2026	235	19	6	7	2	3
Feb 2026	189	15	4	7	4	3
Mar 2026	178	16	8	11	6	3
Winter 2026	1125	105	46	61	27	18
Apr 2026	173	16	16	23	12	1
May 2026	210	36	17	27	15	5
Jun 2026	279	22	21	29	15	7
Jul 2026	307	24	28	36	17	7
Aug 2026	302	26	23	30	15	6
Sep 2026	220	26	21	28	14	4
Summer 2026	1492	150	124	172	89	31
Oct 2026	155	21	17	24	11	4
Nov 2026	161	20	4	6	4	4
Dec 2026	126	23	4	6	4	4
Jan 2027	0	23	4	6	4	4
Feb 2027	0	21	4	6	3	3
Mar 2027	0	23	7	10	6	4
Winter 2027	442	132	41	57	32	23
Apr 2027	0	22	15	24	13	2
May 2027	109	65	45	66	23	6
Jun 2027	197	51	12	20	14	7
Jul 2027	229	32	30	38	19	8
Aug 2027	244	40	23	29	15	7
Sep 2027	182	29	22	27	14	4
Summer 2027	962	239	147	203	99	34
Oct 2027	167	28	19	24	12	4
Nov 2027	173	30	6	7	4	4
Dec 2027	207	33	7	9	5	4
Jan 2028	266	33	9	12	6	4



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Predicted Space – Beginning of Month Conditions

Date	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Upper Basin Total (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)
Feb 2026	850	415	656	17174	19096	18784	37880
Mar 2026	857	412	658	17420	19347	18730	38078
Apr 2026	840	407	647	17594	19488	19035	38523
May 2026	813	416	627	17744	19600	19443	39044
Jun 2026	799	366	543	17731	19439	19827	39266
Jul 2026	586	325	569	17841	19322	19910	39232
Aug 2026	549	372	660	18338	19918	19797	39715
Sep 2026	591	407	716	18890	20604	19548	40152
Oct 2026	644	449	731	19218	21042	19445	40488
Nov 2026	671	482	727	19324	21203	19382	40585
Dec 2026	688	470	728	19434	21321	19437	40758
Jan 2027	726	460	733	19643	21562	19321	40884
Feb 2027	755	453	739	19920	21867	19146	41013
Mar 2027	777	445	736	20096	22054	19027	41081
Apr 2027	765	436	691	20182	22074	19253	41328
May 2027	723	414	629	19993	21759	19674	41433
Jun 2027	686	382	508	18833	20409	20207	40616
Jul 2027	465	196	436	17639	18736	20595	39331
Aug 2027	415	205	471	17609	18700	20755	39455
Sep 2027	482	219	508	17810	19019	20774	39793
Oct 2027	536	251	523	17922	19232	20892	40124
Nov 2027	574	278	518	17942	19312	20910	40223
Dec 2027	618	267	518	17984	19386	21018	40404
Jan 2028	683	265	522	18160	19629	20938	40567

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

February 2026 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Creditable / Effective Space – Beginning of Month Conditions

Date	Space	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Total or Maximum Allowed (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)	Beginning of Month Space Required (1000 Ac-Ft)	Mead Scheduled Release (1000 Ac-Ft)	Mead Flood Control Release (1000 Ac-Ft)	System Content (MAF)
Feb 2026	Effective	354	58	179	591	17174	18784	36550	1500	500	0	21.8
Mar 2026	Effective	359	56	180	594	17420	18730	36745	1500	890	0	21.4
Apr 2026	Effective	338	53	162	552	17594	19035	37181	1500	970	0	20.9
May 2026	Effective	305	60	120	485	17744	19443	37672	1500	1001	0	20.7
Jun 2026	Effective	282	-3	-2	277	17731	19827	37835	1500	835	0	20.7
Jul 2026	Effective	54	-52	-31	-30	17841	19910	37721	1500	749	0	20.2
Aug 2026	Creditable	549	372	660	1580	18338	19797	39715	1500	660	0	19.7
Sep 2026	Creditable	591	407	716	1714	18890	19548	40152	2270	575	0	19.3
Oct 2026	Creditable	644	449	731	1824	19218	19445	40488	3040	408	0	19.0
Nov 2026	Creditable	671	482	727	1879	19324	19382	40585	3810	547	0	18.9
Dec 2026	Creditable	688	470	728	1887	19434	19437	40758	4580	499	0	18.9
Jan 2027	Creditable	726	460	733	1919	19643	19321	40884	5350	516	0	18.8
Jan 2027	Effective	368	292	445	1105	19643	19321	40069	5350	516	0	18.8
Feb 2027	Effective	395	282	451	1128	19920	19146	40194	1500	488	0	18.8
Mar 2027	Effective	415	273	447	1134	20096	19027	40257	1500	922	0	18.6
Apr 2027	Effective	398	262	396	1055	20182	19253	40491	1500	1039	0	18.5
May 2027	Effective	351	239	310	900	19993	19674	40567	1500	1103	0	19.3
Jun 2027	Effective	306	195	152	653	18833	20207	39693	1500	931	0	20.6
Jul 2027	Effective	67	-14	24	77	17639	20595	38311	1500	797	0	20.5
Aug 2027	Creditable	415	205	471	1091	17609	20755	39455	1500	738	0	20.1
Sep 2027	Creditable	482	219	508	1209	17810	20774	39793	2270	660	0	19.7
Oct 2027	Creditable	536	251	523	1310	17922	20892	40124	3040	493	0	19.4
Nov 2027	Creditable	574	278	518	1370	17942	20910	40223	3810	601	0	19.3
Dec 2027	Creditable	618	267	518	1402	17984	21018	40404	4580	535	0	19.2
Jan 2028	Creditable	683	265	522	1470	18160	20938	40567	5350	509	0	19.2
Jan 2028	Effective	367	200	486	1053	18160	20938	40151	5350	509	0	19.2

Model Run ID: 3306

Processed on: 2/10/2026 11:27:7 AM



March 2026 Most Probable 24-Month Study

The operation of Lake Powell and Lake Mead in the March 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre feet (maf). To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the December 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026.³ That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual WY 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in WY 2026 may be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of February was 0.253 maf or 70% of the 30-year average from 1991 to 2020. The March 2026 unregulated inflow forecast for Lake Powell is 0.400 maf or 67% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 2.30 maf or 36% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 4.95 maf or 52% of average.

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² The 2024 Interim Guidelines SEIS ROD is available online at: https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

³ Consistent with the Drought Response Operating Agreement and Framework.

30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 2.30 maf or 36% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 4.95 maf or 52% of average.

In this study, the CY 2026 diversion for Metropolitan Water District of Southern California (MWD) is projected to be 0.962 maf. The CY 2026 diversion for the Central Arizona Project (CAP) is projected to be 0.857 maf. Consumptive use for Nevada above Hoover (SNWP Use) is projected to be 0.187 maf for CY 2026.

Due to changing Lake Mead elevations, Hoover's generator capacity is adjusted based on estimated effective capacity and plant availability. The estimated effective capacity is based on projected Lake Mead elevations. Unit capacity tests will be performed as the lake elevation changes. This study reflects these changes in the projections.

For questions on Upper Colorado River Basin (UCB) reservoir operations, please contact Alex Pivarnik, the UCB River Operations Group Supervisor at apivarnik@usbr.gov. For questions on Lower Colorado River Basin (LCB) reservoir operations, please contact Noe Santos, the LCB River Operations Manager at nsantos@usbr.gov.

Hoover, Davis, and Parker Dam historical gross energy figures come from Power, Operations, and Maintenance reports provided by the Lower Colorado Region's Power Office, Bureau of Reclamation, Boulder City, Nevada. Questions regarding these historical energy numbers can be directed to Rebecca Rogers (rrogers@usbr.gov) or Kyra Cubi (kcubi@usbr.gov).

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_03_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Fontenelle Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Mar 2025	52	0	50	1	52	6473.08	125
Apr 2025	84	1	35	26	62	6477.72	147
May 2025	133	1	98	0	98	6484.04	181
Jun 2025	187	2	82	0	82	6499.39	284
Jul 2025	60	3	55	0	55	6499.76	287
Aug 2025	29	2	53	0	53	6496.23	261
Sep 2025	22	2	49	0	49	6492.13	233
WY 2025	710	14	662	38	700		
Oct 2025	33	1	28	22	50	6489.48	215
Nov 2025	37	1	49	2	50	6487.29	201
Dec 2025	39	1	51	0	51	6485.22	188
Jan 2026	32	1	51	0	51	6481.93	169
Feb 2026	31	0	46	0	46	6479.12	154
Mar 2026	55	1	49	0	49	6480.13	159
Apr 2026	75	1	17	33	49	6484.55	184
May 2026	110	2	86	0	86	6488.25	207
Jun 2026	240	2	104	48	152	6500.54	292
Jul 2026	120	3	93	0	93	6503.74	316
Aug 2026	45	2	89	0	89	6497.50	270
Sep 2026	35	2	57	0	57	6494.15	246
WY 2026	852	15	719	104	823		
Oct 2026	42	1	58	0	58	6491.59	229
Nov 2026	41	1	59	0	59	6488.74	210
Dec 2026	32	1	61	0	61	6483.86	180
Jan 2027	31	1	61	0	61	6478.14	149
Feb 2027	29	0	56	0	56	6472.27	122
Mar 2027	51	0	61	0	61	6469.64	111
Apr 2027	77	1	38	15	53	6475.16	135
May 2027	166	1	92	0	92	6488.37	208
Jun 2027	301	2	104	119	223	6499.37	284
Jul 2027	146	3	102	9	111	6503.73	316
Aug 2027	59	2	89	0	89	6499.40	284
Sep 2027	39	2	57	0	57	6496.73	265
WY 2027	1014	15	839	143	981		
Oct 2027	45	1	58	0	58	6494.68	250
Nov 2027	42	1	61	0	61	6491.80	230
Dec 2027	32	1	66	0	66	6486.45	196
Jan 2028	31	1	66	0	66	6480.26	160
Feb 2028	29	0	62	0	62	6473.34	127

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Flaming Gorge Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Jensen Flow (1000 Ac-Ft)
Mar 2025	81	85	3	65	0	65	120	6026.41	3133	122
Apr 2025	109	85	5	68	0	68	121	6026.72	3144	225
May 2025	157	127	7	75	0	75	122	6027.90	3186	355
Jun 2025	194	84	10	88	0	88	122	6027.51	3172	294
Jul 2025	57	51	12	95	0	95	120	6026.01	3119	117
Aug 2025	25	48	12	102	0	102	117	6024.21	3055	114
Sep 2025	21	47	10	96	0	96	115	6022.58	2999	114
WY 2025	832	822	75	908	1	909				1821
Oct 2025	35	52	7	51	0	51	115	6022.44	2994	84
Nov 2025	42	55	3	49	0	49	115	6022.52	2997	78
Dec 2025	40	52	2	51	0	51	115	6022.48	2995	81
Jan 2026	31	50	2	52	0	52	114	6022.39	2992	80
Feb 2026	42	58	2	44	0	46	115	6022.66	3001	76
Mar 2026	80	74	3	49	0	49	116	6023.28	3023	99
Apr 2026	95	69	4	48	0	48	116	6023.75	3039	143
May 2026	135	111	7	110	0	110	116	6023.58	3033	385
Jun 2026	260	172	10	65	0	65	120	6026.24	3127	270
Jul 2026	125	98	13	71	0	71	120	6026.63	3141	86
Aug 2026	48	92	12	75	0	75	121	6026.77	3146	81
Sep 2026	36	58	10	73	0	73	120	6026.09	3121	79
WY 2026	969	941	74	738	0	739				1542
Oct 2026	46	62	7	59	0	59	120	6026.00	3118	76
Nov 2026	47	65	3	56	0	56	120	6026.17	3124	81
Dec 2026	34	63	2	69	0	69	119	6025.97	3117	94
Jan 2027	42	72	2	69	0	69	120	6026.02	3119	94
Feb 2027	43	70	2	62	0	62	120	6026.15	3124	87
Mar 2027	85	95	3	72	0	72	121	6026.71	3144	146
Apr 2027	111	87	5	71	0	71	121	6027.00	3154	274
May 2027	239	165	7	228	0	228	118	6025.10	3087	741
Jun 2027	389	311	10	117	0	117	125	6029.94	3263	484
Jul 2027	161	126	14	99	0	99	126	6030.27	3276	159
Aug 2027	66	96	13	120	0	120	124	6029.36	3241	139
Sep 2027	43	61	11	119	0	119	122	6027.56	3174	132
WY 2027	1306	1273	77	1141	0	1141				2507
Oct 2027	52	65	7	82	0	82	121	6026.95	3152	108
Nov 2027	50	69	3	66	0	66	121	6026.95	3152	96
Dec 2027	34	68	2	83	0	83	120	6026.50	3136	108
Jan 2028	42	77	2	83	0	83	120	6026.30	3129	108
Feb 2028	43	76	2	78	0	78	120	6026.19	3125	103

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Taylor Park Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Mar 2025	5	5	9309.39	69
Apr 2025	10	6	9312.10	73
May 2025	18	9	9317.35	82
Jun 2025	25	15	9322.73	92
Jul 2025	8	18	9317.27	82
Aug 2025	6	16	9311.09	72
Sep 2025	6	13	9306.59	65
WY 2025	104	113		
Oct 2025	7	7	9306.49	64
Nov 2025	4	5	9306.13	64
Dec 2025	4	5	9305.47	63
Jan 2026	3	5	9304.41	61
Feb 2026	3	4	9303.63	60
Mar 2026	4	4	9303.53	60
Apr 2026	7	4	9305.87	64
May 2026	16	7	9311.53	72
Jun 2026	21	15	9315.21	78
Jul 2026	9	15	9311.38	72
Aug 2026	6	15	9305.34	63
Sep 2026	5	12	9300.50	56
WY 2026	89	98		
Oct 2026	6	5	9301.20	57
Nov 2026	5	4	9301.89	58
Dec 2026	4	4	9301.76	58
Jan 2027	5	4	9302.34	58
Feb 2027	4	4	9302.50	59
Mar 2027	5	4	9303.07	59
Apr 2027	9	9	9303.12	60
May 2027	26	15	9310.15	70
Jun 2027	40	15	9324.45	95
Jul 2027	15	22	9320.98	89
Aug 2027	8	18	9315.10	78
Sep 2027	7	15	9310.33	70
WY 2027	134	119		
Oct 2027	7	8	9309.90	70
Nov 2027	5	5	9309.86	70
Dec 2027	4	5	9309.08	68
Jan 2028	5	5	9309.05	68
Feb 2028	4	5	9308.26	67

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Blue Mesa Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Mar 2025	43	43	0	36	19	55	7479.19	496
Apr 2025	85	80	1	53	11	63	7481.45	513
May 2025	120	112	1	104	0	104	7482.44	520
Jun 2025	160	150	1	91	0	91	7490.03	578
Jul 2025	44	54	1	112	0	112	7482.27	519
Aug 2025	29	40	1	95	0	95	7474.44	462
Sep 2025	30	37	1	80	0	80	7467.96	418
WY 2025	657	666	8	770	30	799		
Oct 2025	45	45	0	67	0	67	7464.57	396
Nov 2025	30	31	0	22	0	22	7465.86	404
Dec 2025	27	28	0	20	0	20	7467.02	412
Jan 2026	22	23	0	22	0	22	7467.17	413
Feb 2026	23	24	0	20	0	20	7467.76	417
Mar 2026	35	35	0	39	0	39	7467.14	412
Apr 2026	45	42	1	55	0	55	7464.96	398
May 2026	113	104	1	63	0	63	7471.05	439
Jun 2026	118	112	1	65	0	65	7477.56	484
Jul 2026	44	50	1	85	0	85	7472.42	448
Aug 2026	36	45	1	88	0	88	7465.85	404
Sep 2026	27	34	1	74	0	74	7459.29	363
WY 2026	565	574	7	622	0	622		
Oct 2026	31	30	0	64	0	64	7453.47	329
Nov 2026	29	28	0	15	0	15	7455.70	342
Dec 2026	26	26	0	16	0	16	7457.49	352
Jan 2027	25	24	0	16	0	16	7458.91	361
Feb 2027	23	23	0	13	0	13	7460.41	370
Mar 2027	38	37	0	27	0	27	7461.99	379
Apr 2027	78	78	1	55	0	55	7465.49	402
May 2027	204	193	1	161	0	161	7470.32	434
Jun 2027	251	226	1	47	0	47	7494.20	611
Jul 2027	86	93	1	102	0	102	7492.85	600
Aug 2027	55	65	1	78	0	78	7491.10	586
Sep 2027	35	43	1	74	0	74	7486.93	554
WY 2027	881	866	7	668	0	668		
Oct 2027	36	37	0	65	0	65	7483.18	526
Nov 2027	31	31	0	15	0	15	7485.28	541
Dec 2027	26	27	0	23	0	23	7485.78	545
Jan 2028	25	25	0	28	0	28	7485.39	542
Feb 2028	23	24	0	29	0	29	7484.79	538

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Morrow Point Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Blue Mesa Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Mar 2025	45	55	3	58	54	0	54	7157.15	115
Apr 2025	94	63	9	72	76	0	76	7152.22	111
May 2025	133	104	12	116	119	0	119	7148.94	108
Jun 2025	170	91	9	100	99	0	99	7149.91	109
Jul 2025	44	112	0	112	106	0	106	7157.96	115
Aug 2025	30	95	1	96	99	0	99	7153.99	112
Sep 2025	30	80	0	81	47	0	79	7156.14	114
WY 2025	698	799	41	841	796	0	838		
Oct 2025	45	67	0	67	70	0	70	7152.16	111
Nov 2025	30	22	0	22	18	0	18	7156.71	114
Dec 2025	28	20	1	21	22	0	22	7155.76	114
Jan 2026	23	22	1	24	24	0	24	7155.79	114
Feb 2026	25	20	1	22	21	0	21	7156.24	114
Mar 2026	38	39	3	42	44	0	44	7153.73	112
Apr 2026	52	55	7	62	62	0	62	7153.73	112
May 2026	125	63	12	75	75	0	75	7153.73	112
Jun 2026	127	65	9	74	74	0	74	7153.72	112
Jul 2026	46	85	2	87	87	0	87	7153.73	112
Aug 2026	38	88	2	90	90	0	90	7153.73	112
Sep 2026	29	74	2	76	76	0	76	7153.73	112
WY 2026	606	622	41	663	664	0	664		
Oct 2026	32	64	1	65	65	0	65	7153.73	112
Nov 2026	30	15	1	16	16	0	16	7153.73	112
Dec 2026	27	16	1	17	17	0	17	7153.73	112
Jan 2027	26	16	1	17	17	0	17	7153.73	112
Feb 2027	25	13	2	15	15	0	15	7153.73	112
Mar 2027	40	27	2	29	29	0	29	7153.73	112
Apr 2027	89	55	11	66	66	0	66	7153.73	112
May 2027	226	161	22	183	182	0	182	7153.73	112
Jun 2027	265	47	14	61	61	0	61	7153.72	112
Jul 2027	90	102	4	106	106	0	106	7153.73	112
Aug 2027	56	78	1	79	79	0	79	7153.73	112
Sep 2027	36	74	1	75	75	0	75	7153.73	112
WY 2027	942	668	61	729	728	0	728		
Oct 2027	37	65	1	66	66	0	66	7153.73	112
Nov 2027	32	15	1	16	16	0	16	7153.73	112
Dec 2027	27	23	1	24	24	0	24	7153.73	112
Jan 2028	26	28	1	29	29	0	29	7153.73	112
Feb 2028	25	29	2	31	31	0	31	7153.73	112



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Crystal Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Morrow Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Tunnel Flow (1000 Ac-Ft)	Below Tunnel Flow (1000 Ac-Ft)
Mar 2025	48	54	3	57	56	0	57	6752.75	17	12	41
Apr 2025	99	76	5	81	81	0	81	6751.73	17	49	31
May 2025	139	119	7	125	100	20	123	6757.45	18	63	60
Jun 2025	187	99	17	116	99	17	117	6752.70	17	62	57
Jul 2025	46	106	2	107	102	5	108	6752.20	17	66	43
Aug 2025	30	99	0	99	99	0	99	6751.19	16	63	36
Sep 2025	31	79	1	80	65	20	85	6731.14	11	61	25
WY 2025	740	838	42	879	730	147	882			439	432
Oct 2025	47	70	2	72	59	8	67	6749.67	16	46	21
Nov 2025	33	18	3	21	13	9	21	6749.46	16	0	20
Dec 2025	30	22	2	24	24	0	24	6749.70	16	1	22
Jan 2026	25	24	2	25	24	0	24	6752.71	17	1	23
Feb 2026	26	21	2	23	23	0	23	6752.61	17	0	21
Mar 2026	43	44	5	49	49	0	49	6753.04	17	5	44
Apr 2026	60	62	8	70	70	0	70	6753.04	17	42	28
May 2026	137	75	12	87	87	0	87	6753.04	17	62	25
Jun 2026	138	74	11	85	85	0	85	6753.03	17	61	24
Jul 2026	50	87	4	91	91	0	91	6753.04	17	65	26
Aug 2026	43	90	5	95	95	0	95	6753.04	17	65	30
Sep 2026	34	76	5	81	81	0	81	6753.04	17	55	26
WY 2026	666	664	60	724	701	17	718			403	310
Oct 2026	38	65	6	71	60	10	71	6753.04	17	49	22
Nov 2026	35	16	5	21	21	0	21	6753.04	17	0	21
Dec 2026	32	17	5	22	22	0	22	6753.04	17	0	21
Jan 2027	31	17	5	22	22	0	22	6753.04	17	0	22
Feb 2027	29	15	4	19	19	0	19	6753.04	17	0	19
Mar 2027	46	29	6	35	35	0	35	6753.04	17	5	30
Apr 2027	100	66	11	77	77	0	77	6753.04	17	42	35
May 2027	251	182	25	207	134	73	207	6753.04	17	62	145
Jun 2027	293	61	28	89	89	0	89	6753.03	17	61	28
Jul 2027	98	106	8	114	114	0	114	6753.04	17	65	49
Aug 2027	63	79	7	86	86	0	86	6753.04	17	65	21
Sep 2027	42	75	6	81	81	0	81	6753.04	17	55	26
WY 2027	1058	728	116	844	760	84	844			405	439
Oct 2027	43	66	6	72	64	7	72	6753.04	17	49	22
Nov 2027	37	16	5	21	21	0	21	6753.04	17	0	21
Dec 2027	32	24	5	29	29	0	29	6753.04	17	0	29
Jan 2028	31	29	5	34	34	0	34	6753.04	17	0	34
Feb 2028	29	31	4	35	35	0	35	6753.04	17	0	35

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Vallecito Reservoir



BUREAU OF
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Mar 2025	6	2	7651.32	90
Apr 2025	21	5	7657.59	106
May 2025	40	32	7660.43	113
Jun 2025	35	38	7659.35	110
Jul 2025	10	39	7647.41	81
Aug 2025	5	37	7631.88	48
Sep 2025	8	27	7619.96	29
WY 2025	159	199		
Oct 2025	65	5	7650.81	89
Nov 2025	10	2	7654.03	97
Dec 2025	7	2	7655.94	102
Jan 2026	5	2	7657.19	105
Feb 2026	4	2	7658.18	107
Mar 2026	8	3	7659.99	112
Apr 2026	18	7	7664.00	123
May 2026	47	47	7664.00	123
Jun 2026	26	43	7657.42	106
Jul 2026	9	42	7643.69	73
Aug 2026	9	38	7629.07	43
Sep 2026	9	30	7614.53	23
WY 2026	218	222		
Oct 2026	9	17	7606.34	14
Nov 2026	8	0	7613.86	22
Dec 2026	7	0	7619.22	28
Jan 2027	6	0	7623.17	34
Feb 2027	5	0	7626.11	38
Mar 2027	10	0	7631.57	48
Apr 2027	23	1	7642.49	70
May 2027	68	31	7657.76	106
Jun 2027	62	46	7663.62	122
Jul 2027	21	42	7655.51	101
Aug 2027	15	38	7645.88	77
Sep 2027	16	30	7639.56	64
WY 2027	250	206		
Oct 2027	13	17	7637.45	59
Nov 2027	9	1	7641.04	67
Dec 2027	7	2	7643.50	72
Jan 2028	6	2	7645.45	76
Feb 2028	5	1	7646.95	80

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Navajo Reservoir



— BUREAU OF —
RECLAMATION

Date	Modified Unregulated Inflow (1000 Ac-Ft)	Azotea Tunnel Diversion (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	NIIP Diversion (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Farmington Flow (1000 Ac-Ft)
Mar 2025	31	2	25	1	5	26	6036.19	1021	37
Apr 2025	78	9	53	2	15	25	6037.35	1033	44
May 2025	102	13	81	3	26	22	6040.32	1064	63
Jun 2025	61	11	50	3	27	23	6040.05	1061	108
Jul 2025	-11	0	18	4	37	48	6033.15	991	48
Aug 2025	-13	0	20	3	38	64	6024.30	905	51
Sep 2025	15	1	34	2	18	42	6021.25	877	48
WY 2025	363	36	366	22	174	382			620
Oct 2025	215	9	146	1	6	23	6033.50	994	101
Nov 2025	33	0	24	1	0	27	6033.12	990	51
Dec 2025	26	0	21	0	0	18	6033.40	993	38
Jan 2026	21	0	18	0	0	19	6033.24	991	36
Feb 2026	20	0	18	1	2	19	6032.86	988	35
Mar 2026	44	3	36	1	5	22	6033.68	996	39
Apr 2026	81	8	62	2	21	21	6035.47	1014	62
May 2026	153	19	133	3	35	22	6042.52	1087	117
Jun 2026	51	5	62	4	51	38	6039.69	1057	106
Jul 2026	-5	2	26	4	55	58	6030.75	967	84
Aug 2026	7	0	36	3	47	54	6023.63	899	74
Sep 2026	24	1	44	2	26	34	6021.72	882	52
WY 2026	671	48	627	21	248	353			793
Oct 2026	30	1	37	1	9	24	6022.05	885	42
Nov 2026	28	1	20	1	0	31	6020.76	873	47
Dec 2026	24	0	17	0	0	22	6020.21	868	37
Jan 2027	22	0	16	0	0	22	6019.58	862	35
Feb 2027	29	1	23	1	0	19	6019.95	866	31
Mar 2027	92	10	72	1	5	22	6024.81	910	45
Apr 2027	147	18	106	2	21	21	6031.37	973	72
May 2027	251	34	180	3	35	22	6043.05	1093	157
Jun 2027	187	25	146	4	51	21	6049.38	1164	165
Jul 2027	33	2	52	4	55	28	6046.29	1129	79
Aug 2027	24	1	46	3	47	33	6042.93	1092	62
Sep 2027	31	1	43	2	26	30	6041.58	1077	56
WY 2027	898	94	760	22	250	292			825
Oct 2027	35	2	38	1	9	22	6042.07	1083	45
Nov 2027	30	1	22	1	0	21	6042.06	1082	39
Dec 2027	24	0	18	1	0	22	6041.70	1079	37
Jan 2028	22	0	17	1	0	22	6041.27	1074	35
Feb 2028	29	1	25	1	0	20	6041.60	1078	32

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Lake Powell



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Plant Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Bank Storage (1000 Ac-Ft)	End Of Month Storage (1000 Ac-Ft)	Lees Ferry Gage (1000 Ac-Ft)
Mar 2025	366	370	9	626	0	626	3559.30	4708	7737	633
Apr 2025	583	507	15	598	0	598	3557.90	4701	7639	608
May 2025	849	698	17	599	0	599	3558.98	4707	7715	609
Jun 2025	1083	883	28	678	0	678	3561.30	4720	7879	681
Jul 2025	120	289	33	706	0	706	3555.36	4686	7462	707
Aug 2025	6	268	31	688	73	761	3548.18	4648	6977	762
Sep 2025	162	346	28	367	198	565	3544.69	4629	6749	577
WY 2025	4688	5136	239	6994	487	7481				7503
Oct 2025	663	554	19	373	108	480	3545.46	4633	6799	487
Nov 2025	374	365	19	500	0	500	3543.26	4622	6656	497
Dec 2025	317	313	15	501	0	501	3540.31	4607	6469	494
Jan 2026	265	274	4	625	0	625	3535.02	4581	6140	610
Feb 2026	253	266	4	524	0	524	3531.00	4561	5897	513
Mar 2026	400	361	7	500	0	500	3528.71	4550	5761	507
Apr 2026	400	332	11	490	0	490	3526.03	4538	5604	500
May 2026	800	647	13	600	0	600	3526.58	4540	5636	614
Jun 2026	900	696	20	800	0	800	3524.59	4531	5521	810
Jul 2026	200	307	23	890	0	890	3514.50	4486	4960	893
Aug 2026	170	343	21	900	0	900	3504.22	4443	4425	899
Sep 2026	210	330	18	670	0	670	3497.48	4417	4094	675
WY 2026	4951	4786	174	7372	108	7480				7499
Oct 2026	324	373	12	480	0	480	3495.18	4408	3984	484
Nov 2026	400	398	12	500	0	500	3492.94	4400	3878	501
Dec 2026	361	384	9	387	213	600	3488.39	4383	3669	603
Jan 2027	350	367	2	0	664	664	3482.14	4361	3393	668
Feb 2027	397	398	2	0	587	587	3478.03	4347	3216	595
Mar 2027	614	535	4	0	620	620	3476.09	4340	3134	627
Apr 2027	920	770	6	0	552	552	3480.70	4356	3330	562
May 2027	2060	1845	9	349	201	550	3506.13	4451	4521	564
Jun 2027	2423	1857	18	577	0	577	3527.50	4545	5690	587
Jul 2027	711	716	25	652	0	652	3528.11	4547	5726	655
Aug 2027	371	505	25	696	0	696	3524.66	4531	5525	695
Sep 2027	316	457	23	522	0	522	3523.24	4525	5444	527
WY 2027	9247	8606	147	4163	2837	7000				7065
Oct 2027	417	472	16	480	0	480	3522.86	4523	5422	484
Nov 2027	450	441	16	500	0	500	3521.64	4518	5354	501
Dec 2027	361	405	12	600	0	600	3518.21	4502	5162	603
Jan 2028	350	393	3	790	0	790	3511.35	4473	4792	794
Feb 2028	397	429	3	690	0	690	3506.64	4453	4548	698



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Glen Release (1000 Ac-Ft)	Side Inflow Glen to Hoover (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	SNWP Use (1000 Ac-Ft)	Downstream Requirements (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Mar 2025	626	43	25	778	12.7	13	773	580	1066.43	8918
Apr 2025	598	28	33	921	15.5	18	915	559	1062.23	8593
May 2025	599	24	41	983	16.0	19	978	533	1057.02	8199
Jun 2025	678	31	50	797	13.4	23	795	523	1054.98	8047
Jul 2025	706	23	47	721	11.7	26	718	519	1054.14	7985
Aug 2025	761	55	51	628	10.2	26	620	526	1055.54	8088
Sep 2025	565	96	51	456	7.7	18	632	534	1057.25	8216
WY 2025	7481	547	474	7872		204	8067			
Oct 2025	480	93	48	485	7.9	15	484	536	1057.57	8240
Nov 2025	500	75	42	415	7.0	10	410	542	1058.91	8341
Dec 2025	501	82	35	272	4.4	7	321	559	1062.24	8594
Jan 2026	625	50	24	387	6.3	6	543	574	1065.37	8836
Feb 2026	524	55	23	486	8.7	7	496	578	1066.14	8896
Mar 2026	500	80	25	805	13.1	10	805	562	1062.99	8651
Apr 2026	490	83	33	1018	17.1	15	1018	532	1056.88	8188
May 2026	600	50	40	1050	17.1	20	1050	504	1051.01	7756
Jun 2026	800	20	48	822	13.8	23	822	500	1050.05	7687
Jul 2026	890	53	47	743	12.1	26	743	507	1051.70	7806
Aug 2026	900	102	51	651	10.6	25	651	524	1055.20	8064
Sep 2026	670	91	50	586	9.9	18	586	531	1056.55	8163
WY 2026	7480	835	467	7721		183	7928			
Oct 2026	480	71	48	441	7.2	18	441	533	1057.10	8205
Nov 2026	500	45	42	587	9.9	11	587	528	1055.91	8116
Dec 2026	600	70	34	551	9.0	8	551	532	1056.87	8188
Jan 2027	664	67	24	517	8.4	12	517	543	1059.11	8356
Feb 2027	587	60	22	492	8.9	10	492	551	1060.62	8470
Mar 2027	620	80	24	935	15.2	16	935	534	1057.20	8212
Apr 2027	552	83	32	1056	17.7	21	1056	505	1051.17	7768
May 2027	550	50	39	1103	17.9	26	1103	470	1043.70	7235
Jun 2027	577	20	46	926	15.6	28	926	446	1038.22	6856
Jul 2027	652	53	44	791	12.9	32	791	436	1035.99	6704
Aug 2027	696	102	47	733	11.9	31	733	435	1035.80	6691
Sep 2027	522	91	46	653	11.0	23	653	428	1034.28	6589
WY 2027	7000	791	447	8784		236	8784			
Oct 2027	480	71	43	494	8.0	24	494	428	1034.15	6581
Nov 2027	500	45	38	590	9.9	16	590	422	1032.76	6488
Dec 2027	600	70	31	540	8.8	13	540	427	1033.97	6568
Jan 2028	790	67	21	505	8.2	9	505	447	1038.44	6871
Feb 2028	690	60	20	480	8.3	8	480	461	1041.74	7098



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Spill Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Mar 2025	778	-16	10	723	0	723	11.8	642.74	1692
Apr 2025	921	-11	13	913	0	913	15.3	642.18	1676
May 2025	983	-12	15	927	0	927	15.1	643.20	1704
Jun 2025	797	-14	14	771	0	771	13.0	643.14	1703
Jul 2025	721	-18	13	684	0	684	11.1	643.36	1709
Aug 2025	628	-11	16	606	0	606	9.9	643.16	1703
Sep 2025	456	-1	17	552	0	552	9.3	639.10	1593
WY 2025	7872	-132	157	7581	0	7581			
Oct 2025	485	-6	15	501	0	501	8.2	637.75	1614
Nov 2025	415	5	13	335	0	335	5.6	640.38	1686
Dec 2025	272	-7	13	262	0	262	4.3	640.01	1676
Jan 2026	387	-13	9	319	0	319	5.2	641.64	1721
Feb 2026	486	-16	8	450	0	450	8.1	642.06	1733
Mar 2026	805	-14	10	768	0	768	12.5	642.50	1745
Apr 2026	1018	-18	13	972	0	972	16.3	643.00	1759
May 2026	1050	-10	15	1026	0	1026	16.7	643.00	1759
Jun 2026	822	-14	14	794	0	794	13.3	643.00	1759
Jul 2026	743	-19	13	740	0	740	12.0	642.00	1731
Aug 2026	651	-13	16	622	0	622	10.1	642.00	1731
Sep 2026	586	-4	17	622	0	622	10.4	640.00	1675
WY 2026	7721	-128	157	7410	0	7410			
Oct 2026	441	-6	15	608	0	608	9.9	633.00	1487
Nov 2026	587	-7	13	514	0	514	8.6	635.00	1540
Dec 2026	551	-2	13	414	0	414	6.7	639.50	1662
Jan 2027	517	-5	9	439	0	439	7.1	641.80	1726
Feb 2027	492	-14	8	470	0	470	8.5	641.80	1725
Mar 2027	935	-14	10	877	0	877	14.3	643.00	1759
Apr 2027	1056	-18	13	1024	0	1024	17.2	643.00	1759
May 2027	1103	-10	15	1078	0	1078	17.5	643.00	1759
Jun 2027	926	-14	14	898	0	898	15.1	643.00	1759
Jul 2027	791	-19	13	787	0	787	12.8	642.00	1731
Aug 2027	733	-13	16	704	0	704	11.5	642.00	1731
Sep 2027	653	-4	17	688	0	688	11.6	640.00	1675
WY 2027	8784	-127	156	8501	0	8501			
Oct 2027	494	-6	15	661	0	661	10.7	633.00	1487
Nov 2027	590	-7	13	517	0	517	8.7	635.00	1540
Dec 2027	540	-2	13	403	0	403	6.6	639.50	1662
Jan 2028	505	-5	9	426	0	426	6.9	641.80	1726
Feb 2028	480	-14	8	457	0	457	7.9	641.80	1725

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Davis Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	MWD Diversion (1000 Ac-Ft)	CAP Diversion (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Flow To Mexico (1000 Ac-Ft)	Flow To Mexico (1000 CFS)
Mar 2025	723	0	9	538	8.7	12	170	447.01	561	145	2.4
Apr 2025	913	1	11	640	10.8	74	172	447.53	571	140	2.3
May 2025	927	1	13	625	10.2	92	171	448.59	591	113	1.8
Jun 2025	771	15	16	604	10.1	95	71	448.25	585	117	2.0
Jul 2025	684	12	17	563	9.2	89	14	448.51	590	117	1.9
Aug 2025	606	11	17	486	7.9	95	19	448.06	581	108	1.8
Sep 2025	552	16	16	365	6.1	89	80	448.63	592	96	1.6
WY 2025	7581	104	140	5579		954	915			1286	
Oct 2025	501	10	12	394	6.4	65	58	447.36	519	72	1.2
Nov 2025	335	28	9	236	4.0	48	33	449.14	553	88	1.5
Dec 2025	262	19	7	215	3.5	44	40	447.75	527	80	1.3
Jan 2026	319	14	6	246	4.0	27	70	446.74	508	97	1.6
Feb 2026	450	-5	8	394	7.1	0	42	446.57	505	105	1.9
Mar 2026	768	7	9	606	9.9	65	69	447.50	522	144	2.3
Apr 2026	972	11	11	691	11.6	89	182	447.50	522	145	2.4
May 2026	1026	6	13	714	11.6	98	173	448.70	545	114	1.9
Jun 2026	794	15	16	665	11.2	96	21	448.70	545	124	2.1
Jul 2026	740	19	17	634	10.3	98	12	448.00	531	124	2.0
Aug 2026	622	19	17	510	8.3	98	16	447.50	522	106	1.7
Sep 2026	622	11	15	437	7.3	96	75	447.50	522	96	1.6
WY 2026	7410	154	140	5742		824	790			1294	
Oct 2026	608	17	12	453	7.4	98	54	447.50	522	69	1.1
Nov 2026	514	16	9	342	5.7	96	77	447.50	522	93	1.6
Dec 2026	414	16	6	270	4.4	101	66	446.50	503	88	1.4
Jan 2027	439	8	6	299	4.9	66	68	446.50	503	138	2.2
Feb 2027	470	1	8	389	7.0	3	64	446.50	503	124	2.2
Mar 2027	877	7	9	629	10.2	58	175	446.70	507	119	1.9
Apr 2027	1024	11	11	708	11.9	70	199	448.70	545	118	2.0
May 2027	1078	6	14	769	12.5	89	201	448.70	545	110	1.8
Jun 2027	898	15	16	713	12.0	86	85	448.70	545	116	2.0
Jul 2027	787	19	17	675	11.0	99	16	448.00	531	123	2.0
Aug 2027	704	19	17	581	9.4	99	25	447.50	522	130	2.1
Sep 2027	688	11	15	511	8.6	99	64	447.50	522	128	2.1
WY 2027	8501	147	139	6338		961	1094			1357	
Oct 2027	661	17	12	512	8.3	80	65	447.50	522	89	1.4
Nov 2027	517	16	9	380	6.4	83	53	447.50	522	115	1.9
Dec 2027	403	16	6	310	5.0	82	33	446.50	503	110	1.8
Jan 2028	426	8	6	289	4.7	70	61	446.50	503	130	2.1
Feb 2028	457	1	8	381	6.6	5	58	446.50	503	117	2.0

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Hoover Static Head (Ft)	Hoover Generation Capacity (MW)	Hoover Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Mar 2025	778	12.7	1066.43	8918	-137	417.77	1039.1	294.2	70	378.1
Apr 2025	921	15.5	1062.23	8593	-325	413.68	999.0	346.1	69	375.7
May 2025	983	16.0	1057.02	8199	-394	407.77	776.0	364.9	54	371.4
Jun 2025	797	13.4	1054.98	8047	-152	407.58	1309.0	292.0	94	366.2
Jul 2025	721	11.7	1054.14	7985	-62	405.96	1186.1	262.6	85	364.1
Aug 2025	628	10.2	1055.54	8088	104	407.73	1180.9	227.3	85	362.1
Sep 2025	456	7.7	1057.25	8216	127	415.02	905.0	164.7	65	361.1
WY 2025	7872							2920.7		
Oct 2025	485	7.9	1057.57	8240	24	415.75	738.0	175.7	53	362.3
Nov 2025	415	7.0	1058.91	8341	101	417.59	752.5	151.8	54	365.5
Dec 2025	272	4.4	1062.24	8594	253	420.18	701.1	97.0	49	356.7
Jan 2026	387	6.3	1065.37	8836	242	422.58	854.0	143.3	58	370.2
Feb 2026	486	8.7	1066.14	8896	60	422.01	862.0	182.4	58	375.5
Mar 2026	805	13.1	1062.99	8651	-244	417.29	680.1	314.6	47	390.8
Apr 2026	1018	17.1	1056.88	8188	-463	411.70	750.4	394.0	53	387.2
May 2026	1050	17.1	1051.01	7756	-433	401.57	1284.3	378.6	92	360.4
Jun 2026	822	13.8	1050.05	7687	-69	397.62	1349.8	296.1	97	360.2
Jul 2026	743	12.1	1051.70	7806	119	398.29	1361.5	264.7	97	356.1
Aug 2026	651	10.6	1055.20	8064	258	401.14	1355.0	230.0	97	353.4
Sep 2026	586	9.9	1056.55	8163	100	405.52	1190.5	212.2	85	361.8
WY 2026	7721							2840.3		
Oct 2026	441	7.2	1057.10	8205	42	411.52	819.5	162.6	58	368.6
Nov 2026	587	9.9	1055.91	8116	-89	413.54	820.0	219.4	58	373.9
Dec 2026	551	9.0	1056.87	8188	72	407.72	1317.4	197.7	92	358.9
Jan 2027	517	8.4	1059.11	8356	168	408.47	1140.0	190.9	79	369.5
Feb 2027	492	8.9	1060.62	8470	115	411.43	887.0	180.2	61	366.1
Mar 2027	935	15.2	1057.20	8212	-258	409.19	999.5	350.0	70	374.2
Apr 2027	1056	17.7	1051.17	7768	-444	402.15	1243.0	383.8	89	363.6
May 2027	1103	17.9	1043.70	7235	-533	394.56	1337.3	390.6	97	354.3
Jun 2027	926	15.6	1038.22	6856	-379	387.80	1348.0	328.0	100	354.2
Jul 2027	791	12.9	1035.99	6704	-152	384.31	1323.0	277.6	100	351.2
Aug 2027	733	11.9	1035.80	6691	-13	383.72	1245.1	255.2	97	348.0
Sep 2027	653	11.0	1034.28	6589	-102	383.24	380.8	225.0	29	344.4
WY 2027	8784							3161.0		
Oct 2027	494	8.0	1034.15	6581	-9	384.70	380.6	173.7	29	351.8
Nov 2027	590	9.9	1032.76	6488	-93	386.23	378.4	206.1	29	349.4
Dec 2027	540	8.8	1033.97	6568	80	384.02	380.3	185.2	29	342.8
Jan 2028	505	8.2	1038.44	6871	303	386.92	1009.1	178.7	78	354.3
Feb 2028	480	8.3	1041.74	7098	227	389.27	1121.7	171.1	85	356.9



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Davis Static Head (Ft)	Davis Generation Capacity (MW)	Davis Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Mar 2025	723	11.8	642.74	1692	29	139.14	195.8	92.3	77	127.8
Apr 2025	913	15.3	642.18	1676	-16	138.61	204.0	116.1	80	127.1
May 2025	927	15.1	643.20	1704	29	139.55	204.0	117.9	80	127.1
Jun 2025	771	13.0	643.14	1703	-2	139.47	204.0	98.6	80	127.9
Jul 2025	684	11.1	643.36	1709	6	140.92	204.0	87.7	80	128.1
Aug 2025	606	9.9	643.16	1703	-6	144.29	204.0	77.5	80	127.8
Sep 2025	552	9.3	639.10	1593	-113	138.06	204.0	69.4	80	125.9
WY 2025	7581							959.9		
Oct 2025	501	8.2	637.75	1614	-37	136.51	162.9	62.0	64	123.7
Nov 2025	335	5.6	640.38	1686	72	142.96	154.7	41.0	61	122.4
Dec 2025	262	4.3	640.01	1676	-10	141.23	154.7	33.0	61	126.0
Jan 2026	319	5.2	641.64	1721	45	142.94	190.8	41.6	75	130.3
Feb 2026	450	8.1	642.06	1733	12	139.63	153.0	58.5	60	130.0
Mar 2026	768	12.5	642.50	1745	12	139.45	200.7	96.5	79	125.6
Apr 2026	972	16.3	643.00	1759	14	138.55	204.0	121.3	80	124.8
May 2026	1026	16.7	643.00	1759	0	138.69	204.0	128.1	80	124.9
Jun 2026	794	13.3	643.00	1759	0	139.84	253.3	100.0	99	126.0
Jul 2026	740	12.0	642.00	1731	-28	139.84	255.0	93.2	100	126.0
Aug 2026	622	10.1	642.00	1731	0	140.10	255.0	78.5	100	126.2
Sep 2026	622	10.4	640.00	1675	-56	138.96	255.0	77.8	100	125.2
WY 2026	7410							931.6		
Oct 2026	608	9.9	633.00	1487	-188	134.69	227.0	73.8	89	121.3
Nov 2026	514	8.6	635.00	1540	53	132.73	159.8	61.4	63	119.6
Dec 2026	414	6.7	639.50	1662	122	136.83	154.7	51.0	61	123.3
Jan 2027	439	7.1	641.80	1726	64	140.04	156.3	55.3	61	126.2
Feb 2027	470	8.5	641.80	1725	0	140.60	156.6	59.5	61	126.7
Mar 2027	877	14.3	643.00	1759	34	138.91	194.1	109.7	76	125.1
Apr 2027	1024	17.2	643.00	1759	0	138.51	249.9	127.8	98	124.8
May 2027	1078	17.5	643.00	1759	0	138.41	255.0	134.4	100	124.7
Jun 2027	898	15.1	643.00	1759	0	139.22	255.0	112.6	100	125.4
Jul 2027	787	12.8	642.00	1731	-28	139.55	255.0	99.0	100	125.7
Aug 2027	704	11.5	642.00	1731	0	139.56	255.0	88.5	100	125.7
Sep 2027	688	11.6	640.00	1675	-56	138.51	255.0	85.9	100	124.8
WY 2027	8501							1059.1		
Oct 2027	661	10.7	633.00	1487	-188	134.34	227.0	80.0	89	121.0
Nov 2027	517	8.7	635.00	1540	53	132.71	159.8	61.8	63	119.6
Dec 2027	403	6.6	639.50	1662	122	136.91	154.7	49.7	61	123.3
Jan 2028	426	6.9	641.80	1726	64	140.13	156.3	53.8	61	126.2
Feb 2028	457	7.9	641.80	1725	0	140.83	156.6	58.0	61	126.9

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Parker Static Head (Ft)	Parker Generation Capacity (MW)	Parker Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Mar 2025	538	8.7	447.01	561	-12	78.73	114.2	37.2	95	69.1
Apr 2025	640	10.8	447.53	571	10	77.25	118.0	43.6	98	68.2
May 2025	625	10.2	448.59	591	20	76.52	120.0	43.2	100	69.1
Jun 2025	604	10.1	448.25	585	-6	79.81	120.0	41.6	100	68.9
Jul 2025	563	9.1	448.51	590	5	80.19	120.0	39.3	100	69.9
Aug 2025	486	7.9	448.06	581	-9	81.84	120.0	33.8	100	69.6
Sep 2025	365	6.1	448.63	592	11	79.19	116.0	25.2	97	69.0
WY 2025	5579							382.6		
Oct 2025	394	6.4	447.36	519	-24	80.98	90.0	26.8	75	68.0
Nov 2025	236	4.0	449.14	553	34	84.07	92.0	15.2	77	64.5
Dec 2025	215	3.5	447.75	527	-27	82.95	108.4	13.3	90	61.9
Jan 2026	245	4.0	446.74	508	-19	78.49	94.8	16.0	79	65.0
Feb 2026	394	7.1	446.57	505	-3	75.02	92.1	26.5	77	67.4
Mar 2026	606	9.9	447.50	522	17	77.98	115.2	41.8	96	69.0
Apr 2026	691	11.6	447.50	522	0	77.74	120.0	48.0	100	69.5
May 2026	714	11.6	448.70	545	23	78.34	120.0	49.8	100	69.8
Jun 2026	665	11.2	448.70	545	0	79.11	120.0	46.8	100	70.5
Jul 2026	634	10.3	448.00	531	-13	79.11	120.0	44.4	100	70.1
Aug 2026	510	8.3	447.50	522	-9	79.38	120.0	35.8	100	70.1
Sep 2026	437	7.3	447.50	522	0	79.57	120.0	30.6	100	70.0
WY 2026	5741							395.2		
Oct 2026	453	7.4	447.50	522	0	79.56	93.9	31.9	78	70.3
Nov 2026	342	5.7	447.50	522	0	80.36	92.0	23.6	77	68.9
Dec 2026	270	4.4	446.50	503	-19	80.59	102.6	17.2	85	63.6
Jan 2027	299	4.9	446.50	503	0	79.82	92.9	20.0	77	66.9
Feb 2027	389	7.0	446.50	503	0	78.72	92.1	26.9	77	69.2
Mar 2027	629	10.2	446.70	507	4	77.39	108.4	43.1	90	68.5
Apr 2027	708	11.9	448.70	545	38	77.83	120.0	49.2	100	69.6
May 2027	769	12.5	448.70	545	0	78.60	120.0	53.8	100	70.1
Jun 2027	713	12.0	448.70	545	0	78.79	120.0	50.1	100	70.2
Jul 2027	675	11.0	448.00	531	-13	78.84	120.0	47.1	100	69.9
Aug 2027	581	9.4	447.50	522	-9	78.87	120.0	40.5	100	69.7
Sep 2027	511	8.6	447.50	522	0	79.00	120.0	35.5	100	69.5
WY 2027	6338							438.9		
Oct 2027	512	8.3	447.50	522	0	79.12	90.0	35.8	75	69.9
Nov 2027	380	6.4	447.50	522	0	80.03	92.0	26.1	77	68.6
Dec 2027	310	5.0	446.50	503	-19	80.23	109.4	19.6	91	63.3
Jan 2028	289	4.7	446.50	503	0	79.91	92.9	19.4	77	67.0
Feb 2028	381	6.6	446.50	503	0	78.92	92.1	26.4	77	69.3

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow

Upper Basin Power



— BUREAU OF —
RECLAMATION

Date	Glen Canyon (1000 MWHR)	Flaming Gorge (1000 MWHR)	Blue Mesa (1000 MWHR)	Morrow Point (1000 MWHR)	Crystal Reservoir (1000 MWHR)	Fontenelle Reservoir (1000 MWHR)
Mar 2025	250	25	10	18	10	3
Winter 2025	1366	147	63	82	29	19
Apr 2025	237	26	14	26	16	2
May 2025	237	28	28	41	20	6
Jun 2025	271	33	25	34	19	6
Jul 2025	279	36	31	37	20	4
Aug 2025	268	39	26	34	20	4
Sep 2025	141	36	21	16	12	4
Summer 2025	1434	199	147	189	107	27
Oct 2025	142	19	17	24	11	2
Nov 2025	191	18	5	6	1	3
Dec 2025	190	19	5	6	2	3
Jan 2026	235	19	6	7	2	3
Feb 2026	194	17	5	7	2	3
Mar 2026	178	16	11	16	8	3
Winter 2026	1131	107	49	65	28	18
Apr 2026	173	16	15	22	12	1
May 2026	212	37	17	27	15	6
Jun 2026	280	22	18	27	15	7
Jul 2026	307	24	24	31	16	7
Aug 2026	302	25	25	33	16	7
Sep 2026	221	24	20	28	14	4
Summer 2026	1495	149	120	168	88	32
Oct 2026	155	20	17	23	10	4
Nov 2026	161	19	4	6	4	4
Dec 2026	125	23	4	6	4	4
Jan 2027	0	23	4	6	4	4
Feb 2027	0	21	4	6	3	3
Mar 2027	0	24	7	10	6	3
Winter 2027	441	130	40	57	31	23
Apr 2027	0	24	15	24	13	2
May 2027	112	77	44	66	23	6
Jun 2027	197	40	14	22	15	7
Jul 2027	230	33	30	38	20	8
Aug 2027	244	41	23	29	15	7
Sep 2027	183	40	22	27	14	4
Summer 2027	967	255	148	205	101	34
Oct 2027	167	28	19	24	11	4
Nov 2027	174	22	4	6	4	4
Dec 2027	207	28	7	9	5	4
Jan 2028	269	28	8	10	6	4
Feb 2028	232	26	8	11	6	4



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

March 2026 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Predicted Space – Beginning of Month Conditions

Date	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Upper Basin Total (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)
Mar 2026	855	411	660	17417	19344	18724	38069
Apr 2026	829	416	652	17553	19449	18969	38418
May 2026	787	430	634	17710	19561	19432	38992
Jun 2026	770	389	561	17677	19398	19864	39262
Jul 2026	592	344	591	17793	19318	19933	39252
Aug 2026	554	380	681	18354	19969	19814	39783
Sep 2026	595	424	749	18889	20657	19556	40213
Oct 2026	643	465	766	19220	21095	19457	40551
Nov 2026	663	499	763	19330	21256	19415	40671
Dec 2026	676	486	775	19435	21373	19504	40877
Jan 2027	713	476	780	19644	21614	19432	41046
Feb 2027	743	467	785	19921	21917	19264	41181
Mar 2027	765	458	782	20098	22103	19150	41253
Apr 2027	756	449	738	20180	22122	19408	41530
May 2027	722	426	675	19983	21807	19852	41659
Jun 2027	716	394	555	18793	20458	20385	40843
Jul 2027	464	217	484	17624	18790	20764	39554
Aug 2027	419	228	519	17588	18754	20916	39670
Sep 2027	486	242	556	17788	19072	20929	40001
Oct 2027	572	274	571	17870	19287	21031	40317
Nov 2027	609	302	565	17891	19368	21039	40407
Dec 2027	628	287	565	17960	19441	21132	40573
Jan 2028	679	283	569	18152	19683	21052	40735
Feb 2028	722	286	574	18522	20104	20749	40853

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS
March 2026 24-Month Study
Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Creditable / Effective Space – Beginning of Month Conditions

Date	Space	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Total or Maximum Allowed (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)	Beginning of Month Space Required (1000 Ac-Ft)	Mead Scheduled Release (1000 Ac-Ft)	Mead Flood Control Release (1000 Ac-Ft)	System Content (MAF)
Mar 2026	Effective	352	48	160	560	17417	18724	36701	1500	805	0	21.5
Apr 2026	Effective	321	52	146	518	17553	18969	37040	1500	1018	0	20.9
May 2026	Effective	274	62	105	440	17710	19432	37581	1500	1050	0	20.7
Jun 2026	Effective	248	12	-7	253	17677	19864	37794	1500	822	0	20.7
Jul 2026	Effective	54	-41	-31	-19	17793	19933	37707	1500	743	0	20.1
Aug 2026	Creditable	554	380	681	1615	18354	19814	39783	1500	651	0	19.7
Sep 2026	Creditable	595	424	749	1768	18889	19556	40213	2270	586	0	19.3
Oct 2026	Creditable	643	465	766	1874	19220	19457	40551	3040	441	0	18.9
Nov 2026	Creditable	663	499	763	1926	19330	19415	40671	3810	587	0	18.8
Dec 2026	Creditable	676	486	775	1938	19435	19504	40877	4580	551	0	18.7
Jan 2027	Creditable	713	476	780	1969	19644	19432	41046	5350	517	0	18.7
Jan 2027	Effective	351	284	443	1079	19644	19432	40156	5350	517	0	18.7
Feb 2027	Effective	379	275	449	1102	19921	19264	40287	1500	492	0	18.6
Mar 2027	Effective	398	265	445	1108	20098	19150	40355	1500	935	0	18.4
Apr 2027	Effective	385	254	394	1033	20180	19408	40621	1500	1056	0	18.3
May 2027	Effective	345	231	308	885	19983	19852	40721	1500	1103	0	19.1
Jun 2027	Effective	334	188	150	672	18793	20385	39849	1500	926	0	20.4
Jul 2027	Effective	62	-16	24	71	17624	20764	38459	1500	791	0	20.2
Aug 2027	Creditable	419	228	519	1166	17588	20916	39670	1500	733	0	19.9
Sep 2027	Creditable	486	242	556	1284	17788	20929	40001	2270	653	0	19.5
Oct 2027	Creditable	572	274	571	1417	17870	21031	40317	3040	494	0	19.2
Nov 2027	Creditable	609	302	565	1476	17891	21039	40407	3810	590	0	19.1
Dec 2027	Creditable	628	287	565	1481	17960	21132	40573	4580	540	0	19.0
Jan 2028	Creditable	679	283	569	1531	18152	21052	40735	5350	505	0	19.0
Jan 2028	Effective	350	203	486	1039	18152	21052	40243	5350	505	0	19.0
Feb 2028	Effective	391	206	490	1087	18522	20749	40358	1500	480	0	18.9

Model Run ID: 3308

Processed on: 3/11/2026 12:13:30 PM



April 2026 Most Probable 24-Month Study

The operation of Lake Powell and Lake Mead in the April 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre feet (maf). To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the December 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026.³ That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual WY 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in WY 2026 may be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of March was 0.350 maf or 59% of the 30-year average from 1991 to 2020. The April 2026 unregulated inflow forecast for Lake Powell is 0.550 maf or 61% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 1.40 maf or 22% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 3.87 maf or 40% of average.

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² The 2024 Interim Guidelines SEIS ROD is available online at: https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

³ Consistent with the Drought Response Operating Agreement and Framework.

In this study, the CY 2026 diversion for Metropolitan Water District of Southern California (MWD) is projected to be 0.935 maf. The CY 2026 diversion for the Central Arizona Project (CAP) is projected to be 0.861 maf. Consumptive use for Nevada above Hoover (SNWP Use) is projected to be 0.190 maf for CY 2026.

Due to changing Lake Mead elevations, Hoover's generator capacity is adjusted based on estimated effective capacity and plant availability. The estimated effective capacity is based on projected Lake Mead elevations. Unit capacity tests will be performed as the lake elevation changes. This study reflects these changes in the projections.

For questions on Upper Colorado River Basin (UCB) reservoir operations, please contact Alex Pivarnik, the UCB River Operations Group Supervisor at apivarnik@usbr.gov. For questions on Lower Colorado River Basin (LCB) reservoir operations, please contact Noe Santos, the LCB River Operations Manager at nsantos@usbr.gov.

Hoover, Davis, and Parker Dam historical gross energy figures come from Power, Operations, and Maintenance reports provided by the Lower Colorado Region's Power Office, Bureau of Reclamation, Boulder City, Nevada. Questions regarding these historical energy numbers can be directed to Rebecca Rogers (rrogers@usbr.gov) or Kyra Cubi (kcubi@usbr.gov).

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_04_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Fontenelle Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Apr 2025	84	1	35	26	62	6477.72	147
May 2025	133	1	98	0	98	6484.04	181
Jun 2025	187	2	82	0	82	6499.39	284
Jul 2025	60	3	55	0	55	6499.76	287
Aug 2025	29	2	53	0	53	6496.23	261
Sep 2025	22	2	49	0	49	6492.13	233
WY 2025	710	14	662	38	700		
Oct 2025	33	1	28	22	50	6489.48	215
Nov 2025	37	1	49	2	50	6487.29	201
Dec 2025	39	1	51	0	51	6485.22	188
Jan 2026	32	1	51	0	51	6481.93	169
Feb 2026	31	0	46	0	46	6479.12	154
Mar 2026	57	1	49	1	50	6480.26	160
Apr 2026	75	1	17	31	48	6484.96	187
May 2026	90	2	59	0	59	6489.66	216
Jun 2026	195	2	104	0	104	6502.18	305
Jul 2026	80	3	61	0	61	6504.25	320
Aug 2026	30	2	61	0	61	6499.78	287
Sep 2026	27	2	59	0	59	6495.07	253
WY 2026	726	15	635	55	690		
Oct 2026	36	1	58	0	58	6491.65	229
Nov 2026	38	1	57	0	57	6488.62	209
Dec 2026	32	1	60	0	60	6483.99	181
Jan 2027	31	1	60	0	60	6478.60	151
Feb 2027	29	0	54	0	54	6473.13	126
Mar 2027	51	0	60	0	60	6470.92	116
Apr 2027	77	1	38	16	53	6476.13	139
May 2027	166	1	90	0	90	6489.28	214
Jun 2027	301	2	104	118	223	6500.16	289
Jul 2027	146	3	101	9	111	6504.48	322
Aug 2027	59	2	94	0	94	6499.54	285
Sep 2027	39	2	57	0	57	6496.84	265
WY 2027	1005	15	834	143	978		
Oct 2027	45	1	58	0	58	6494.78	251
Nov 2027	42	1	60	0	60	6492.02	232
Dec 2027	32	1	66	0	66	6486.68	197
Jan 2028	31	1	66	0	66	6480.53	161
Feb 2028	29	0	62	0	62	6473.68	128
Mar 2028	51	0	66	0	66	6470.00	113

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Flaming Gorge Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Jensen Flow (1000 Ac-Ft)
Apr 2025	109	85	5	68	0	68	121	6026.72	3144	225
May 2025	157	127	7	75	0	75	122	6027.90	3186	355
Jun 2025	194	84	10	88	0	88	122	6027.51	3172	294
Jul 2025	57	51	12	95	0	95	120	6026.01	3119	117
Aug 2025	25	48	12	102	0	102	117	6024.21	3055	114
Sep 2025	21	47	10	96	0	96	115	6022.58	2999	114
WY 2025	832	822	75	908	1	909				1821
Oct 2025	35	52	7	51	0	51	115	6022.44	2994	84
Nov 2025	42	55	3	49	0	49	115	6022.52	2997	78
Dec 2025	40	52	2	51	0	51	115	6022.48	2995	81
Jan 2026	31	50	2	52	0	52	114	6022.39	2992	80
Feb 2026	42	58	2	44	0	46	115	6022.66	3001	76
Mar 2026	64	59	3	50	0	50	115	6022.81	3007	113
Apr 2026	95	68	4	48	0	48	116	6023.24	3021	188
May 2026	100	69	7	94	0	94	114	6022.34	2990	259
Jun 2026	210	119	10	49	0	49	117	6024.01	3048	101
Jul 2026	85	66	12	65	0	65	116	6023.71	3038	68
Aug 2026	34	65	12	65	0	65	116	6023.41	3027	68
Sep 2026	28	60	10	62	0	62	115	6023.08	3016	66
WY 2026	806	773	73	680	0	682				1262
Oct 2026	40	62	7	54	0	54	115	6023.12	3017	68
Nov 2026	44	63	3	48	0	48	116	6023.47	3029	71
Dec 2026	34	62	2	49	0	49	116	6023.77	3040	74
Jan 2027	42	71	2	49	0	49	117	6024.33	3059	74
Feb 2027	43	68	2	44	0	44	118	6024.92	3080	69
Mar 2027	85	94	3	50	0	50	120	6026.06	3120	124
Apr 2027	111	87	5	48	0	48	121	6027.00	3154	251
May 2027	239	163	7	237	0	237	118	6024.82	3076	750
Jun 2027	389	311	10	109	0	109	125	6029.90	3261	476
Jul 2027	161	126	14	100	0	100	126	6030.19	3272	160
Aug 2027	66	101	13	120	0	120	124	6029.39	3242	139
Sep 2027	43	61	11	118	0	118	122	6027.64	3177	131
WY 2027	1297	1270	77	1025	0	1025				2386
Oct 2027	52	65	7	79	0	79	121	6027.08	3157	105
Nov 2027	50	68	3	68	0	68	121	6027.01	3154	98
Dec 2027	34	68	2	86	0	86	120	6026.48	3135	111
Jan 2028	42	77	2	86	0	86	120	6026.19	3125	111
Feb 2028	43	76	2	80	0	80	120	6026.02	3119	105
Mar 2028	85	100	3	71	0	71	121	6026.74	3145	145

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Taylor Park Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Apr 2025	10	6	9312.10	73
May 2025	18	9	9317.35	82
Jun 2025	25	15	9322.73	92
Jul 2025	8	18	9317.27	82
Aug 2025	6	16	9311.09	72
Sep 2025	6	13	9306.59	65
WY 2025	104	113		
Oct 2025	7	7	9306.49	64
Nov 2025	4	5	9306.13	64
Dec 2025	4	5	9305.47	63
Jan 2026	3	5	9304.41	61
Feb 2026	3	4	9303.63	60
Mar 2026	7	4	9305.79	63
Apr 2026	10	4	9309.91	70
May 2026	15	5	9315.71	79
Jun 2026	9	10	9314.88	78
Jul 2026	6	14	9310.13	70
Aug 2026	5	10	9306.65	65
Sep 2026	4	7	9304.33	61
WY 2026	78	81		
Oct 2026	5	6	9303.54	60
Nov 2026	4	4	9303.22	60
Dec 2026	4	5	9302.79	59
Jan 2027	5	5	9303.06	59
Feb 2027	4	4	9302.94	59
Mar 2027	5	5	9303.22	60
Apr 2027	9	9	9303.27	60
May 2027	26	12	9312.18	73
Jun 2027	40	19	9323.83	94
Jul 2027	15	22	9320.34	88
Aug 2027	8	18	9314.40	77
Sep 2027	7	15	9309.58	69
WY 2027	132	124		
Oct 2027	7	6	9310.12	70
Nov 2027	5	5	9310.08	70
Dec 2027	4	5	9309.31	69
Jan 2028	5	5	9309.27	69
Feb 2028	4	5	9308.49	68
Mar 2028	5	5	9308.45	67

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Blue Mesa Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Apr 2025	85	80	1	53	11	63	7481.45	513
May 2025	120	112	1	104	0	104	7482.44	520
Jun 2025	160	150	1	91	0	91	7490.03	578
Jul 2025	44	54	1	112	0	112	7482.27	519
Aug 2025	29	40	1	95	0	95	7474.44	462
Sep 2025	30	37	1	80	0	80	7467.96	418
WY 2025	657	666	8	770	30	799		
Oct 2025	45	45	0	67	0	67	7464.57	396
Nov 2025	30	31	0	22	0	22	7465.86	404
Dec 2025	27	28	0	20	0	20	7467.02	412
Jan 2026	22	23	0	22	0	22	7467.17	413
Feb 2026	23	24	0	20	0	20	7467.76	417
Mar 2026	42	39	0	42	0	42	7467.35	414
Apr 2026	67	61	1	62	0	62	7466.99	411
May 2026	89	79	1	70	0	70	7468.23	420
Jun 2026	57	58	1	80	0	80	7464.71	397
Jul 2026	27	35	1	90	0	90	7455.44	340
Aug 2026	28	33	1	93	0	93	7444.39	280
Sep 2026	22	25	1	76	0	76	7433.89	229
WY 2026	479	483	6	666	0	666		
Oct 2026	27	28	0	66	0	66	7425.26	191
Nov 2026	27	27	0	16	0	16	7427.91	202
Dec 2026	26	27	0	16	0	16	7430.42	213
Jan 2027	25	25	0	16	0	16	7432.42	222
Feb 2027	23	23	0	13	0	13	7434.51	231
Mar 2027	38	38	0	27	0	27	7436.71	242
Apr 2027	78	78	0	55	0	55	7441.34	264
May 2027	204	190	1	161	0	161	7447.01	293
Jun 2027	251	230	1	47	0	47	7476.27	475
Jul 2027	86	93	1	102	0	102	7474.78	464
Aug 2027	55	65	1	78	0	78	7472.82	451
Sep 2027	35	43	1	74	0	74	7468.06	418
WY 2027	875	867	6	671	0	671		
Oct 2027	36	35	0	65	0	65	7463.45	389
Nov 2027	31	31	0	15	0	15	7465.92	404
Dec 2027	26	27	0	23	0	23	7466.50	408
Jan 2028	25	25	0	28	0	28	7466.05	405
Feb 2028	23	24	0	29	0	29	7465.36	401
Mar 2028	38	38	0	34	0	34	7465.93	405

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Morrow Point Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Blue Mesa Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Apr 2025	94	63	9	72	76	0	76	7152.22	111
May 2025	133	104	12	116	119	0	119	7148.94	108
Jun 2025	170	91	9	100	99	0	99	7149.91	109
Jul 2025	44	112	0	112	106	0	106	7157.96	115
Aug 2025	30	95	1	96	99	0	99	7153.99	112
Sep 2025	30	80	0	81	47	0	79	7156.14	114
WY 2025	698	799	41	841	796	0	838		
Oct 2025	45	67	0	67	70	0	70	7152.16	111
Nov 2025	30	22	0	22	18	0	18	7156.71	114
Dec 2025	28	20	1	21	22	0	22	7155.76	114
Jan 2026	23	22	1	24	24	0	24	7155.79	114
Feb 2026	25	20	1	22	21	0	21	7156.24	114
Mar 2026	44	42	1	43	44	0	44	7155.45	113
Apr 2026	76	62	9	71	73	0	73	7153.73	112
May 2026	98	70	9	79	79	0	79	7153.73	112
Jun 2026	58	80	1	81	81	0	81	7153.72	112
Jul 2026	28	90	1	91	91	0	91	7153.73	112
Aug 2026	29	93	1	94	94	0	94	7153.73	112
Sep 2026	23	76	1	77	77	0	77	7153.73	112
WY 2026	506	666	27	693	694	0	694		
Oct 2026	28	66	1	67	67	0	67	7153.73	112
Nov 2026	28	16	1	17	17	0	17	7153.73	112
Dec 2026	27	16	1	17	17	0	17	7153.73	112
Jan 2027	26	16	1	17	17	0	17	7153.73	112
Feb 2027	25	13	2	15	15	0	15	7153.73	112
Mar 2027	40	27	2	29	29	0	29	7153.73	112
Apr 2027	89	55	11	66	66	0	66	7153.73	112
May 2027	226	161	22	183	182	0	182	7153.73	112
Jun 2027	265	47	14	61	61	0	61	7153.72	112
Jul 2027	90	102	4	106	106	0	106	7153.73	112
Aug 2027	56	78	1	79	79	0	79	7153.73	112
Sep 2027	36	74	1	75	75	0	75	7153.73	112
WY 2027	936	671	61	732	731	0	731		
Oct 2027	37	65	1	66	66	0	66	7153.73	112
Nov 2027	32	15	1	16	16	0	16	7153.73	112
Dec 2027	27	23	1	24	24	0	24	7153.73	112
Jan 2028	26	28	1	29	29	0	29	7153.73	112
Feb 2028	25	29	2	31	31	0	31	7153.73	112
Mar 2028	40	34	2	36	36	0	36	7153.73	112



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Crystal Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Morrow Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Tunnel Flow (1000 Ac-Ft)	Below Tunnel Flow (1000 Ac-Ft)
Apr 2025	99	76	5	81	81	0	81	6751.73	17	49	31
May 2025	139	119	7	125	100	20	123	6757.45	18	63	60
Jun 2025	187	99	17	116	99	17	117	6752.70	17	62	57
Jul 2025	46	106	2	107	102	5	108	6752.20	17	66	43
Aug 2025	30	99	0	99	99	0	99	6751.19	16	63	36
Sep 2025	31	79	1	80	65	20	85	6731.14	11	61	25
WY 2025	740	838	42	879	730	147	882			439	432
Oct 2025	47	70	2	72	59	8	67	6749.67	16	46	21
Nov 2025	33	18	3	21	13	9	21	6749.46	16	0	20
Dec 2025	30	22	2	24	24	0	24	6749.70	16	1	22
Jan 2026	25	24	2	25	24	0	24	6752.71	17	1	23
Feb 2026	26	21	2	23	23	0	23	6752.61	17	0	21
Mar 2026	48	44	5	48	49	0	49	6750.21	16	24	24
Apr 2026	85	73	9	82	81	0	81	6753.04	17	42	39
May 2026	104	79	6	85	85	0	85	6753.04	17	62	23
Jun 2026	61	81	3	84	84	0	84	6753.03	17	61	23
Jul 2026	30	91	2	93	93	0	93	6753.04	17	65	28
Aug 2026	32	94	3	97	97	0	97	6753.04	17	65	32
Sep 2026	26	77	3	80	80	0	80	6753.04	17	55	25
WY 2026	547	694	40	735	711	17	728			422	301
Oct 2026	32	67	4	71	60	10	71	6753.04	17	49	22
Nov 2026	32	17	4	21	21	0	21	6753.04	17	0	21
Dec 2026	32	17	5	22	22	0	22	6753.04	17	0	21
Jan 2027	31	17	5	22	22	0	22	6753.04	17	0	22
Feb 2027	29	15	4	19	19	0	19	6753.04	17	0	19
Mar 2027	46	29	6	35	35	0	35	6753.04	17	5	30
Apr 2027	100	66	11	77	77	0	77	6753.04	17	42	35
May 2027	251	182	25	207	134	73	207	6753.04	17	62	145
Jun 2027	293	61	28	89	89	0	89	6753.03	17	61	28
Jul 2027	98	106	8	114	114	0	114	6753.04	17	65	49
Aug 2027	63	79	7	86	86	0	86	6753.04	17	65	21
Sep 2027	42	75	6	81	81	0	81	6753.04	17	55	26
WY 2027	1049	731	113	844	760	84	844			405	439
Oct 2027	43	66	6	72	64	7	72	6753.04	17	49	22
Nov 2027	37	16	5	21	21	0	21	6753.04	17	0	21
Dec 2027	32	24	5	29	29	0	29	6753.04	17	0	29
Jan 2028	31	29	5	34	34	0	34	6753.04	17	0	34
Feb 2028	29	31	4	35	35	0	35	6753.04	17	0	35
Mar 2028	46	36	6	42	42	0	42	6753.04	17	5	37

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Vallecito Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Apr 2025	21	5	7657.59	106
May 2025	40	32	7660.43	113
Jun 2025	35	38	7659.35	110
Jul 2025	10	39	7647.41	81
Aug 2025	5	37	7631.88	48
Sep 2025	8	27	7619.96	29
WY 2025	159	199		
Oct 2025	65	5	7650.81	89
Nov 2025	10	2	7654.03	97
Dec 2025	7	2	7655.94	102
Jan 2026	5	2	7657.19	105
Feb 2026	4	2	7658.18	107
Mar 2026	15	7	7661.23	115
Apr 2026	21	13	7664.07	123
May 2026	34	40	7661.65	117
Jun 2026	15	43	7650.50	88
Jul 2026	7	41	7634.57	53
Aug 2026	7	38	7614.48	22
Sep 2026	8	22	7598.50	8
WY 2026	199	217		
Oct 2026	9	9	7598.77	8
Nov 2026	8	0	7608.30	16
Dec 2026	7	0	7614.54	23
Jan 2027	6	0	7619.05	28
Feb 2027	5	0	7622.35	33
Mar 2027	10	0	7628.32	42
Apr 2027	23	0	7639.92	64
May 2027	68	31	7655.51	101
Jun 2027	62	43	7662.73	119
Jul 2027	21	41	7654.60	98
Aug 2027	15	38	7644.93	75
Sep 2027	16	29	7638.71	62
WY 2027	250	194		
Oct 2027	13	16	7636.96	58
Nov 2027	9	1	7640.60	66
Dec 2027	7	2	7643.07	71
Jan 2028	6	2	7645.03	76
Feb 2028	5	1	7646.54	79
Mar 2028	10	2	7650.04	87

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Navajo Reservoir



BUREAU OF
RECLAMATION

Date	Modified Unregulated Inflow (1000 Ac-Ft)	Azotea Tunnel Diversion (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	NIIP Diversion (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Farmington Flow (1000 Ac-Ft)
Apr 2025	78	9	53	2	15	25	6037.35	1033	44
May 2025	102	13	81	3	26	22	6040.32	1064	63
Jun 2025	61	11	50	3	27	23	6040.05	1061	108
Jul 2025	-11	0	18	4	37	48	6033.15	991	48
Aug 2025	-13	0	20	3	38	64	6024.30	905	51
Sep 2025	15	1	34	2	18	42	6021.25	877	48
WY 2025	363	36	366	22	174	382			620
Oct 2025	215	9	146	1	6	23	6033.50	994	101
Nov 2025	33	0	24	1	0	27	6033.12	990	51
Dec 2025	26	0	21	0	0	18	6033.40	993	38
Jan 2026	21	0	18	0	0	19	6033.24	991	36
Feb 2026	20	0	18	1	2	19	6032.86	988	33
Mar 2026	78	11	60	1	14	17	6035.62	1015	47
Apr 2026	81	8	65	2	21	19	6037.88	1038	61
May 2026	89	10	85	3	35	24	6040.14	1062	88
Jun 2026	13	0	41	3	51	68	6032.13	980	108
Jul 2026	-10	0	24	3	55	66	6021.57	880	83
Aug 2026	7	0	38	2	47	61	6013.26	808	75
Sep 2026	25	1	38	2	26	34	6010.45	784	51
WY 2026	598	39	578	21	257	394			771
Oct 2026	30	1	29	1	9	23	6009.87	779	41
Nov 2026	28	1	20	1	0	31	6008.45	768	47
Dec 2026	24	0	17	0	0	22	6007.86	763	37
Jan 2027	22	0	16	0	0	22	6007.17	757	35
Feb 2027	29	1	23	1	0	19	6007.58	761	31
Mar 2027	92	10	72	1	5	22	6012.96	805	45
Apr 2027	147	18	106	2	21	21	6020.20	868	72
May 2027	251	34	180	3	35	22	6032.97	989	157
Jun 2027	187	25	143	3	51	21	6039.61	1056	165
Jul 2027	33	2	52	4	55	28	6036.25	1022	79
Aug 2027	24	1	46	3	47	33	6032.62	985	62
Sep 2027	31	1	43	2	26	30	6031.13	971	56
WY 2027	898	94	747	20	250	291			824
Oct 2027	35	2	37	1	9	22	6031.61	975	45
Nov 2027	30	1	21	1	0	21	6031.60	975	39
Dec 2027	24	0	18	0	0	22	6031.21	971	37
Jan 2028	22	0	17	0	0	22	6030.74	967	35
Feb 2028	29	1	25	1	0	20	6031.11	970	32
Mar 2028	92	10	74	1	6	22	6035.63	1015	45

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Lake Powell



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Plant Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Bank Storage (1000 Ac-Ft)	End Of Month Storage (1000 Ac-Ft)	Lees Ferry Gage (1000 Ac-Ft)
Apr 2025	583	507	15	598	0	598	3557.90	4701	7639	608
May 2025	849	698	17	599	0	599	3558.98	4707	7715	609
Jun 2025	1083	883	28	678	0	678	3561.30	4720	7879	681
Jul 2025	120	289	33	706	0	706	3555.36	4686	7462	707
Aug 2025	6	268	31	688	73	761	3548.18	4648	6977	762
Sep 2025	162	346	28	367	198	565	3544.69	4629	6749	577
WY 2025	4688	5136	239	6994	487	7481				7503
Oct 2025	663	554	19	373	108	480	3545.46	4633	6799	487
Nov 2025	374	365	19	500	0	500	3543.26	4622	6656	497
Dec 2025	317	313	15	501	0	501	3540.31	4607	6469	494
Jan 2026	265	274	4	625	0	625	3535.02	4581	6140	610
Feb 2026	253	266	4	524	0	524	3531.00	4561	5897	513
Mar 2026	350	314	7	500	0	500	3527.99	4547	5719	489
Apr 2026	550	465	11	490	0	490	3527.43	4544	5686	500
May 2026	450	405	13	600	0	600	3524.10	4529	5493	614
Jun 2026	350	319	19	800	0	800	3515.79	4492	5030	810
Jul 2026	50	224	21	890	0	890	3503.60	4441	4394	893
Aug 2026	100	297	19	900	0	900	3491.64	4395	3818	899
Sep 2026	150	274	16	129	541	670	3483.15	4364	3437	675
WY 2026	3871	4068	166	6832	648	7480				7481
Oct 2026	271	327	10	0	480	480	3479.67	4352	3286	484
Nov 2026	371	367	10	0	500	500	3476.54	4342	3153	501
Dec 2026	361	364	8	0	600	600	3471.06	4324	2927	603
Jan 2027	350	347	2	0	664	664	3463.62	4300	2632	668
Feb 2027	397	380	2	0	587	587	3458.56	4285	2440	595
Mar 2027	614	512	3	0	620	620	3455.80	4276	2338	627
Apr 2027	920	747	5	0	552	552	3460.52	4291	2514	562
May 2027	2060	1854	7	0	550	550	3489.39	4387	3715	564
Jun 2027	2423	1848	16	562	15	577	3512.96	4480	4878	587
Jul 2027	711	717	22	652	0	652	3513.72	4483	4918	655
Aug 2027	371	505	22	696	0	696	3510.00	4467	4721	695
Sep 2027	316	456	20	522	0	522	3508.46	4461	4641	527
WY 2027	9165	8425	124	2432	4568	7000				7065
Oct 2027	417	470	14	480	0	480	3508.04	4459	4619	484
Nov 2027	450	444	14	500	0	500	3506.77	4454	4554	501
Dec 2027	361	408	11	600	0	600	3503.06	4439	4367	603
Jan 2028	350	397	3	730	0	730	3496.69	4414	4056	734
Feb 2028	397	432	3	640	0	640	3492.55	4398	3860	648
Mar 2028	614	541	4	600	80	680	3489.66	4388	3727	687

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Glen Release (1000 Ac-Ft)	Side Inflow Glen to Hoover (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	SNWP Use (1000 Ac-Ft)	Downstream Requirements (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Apr 2025	598	28	33	921	15.5	18	915	559	1062.23	8593
May 2025	599	24	41	983	16.0	19	978	533	1057.02	8199
Jun 2025	678	31	50	797	13.4	23	795	523	1054.98	8047
Jul 2025	706	23	47	721	11.7	26	718	519	1054.14	7985
Aug 2025	761	55	51	628	10.2	26	620	526	1055.54	8088
Sep 2025	565	96	51	456	7.7	18	632	534	1057.25	8216
WY 2025	7481	547	474	7872		204	8067			
Oct 2025	480	93	48	485	7.9	15	484	536	1057.57	8240
Nov 2025	500	75	42	415	7.0	10	410	542	1058.91	8341
Dec 2025	501	82	35	272	4.4	7	321	559	1062.24	8594
Jan 2026	625	50	24	387	6.3	6	543	574	1065.37	8836
Feb 2026	524	55	23	486	8.7	7	496	578	1066.14	8896
Mar 2026	500	30	25	827	13.4	15	825	558	1062.05	8579
Apr 2026	490	83	33	944	15.9	15	944	532	1056.85	8186
May 2026	600	50	40	1046	17.0	20	1046	504	1051.04	7758
Jun 2026	800	20	48	886	14.9	23	886	496	1049.26	7630
Jul 2026	890	53	46	743	12.1	26	743	504	1050.93	7750
Aug 2026	900	102	51	656	10.7	25	656	520	1054.39	8003
Sep 2026	670	91	50	567	9.5	17	567	528	1055.99	8122
WY 2026	7480	785	466	7713		185	7919			
Oct 2026	480	71	48	435	7.1	17	435	531	1056.63	8170
Nov 2026	500	45	42	609	10.2	11	609	524	1055.16	8060
Dec 2026	600	70	34	533	8.7	8	533	530	1056.36	8150
Jan 2027	664	67	24	536	8.7	10	536	540	1058.39	8301
Feb 2027	587	60	22	490	8.8	9	490	547	1059.95	8419
Mar 2027	620	80	24	961	15.6	14	961	529	1056.21	8139
Apr 2027	552	83	32	1067	17.9	18	1067	500	1050.04	7686
May 2027	550	50	39	1099	17.9	23	1099	465	1042.63	7160
Jun 2027	577	20	46	923	15.5	25	923	441	1037.21	6787
Jul 2027	652	53	43	788	12.8	28	788	432	1035.06	6642
Aug 2027	696	102	47	730	11.9	27	730	431	1034.97	6636
Sep 2027	522	91	45	650	10.9	20	650	425	1033.54	6540
WY 2027	7000	791	446	8821		210	8821			
Oct 2027	480	71	43	490	8.0	21	490	425	1033.51	6538
Nov 2027	500	45	38	586	9.9	14	586	419	1032.19	6450
Dec 2027	600	70	31	537	8.7	12	537	425	1033.47	6535
Jan 2028	730	67	21	510	8.3	13	510	440	1036.99	6772
Feb 2028	640	60	20	475	8.2	12	475	452	1039.65	6954
Mar 2028	680	80	22	931	15.1	18	931	439	1036.76	6756



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Spill Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Apr 2025	921	-11	13	913	0	913	15.3	642.18	1676
May 2025	983	-12	15	927	0	927	15.1	643.20	1704
Jun 2025	797	-14	14	771	0	771	13.0	643.14	1703
Jul 2025	721	-18	13	684	0	684	11.1	643.36	1709
Aug 2025	628	-11	16	606	0	606	9.9	643.16	1703
Sep 2025	456	-1	17	552	0	552	9.3	639.10	1593
WY 2025	7872	-132	157	7581	0	7581			
Oct 2025	485	-6	15	500	0	500	8.1	637.75	1614
Nov 2025	415	5	13	335	0	335	5.6	640.38	1686
Dec 2025	272	-7	13	262	0	262	4.3	640.01	1676
Jan 2026	387	-13	9	319	0	319	5.2	641.64	1721
Feb 2026	486	-16	8	450	0	450	8.1	642.06	1733
Mar 2026	827	-18	10	783	0	783	12.7	642.60	1748
Apr 2026	944	-18	13	901	0	901	15.1	643.00	1759
May 2026	1046	-10	15	1021	0	1021	16.6	643.00	1759
Jun 2026	886	-14	14	858	0	858	14.4	643.00	1759
Jul 2026	743	-19	13	739	0	739	12.0	642.00	1731
Aug 2026	656	-13	16	627	0	627	10.2	642.00	1731
Sep 2026	567	-4	17	602	0	602	10.1	640.00	1675
WY 2026	7713	-133	157	7399	0	7399			
Oct 2026	435	-6	15	602	0	602	9.8	633.00	1487
Nov 2026	609	-7	13	536	0	536	9.0	635.00	1540
Dec 2026	533	-2	13	396	0	396	6.4	639.50	1662
Jan 2027	536	-5	9	458	0	458	7.4	641.80	1726
Feb 2027	490	-14	8	468	0	468	8.4	641.80	1725
Mar 2027	961	-14	10	902	0	902	14.7	643.00	1759
Apr 2027	1067	-18	13	1036	0	1036	17.4	643.00	1759
May 2027	1099	-10	15	1074	0	1074	17.5	643.00	1759
Jun 2027	923	-14	14	895	0	895	15.0	643.00	1759
Jul 2027	788	-19	13	785	0	785	12.8	642.00	1731
Aug 2027	730	-13	16	701	0	701	11.4	642.00	1731
Sep 2027	650	-4	17	685	0	685	11.5	640.00	1675
WY 2027	8821	-127	156	8537	0	8537			
Oct 2027	490	-6	15	657	0	657	10.7	633.00	1487
Nov 2027	586	-7	13	513	0	513	8.6	635.00	1540
Dec 2027	537	-2	13	400	0	400	6.5	639.50	1662
Jan 2028	510	-5	9	432	0	432	7.0	641.80	1726
Feb 2028	475	-14	8	452	0	452	7.9	641.80	1725
Mar 2028	931	-14	10	872	0	872	14.2	643.00	1759

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Davis Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	MWD Diversion (1000 Ac-Ft)	CAP Diversion (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Flow To Mexico (1000 Ac-Ft)	Flow To Mexico (1000 CFS)
Apr 2025	913	1	11	640	10.8	74	172	447.53	571	140	2.3
May 2025	927	1	13	625	10.2	92	171	448.59	591	113	1.8
Jun 2025	771	15	16	604	10.1	95	71	448.25	585	117	2.0
Jul 2025	684	12	17	563	9.2	89	14	448.51	590	117	1.9
Aug 2025	606	11	17	486	7.9	95	19	448.06	581	108	1.8
Sep 2025	552	16	16	365	6.1	89	80	448.63	592	96	1.6
WY 2025	7581	104	140	5579		954	915			1286	
Oct 2025	500	11	12	394	6.4	65	58	447.36	519	72	1.2
Nov 2025	335	28	9	236	4.0	48	33	449.14	553	88	1.5
Dec 2025	262	19	7	215	3.5	44	40	447.75	527	80	1.3
Jan 2026	319	14	6	246	4.0	27	70	446.74	508	97	1.6
Feb 2026	450	-6	8	394	7.1	0	42	446.57	505	105	1.9
Mar 2026	783	5	9	627	10.2	59	74	447.27	518	144	2.3
Apr 2026	901	11	11	649	10.9	89	140	448.00	531	145	2.4
May 2026	1021	6	13	727	11.8	91	175	448.50	541	128	2.1
Jun 2026	858	15	16	664	11.2	96	82	448.70	545	124	2.1
Jul 2026	739	19	17	624	10.1	98	21	448.00	531	115	1.9
Aug 2026	627	19	17	510	8.3	98	21	447.50	522	106	1.7
Sep 2026	602	11	15	437	7.3	96	55	447.50	522	96	1.6
WY 2026	7399	152	140	5722		810	811			1299	
Oct 2026	602	17	12	453	7.4	98	49	447.50	522	69	1.1
Nov 2026	536	16	9	358	6.0	89	89	447.50	522	93	1.6
Dec 2026	396	16	6	281	4.6	94	43	446.50	503	83	1.3
Jan 2027	458	8	6	300	4.9	84	68	446.50	503	138	2.2
Feb 2027	468	1	8	390	7.0	0	64	446.50	503	124	2.2
Mar 2027	902	7	9	629	10.2	84	175	446.70	507	119	1.9
Apr 2027	1036	11	11	707	11.9	82	198	448.70	545	118	2.0
May 2027	1074	6	14	769	12.5	85	201	448.70	545	110	1.8
Jun 2027	895	15	16	714	12.0	83	85	448.70	545	116	2.0
Jul 2027	785	19	17	675	11.0	95	16	448.00	531	123	2.0
Aug 2027	701	19	17	581	9.4	95	25	447.50	522	130	2.1
Sep 2027	685	11	15	510	8.6	95	64	447.50	522	128	2.1
WY 2027	8537	147	139	6366		986	1077			1352	
Oct 2027	657	17	12	511	8.3	76	65	447.50	522	89	1.4
Nov 2027	513	16	9	380	6.4	79	53	447.50	522	115	1.9
Dec 2027	400	16	6	310	5.0	79	33	446.50	503	110	1.8
Jan 2028	432	8	6	290	4.7	75	61	446.50	503	130	2.1
Feb 2028	452	1	8	381	6.6	0	57	446.50	503	117	2.0
Mar 2028	872	7	9	620	10.1	75	162	446.70	507	112	1.8

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Hoover Static Head (Ft)	Hoover Generation Capacity (MW)	Hoover Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Apr 2025	921	15.5	1062.23	8593	-325	413.68	999.0	346.1	69	375.7
May 2025	983	16.0	1057.02	8199	-394	407.77	776.0	364.9	54	371.4
Jun 2025	797	13.4	1054.98	8047	-152	407.58	1309.0	292.0	94	366.2
Jul 2025	721	11.7	1054.14	7985	-62	405.96	1186.1	262.6	85	364.1
Aug 2025	628	10.2	1055.54	8088	104	407.73	1180.9	227.3	85	362.1
Sep 2025	456	7.7	1057.25	8216	127	415.02	905.0	164.7	65	361.1
WY 2025	7872							2920.7		
Oct 2025	485	7.9	1057.57	8240	24	415.75	738.0	175.7	53	362.3
Nov 2025	415	7.0	1058.91	8341	101	417.59	752.5	151.8	54	365.5
Dec 2025	272	4.4	1062.24	8594	253	420.18	701.1	97.0	49	356.7
Jan 2026	387	6.3	1065.37	8836	242	422.58	854.0	143.3	58	370.2
Feb 2026	486	8.7	1066.14	8896	60	422.01	862.0	182.4	58	375.5
Mar 2026	827	13.4	1062.05	8579	-316	413.23	680.1	311.8	47	377.1
Apr 2026	944	15.9	1056.85	8186	-393	411.19	750.4	363.9	53	385.5
May 2026	1046	17.0	1051.04	7758	-428	403.57	1007.8	384.6	73	367.8
Jun 2026	886	14.9	1049.26	7630	-128	397.25	1349.8	314.6	97	355.1
Jul 2026	743	12.1	1050.93	7750	120	397.51	1349.8	264.0	97	355.4
Aug 2026	656	10.7	1054.39	8003	253	400.36	1355.0	231.6	97	353.1
Sep 2026	567	9.5	1055.99	8122	119	404.84	1190.5	204.1	85	359.8
WY 2026	7713							2824.8		
Oct 2026	435	7.1	1056.63	8170	48	411.01	819.5	160.0	58	367.6
Nov 2026	609	10.2	1055.16	8060	-109	412.94	811.5	228.2	58	375.0
Dec 2026	533	8.7	1056.36	8150	90	407.09	1305.0	190.0	92	356.9
Jan 2027	536	8.7	1058.39	8301	152	407.87	1128.0	192.5	79	359.2
Feb 2027	490	8.8	1059.95	8419	118	410.73	887.0	179.1	61	365.3
Mar 2027	961	15.6	1056.21	8139	-281	408.37	990.0	360.0	70	374.6
Apr 2027	1067	17.9	1050.04	7686	-453	401.13	1234.5	387.6	88	363.1
May 2027	1099	17.9	1042.63	7160	-526	393.47	1324.7	388.0	97	353.0
Jun 2027	923	15.5	1037.21	6787	-373	386.77	1323.0	325.8	100	353.0
Jul 2027	788	12.8	1035.06	6642	-145	383.35	1310.0	275.8	100	350.1
Aug 2027	730	11.9	1034.97	6636	-6	389.65	1310.0	275.3	29	377.2
Sep 2027	650	10.9	1033.54	6540	-96	389.55	379.7	242.4	29	373.1
WY 2027	8821							3204.7		
Oct 2027	490	8.0	1033.51	6538	-2	384.02	379.6	171.9	29	351.0
Nov 2027	586	9.9	1032.19	6450	-88	385.63	377.5	204.4	29	348.6
Dec 2027	537	8.7	1033.47	6535	85	383.49	379.5	183.7	29	342.1
Jan 2028	510	8.3	1036.99	6772	237	385.96	1001.7	180.3	78	353.6
Feb 2028	475	8.2	1039.65	6954	182	387.52	1110.1	168.4	85	355.0
Mar 2028	931	15.1	1036.76	6756	-198	387.69	1009.9	330.5	79	355.1

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Davis Static Head (Ft)	Davis Generation Capacity (MW)	Davis Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Apr 2025	913	15.3	642.18	1676	-16	138.61	204.0	116.1	80	127.1
May 2025	927	15.1	643.20	1704	29	139.55	204.0	117.9	80	127.1
Jun 2025	771	13.0	643.14	1703	-2	139.47	204.0	98.6	80	127.9
Jul 2025	684	11.1	643.36	1709	6	140.92	204.0	87.7	80	128.1
Aug 2025	606	9.9	643.16	1703	-6	144.29	204.0	77.5	80	127.8
Sep 2025	552	9.3	639.10	1593	-113	138.06	204.0	69.4	80	125.9
WY 2025	7581							959.9		
Oct 2025	500	8.1	637.75	1614	-37	136.51	162.9	62.0	64	123.9
Nov 2025	335	5.6	640.38	1686	72	142.96	154.7	41.0	61	122.4
Dec 2025	262	4.3	640.01	1676	-10	141.23	154.7	33.0	61	126.0
Jan 2026	319	5.2	641.64	1721	45	142.94	190.8	41.6	75	130.3
Feb 2026	450	8.1	642.06	1733	12	139.63	153.0	58.5	60	130.0
Mar 2026	783	12.7	642.60	1748	15	138.80	200.7	100.6	79	128.5
Apr 2026	901	15.1	643.00	1759	11	139.00	204.0	112.9	80	125.2
May 2026	1021	16.6	643.00	1759	0	138.71	204.0	127.6	80	125.0
Jun 2026	858	14.4	643.00	1759	0	139.45	253.3	107.8	99	125.6
Jul 2026	739	12.0	642.00	1731	-28	139.84	255.0	93.2	100	126.0
Aug 2026	627	10.2	642.00	1731	0	140.07	255.0	79.1	100	126.2
Sep 2026	602	10.1	640.00	1675	-56	139.10	255.0	75.5	100	125.3
WY 2026	7399							932.7		
Oct 2026	602	9.8	633.00	1487	-188	134.73	227.0	73.1	89	121.4
Nov 2026	536	9.0	635.00	1540	53	132.57	159.8	64.0	63	119.4
Dec 2026	396	6.4	639.50	1662	122	136.96	154.7	48.8	61	123.4
Jan 2027	458	7.4	641.80	1726	64	139.90	156.3	57.7	61	126.0
Feb 2027	468	8.4	641.80	1725	0	140.62	156.6	59.3	61	126.7
Mar 2027	902	14.7	643.00	1759	34	138.77	194.1	112.8	76	125.0
Apr 2027	1036	17.4	643.00	1759	0	138.45	249.9	129.2	98	124.7
May 2027	1074	17.5	643.00	1759	0	138.43	255.0	134.0	100	124.7
Jun 2027	895	15.0	643.00	1759	0	139.24	255.0	112.3	100	125.4
Jul 2027	785	12.8	642.00	1731	-28	139.56	255.0	98.7	100	125.7
Aug 2027	701	11.4	642.00	1731	0	139.58	255.0	88.1	100	125.8
Sep 2027	685	11.5	640.00	1675	-56	138.54	255.0	85.5	100	124.8
WY 2027	8537							1063.5		
Oct 2027	657	10.7	633.00	1487	-188	134.37	227.0	79.5	89	121.1
Nov 2027	513	8.6	635.00	1540	53	132.73	159.8	61.4	63	119.6
Dec 2027	400	6.5	639.50	1662	122	136.93	154.7	49.3	61	123.4
Jan 2028	432	7.0	641.80	1726	64	140.09	156.3	54.5	61	126.2
Feb 2028	452	7.9	641.80	1725	0	140.87	156.6	57.4	61	126.9
Mar 2028	872	14.2	643.00	1759	34	138.94	194.1	109.1	76	125.2



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Parker Static Head (Ft)	Parker Generation Capacity (MW)	Parker Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Apr 2025	640	10.8	447.53	571	10	77.25	118.0	43.6	98	68.2
May 2025	625	10.2	448.59	591	20	76.52	120.0	43.2	100	69.1
Jun 2025	604	10.1	448.25	585	-6	79.81	120.0	41.6	100	68.9
Jul 2025	563	9.1	448.51	590	5	80.19	120.0	39.3	100	69.9
Aug 2025	486	7.9	448.06	581	-9	81.84	120.0	33.8	100	69.6
Sep 2025	365	6.1	448.63	592	11	79.19	116.0	25.2	97	69.0
WY 2025	5579							382.6		
Oct 2025	394	6.4	447.36	519	-24	80.98	90.0	26.8	75	68.0
Nov 2025	236	4.0	449.14	553	34	84.08	92.0	15.2	77	64.5
Dec 2025	215	3.5	447.75	527	-27	82.95	108.4	13.3	90	61.9
Jan 2026	245	4.0	446.74	508	-19	78.49	94.8	16.0	79	65.0
Feb 2026	394	7.1	446.57	505	-3	75.02	92.1	26.5	77	67.4
Mar 2026	627	10.2	447.27	518	13	77.07	115.2	43.1	96	68.7
Apr 2026	649	10.9	448.00	531	14	78.15	120.0	45.3	100	69.9
May 2026	727	11.8	448.50	541	10	78.41	120.0	50.8	100	69.9
Jun 2026	664	11.2	448.70	545	4	79.02	120.0	46.7	100	70.4
Jul 2026	624	10.1	448.00	531	-13	79.17	120.0	43.8	100	70.2
Aug 2026	510	8.3	447.50	522	-9	79.38	120.0	35.8	100	70.1
Sep 2026	437	7.3	447.50	522	0	79.57	120.0	30.6	100	70.0
WY 2026	5722							393.9		
Oct 2026	453	7.4	447.50	522	0	79.56	93.9	31.8	78	70.3
Nov 2026	358	6.0	447.50	522	0	80.22	92.0	24.6	77	68.7
Dec 2026	281	4.6	446.50	503	-19	80.49	102.6	17.9	85	63.5
Jan 2027	300	4.9	446.50	503	0	79.81	92.9	20.1	77	66.9
Feb 2027	390	7.0	446.50	503	0	78.72	92.1	27.0	77	69.2
Mar 2027	629	10.2	446.70	507	4	77.39	108.4	43.1	90	68.5
Apr 2027	707	11.9	448.70	545	38	77.84	120.0	49.2	100	69.6
May 2027	769	12.5	448.70	545	0	78.60	120.0	53.9	100	70.1
Jun 2027	714	12.0	448.70	545	0	78.79	120.0	50.1	100	70.2
Jul 2027	675	11.0	448.00	531	-13	78.84	120.0	47.2	100	69.9
Aug 2027	581	9.4	447.50	522	-9	78.87	120.0	40.5	100	69.7
Sep 2027	510	8.6	447.50	522	0	79.00	120.0	35.5	100	69.5
WY 2027	6366							440.7		
Oct 2027	511	8.3	447.50	522	0	79.12	90.0	35.8	75	70.0
Nov 2027	380	6.4	447.50	522	0	80.03	92.0	26.1	77	68.6
Dec 2027	310	5.0	446.50	503	-19	80.23	109.4	19.6	91	63.3
Jan 2028	290	4.7	446.50	503	0	79.90	92.9	19.5	77	67.0
Feb 2028	381	6.6	446.50	503	0	78.92	92.1	26.4	77	69.3
Mar 2028	620	10.1	446.70	507	4	77.45	108.4	42.5	90	68.5

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow

Upper Basin Power



— BUREAU OF —
RECLAMATION

Date	Glen Canyon (1000 MWHR)	Flaming Gorge (1000 MWHR)	Blue Mesa (1000 MWHR)	Morrow Point (1000 MWHR)	Crystal Reservoir (1000 MWHR)	Fontenelle Reservoir (1000 MWHR)
Apr 2025	237	26	14	26	16	2
May 2025	237	28	28	41	20	6
Jun 2025	271	33	25	34	19	6
Jul 2025	279	36	31	37	20	4
Aug 2025	268	39	26	34	20	4
Sep 2025	141	36	21	16	12	4
Summer 2025	1434	199	147	189	107	27
Oct 2025	142	19	17	24	11	2
Nov 2025	191	18	5	6	1	3
Dec 2025	190	19	5	6	2	3
Jan 2026	235	19	6	7	2	3
Feb 2026	194	17	5	7	2	3
Mar 2026	183	19	11	15	8	3
Winter 2026	1137	109	49	64	28	18
Apr 2026	174	16	17	26	14	1
May 2026	211	32	20	29	15	4
Jun 2026	277	17	22	29	15	8
Jul 2026	299	22	24	33	16	5
Aug 2026	291	22	24	34	17	5
Sep 2026	42	21	19	28	14	4
Summer 2026	1294	128	127	179	90	26
Oct 2026	0	18	16	24	10	4
Nov 2026	0	16	4	6	4	4
Dec 2026	0	16	4	6	4	4
Jan 2027	0	17	4	6	4	4
Feb 2027	0	15	3	6	3	3
Mar 2027	0	17	7	10	6	3
Winter 2027	0	99	37	58	31	22
Apr 2027	0	16	14	24	13	2
May 2027	0	80	41	66	23	6
Jun 2027	185	37	13	22	15	7
Jul 2027	221	34	29	38	20	8
Aug 2027	235	41	22	29	15	7
Sep 2027	176	40	21	27	14	4
Summer 2027	817	247	139	205	101	35
Oct 2027	161	27	18	24	11	4
Nov 2027	167	23	4	6	4	4
Dec 2027	199	29	6	9	5	4
Jan 2028	239	29	8	10	6	4
Feb 2028	206	27	8	11	6	4
Mar 2028	193	24	9	13	7	4
Winter 2028	1166	158	53	73	39	25



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

April 2026 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Predicted Space – Beginning of Month Conditions

Date	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Upper Basin Total (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)
Apr 2026	844	414	633	17595	19486	19041	38527
May 2026	803	417	609	17628	19457	19434	38891
Jun 2026	804	408	586	17821	19619	19862	39481
Jul 2026	658	431	668	18284	20041	19990	40031
Aug 2026	652	488	768	18920	20828	19870	40698
Sep 2026	697	548	840	19496	21581	19617	41198
Oct 2026	742	599	864	19877	22082	19498	41581
Nov 2026	764	637	868	20028	22298	19450	41749
Dec 2026	772	626	880	20160	22439	19560	41999
Jan 2027	790	615	885	20387	22677	19470	42147
Feb 2027	800	606	890	20681	22978	19319	42297
Mar 2027	805	597	887	20874	23163	19201	42364
Apr 2027	774	586	843	20976	23179	19481	42661
May 2027	718	564	780	20800	22861	19934	42796
Jun 2027	721	535	659	19599	21514	20460	41974
Jul 2027	460	353	591	18436	19841	20833	40674
Aug 2027	416	363	626	18396	19802	20978	40780
Sep 2027	484	377	663	18593	20117	20984	41101
Oct 2027	569	409	677	18673	20328	21080	41409
Nov 2027	603	439	673	18695	20410	21082	41492
Dec 2027	625	423	673	18760	20481	21170	41651
Jan 2028	678	420	677	18947	20722	21085	41807
Feb 2028	724	423	681	19258	21086	20848	41934
Mar 2028	764	427	678	19453	21322	20666	41988

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS
April 2026 24-Month Study
Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Creditable / Effective Space – Beginning of Month Conditions

Date	Space	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Total or Maximum Allowed (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)	Beginning of Month Space Required (1000 Ac-Ft)	Mead Scheduled Release (1000 Ac-Ft)	Mead Flood Control Release (1000 Ac-Ft)	System Content (MAF)
Apr 2026	Effective	234	-63	39	210	17595	19041	36846	1500	944	0	21.0
May 2026	Effective	187	-68	-7	112	17628	19434	37174	1500	1046	0	20.5
Jun 2026	Effective	181	-87	-68	26	17821	19862	37708	1500	886	0	19.9
Jul 2026	Effective	20	-63	-41	-84	18284	19990	38190	1500	743	0	19.2
Aug 2026	Creditable	652	488	768	1908	18920	19870	40698	1500	656	0	18.7
Sep 2026	Creditable	697	548	840	2085	19496	19617	41198	2270	567	0	18.2
Oct 2026	Creditable	742	599	864	2205	19877	19498	41581	3040	435	0	17.9
Nov 2026	Creditable	764	637	868	2270	20028	19450	41749	3810	609	0	17.7
Dec 2026	Creditable	772	626	880	2278	20160	19560	41999	4580	533	0	17.6
Jan 2027	Creditable	790	615	885	2290	20387	19470	42147	5350	536	0	17.5
Jan 2027	Effective	434	284	440	1158	20387	19470	41015	5350	536	0	17.5
Feb 2027	Effective	441	275	445	1161	20681	19319	41161	1500	490	0	17.5
Mar 2027	Effective	442	265	441	1149	20874	19201	41224	1500	961	0	17.2
Apr 2027	Effective	407	254	390	1051	20976	19481	41509	1500	1067	0	17.1
May 2027	Effective	344	231	305	880	20800	19934	41614	1500	1099	0	18.0
Jun 2027	Effective	341	188	147	676	19599	20460	40735	1500	923	0	19.3
Jul 2027	Effective	61	-16	24	69	18436	20833	39339	1500	788	0	19.1
Aug 2027	Creditable	416	363	626	1406	18396	20978	40780	1500	730	0	18.8
Sep 2027	Creditable	484	377	663	1524	18593	20984	41101	2270	650	0	18.4
Oct 2027	Creditable	569	409	677	1655	18673	21080	41409	3040	490	0	18.1
Nov 2027	Creditable	603	439	673	1715	18695	21082	41492	3810	586	0	18.0
Dec 2027	Creditable	625	423	673	1721	18760	21170	41651	4580	537	0	18.0
Jan 2028	Creditable	678	420	677	1775	18947	21085	41807	5350	510	0	17.9
Jan 2028	Effective	351	244	486	1081	18947	21085	41114	5350	510	0	17.9
Feb 2028	Effective	395	247	490	1132	19258	20848	41238	1500	475	0	17.9
Mar 2028	Effective	432	253	485	1171	19453	20666	41290	1500	931	0	17.6

Model Run ID: 3310

Processed on: 4/10/2026 8:59:29 AM



May 2026 Most Probable 24-Month Study

The operation of Lake Powell and Lake Mead in the May 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell was originally projected to be 7.48 million acre-feet (maf). Further, given the hydrologic variability of the Colorado River System and potential for declining reservoir conditions, Section 6.E of the 2024 Interim Guidelines SEIS ROD allows for Lake Powell's release in WY 2026 to be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases for the months of December 2025 through April 2026 were implemented in the December 2025 24-Month Study, reducing the release volume for these months by 0.598 maf. As historically dry conditions persisted in WY 2026 and reservoir conditions were projected to decline below 3,500 feet at Lake Powell, the Department of the Interior implemented an action under Section 6.E of the 2024 Interim Guidelines SEIS ROD by reducing Lake Powell's annual release from 7.48 maf to 6.00 maf in WY 2026.³ This action was taken in conjunction with the 2026 Drought Response Operations Plan which will release between approximately 660,000 acre-feet to 1.00 maf of additional water from Flaming Gorge reservoir to Lake Powell by April 2027.⁴ The May 2026 Most Probable 24-Month Study reflects a 1.0 maf Drought Response Operations release.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the DCP and the Lower Colorado River Basin Conservation and Efficiency Program (LC Conservation Program).

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² The 2024 Interim Guidelines SEIS ROD is available online at: https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

³ For more information please visit: <https://www.usbr.gov/newsroom/news-release/5326>.

⁴ For more information please visit: <https://www.usbr.gov/ColoradoRiverBasin/dcp/droa>.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of April was 0.372 maf or 41% of the 30-year average from 1991 to 2020. The May 2026 unregulated inflow forecast for Lake Powell is 0.180 maf or 9% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 0.800 maf or 13% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 3.27 maf or 34% of average.

In this study, the CY 2026 diversion for Metropolitan Water District of Southern California (MWD) is projected to be 0.934 maf. The CY 2026 diversion for the Central Arizona Project (CAP) is projected to be 0.886 maf. Consumptive use for Nevada above Hoover (SNWP Use) is projected to be 0.188 maf for CY 2026.

Due to changing Lake Mead elevations, Hoover's generator capacity is adjusted based on estimated effective capacity and plant availability. The estimated effective capacity is based on projected Lake Mead elevations. Unit capacity tests will be performed as the lake elevation changes. This study reflects these changes in the projections.

For questions on Upper Colorado River Basin (UCB) reservoir operations, please contact Alex Pivarnik, the UCB River Operations Group Supervisor, at apivarnik@usbr.gov. For questions on Lower Colorado River Basin (LCB) reservoir operations, please contact Noe Santos, the LCB River Operations Manager, at nsantos@usbr.gov.

Hoover, Davis, and Parker Dam historical gross energy figures come from Power, Operations, and Maintenance reports provided by the Lower Colorado Region's Power Office, Bureau of Reclamation, Boulder City, Nevada. Questions regarding these historical energy numbers can be directed to Rebecca Rogers (rrogers@usbr.gov) or Kyra Cubi (kcubi@usbr.gov).

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_05_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Fontenelle Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
May 2025	133	1	98	0	98	6484.04	181
Jun 2025	187	2	82	0	82	6499.39	284
Jul 2025	60	3	55	0	55	6499.76	287
Aug 2025	29	2	53	0	53	6496.23	261
Sep 2025	22	2	49	0	49	6492.13	233
WY 2025	710	14	662	38	700		
Oct 2025	33	1	28	22	50	6489.48	215
Nov 2025	37	1	49	2	50	6487.29	201
Dec 2025	39	1	51	0	51	6485.22	188
Jan 2026	32	1	51	0	51	6481.93	169
Feb 2026	31	0	46	0	46	6479.12	154
Mar 2026	57	1	49	1	50	6480.26	160
Apr 2026	46	1	21	27	48	6479.75	157
May 2026	65	1	49	0	49	6482.40	172
Jun 2026	165	2	48	0	48	6499.77	287
Jul 2026	79	3	58	0	58	6502.18	305
Aug 2026	30	2	58	0	58	6498.07	274
Sep 2026	27	2	54	0	54	6494.09	246
WY 2026	641	15	561	52	613		
Oct 2026	36	1	55	0	55	6491.09	225
Nov 2026	38	1	55	0	55	6488.37	208
Dec 2026	32	1	58	0	58	6483.98	181
Jan 2027	31	1	58	0	58	6478.89	153
Feb 2027	29	0	53	0	53	6473.78	128
Mar 2027	51	0	58	0	58	6471.97	121
Apr 2027	77	1	38	19	57	6476.34	140
May 2027	166	1	92	0	92	6489.13	213
Jun 2027	301	2	104	119	223	6499.94	288
Jul 2027	146	3	101	11	112	6504.07	319
Aug 2027	59	2	93	0	93	6499.29	283
Sep 2027	39	2	57	0	57	6496.59	263
WY 2027	1005	15	824	149	973		
Oct 2027	45	1	58	0	58	6494.52	249
Nov 2027	42	1	60	0	60	6491.84	231
Dec 2027	32	1	65	0	65	6486.73	197
Jan 2028	31	1	65	0	65	6480.87	163
Feb 2028	29	0	60	0	60	6474.41	131
Mar 2028	51	0	65	0	65	6471.17	117
Apr 2028	77	1	48	0	48	6477.56	146

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Flaming Gorge Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Jensen Flow (1000 Ac-Ft)
May 2025	157	127	7	75	0	75	122	6027.90	3186	355
Jun 2025	194	84	10	88	0	88	122	6027.51	3172	294
Jul 2025	57	51	12	95	0	95	120	6026.01	3119	117
Aug 2025	25	48	12	102	0	102	117	6024.21	3055	114
Sep 2025	21	47	10	96	0	96	115	6022.58	2999	114
WY 2025	832	822	75	908	1	909				1821
Oct 2025	35	52	7	51	0	51	115	6022.44	2994	84
Nov 2025	42	55	3	49	0	49	115	6022.52	2997	78
Dec 2025	40	52	2	51	0	51	115	6022.48	2995	81
Jan 2026	31	50	2	52	0	52	114	6022.39	2992	78
Feb 2026	42	58	2	44	0	46	115	6022.66	3001	76
Mar 2026	64	59	3	50	0	50	115	6022.81	3007	113
Apr 2026	51	51	5	68	0	68	114	6022.23	2986	169
May 2026	70	54	7	210	0	210	108	6017.61	2830	370
Jun 2026	175	58	9	117	0	117	105	6015.62	2764	175
Jul 2026	84	63	12	127	0	127	102	6013.39	2692	130
Aug 2026	34	62	11	128	0	128	100	6011.10	2619	131
Sep 2026	28	55	9	122	0	122	97	6008.74	2545	126
WY 2026	696	669	70	1069	0	1071				1610
Oct 2026	40	59	6	140	0	140	93	6006.05	2462	154
Nov 2026	44	61	3	125	0	125	91	6003.92	2398	148
Dec 2026	34	60	1	129	0	129	88	6001.65	2330	154
Jan 2027	42	69	1	129	0	129	86	5999.63	2272	154
Feb 2027	43	67	2	115	0	115	84	5997.97	2224	140
Mar 2027	85	92	2	123	0	123	83	5996.86	2193	197
Apr 2027	111	91	4	119	0	119	81	5995.77	2162	322
May 2027	239	165	6	220	0	220	79	5993.66	2104	733
Jun 2027	389	311	8	114	0	114	86	6000.14	2287	481
Jul 2027	161	127	10	83	0	83	88	6001.26	2319	143
Aug 2027	66	100	10	111	0	111	87	6000.56	2299	130
Sep 2027	43	61	8	110	0	110	85	5998.64	2243	123
WY 2027	1297	1265	61	1518	0	1518				2879
Oct 2027	52	65	5	91	0	91	83	5997.60	2214	117
Nov 2027	50	68	3	74	0	74	83	5997.29	2205	104
Dec 2027	34	67	1	77	0	77	83	5996.89	2194	102
Jan 2028	42	76	1	77	0	77	82	5996.80	2191	102
Feb 2028	43	74	2	72	0	72	82	5996.83	2192	97
Mar 2028	85	99	2	79	0	79	83	5997.42	2209	153
Apr 2028	111	82	4	76	0	76	83	5997.49	2211	279

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Taylor Park Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
May 2025	18	9	9317.35	82
Jun 2025	25	15	9322.73	92
Jul 2025	8	18	9317.27	82
Aug 2025	6	16	9311.09	72
Sep 2025	6	13	9306.59	65
WY 2025	104	113		
Oct 2025	7	7	9306.49	64
Nov 2025	4	5	9306.13	64
Dec 2025	4	5	9305.47	63
Jan 2026	3	5	9304.41	61
Feb 2026	3	4	9303.63	60
Mar 2026	7	4	9305.79	63
Apr 2026	7	5	9307.58	66
May 2026	12	10	9308.89	68
Jun 2026	9	12	9307.01	65
Jul 2026	6	14	9301.64	57
Aug 2026	5	10	9298.12	53
Sep 2026	4	4	9297.77	52
WY 2026	72	84		
Oct 2026	5	5	9298.06	53
Nov 2026	4	3	9298.57	53
Dec 2026	4	3	9298.99	54
Jan 2027	5	3	9300.15	55
Feb 2027	4	3	9300.80	56
Mar 2027	5	3	9301.92	58
Apr 2027	9	9	9301.97	58
May 2027	26	12	9311.05	72
Jun 2027	40	19	9323.17	93
Jul 2027	15	22	9319.65	86
Aug 2027	8	18	9313.66	76
Sep 2027	7	15	9308.79	68
WY 2027	132	116		
Oct 2027	7	5	9310.30	70
Nov 2027	5	5	9310.26	70
Dec 2027	4	5	9309.49	69
Jan 2028	5	5	9309.46	69
Feb 2028	4	5	9308.67	68
Mar 2028	5	5	9308.64	68
Apr 2028	9	10	9307.72	66

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Blue Mesa Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
May 2025	120	112	1	104	0	104	7482.44	520
Jun 2025	160	150	1	91	0	91	7490.03	578
Jul 2025	44	54	1	112	0	112	7482.27	519
Aug 2025	29	40	1	95	0	95	7474.44	462
Sep 2025	30	37	1	80	0	80	7467.96	418
WY 2025	657	666	8	770	30	799		
Oct 2025	45	45	0	67	0	67	7464.57	396
Nov 2025	30	31	0	22	0	22	7465.86	404
Dec 2025	27	28	0	20	0	20	7467.02	412
Jan 2026	22	23	0	22	0	22	7467.17	413
Feb 2026	23	24	0	20	0	20	7467.76	417
Mar 2026	42	39	0	42	0	42	7467.35	414
Apr 2026	37	34	1	84	0	84	7459.46	364
May 2026	62	60	1	77	0	77	7456.51	346
Jun 2026	47	50	1	99	0	99	7447.56	296
Jul 2026	24	32	1	103	0	103	7432.98	224
Aug 2026	27	32	1	91	0	91	7418.72	164
Sep 2026	21	21	0	77	0	77	7402.74	109
WY 2026	407	420	6	723	0	723		
Oct 2026	26	26	0	44	0	44	7396.50	90
Nov 2026	27	26	0	13	0	13	7400.83	103
Dec 2026	26	25	0	13	0	13	7404.77	115
Jan 2027	25	23	0	13	0	13	7407.93	126
Feb 2027	23	22	0	11	0	11	7411.09	136
Mar 2027	38	36	0	25	0	25	7414.24	148
Apr 2027	78	78	0	55	0	55	7420.34	171
May 2027	204	190	1	161	0	161	7427.44	200
Jun 2027	251	230	1	47	0	47	7462.29	381
Jul 2027	86	93	1	102	0	102	7460.61	371
Aug 2027	55	65	1	78	0	78	7458.37	357
Sep 2027	35	43	1	74	0	74	7452.84	325
WY 2027	874	858	5	637	0	637		
Oct 2027	36	34	0	65	0	65	7447.13	294
Nov 2027	31	31	0	15	0	15	7450.06	310
Dec 2027	26	27	0	23	0	23	7450.75	313
Jan 2028	25	25	0	28	0	28	7450.23	311
Feb 2028	23	24	0	26	0	26	7449.94	309
Mar 2028	38	38	0	33	0	33	7450.87	314
Apr 2028	78	79	1	46	0	46	7456.64	347

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Morrow Point Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Blue Mesa Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
May 2025	133	104	12	116	119	0	119	7148.94	108
Jun 2025	170	91	9	100	99	0	99	7149.91	109
Jul 2025	44	112	0	112	106	0	106	7157.96	115
Aug 2025	30	95	1	96	99	0	99	7153.99	112
Sep 2025	30	80	0	81	47	0	79	7156.14	114
WY 2025	698	799	41	841	796	0	838		
Oct 2025	45	67	0	67	70	0	70	7152.16	111
Nov 2025	30	22	0	22	18	0	18	7156.71	114
Dec 2025	28	20	1	21	22	0	22	7155.76	114
Jan 2026	23	22	1	24	24	0	24	7155.79	114
Feb 2026	25	20	1	22	21	0	21	7156.24	114
Mar 2026	44	42	1	43	44	0	44	7155.45	113
Apr 2026	38	84	1	85	80	4	84	7156.18	114
May 2026	68	77	6	83	85	0	85	7153.73	112
Jun 2026	49	99	2	101	101	0	101	7153.72	112
Jul 2026	25	103	1	104	104	0	104	7153.73	112
Aug 2026	28	91	1	92	92	0	92	7153.73	112
Sep 2026	22	77	1	78	77	0	77	7153.73	112
WY 2026	425	723	17	741	737	4	742		
Oct 2026	27	44	1	45	45	0	45	7153.73	112
Nov 2026	28	13	1	14	14	0	14	7153.73	112
Dec 2026	27	13	1	14	14	0	14	7153.73	112
Jan 2027	26	13	1	14	14	0	14	7153.73	112
Feb 2027	25	11	2	13	13	0	13	7153.73	112
Mar 2027	40	25	2	27	27	0	27	7153.73	112
Apr 2027	89	55	11	66	65	0	65	7153.73	112
May 2027	226	161	22	183	182	0	182	7153.73	112
Jun 2027	265	47	14	61	61	0	61	7153.72	112
Jul 2027	90	102	4	106	106	0	106	7153.73	112
Aug 2027	56	78	1	79	79	0	79	7153.73	112
Sep 2027	36	74	1	75	75	0	75	7153.73	112
WY 2027	935	637	61	698	697	0	697		
Oct 2027	37	65	1	66	66	0	66	7153.73	112
Nov 2027	32	15	1	16	16	0	16	7153.73	112
Dec 2027	27	23	1	24	24	0	24	7153.73	112
Jan 2028	26	28	1	29	29	0	29	7153.73	112
Feb 2028	25	26	2	28	28	0	28	7153.73	112
Mar 2028	40	33	2	35	35	0	35	7153.73	112
Apr 2028	89	46	11	57	57	0	57	7153.73	112



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Crystal Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Morrow Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Tunnel Flow (1000 Ac-Ft)	Below Tunnel Flow (1000 Ac-Ft)
May 2025	139	119	7	125	100	20	123	6757.45	18	63	60
Jun 2025	187	99	17	116	99	17	117	6752.70	17	62	57
Jul 2025	46	106	2	107	102	5	108	6752.20	17	66	43
Aug 2025	30	99	0	99	99	0	99	6751.19	16	63	36
Sep 2025	31	79	1	80	65	20	85	6731.14	11	61	25
WY 2025	740	838	42	879	730	147	882			439	432
Oct 2025	47	70	2	72	59	8	67	6749.67	16	46	21
Nov 2025	33	18	3	21	13	9	21	6749.46	16	0	20
Dec 2025	30	22	2	24	24	0	24	6749.70	16	1	22
Jan 2026	25	24	2	25	24	0	24	6752.71	17	1	23
Feb 2026	26	21	2	23	23	0	23	6752.61	17	0	21
Mar 2026	48	44	5	48	49	0	49	6750.21	16	24	24
Apr 2026	41	84	3	87	85	0	86	6752.98	17	62	24
May 2026	75	85	7	92	92	0	92	6753.04	17	62	30
Jun 2026	52	101	3	104	104	0	104	6753.03	17	61	43
Jul 2026	27	104	2	106	106	0	106	6753.04	17	65	41
Aug 2026	31	92	3	95	95	0	95	6753.04	17	65	30
Sep 2026	25	77	3	80	80	0	80	6753.04	17	55	25
WY 2026	460	742	35	777	753	17	771			442	324
Oct 2026	31	45	4	49	49	0	49	6753.04	17	31	18
Nov 2026	32	14	4	18	18	0	18	6753.04	17	0	18
Dec 2026	32	14	5	19	19	0	19	6753.04	17	0	19
Jan 2027	31	14	5	19	19	0	19	6753.04	17	0	19
Feb 2027	29	13	4	17	17	0	17	6753.04	17	0	17
Mar 2027	46	27	6	33	33	0	33	6753.04	17	5	28
Apr 2027	100	65	11	76	76	0	76	6753.04	17	42	34
May 2027	251	182	25	207	134	73	207	6753.04	17	62	145
Jun 2027	293	61	28	89	89	0	89	6753.03	17	61	28
Jul 2027	98	106	8	114	114	0	114	6753.04	17	65	49
Aug 2027	63	79	7	86	86	0	86	6753.04	17	65	21
Sep 2027	42	75	6	81	81	0	81	6753.04	17	55	26
WY 2027	1048	697	113	810	736	73	810			386	423
Oct 2027	43	66	6	72	64	7	72	6753.04	17	49	22
Nov 2027	37	16	5	21	21	0	21	6753.04	17	0	21
Dec 2027	32	24	5	29	29	0	29	6753.04	17	0	29
Jan 2028	31	29	5	34	34	0	34	6753.04	17	0	34
Feb 2028	29	28	4	32	32	0	32	6753.04	17	0	32
Mar 2028	46	35	6	41	41	0	41	6753.04	17	5	36
Apr 2028	100	57	11	68	68	0	68	6753.04	17	42	26



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Vallecito Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
May 2025	40	32	7660.43	113
Jun 2025	35	38	7659.35	110
Jul 2025	10	39	7647.41	81
Aug 2025	5	37	7631.88	48
Sep 2025	8	27	7619.96	29
WY 2025	159	199		
Oct 2025	65	5	7650.81	89
Nov 2025	10	2	7654.03	97
Dec 2025	7	2	7655.94	102
Jan 2026	5	2	7657.19	105
Feb 2026	4	2	7658.18	107
Mar 2026	15	7	7661.23	115
Apr 2026	21	16	7662.72	119
May 2026	36	37	7662.28	118
Jun 2026	16	43	7651.61	91
Jul 2026	7	41	7635.93	56
Aug 2026	7	38	7616.71	25
Sep 2026	8	25	7598.47	8
WY 2026	202	220		
Oct 2026	9	9	7598.80	8
Nov 2026	8	0	7608.32	16
Dec 2026	7	0	7614.56	23
Jan 2027	6	0	7619.06	28
Feb 2027	5	0	7622.37	33
Mar 2027	10	0	7628.34	42
Apr 2027	23	0	7639.93	64
May 2027	68	31	7655.52	101
Jun 2027	62	43	7662.74	120
Jul 2027	21	41	7654.61	98
Aug 2027	15	38	7644.94	75
Sep 2027	16	29	7638.72	62
WY 2027	250	194		
Oct 2027	13	16	7636.97	58
Nov 2027	9	1	7640.61	66
Dec 2027	7	2	7643.08	71
Jan 2028	6	2	7645.04	76
Feb 2028	5	1	7646.55	79
Mar 2028	10	2	7650.05	87
Apr 2028	23	2	7658.42	108

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Navajo Reservoir



— BUREAU OF —
RECLAMATION

Date	Modified Unregulated Inflow (1000 Ac-Ft)	Azotea Tunnel Diversion (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	NIIP Diversion (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Farmington Flow (1000 Ac-Ft)
May 2025	102	13	81	3	26	22	6040.32	1064	63
Jun 2025	61	11	50	3	27	23	6040.05	1061	108
Jul 2025	-11	0	18	4	37	48	6033.15	991	48
Aug 2025	-13	0	20	3	38	64	6024.30	905	51
Sep 2025	15	1	34	2	18	42	6021.25	877	48
WY 2025	363	36	366	22	174	382			620
Oct 2025	215	9	146	1	6	23	6033.50	994	101
Nov 2025	33	0	24	1	0	27	6033.12	990	51
Dec 2025	26	0	21	0	0	18	6033.40	993	38
Jan 2026	21	0	18	0	0	19	6033.24	991	36
Feb 2026	20	0	17	1	2	19	6032.86	988	33
Mar 2026	70	11	52	1	6	17	6035.62	1015	47
Apr 2026	73	10	57	2	24	20	6036.72	1027	38
May 2026	90	10	81	3	27	24	6039.38	1054	87
Jun 2026	14	0	41	3	39	88	6030.48	964	129
Jul 2026	-9	3	22	3	42	64	6021.16	877	81
Aug 2026	2	0	33	2	35	53	6014.59	819	67
Sep 2026	25	1	41	2	19	35	6012.89	805	52
WY 2026	580	45	553	21	199	406			758
Oct 2026	30	1	29	1	7	22	6012.75	804	40
Nov 2026	28	1	20	1	0	18	6012.91	805	34
Dec 2026	24	0	17	0	0	18	6012.70	803	33
Jan 2027	22	0	16	0	0	18	6012.40	801	31
Feb 2027	29	1	23	1	0	17	6013.12	807	29
Mar 2027	92	10	72	1	5	18	6018.64	854	41
Apr 2027	147	18	106	2	21	18	6025.85	920	69
May 2027	251	34	180	3	35	20	6038.22	1042	155
Jun 2027	187	25	143	3	51	42	6042.64	1089	186
Jul 2027	33	2	52	4	55	25	6039.60	1056	76
Aug 2027	24	1	46	3	47	30	6036.29	1022	59
Sep 2027	31	1	43	2	26	22	6035.60	1015	48
WY 2027	898	94	747	21	247	269			802
Oct 2027	35	2	37	1	9	22	6036.06	1020	45
Nov 2027	30	1	21	1	0	21	6036.04	1020	39
Dec 2027	24	0	18	1	0	22	6035.67	1016	37
Jan 2028	22	0	17	1	0	22	6035.21	1011	35
Feb 2028	29	1	25	1	0	20	6035.57	1015	32
Mar 2028	92	10	74	1	6	22	6039.93	1060	45
Apr 2028	147	18	107	2	21	21	6045.76	1123	72

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Lake Powell



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Plant Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Bank Storage (1000 Ac-Ft)	End Of Month Storage (1000 Ac-Ft)	Lees Ferry Gage (1000 Ac-Ft)
May 2025	849	698	17	599	0	599	3558.98	4707	7715	609
Jun 2025	1083	883	28	678	0	678	3561.30	4720	7879	681
Jul 2025	120	289	33	706	0	706	3555.36	4686	7462	707
Aug 2025	6	268	31	688	73	761	3548.18	4648	6977	762
Sep 2025	162	346	28	367	198	565	3544.69	4629	6749	577
WY 2025	4688	5136	239	6994	487	7481				7503
Oct 2025	663	554	19	373	108	480	3545.46	4633	6799	487
Nov 2025	374	365	19	500	0	500	3543.26	4622	6656	497
Dec 2025	317	313	15	501	0	501	3540.31	4607	6469	494
Jan 2026	265	274	4	625	0	625	3535.02	4581	6140	610
Feb 2026	253	266	4	524	0	524	3531.00	4561	5897	513
Mar 2026	350	314	7	500	0	500	3527.99	4547	5719	489
Apr 2026	372	374	11	471	0	471	3526.29	4539	5619	476
May 2026	180	307	12	460	0	460	3523.62	4527	5466	474
Jun 2026	220	327	19	509	0	509	3520.33	4512	5280	519
Jul 2026	28	269	23	482	0	482	3516.37	4494	5061	485
Aug 2026	100	344	22	482	0	482	3513.61	4482	4912	481
Sep 2026	150	329	21	466	0	466	3510.85	4471	4766	472
WY 2026	3271	4035	176	5892	108	6000				5997
Oct 2026	271	388	14	480	0	480	3508.98	4463	4668	484
Nov 2026	371	429	14	500	0	500	3507.47	4457	4590	501
Dec 2026	361	438	11	600	0	600	3504.32	4444	4430	603
Jan 2027	350	422	3	664	0	664	3499.73	4426	4203	668
Feb 2027	397	446	3	585	0	585	3497.01	4415	4071	593
Mar 2027	614	581	5	620	0	620	3496.16	4412	4030	627
Apr 2027	920	814	8	552	0	552	3501.02	4431	4266	562
May 2027	2060	1835	11	647	0	647	3521.69	4518	5356	661
Jun 2027	2423	1875	21	676	0	676	3539.96	4605	6447	686
Jul 2027	711	698	28	764	0	764	3538.58	4598	6360	767
Aug 2027	371	493	27	816	0	816	3533.31	4572	6036	815
Sep 2027	316	440	25	616	0	616	3530.23	4557	5851	621
WY 2027	9165	8859	168	7520	0	7520				7585
Oct 2027	417	481	17	643	0	643	3527.43	4544	5686	647
Nov 2027	450	450	16	642	0	642	3524.10	4529	5493	643
Dec 2027	361	399	12	715	0	715	3518.70	4505	5189	718
Jan 2028	350	387	3	800	0	800	3511.58	4474	4804	804
Feb 2028	397	421	3	660	0	660	3507.27	4456	4580	668
Mar 2028	614	548	5	690	0	690	3504.58	4445	4443	697
Apr 2028	920	766	9	660	0	660	3506.36	4452	4533	670

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Glen Release (1000 Ac-Ft)	Side Inflow Glen to Hoover (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	SNWP Use (1000 Ac-Ft)	Downstream Requirements (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
May 2025	599	24	41	983	16.0	19	978	533	1057.02	8199
Jun 2025	678	31	50	797	13.4	23	795	523	1054.98	8047
Jul 2025	706	23	47	721	11.7	26	718	519	1054.14	7985
Aug 2025	761	55	51	628	10.2	26	620	526	1055.54	8088
Sep 2025	565	96	51	456	7.7	18	632	534	1057.25	8216
WY 2025	7481	547	474	7871		204	8067			
Oct 2025	480	93	48	485	7.9	15	484	536	1057.57	8240
Nov 2025	500	75	42	415	7.0	10	410	542	1058.91	8341
Dec 2025	501	82	35	272	4.4	7	321	559	1062.24	8594
Jan 2026	625	50	24	387	6.3	6	543	574	1065.37	8836
Feb 2026	524	55	23	486	8.7	7	496	578	1066.14	8896
Mar 2026	500	29	25	827	13.4	14	825	558	1062.05	8579
Apr 2026	471	8	33	890	15.0	17	885	530	1056.32	8146
May 2026	460	50	40	938	15.3	20	938	500	1050.08	7689
Jun 2026	509	20	48	909	15.3	22	909	472	1044.15	7266
Jul 2026	482	53	45	756	12.3	26	756	454	1040.21	6992
Aug 2026	482	102	48	657	10.7	25	657	446	1038.21	6855
Sep 2026	466	91	46	567	9.5	17	567	441	1037.22	6787
WY 2026	6000	710	456	7589		186	7789			
Oct 2026	480	71	44	434	7.1	17	434	445	1037.99	6840
Nov 2026	500	45	38	635	10.7	10	635	436	1036.07	6710
Dec 2026	600	70	31	562	9.1	7	562	440	1037.03	6774
Jan 2027	664	67	22	517	8.4	10	517	451	1039.53	6945
Feb 2027	585	60	20	476	8.6	9	476	460	1041.43	7077
Mar 2027	620	80	22	933	15.2	14	933	444	1037.76	6825
Apr 2027	552	83	29	1039	17.5	18	1039	416	1031.45	6401
May 2027	647	50	35	1064	17.3	23	1064	390	1025.33	6002
Jun 2027	676	20	43	913	15.3	25	913	373	1021.14	5736
Jul 2027	764	53	40	774	12.6	28	774	371	1020.76	5712
Aug 2027	816	102	44	714	11.6	27	714	379	1022.73	5836
Sep 2027	616	91	43	628	10.6	20	628	380	1022.95	5851
WY 2027	7520	791	411	8689		208	8689			
Oct 2027	643	71	41	492	8.0	20	492	390	1025.33	6002
Nov 2027	642	45	36	576	9.7	14	576	394	1026.21	6059
Dec 2027	715	70	30	534	8.7	12	534	407	1029.23	6255
Jan 2028	800	67	21	510	8.3	13	510	426	1033.83	6559
Feb 2028	660	60	20	473	8.2	12	473	439	1036.83	6761
Mar 2028	690	80	21	930	15.1	18	930	427	1034.06	6574
Apr 2028	660	83	29	1038	17.4	23	1038	406	1029.14	6249



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Spill Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
May 2025	983	-12	15	927	0	927	15.1	643.20	1704
Jun 2025	797	-14	14	771	0	771	13.0	643.14	1703
Jul 2025	721	-18	13	684	0	684	11.1	643.36	1709
Aug 2025	628	-11	16	606	0	606	9.9	643.16	1703
Sep 2025	456	-1	17	552	0	552	9.3	639.10	1593
WY 2025	7871	-132	157	7581	0	7581			
Oct 2025	485	-6	15	500	0	500	8.1	637.75	1614
Nov 2025	415	5	13	335	0	335	5.6	640.38	1686
Dec 2025	272	-7	13	262	0	262	4.3	640.01	1676
Jan 2026	387	-13	9	319	0	319	5.2	641.64	1721
Feb 2026	486	-16	8	450	0	450	8.1	642.06	1733
Mar 2026	827	-18	10	783	0	783	12.7	642.60	1748
Apr 2026	890	-22	13	835	0	835	14.0	643.29	1768
May 2026	938	-10	15	921	0	921	15.0	643.00	1759
Jun 2026	909	-14	14	881	0	881	14.8	643.00	1759
Jul 2026	756	-19	13	753	0	753	12.2	642.00	1731
Aug 2026	657	-13	16	628	0	628	10.2	642.00	1731
Sep 2026	567	-4	17	602	0	602	10.1	640.00	1675
WY 2026	7589	-136	157	7270	0	7270			
Oct 2026	434	-6	15	601	0	601	9.8	633.00	1487
Nov 2026	635	-7	13	562	0	562	9.4	635.00	1540
Dec 2026	562	-2	13	425	0	425	6.9	639.50	1662
Jan 2027	517	-5	9	439	0	439	7.1	641.80	1726
Feb 2027	476	-14	8	454	0	454	8.2	641.80	1725
Mar 2027	933	-14	10	874	0	874	14.2	643.00	1759
Apr 2027	1039	-18	13	1008	0	1008	16.9	643.00	1759
May 2027	1064	-10	15	1039	0	1039	16.9	643.00	1759
Jun 2027	913	-14	14	885	0	885	14.9	643.00	1759
Jul 2027	774	-19	13	770	0	770	12.5	642.00	1731
Aug 2027	714	-13	16	686	0	686	11.1	642.00	1731
Sep 2027	628	-4	17	664	0	664	11.2	640.00	1675
WY 2027	8689	-127	156	8406	0	8406			
Oct 2027	492	-6	15	659	0	659	10.7	633.00	1487
Nov 2027	576	-7	13	503	0	503	8.5	635.00	1540
Dec 2027	534	-2	13	397	0	397	6.5	639.50	1662
Jan 2028	510	-5	9	431	0	431	7.0	641.80	1726
Feb 2028	473	-14	8	451	0	451	7.8	641.80	1725
Mar 2028	930	-14	10	871	0	871	14.2	643.00	1759
Apr 2028	1038	-18	13	1006	0	1006	16.9	643.00	1759



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Davis Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	MWD Diversion (1000 Ac-Ft)	CAP Diversion (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Flow To Mexico (1000 Ac-Ft)	Flow To Mexico (1000 CFS)
May 2025	927	1	13	625	10.2	92	171	448.59	591	113	1.8
Jun 2025	771	15	16	604	10.1	95	71	448.25	585	117	2.0
Jul 2025	684	12	17	563	9.2	89	14	448.51	590	117	1.9
Aug 2025	606	11	17	486	7.9	95	19	448.06	581	108	1.8
Sep 2025	552	16	16	365	6.1	89	80	448.63	592	96	1.6
WY 2025	7581	104	140	5579		954	915			1286	
Oct 2025	500	11	12	394	6.4	65	58	447.36	519	72	1.2
Nov 2025	335	28	9	237	4.0	48	33	449.14	553	88	1.5
Dec 2025	262	19	7	215	3.5	44	40	447.75	527	80	1.3
Jan 2026	319	14	6	246	4.0	27	70	446.74	508	97	1.6
Feb 2026	450	-6	8	394	7.1	0	42	446.57	505	105	1.9
Mar 2026	783	4	9	627	10.2	59	74	447.27	518	145	2.4
Apr 2026	835	14	11	598	10.0	82	129	448.42	539	145	2.4
May 2026	921	6	13	641	10.4	85	176	448.50	541	128	2.1
Jun 2026	881	15	16	668	11.2	96	106	448.50	541	128	2.2
Jul 2026	753	19	17	624	10.1	98	31	448.00	531	115	1.9
Aug 2026	628	19	17	510	8.3	98	22	447.50	522	106	1.7
Sep 2026	602	11	15	433	7.3	96	59	447.50	522	92	1.5
WY 2026	7270	152	140	5585		797	838			1301	
Oct 2026	601	17	12	453	7.4	98	47	447.50	522	69	1.1
Nov 2026	562	16	9	381	6.4	95	86	447.50	522	93	1.6
Dec 2026	425	16	6	304	4.9	100	44	446.50	503	83	1.3
Jan 2027	439	8	6	292	4.7	82	61	446.50	503	131	2.1
Feb 2027	454	1	8	382	6.9	0	58	446.50	503	117	2.1
Mar 2027	874	7	9	621	10.1	82	157	446.70	507	113	1.8
Apr 2027	1008	11	11	699	11.8	82	178	448.70	545	112	1.9
May 2027	1039	6	14	762	12.4	78	180	448.70	545	105	1.7
Jun 2027	885	15	16	706	11.9	89	77	448.70	545	110	1.9
Jul 2027	770	19	17	667	10.9	91	15	448.00	531	116	1.9
Aug 2027	686	19	17	572	9.3	91	23	447.50	522	123	2.0
Sep 2027	664	11	15	502	8.4	89	58	447.50	522	121	2.0
WY 2027	8406	147	139	6341		975	983			1294	
Oct 2027	659	17	12	505	8.2	91	58	447.50	522	84	1.4
Nov 2027	503	16	9	373	6.3	82	48	447.50	522	109	1.8
Dec 2027	397	16	6	303	4.9	87	30	446.50	503	105	1.7
Jan 2028	431	8	6	289	4.7	76	61	446.50	503	129	2.1
Feb 2028	451	1	8	380	6.6	0	57	446.50	503	116	2.0
Mar 2028	871	7	9	619	10.1	76	162	446.70	507	111	1.8
Apr 2028	1006	11	11	697	11.7	76	184	448.70	545	111	1.9

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Hoover Static Head (Ft)	Hoover Generation Capacity (MW)	Hoover Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
May 2025	983	16.0	1057.02	8199	-394	407.77	776.0	364.9	54	371.4
Jun 2025	797	13.4	1054.98	8047	-152	407.58	1309.0	292.0	94	366.2
Jul 2025	721	11.7	1054.14	7985	-62	405.96	1186.1	262.6	85	364.1
Aug 2025	628	10.2	1055.54	8088	104	407.73	1180.9	227.3	85	362.1
Sep 2025	456	7.7	1057.25	8216	127	415.02	905.0	164.7	65	361.1
WY 2025	7871							2920.7		
Oct 2025	485	7.9	1057.57	8240	24	415.75	738.0	175.7	53	362.3
Nov 2025	415	7.0	1058.91	8341	101	417.59	752.5	151.8	54	365.5
Dec 2025	272	4.4	1062.24	8594	253	420.18	701.1	97.0	49	356.7
Jan 2026	387	6.3	1065.37	8836	242	422.58	854.0	143.3	58	370.2
Feb 2026	486	8.7	1066.14	8896	60	422.01	862.0	182.4	58	375.5
Mar 2026	827	13.4	1062.05	8579	-316	413.23	680.1	311.8	47	377.1
Apr 2026	890	15.0	1056.32	8146	-433	406.08	750.4	330.6	53	371.6
May 2026	938	15.3	1050.08	7689	-458	402.74	1007.8	344.0	73	366.9
Jun 2026	909	15.3	1044.15	7266	-423	394.24	1349.8	321.0	97	353.1
Jul 2026	756	12.3	1040.21	6992	-274	389.61	1349.8	268.6	97	355.1
Aug 2026	657	10.7	1038.21	6855	-137	386.98	1355.0	228.1	97	347.1
Sep 2026	567	9.5	1037.22	6787	-68	387.47	1190.5	197.9	85	349.3
WY 2026	7589							2752.3		
Oct 2026	434	7.1	1037.99	6840	53	392.42	819.5	152.6	58	351.6
Nov 2026	635	10.7	1036.07	6710	-130	394.19	803.0	224.7	58	353.9
Dec 2026	562	9.1	1037.03	6774	65	388.00	1292.5	195.8	92	348.1
Jan 2027	517	8.4	1039.53	6945	171	388.89	1116.0	184.6	79	356.8
Feb 2027	476	8.6	1041.43	7077	131	392.17	877.5	165.2	61	347.1
Mar 2027	933	15.2	1037.76	6825	-252	389.98	980.6	335.1	70	359.3
Apr 2027	724	12.2	1031.45	6401	-424	387.16	1387.0	271.8	29	375.3
May 2027	744	12.1	1025.33	6002	-399	380.99	1335.0	272.9	29	366.5
Jun 2027	718	12.1	1021.14	5736	-267	376.36	1310.0	258.1	29	359.6
Jul 2027	741	12.0	1020.76	5712	-24	375.15	1284.0	265.1	29	357.8
Aug 2027	714	11.6	1022.73	5836	124	376.41	1284.0	255.9	29	358.2
Sep 2027	628	10.6	1022.95	5851	14	378.16	1284.0	224.1	29	356.6
WY 2027	7827							2805.8		
Oct 2027	492	8.0	1025.33	6002	151	381.75	359.0	175.6	29	357.3
Nov 2027	576	9.7	1026.21	6059	57	385.67	361.8	210.0	29	364.6
Dec 2027	534	8.7	1029.23	6255	196	385.49	371.5	192.1	29	359.5
Jan 2028	510	8.3	1033.83	6559	304	387.06	380.1	185.9	29	364.9
Feb 2028	473	8.2	1036.83	6761	202	384.55	1094.3	166.6	85	352.1
Mar 2028	750	12.2	1034.06	6574	-187	389.02	380.5	283.0	29	377.6
Apr 2028	722	12.1	1029.14	6249	-325	384.15	371.2	268.2	29	371.2



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Davis Static Head (Ft)	Davis Generation Capacity (MW)	Davis Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
May 2025	927	15.1	643.20	1704	29	139.55	204.0	117.9	80	127.1
Jun 2025	771	13.0	643.14	1703	-2	139.47	204.0	98.6	80	127.9
Jul 2025	684	11.1	643.36	1709	6	140.92	204.0	87.7	80	128.1
Aug 2025	606	9.9	643.16	1703	-6	144.29	204.0	77.5	80	127.8
Sep 2025	552	9.3	639.10	1593	-113	138.06	204.0	69.4	80	125.9
WY 2025	7581							959.9		
Oct 2025	500	8.1	637.75	1614	-37	136.51	162.9	62.0	64	123.9
Nov 2025	335	5.6	640.38	1686	72	142.96	154.7	41.0	61	122.4
Dec 2025	262	4.3	640.01	1676	-10	141.23	154.7	33.0	61	126.0
Jan 2026	319	5.2	641.64	1721	45	142.94	190.8	41.6	75	130.3
Feb 2026	450	8.1	642.06	1733	12	139.63	153.0	58.5	60	130.0
Mar 2026	783	12.7	642.60	1748	15	138.80	200.7	100.6	79	128.5
Apr 2026	835	14.0	643.29	1768	20	140.86	204.0	107.5	80	128.7
May 2026	921	15.0	643.00	1759	-8	139.40	204.0	115.7	80	125.6
Jun 2026	881	14.8	643.00	1759	0	139.32	253.3	110.6	99	125.5
Jul 2026	753	12.2	642.00	1731	-28	139.75	255.0	94.8	100	125.9
Aug 2026	628	10.2	642.00	1731	0	140.06	255.0	79.3	100	126.2
Sep 2026	602	10.1	640.00	1675	-56	139.10	255.0	75.4	100	125.3
WY 2026	7270							920.0		
Oct 2026	601	9.8	633.00	1487	-188	134.74	227.0	73.0	89	121.4
Nov 2026	562	9.4	635.00	1540	53	132.38	159.8	67.0	63	119.3
Dec 2026	425	6.9	639.50	1662	122	136.74	154.7	52.4	61	123.2
Jan 2027	439	7.1	641.80	1726	64	140.04	156.3	55.4	61	126.2
Feb 2027	454	8.2	641.80	1725	0	140.73	156.6	57.5	61	126.8
Mar 2027	874	14.2	643.00	1759	34	138.93	194.1	109.4	76	125.2
Apr 2027	1008	16.9	643.00	1759	0	138.60	249.9	125.8	98	124.9
May 2027	1039	16.9	643.00	1759	0	138.61	255.0	129.7	100	124.9
Jun 2027	885	14.9	643.00	1759	0	139.30	255.0	111.0	100	125.5
Jul 2027	770	12.5	642.00	1731	-28	139.65	255.0	96.9	100	125.8
Aug 2027	686	11.1	642.00	1731	0	139.68	255.0	86.3	100	125.8
Sep 2027	664	11.2	640.00	1675	-56	138.68	255.0	82.9	100	124.9
WY 2027	8406							1047.4		
Oct 2027	659	10.7	633.00	1487	-188	134.35	227.0	79.7	89	121.0
Nov 2027	503	8.5	635.00	1540	53	132.80	159.8	60.2	63	119.6
Dec 2027	397	6.5	639.50	1662	122	136.95	154.7	49.0	61	123.4
Jan 2028	431	7.0	641.80	1726	64	140.09	156.3	54.5	61	126.2
Feb 2028	451	7.8	641.80	1725	0	140.87	156.6	57.2	61	126.9
Mar 2028	871	14.2	643.00	1759	34	138.94	194.1	109.1	76	125.2
Apr 2028	1006	16.9	643.00	1759	0	138.61	249.9	125.7	98	124.9



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Parker Static Head (Ft)	Parker Generation Capacity (MW)	Parker Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
May 2025	625	10.2	448.59	591	20	76.52	120.0	43.2	100	69.1
Jun 2025	604	10.1	448.25	585	-6	79.81	120.0	41.6	100	68.9
Jul 2025	563	9.1	448.51	590	5	80.19	120.0	39.3	100	69.9
Aug 2025	486	7.9	448.06	581	-9	81.84	120.0	33.8	100	69.6
Sep 2025	365	6.1	448.63	592	11	79.19	116.0	25.2	97	69.0
WY 2025	5579							382.6		
Oct 2025	394	6.4	447.36	519	-24	80.98	90.0	26.8	75	68.0
Nov 2025	237	4.0	449.14	553	34	84.08	92.0	15.2	77	64.5
Dec 2025	215	3.5	447.75	527	-27	82.95	108.4	13.3	90	61.9
Jan 2026	245	4.0	446.74	508	-19	78.49	94.8	16.0	79	65.0
Feb 2026	394	7.1	446.57	505	-3	75.02	92.1	26.5	77	67.4
Mar 2026	627	10.2	447.27	518	13	77.07	115.2	43.1	96	68.7
Apr 2026	598	10.0	448.42	539	22	78.07	120.0	41.0	100	68.6
May 2026	641	10.4	448.50	541	2	79.17	120.0	45.2	100	70.6
Jun 2026	668	11.2	448.50	541	0	78.89	120.0	46.9	100	70.3
Jul 2026	624	10.1	448.00	531	-10	79.07	120.0	43.7	100	70.1
Aug 2026	510	8.3	447.50	522	-9	79.38	120.0	35.8	100	70.1
Sep 2026	433	7.3	447.50	522	0	79.60	120.0	30.3	100	70.0
WY 2026	5585							383.9		
Oct 2026	453	7.4	447.50	522	0	79.56	93.9	31.8	78	70.3
Nov 2026	381	6.4	447.50	522	0	80.03	92.0	26.1	77	68.6
Dec 2026	304	4.9	446.50	503	-19	80.28	102.6	19.3	85	63.4
Jan 2027	292	4.7	446.50	503	0	79.89	92.9	19.5	77	67.0
Feb 2027	382	6.9	446.50	503	0	78.79	92.1	26.4	77	69.2
Mar 2027	621	10.1	446.70	507	4	77.44	108.4	42.6	90	68.5
Apr 2027	699	11.8	448.70	545	38	77.89	120.0	48.7	100	69.6
May 2027	762	12.4	448.70	545	0	78.65	120.0	53.4	100	70.1
Jun 2027	706	11.9	448.70	545	0	78.84	120.0	49.6	100	70.2
Jul 2027	667	10.9	448.00	531	-13	78.89	120.0	46.7	100	69.9
Aug 2027	572	9.3	447.50	522	-9	78.93	120.0	39.9	100	69.7
Sep 2027	502	8.4	447.50	522	0	79.06	120.0	34.9	100	69.5
WY 2027	6341							439.0		
Oct 2027	505	8.2	447.50	522	0	79.16	90.0	35.4	75	70.0
Nov 2027	373	6.3	447.50	522	0	80.09	92.0	25.6	77	68.6
Dec 2027	303	4.9	446.50	503	-19	80.29	109.4	19.2	91	63.4
Jan 2028	289	4.7	446.50	503	0	79.91	92.9	19.4	77	67.0
Feb 2028	380	6.6	446.50	503	0	78.93	92.1	26.3	77	69.4
Mar 2028	619	10.1	446.70	507	4	77.45	108.4	42.4	90	68.6
Apr 2028	697	11.7	448.70	545	38	77.90	120.0	48.6	100	69.6

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow

Upper Basin Power



— BUREAU OF —
RECLAMATION

Date	Glen Canyon (1000 MWHR)	Flaming Gorge (1000 MWHR)	Blue Mesa (1000 MWHR)	Morrow Point (1000 MWHR)	Crystal Reservoir (1000 MWHR)	Fontenelle Reservoir (1000 MWHR)
May 2025	237	28	28	41	20	6
Jun 2025	271	33	25	34	19	6
Jul 2025	279	36	31	37	20	4
Aug 2025	268	39	26	34	20	4
Sep 2025	141	36	21	16	12	4
Summer 2025	1434	199	147	189	107	27
Oct 2025	142	19	17	24	11	2
Nov 2025	191	18	5	6	1	3
Dec 2025	190	19	5	6	2	3
Jan 2026	235	19	6	7	2	3
Feb 2026	194	17	5	7	2	3
Mar 2026	183	19	11	15	8	3
Winter 2026	1137	109	49	64	28	18
Apr 2026	172	25	22	28	17	1
May 2026	162	70	21	31	16	3
Jun 2026	177	39	26	36	18	3
Jul 2026	166	42	26	37	18	4
Aug 2026	165	42	22	33	16	4
Sep 2026	159	40	17	28	14	4
Summer 2026	1001	258	134	194	99	20
Oct 2026	163	45	9	16	9	4
Nov 2026	168	41	3	5	3	4
Dec 2026	200	42	3	5	3	4
Jan 2027	220	41	3	5	3	4
Feb 2027	192	37	3	5	3	3
Mar 2027	202	39	6	10	6	3
Winter 2027	1145	245	26	46	27	21
Apr 2027	181	38	13	24	13	2
May 2027	219	70	38	66	23	6
Jun 2027	241	36	12	22	15	7
Jul 2027	278	27	28	38	20	8
Aug 2027	295	36	21	29	15	7
Sep 2027	221	35	20	27	14	4
Summer 2027	1435	242	131	205	100	35
Oct 2027	228	29	17	24	11	4
Nov 2027	226	24	4	6	4	4
Dec 2027	249	25	6	9	5	4
Jan 2028	274	25	7	10	6	4
Feb 2028	224	23	7	10	5	4
Mar 2028	231	25	9	12	7	4
Winter 2028	1432	150	49	71	38	24
Apr 2028	221	24	12	20	12	3



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

May 2026 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Predicted Space – Beginning of Month Conditions

Date	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Upper Basin Total (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)
May 2026	867	464	621	17694	19647	19474	39120
Jun 2026	1009	482	594	17848	19932	19931	39863
Jul 2026	960	532	684	18034	20209	20354	40563
Aug 2026	1014	604	771	18253	20642	20628	41270
Sep 2026	1118	664	829	18402	21012	20765	41777
Oct 2026	1220	719	843	18548	21330	20833	42163
Nov 2026	1323	738	844	18646	21551	20780	42331
Dec 2026	1405	725	843	18724	21697	20910	42608
Jan 2027	1500	713	845	18884	21941	20846	42787
Feb 2027	1586	702	847	19111	22247	20675	42922
Mar 2027	1658	691	841	19243	22434	20543	42977
Apr 2027	1697	680	794	19283	22455	20795	43250
May 2027	1708	657	728	19048	22142	21219	43361
Jun 2027	1694	628	606	17957	20885	21618	42503
Jul 2027	1436	447	559	16867	19309	21884	41193
Aug 2027	1373	457	591	16954	19375	21908	41283
Sep 2027	1429	471	626	17278	19803	21784	41587
Oct 2027	1504	503	633	17463	20103	21769	41872
Nov 2027	1548	534	628	17628	20338	21618	41956
Dec 2027	1575	518	628	17821	20542	21561	42104
Jan 2028	1620	514	632	18125	20891	21365	42256
Feb 2028	1656	517	637	18510	21320	21061	42381
Mar 2028	1687	519	633	18734	21574	20859	42432
Apr 2028	1685	514	588	18871	21658	21046	42703

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS
May 2026 24-Month Study
Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Creditable / Effective Space – Beginning of Month Conditions

Date	Space	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Total or Maximum Allowed (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)	Beginning of Month Space Required (1000 Ac-Ft)	Mead Scheduled Release (1000 Ac-Ft)	Mead Flood Control Release (1000 Ac-Ft)	System Content (MAF)
May 2026	Effective	-125	-146	-32	-303	17694	19474	36865	1500	938	0	20.1
Jun 2026	Effective	14	-131	-90	-206	17848	19931	37573	1500	909	0	19.4
Jul 2026	Effective	-43	-79	-42	-164	18034	20354	38223	1500	756	0	18.6
Aug 2026	Creditable	1014	604	771	2389	18253	20628	41270	1500	657	0	18.1
Sep 2026	Creditable	1118	664	829	2610	18402	20765	41777	2270	567	0	17.6
Oct 2026	Creditable	1220	719	843	2782	18548	20833	42163	3040	434	0	17.3
Nov 2026	Creditable	1323	738	844	2905	18646	20780	42331	3810	635	0	17.1
Dec 2026	Creditable	1405	725	843	2973	18724	20910	42608	4580	562	0	17.0
Jan 2027	Creditable	1500	713	845	3057	18884	20846	42787	5350	517	0	16.9
Jan 2027	Effective	168	291	435	894	18884	20846	40624	5350	517	0	16.9
Feb 2027	Effective	255	279	437	971	19111	20675	40757	1500	476	0	16.9
Mar 2027	Effective	326	268	431	1024	19243	20543	40811	1500	933	0	16.6
Apr 2027	Effective	364	255	377	996	19283	20795	41074	1500	1039	0	16.6
May 2027	Effective	372	231	288	892	19048	21219	41159	1500	1064	0	17.4
Jun 2027	Effective	353	188	128	669	17957	21618	40244	1500	913	0	18.8
Jul 2027	Effective	78	-16	27	89	16867	21884	38840	1500	774	0	18.6
Aug 2027	Creditable	1373	457	591	2421	16954	21908	41283	1500	714	0	18.3
Sep 2027	Creditable	1429	471	626	2525	17278	21784	41587	2270	628	0	17.9
Oct 2027	Creditable	1504	503	633	2640	17463	21769	41872	3040	492	0	17.7
Nov 2027	Creditable	1548	534	628	2710	17628	21618	41956	3810	576	0	17.6
Dec 2027	Creditable	1575	518	628	2722	17821	21561	42104	4580	534	0	17.5
Jan 2028	Creditable	1620	514	632	2766	18125	21365	42256	5350	510	0	17.5
Jan 2028	Effective	352	260	488	1101	18125	21365	40590	5350	510	0	17.5
Feb 2028	Effective	387	263	492	1142	18510	21061	40713	1500	473	0	17.4
Mar 2028	Effective	416	266	488	1170	18734	20859	40763	1500	930	0	17.2
Apr 2028	Effective	410	260	436	1106	18871	21046	41023	1500	1038	0	17.1

Model Run ID: 3317

Processed on: 5/12/2026 2:57:28 PM



June 2026 Most Probable 24-Month Study

The operation of Lake Powell and Lake Mead in the June 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell was originally projected to be 7.48 million acre-feet (maf). Further, given the hydrologic variability of the Colorado River System and potential for declining reservoir conditions, Section 6.E of the 2024 Interim Guidelines SEIS ROD allows for Lake Powell's release in WY 2026 to be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases for the months of December 2025 through April 2026 were implemented in the December 2025 24-Month Study, reducing the release volume for these months by 0.598 maf. As historically dry conditions persisted in WY 2026 and reservoir conditions were projected to decline below 3,500 feet at Lake Powell, the Department of the Interior implemented an action under Section 6.E of the 2024 Interim Guidelines SEIS ROD by reducing Lake Powell's annual release from 7.48 maf to 6.00 maf in WY 2026.³ This action was taken in conjunction with the 2026 Drought Response Operations Plan which will release between approximately 660,000 acre-feet to 1.00 maf of additional water from Flaming Gorge reservoir to Lake Powell by April 2027.⁴ The May 2026 Most Probable 24-Month Study reflects a 1.00 maf Drought Response Operations release.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the DCP and the Lower Colorado River Basin Conservation and Efficiency Program (LC Conservation Program).

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² The 2024 Interim Guidelines SEIS ROD is available online at: https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

³ For more information please visit: <https://www.usbr.gov/newsroom/news-release/5326>.

⁴ For more information please visit: <https://www.usbr.gov/ColoradoRiverBasin/dcp/droa>.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of May was 0.383 maf or 18% of the 30-year average from 1991 to 2020. The June 2026 unregulated inflow forecast for Lake Powell is 0.170 maf or 7% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 0.950 maf or 15% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 3.40 maf or 35% of average.

In this study, the CY 2026 diversion for Metropolitan Water District of Southern California (MWD) is projected to be 0.941 maf. The CY 2026 diversion for the Central Arizona Project (CAP) is projected to be 0.924 maf. Consumptive use for Nevada above Hoover (SNWP Use) is projected to be 0.188 maf for CY 2026.

Due to changing Lake Mead elevations, Hoover's generator capacity is adjusted based on estimated effective capacity and plant availability. The estimated effective capacity is based on projected Lake Mead elevations. Unit capacity tests will be performed as the lake elevation changes. This study reflects these changes in the projections.

For questions on Upper Colorado River Basin (UCB) reservoir operations, please contact Alex Pivarnik, the UCB River Operations Group Supervisor, at apivarnik@usbr.gov. For questions on Lower Colorado River Basin (LCB) reservoir operations, please contact Noe Santos, the LCB River Operations Manager, at nsantos@usbr.gov.

Hoover, Davis, and Parker Dam historical gross energy figures come from Power, Operations, and Maintenance reports provided by the Lower Colorado Region's Power Office, Bureau of Reclamation, Boulder City, Nevada. Questions regarding these historical energy numbers can be directed to Rebecca Rogers (rrogers@usbr.gov) or Kyra Cubi (kcubi@usbr.gov).

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_06_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Fontenelle Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jun 2025	187	2	82	0	82	6499.39	284
Jul 2025	60	3	55	0	55	6499.76	287
Aug 2025	29	2	53	0	53	6496.23	261
Sep 2025	22	2	49	0	49	6492.13	233
WY 2025	710	14	662	38	700		
Oct 2025	33	1	28	22	50	6489.48	215
Nov 2025	37	1	49	2	50	6487.29	201
Dec 2025	39	1	51	0	51	6485.22	188
Jan 2026	32	1	51	0	51	6481.93	169
Feb 2026	31	0	46	0	46	6479.12	154
Mar 2026	57	1	49	1	50	6480.26	160
Apr 2026	46	1	21	27	48	6479.75	157
May 2026	66	1	49	0	49	6482.66	173
Jun 2026	155	2	42	0	42	6499.45	284
Jul 2026	63	3	46	0	46	6501.35	298
Aug 2026	29	2	49	0	49	6498.32	276
Sep 2026	25	2	48	0	48	6494.91	252
WY 2026	613	15	527	52	579		
Oct 2026	33	1	49	0	49	6492.40	234
Nov 2026	31	1	51	0	51	6489.36	214
Dec 2026	26	1	55	0	55	6484.56	184
Jan 2027	23	1	55	0	55	6478.60	151
Feb 2027	22	0	50	0	50	6472.47	123
Mar 2027	40	0	55	0	55	6468.62	107
Apr 2027	65	1	37	18	55	6471.01	117
May 2027	125	1	81	0	81	6480.21	160
Jun 2027	275	2	102	46	148	6499.45	284
Jul 2027	165	3	101	22	124	6504.55	323
Aug 2027	50	2	89	0	89	6499.08	281
Sep 2027	35	2	57	0	57	6495.81	258
WY 2027	890	14	783	86	869		
Oct 2027	42	1	58	0	58	6493.29	240
Nov 2027	41	1	59	0	59	6490.52	222
Dec 2027	32	1	63	0	63	6485.54	190
Jan 2028	31	1	63	0	63	6479.80	157
Feb 2028	29	0	59	0	59	6473.45	127
Mar 2028	51	0	63	0	63	6470.61	115
Apr 2028	77	1	49	0	49	6476.80	142
May 2028	166	1	100	0	100	6488.27	207

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Flaming Gorge Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Jensen Flow (1000 Ac-Ft)
Jun 2025	194	84	10	88	0	88	122	6027.51	3172	294
Jul 2025	57	51	12	95	0	95	120	6026.01	3119	117
Aug 2025	25	48	12	102	0	102	117	6024.21	3055	114
Sep 2025	21	47	10	96	0	96	115	6022.58	2999	114
WY 2025	832	822	75	908	1	909				1821
Oct 2025	35	52	7	51	0	51	115	6022.44	2994	84
Nov 2025	42	55	3	49	0	49	115	6022.52	2997	78
Dec 2025	40	52	2	51	0	51	115	6022.48	2995	81
Jan 2026	31	50	2	52	0	52	114	6022.39	2992	78
Feb 2026	42	58	2	44	0	46	115	6022.66	3001	76
Mar 2026	64	59	3	50	0	50	115	6022.81	3007	113
Apr 2026	51	51	5	68	0	68	114	6022.23	2986	169
May 2026	70	59	7	156	60	216	108	6017.56	2828	369
Jun 2026	160	47	9	111	0	111	105	6015.41	2758	176
Jul 2026	69	52	12	121	0	121	102	6013.03	2680	123
Aug 2026	30	50	11	121	0	121	99	6010.56	2602	124
Sep 2026	24	47	9	118	0	118	96	6008.09	2525	122
WY 2026	658	631	70	993	60	1054				1592
Oct 2026	38	54	6	132	0	132	93	6005.46	2444	149
Nov 2026	40	60	3	128	0	128	90	6003.18	2376	148
Dec 2026	31	60	1	132	0	132	87	6000.79	2305	149
Jan 2027	28	60	1	132	0	132	84	5998.35	2235	149
Feb 2027	33	61	2	119	0	119	82	5996.33	2178	136
Mar 2027	75	90	2	123	0	123	81	5995.14	2145	173
Apr 2027	105	95	4	118	0	118	80	5994.21	2119	303
May 2027	160	116	6	174	0	174	77	5991.97	2058	664
Jun 2027	330	203	7	114	0	114	80	5994.86	2137	494
Jul 2027	185	144	10	61	0	61	83	5997.39	2208	121
Aug 2027	55	94	9	82	0	82	83	5997.48	2210	94
Sep 2027	40	62	8	80	0	80	82	5996.59	2185	90
WY 2027	1120	1099	59	1393	0	1393				2668
Oct 2027	50	66	5	71	0	71	82	5996.23	2175	93
Nov 2027	49	67	3	63	0	63	82	5996.29	2177	91
Dec 2027	34	65	1	68	0	68	82	5996.13	2172	93
Jan 2028	42	74	1	68	0	68	82	5996.29	2177	93
Feb 2028	43	73	2	64	0	64	82	5996.56	2184	89
Mar 2028	85	97	2	68	0	68	83	5997.47	2210	142
Apr 2028	111	83	4	65	0	65	84	5997.95	2224	268
May 2028	239	173	6	237	0	237	81	5995.57	2157	750

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Taylor Park Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jun 2025	25	15	9322.73	92
Jul 2025	8	18	9317.27	82
Aug 2025	6	16	9311.09	72
Sep 2025	6	13	9306.59	65
WY 2025	104	113		
Oct 2025	7	7	9306.49	64
Nov 2025	4	5	9306.13	64
Dec 2025	4	5	9305.47	63
Jan 2026	3	5	9304.41	61
Feb 2026	3	4	9303.63	60
Mar 2026	7	4	9305.79	63
Apr 2026	7	5	9307.58	66
May 2026	12	10	9309.17	69
Jun 2026	9	12	9307.27	66
Jul 2026	5	13	9301.81	58
Aug 2026	4	9	9297.99	52
Sep 2026	3	4	9296.86	51
WY 2026	69	83		
Oct 2026	4	5	9296.38	50
Nov 2026	3	3	9296.35	50
Dec 2026	3	3	9296.25	50
Jan 2027	3	3	9296.14	50
Feb 2027	2	3	9295.48	49
Mar 2027	3	3	9295.37	49
Apr 2027	6	4	9296.59	51
May 2027	22	9	9305.81	63
Jun 2027	35	15	9318.12	84
Jul 2027	14	18	9315.58	79
Aug 2027	8	14	9312.10	73
Sep 2027	6	9	9310.29	70
WY 2027	109	90		
Oct 2027	6	5	9311.15	72
Nov 2027	5	5	9311.12	72
Dec 2027	4	5	9310.35	70
Jan 2028	5	5	9310.32	70
Feb 2028	4	5	9309.55	69
Mar 2028	5	5	9309.51	69
Apr 2028	9	10	9308.61	68
May 2028	26	15	9315.12	78

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Blue Mesa Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jun 2025	160	150	1	91	0	91	7490.03	578
Jul 2025	44	54	1	112	0	112	7482.27	519
Aug 2025	29	40	1	95	0	95	7474.44	462
Sep 2025	30	37	1	80	0	80	7467.96	418
WY 2025	657	666	8	770	30	799		
Oct 2025	45	45	0	67	0	67	7464.57	396
Nov 2025	30	31	0	22	0	22	7465.86	404
Dec 2025	27	28	0	20	0	20	7467.02	412
Jan 2026	22	23	0	22	0	22	7467.17	413
Feb 2026	23	24	0	20	0	20	7467.76	417
Mar 2026	42	39	0	42	0	42	7467.35	414
Apr 2026	37	34	1	84	0	84	7459.46	364
May 2026	55	52	1	49	25	74	7455.79	342
Jun 2026	38	41	1	78	0	78	7449.09	304
Jul 2026	20	28	1	83	0	83	7438.19	249
Aug 2026	25	30	1	85	0	85	7425.89	193
Sep 2026	20	21	0	74	0	74	7412.18	140
WY 2026	384	398	6	645	25	670		
Oct 2026	21	22	0	52	0	52	7403.01	110
Nov 2026	18	18	0	14	0	14	7404.14	113
Dec 2026	16	16	0	15	0	15	7404.48	114
Jan 2027	15	15	0	16	0	16	7404.19	113
Feb 2027	14	15	0	13	0	13	7404.67	115
Mar 2027	25	25	0	25	0	25	7404.57	115
Apr 2027	53	51	0	50	0	50	7404.89	116
May 2027	175	162	0	100	0	100	7421.98	177
Jun 2027	230	210	1	42	0	42	7456.19	344
Jul 2027	87	91	1	94	0	94	7455.49	340
Aug 2027	49	55	1	91	0	91	7448.85	303
Sep 2027	32	35	1	72	0	72	7441.55	265
WY 2027	735	716	5	586	0	586		
Oct 2027	34	33	0	64	0	64	7434.93	233
Nov 2027	30	30	0	14	0	14	7438.22	249
Dec 2027	26	27	0	21	0	21	7439.43	255
Jan 2028	25	25	0	28	0	28	7438.74	251
Feb 2028	23	24	0	27	0	27	7438.11	248
Mar 2028	38	38	0	32	0	32	7439.39	254
Apr 2028	78	79	0	46	0	46	7445.93	287
May 2028	204	193	1	45	0	45	7470.47	435

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Morrow Point Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Blue Mesa Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jun 2025	170	91	9	100	99	0	99	7149.91	109
Jul 2025	44	112	0	112	106	0	106	7157.96	115
Aug 2025	30	95	1	96	99	0	99	7153.99	112
Sep 2025	30	80	0	81	47	0	79	7156.14	114
WY 2025	698	799	41	841	796	0	838		
Oct 2025	45	67	0	67	70	0	70	7152.16	111
Nov 2025	30	22	0	22	18	0	18	7156.71	114
Dec 2025	28	20	1	21	22	0	22	7155.76	114
Jan 2026	23	22	1	24	24	0	24	7155.79	114
Feb 2026	25	20	1	22	21	0	21	7156.24	114
Mar 2026	44	42	1	43	44	0	44	7155.45	113
Apr 2026	38	84	1	85	80	4	84	7156.18	114
May 2026	56	74	1	75	84	0	84	7143.38	104
Jun 2026	40	78	2	80	72	0	72	7153.72	112
Jul 2026	21	83	1	84	84	0	84	7153.73	112
Aug 2026	26	85	1	86	86	0	86	7153.73	112
Sep 2026	21	74	1	75	75	0	75	7153.73	112
WY 2026	397	670	12	682	679	4	683		
Oct 2026	23	52	2	54	54	0	54	7153.73	112
Nov 2026	19	14	1	15	15	0	15	7153.73	112
Dec 2026	17	15	1	16	16	0	16	7153.73	112
Jan 2027	16	16	1	17	17	0	17	7153.73	112
Feb 2027	16	13	2	15	15	0	15	7153.73	112
Mar 2027	28	25	3	28	28	0	28	7153.73	112
Apr 2027	61	50	8	58	58	0	58	7153.73	112
May 2027	193	100	18	118	118	0	118	7153.73	112
Jun 2027	245	42	15	57	57	0	57	7153.72	112
Jul 2027	91	94	4	98	98	0	98	7153.73	112
Aug 2027	52	91	3	94	94	0	94	7153.73	112
Sep 2027	34	72	2	74	74	0	74	7153.73	112
WY 2027	795	586	60	646	645	0	645		
Oct 2027	36	64	2	66	66	0	66	7153.73	112
Nov 2027	31	14	1	15	15	0	15	7153.73	112
Dec 2027	27	21	1	22	22	0	22	7153.73	112
Jan 2028	26	28	1	29	29	0	29	7153.73	112
Feb 2028	25	27	2	29	29	0	29	7153.73	112
Mar 2028	40	32	2	34	34	0	34	7153.73	112
Apr 2028	89	46	11	57	57	0	57	7153.73	112
May 2028	226	45	22	67	67	0	67	7153.73	112



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Crystal Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Morrow Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Tunnel Flow (1000 Ac-Ft)	Below Tunnel Flow (1000 Ac-Ft)
Jun 2025	187	99	17	116	99	17	117	6752.70	17	62	57
Jul 2025	46	106	2	107	102	5	108	6752.20	17	66	43
Aug 2025	30	99	0	99	99	0	99	6751.19	16	63	36
Sep 2025	31	79	1	80	65	20	85	6731.14	11	61	25
WY 2025	740	838	42	879	730	147	882			439	432
Oct 2025	47	70	2	72	59	8	67	6749.67	16	46	21
Nov 2025	33	18	3	21	13	9	21	6749.46	16	0	20
Dec 2025	30	22	2	24	24	0	24	6749.70	16	1	22
Jan 2026	25	24	2	25	24	0	24	6752.71	17	1	23
Feb 2026	26	21	2	23	23	0	23	6752.61	17	0	21
Mar 2026	48	44	5	48	49	0	49	6750.21	16	24	24
Apr 2026	41	84	3	87	85	0	86	6752.98	17	62	24
May 2026	58	84	3	87	87	0	87	6752.59	17	65	23
Jun 2026	43	72	3	75	74	0	74	6753.03	17	61	13
Jul 2026	23	84	2	86	86	0	86	6753.04	17	65	21
Aug 2026	29	86	3	89	89	0	89	6753.04	17	65	24
Sep 2026	24	75	3	78	78	0	78	6753.04	17	55	23
WY 2026	427	683	30	714	690	18	708			445	258
Oct 2026	28	54	5	59	59	0	59	6753.04	17	31	28
Nov 2026	22	15	3	18	18	0	18	6753.04	17	0	18
Dec 2026	20	16	3	19	19	0	19	6753.04	17	0	19
Jan 2027	18	17	2	19	19	0	19	6753.04	17	0	19
Feb 2027	18	15	2	17	17	0	17	6753.04	17	0	17
Mar 2027	32	28	4	32	32	0	32	6753.04	17	5	27
Apr 2027	70	58	9	67	67	0	67	6753.04	17	42	25
May 2027	215	118	22	140	134	6	140	6753.04	17	62	78
Jun 2027	270	57	25	82	82	0	82	6753.03	17	61	21
Jul 2027	100	98	9	107	107	0	107	6753.04	17	65	42
Aug 2027	58	94	6	100	100	0	100	6753.04	17	65	35
Sep 2027	39	74	5	79	79	0	79	6753.04	17	55	24
WY 2027	890	645	95	740	734	6	740			386	353
Oct 2027	41	66	5	71	64	7	71	6753.04	17	49	22
Nov 2027	36	15	5	20	20	0	20	6753.04	17	0	20
Dec 2027	32	22	5	27	27	0	27	6753.04	17	0	27
Jan 2028	31	29	5	34	34	0	34	6753.04	17	0	34
Feb 2028	29	29	4	33	33	0	33	6753.04	17	0	33
Mar 2028	46	34	6	40	40	0	40	6753.04	17	5	35
Apr 2028	100	57	11	68	68	0	68	6753.04	17	42	26
May 2028	251	67	25	92	92	0	92	6753.04	17	62	30

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Vallecito Reservoir



BUREAU OF
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jun 2025	35	38	7659.35	110
Jul 2025	10	39	7647.41	81
Aug 2025	5	37	7631.88	48
Sep 2025	8	27	7619.96	29
WY 2025	159	199		
Oct 2025	65	5	7650.81	89
Nov 2025	10	2	7654.03	97
Dec 2025	7	2	7655.94	102
Jan 2026	5	2	7657.19	105
Feb 2026	4	2	7658.18	107
Mar 2026	15	7	7661.23	115
Apr 2026	21	16	7662.72	119
May 2026	28	38	7658.84	109
Jun 2026	14	43	7646.98	80
Jul 2026	7	41	7630.09	45
Aug 2026	7	38	7606.30	14
Sep 2026	7	13	7598.82	8
WY 2026	191	209		
Oct 2026	8	8	7598.72	8
Nov 2026	6	0	7606.04	14
Dec 2026	5	0	7610.84	19
Jan 2027	4	0	7614.11	22
Feb 2027	4	0	7617.11	26
Mar 2027	7	0	7621.97	32
Apr 2027	16	0	7631.37	47
May 2027	61	31	7645.77	77
Jun 2027	63	43	7654.03	97
Jul 2027	18	41	7643.92	73
Aug 2027	12	38	7631.12	47
Sep 2027	11	29	7619.38	28
WY 2027	215	192		
Oct 2027	10	16	7614.05	22
Nov 2027	8	0	7620.13	30
Dec 2027	7	0	7624.63	36
Jan 2028	6	0	7628.02	42
Feb 2028	5	0	7630.61	46
Mar 2028	10	0	7635.61	55
Apr 2028	23	1	7645.71	77
May 2028	68	31	7660.47	114

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Navajo Reservoir



BUREAU OF
RECLAMATION

Date	Modified Unregulated Inflow (1000 Ac-Ft)	Azotea Tunnel Diversion (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	NIIP Diversion (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Farmington Flow (1000 Ac-Ft)
Jun 2025	61	11	50	3	27	23	6040.05	1061	108
Jul 2025	-11	0	18	4	37	48	6033.15	991	48
Aug 2025	-13	0	20	3	38	64	6024.30	905	51
Sep 2025	15	1	34	2	18	42	6021.25	877	48
WY 2025	363	36	366	22	174	382			620
Oct 2025	215	9	146	1	6	23	6033.50	994	101
Nov 2025	33	0	24	1	0	27	6033.12	990	51
Dec 2025	26	0	21	0	0	18	6033.40	993	38
Jan 2026	21	0	18	0	0	19	6033.24	991	36
Feb 2026	20	0	17	1	2	19	6032.86	988	34
Mar 2026	70	11	52	1	6	17	6035.62	1015	47
Apr 2026	73	10	57	2	24	20	6036.72	1027	37
May 2026	63	9	64	3	28	35	6036.48	1024	54
Jun 2026	8	0	37	3	39	69	6028.99	950	100
Jul 2026	-10	0	24	3	42	67	6019.52	862	81
Aug 2026	-2	3	25	2	35	56	6011.58	794	67
Sep 2026	25	1	30	2	19	36	6008.37	767	52
WY 2026	541	44	516	20	200	405			697
Oct 2026	27	0	27	1	7	27	6007.40	759	42
Nov 2026	24	0	18	1	0	18	6007.33	759	30
Dec 2026	20	0	15	0	0	18	6006.91	755	29
Jan 2027	18	0	14	0	0	18	6006.36	751	28
Feb 2027	21	0	17	1	0	17	6006.33	751	26
Mar 2027	54	4	43	1	5	19	6008.57	769	34
Apr 2027	117	14	87	2	21	18	6014.25	816	55
May 2027	220	29	160	2	35	18	6025.90	920	138
Jun 2027	180	23	136	3	51	39	6030.39	963	170
Jul 2027	28	1	50	3	55	26	6026.78	929	73
Aug 2027	24	1	49	3	47	30	6023.52	898	60
Sep 2027	27	1	44	2	26	26	6022.46	888	49
WY 2027	760	75	662	19	247	274			734
Oct 2027	32	1	37	1	9	18	6023.35	897	39
Nov 2027	29	1	21	1	0	18	6023.58	899	35
Dec 2027	24	0	17	0	0	18	6023.39	897	33
Jan 2028	22	0	16	0	0	18	6023.11	894	31
Feb 2028	29	1	24	1	0	17	6023.70	900	29
Mar 2028	92	10	72	1	6	18	6028.70	947	41
Apr 2028	147	18	107	2	21	19	6035.20	1011	70
May 2028	251	34	180	3	36	22	6046.48	1131	157

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Lake Powell



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Plant Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Bank Storage (1000 Ac-Ft)	End Of Month Storage (1000 Ac-Ft)	Lees Ferry Gage (1000 Ac-Ft)
Jun 2025	1083	883	28	678	0	678	3561.30	4720	7879	681
Jul 2025	120	289	33	706	0	706	3555.36	4686	7462	707
Aug 2025	6	268	31	688	73	761	3548.18	4648	6977	762
Sep 2025	162	346	28	367	198	565	3544.69	4629	6749	577
WY 2025	4688	5136	239	6994	487	7481				7503
Oct 2025	663	554	19	373	108	480	3545.46	4633	6799	487
Nov 2025	374	365	19	500	0	500	3543.26	4622	6656	497
Dec 2025	317	313	15	501	0	501	3540.31	4607	6469	494
Jan 2026	265	274	4	625	0	625	3535.02	4581	6140	610
Feb 2026	253	266	4	524	0	524	3531.00	4561	5897	513
Mar 2026	350	314	7	500	0	500	3527.99	4547	5719	489
Apr 2026	372	374	11	471	0	471	3526.29	4539	5619	476
May 2026	383	577	13	459	0	459	3527.96	4547	5717	462
Jun 2026	170	252	20	509	0	509	3523.53	4526	5461	519
Jul 2026	25	259	24	482	0	482	3519.47	4508	5232	485
Aug 2026	80	328	23	482	0	482	3516.49	4495	5068	481
Sep 2026	150	328	21	467	0	467	3513.74	4483	4919	472
WY 2026	3401	4203	179	5892	108	6000				5986
Oct 2026	280	412	14	480	0	480	3512.31	4477	4843	484
Nov 2026	300	379	14	500	0	500	3509.93	4467	4717	501
Dec 2026	240	339	11	600	0	600	3505.02	4447	4465	603
Jan 2027	200	306	3	664	0	664	3498.25	4420	4131	668
Feb 2027	240	321	3	587	0	587	3493.01	4400	3882	595
Mar 2027	390	412	4	437	183	620	3488.74	4384	3685	627
Apr 2027	600	546	7	0	552	552	3488.47	4383	3673	562
May 2027	1650	1452	9	501	49	550	3505.70	4449	4500	564
Jun 2027	2100	1629	18	577	0	577	3523.46	4526	5457	587
Jul 2027	750	688	24	652	0	652	3523.65	4527	5468	655
Aug 2027	300	423	24	696	0	696	3518.76	4505	5192	695
Sep 2027	300	406	22	522	0	522	3516.44	4495	5065	527
WY 2027	7350	7310	153	6216	784	7000				7065
Oct 2027	403	451	15	480	0	480	3515.70	4491	5025	484
Nov 2027	442	430	15	500	0	500	3514.25	4485	4946	501
Dec 2027	361	385	11	600	0	600	3510.30	4468	4737	603
Jan 2028	350	376	3	810	0	810	3502.36	4436	4332	814
Feb 2028	397	411	3	650	0	650	3497.79	4418	4108	658
Mar 2028	614	532	5	690	0	690	3494.63	4406	3958	697
Apr 2028	920	754	8	670	0	670	3496.13	4412	4029	680
May 2028	2060	1739	10	740	0	740	3514.22	4485	4945	754

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Glen Release (1000 Ac-Ft)	Side Inflow Glen to Hoover (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	SNWP Use (1000 Ac-Ft)	Downstream Requirements (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Jun 2025	678	31	50	797	13.4	23	795	523	1054.98	8047
Jul 2025	706	23	47	721	11.7	26	718	519	1054.14	7985
Aug 2025	761	55	51	628	10.2	26	620	526	1055.54	8088
Sep 2025	565	96	51	456	7.7	18	632	534	1057.25	8216
WY 2025	7481	547	474	7871		204	8067			
Oct 2025	480	93	48	485	7.9	15	484	536	1057.57	8240
Nov 2025	500	75	42	415	7.0	10	410	542	1058.91	8341
Dec 2025	501	82	35	272	4.4	7	321	559	1062.24	8594
Jan 2026	625	50	24	387	6.3	6	543	574	1065.37	8836
Feb 2026	524	55	23	486	8.7	7	496	578	1066.14	8896
Mar 2026	500	29	25	827	13.4	14	825	558	1062.05	8579
Apr 2026	471	8	33	890	15.0	17	885	530	1056.32	8146
May 2026	459	-3	40	890	14.5	20	886	499	1050.00	7683
Jun 2026	509	20	48	861	14.5	22	861	475	1044.71	7306
Jul 2026	482	53	45	777	12.6	26	777	456	1040.50	7012
Aug 2026	482	102	48	649	10.6	25	649	447	1038.61	6883
Sep 2026	467	91	46	610	10.3	17	610	440	1037.02	6774
WY 2026	6000	657	456	7549		186	7745			
Oct 2026	480	71	44	498	8.1	17	498	440	1036.92	6767
Nov 2026	500	45	38	612	10.3	10	612	433	1035.31	6658
Dec 2026	600	70	31	522	8.5	8	522	439	1036.83	6761
Jan 2027	664	67	21	522	8.5	10	522	450	1039.27	6928
Feb 2027	587	60	20	476	8.6	9	476	459	1041.21	7061
Mar 2027	620	80	22	937	15.2	14	937	442	1037.47	6805
Apr 2027	552	83	29	1041	17.5	18	1041	415	1031.12	6379
May 2027	550	50	35	1072	17.4	23	1072	382	1023.44	5881
Jun 2027	577	20	42	908	15.3	25	908	359	1017.78	5527
Jul 2027	652	53	40	769	12.5	28	769	351	1015.77	5403
Aug 2027	696	102	43	710	11.5	27	710	352	1016.04	5419
Sep 2027	522	91	42	624	10.5	20	624	348	1014.93	5351
WY 2027	7000	791	406	8691		209	8691			
Oct 2027	480	71	39	487	7.9	21	487	348	1015.00	5356
Nov 2027	500	45	34	578	9.7	14	578	343	1013.73	5278
Dec 2027	600	70	28	534	8.7	12	534	349	1015.22	5369
Jan 2028	810	67	19	503	8.2	12	503	370	1020.42	5691
Feb 2028	650	60	18	455	7.9	11	455	384	1023.77	5903
Mar 2028	690	80	20	908	14.8	17	908	373	1021.18	5738
Apr 2028	670	83	27	1009	17.0	22	1009	354	1016.56	5451
May 2028	740	50	33	1041	16.9	28	1041	335	1011.74	5159

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Spill Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Jun 2025	797	-14	14	771	0	771	13.0	643.14	1703
Jul 2025	721	-18	13	684	0	684	11.1	643.36	1709
Aug 2025	628	-11	16	606	0	606	9.9	643.16	1703
Sep 2025	456	-1	17	552	0	552	9.3	639.10	1593
WY 2025	7871	-132	157	7581	0	7581			
Oct 2025	485	-6	15	500	0	500	8.1	637.75	1614
Nov 2025	415	5	13	335	0	335	5.6	640.38	1686
Dec 2025	272	-7	13	262	0	262	4.3	640.01	1676
Jan 2026	387	-13	9	319	0	319	5.2	641.64	1721
Feb 2026	486	-16	8	450	0	450	8.1	642.06	1733
Mar 2026	827	-18	10	783	0	783	12.7	642.60	1748
Apr 2026	890	-22	13	835	0	835	14.0	643.29	1768
May 2026	890	-20	15	857	0	857	13.9	643.26	1767
Jun 2026	861	-14	14	840	0	840	14.1	643.00	1759
Jul 2026	777	-19	13	760	0	760	12.4	642.50	1745
Aug 2026	649	-13	16	634	0	634	10.3	642.00	1731
Sep 2026	610	-4	17	646	0	646	10.9	640.00	1675
WY 2026	7549	-146	157	7221	0	7221			
Oct 2026	498	-6	15	665	0	665	10.8	633.00	1487
Nov 2026	612	-7	13	539	0	539	9.1	635.00	1540
Dec 2026	522	-2	13	385	0	385	6.3	639.50	1662
Jan 2027	522	-5	9	444	0	444	7.2	641.80	1726
Feb 2027	476	-14	8	453	0	453	8.2	641.80	1725
Mar 2027	937	-14	10	878	0	878	14.3	643.00	1759
Apr 2027	1041	-18	13	1010	0	1010	17.0	643.00	1759
May 2027	1072	-10	15	1047	0	1047	17.0	643.00	1759
Jun 2027	908	-14	14	880	0	880	14.8	643.00	1759
Jul 2027	769	-19	13	766	0	766	12.5	642.00	1731
Aug 2027	710	-13	16	681	0	681	11.1	642.00	1731
Sep 2027	624	-4	17	659	0	659	11.1	640.00	1675
WY 2027	8691	-127	156	8408	0	8408			
Oct 2027	487	-6	15	654	0	654	10.6	633.00	1487
Nov 2027	578	-7	13	505	0	505	8.5	635.00	1540
Dec 2027	534	-2	13	397	0	397	6.5	639.50	1662
Jan 2028	503	-5	9	424	0	424	6.9	641.80	1726
Feb 2028	455	-14	8	432	0	432	7.5	641.80	1725
Mar 2028	908	-14	10	849	0	849	13.8	643.00	1759
Apr 2028	1009	-18	13	978	0	978	16.4	643.00	1759
May 2028	1041	-10	15	1016	0	1016	16.5	643.00	1759

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Davis Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	MWD Diversion (1000 Ac-Ft)	CAP Diversion (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Flow To Mexico (1000 Ac-Ft)	Flow To Mexico (1000 CFS)
Jun 2025	771	15	16	604	10.1	95	71	448.25	585	117	2.0
Jul 2025	684	12	17	563	9.2	89	14	448.51	590	117	1.9
Aug 2025	606	11	17	486	7.9	95	19	448.06	581	108	1.8
Sep 2025	552	16	16	365	6.1	89	80	448.63	592	96	1.6
WY 2025	7581	104	140	5579		954	915			1286	
Oct 2025	500	11	12	394	6.4	65	58	447.36	519	72	1.2
Nov 2025	335	28	9	237	4.0	48	33	449.14	553	88	1.5
Dec 2025	262	19	7	215	3.5	44	40	447.75	527	80	1.3
Jan 2026	319	14	6	246	4.0	27	70	446.74	508	97	1.6
Feb 2026	450	-6	8	394	7.1	0	42	446.57	505	105	1.9
Mar 2026	783	4	9	627	10.2	59	74	447.27	518	145	2.4
Apr 2026	835	13	11	598	10.0	82	129	448.42	539	149	2.5
May 2026	857	9	13	641	10.4	87	119	448.32	537	128	2.1
Jun 2026	840	15	16	621	10.4	82	122	448.50	541	128	2.2
Jul 2026	760	19	17	637	10.4	85	37	448.00	531	129	2.1
Aug 2026	634	19	17	510	8.3	101	25	447.50	522	106	1.7
Sep 2026	646	11	15	433	7.3	103	96	447.50	522	92	1.5
WY 2026	7221	155	140	5552		782	843			1319	
Oct 2026	665	17	12	453	7.4	106	103	447.50	522	69	1.1
Nov 2026	539	16	9	350	5.9	103	88	447.50	522	82	1.4
Dec 2026	385	16	6	282	4.6	106	19	446.50	503	80	1.3
Jan 2027	444	8	6	292	4.7	86	61	446.50	503	131	2.1
Feb 2027	453	1	8	382	6.9	0	57	446.50	503	117	2.1
Mar 2027	878	7	9	621	10.1	86	157	446.70	507	113	1.8
Apr 2027	1010	11	11	699	11.8	84	178	448.70	545	112	1.9
May 2027	1047	6	14	762	12.4	86	180	448.70	545	105	1.7
Jun 2027	880	15	16	706	11.9	84	77	448.70	545	110	1.9
Jul 2027	766	19	17	667	10.9	86	15	448.00	531	116	1.9
Aug 2027	681	19	17	572	9.3	86	23	447.50	522	123	2.0
Sep 2027	659	11	15	502	8.4	84	57	447.50	522	121	2.0
WY 2027	8408	147	139	6289		999	1013			1280	
Oct 2027	654	17	12	505	8.2	86	58	447.50	522	84	1.4
Nov 2027	505	16	9	373	6.3	84	48	447.50	522	109	1.8
Dec 2027	397	16	6	303	4.9	86	30	446.50	503	105	1.7
Jan 2028	424	8	6	279	4.5	90	50	446.50	503	119	1.9
Feb 2028	432	1	8	371	6.4	0	47	446.50	503	107	1.9
Mar 2028	849	7	9	610	9.9	90	135	446.70	507	103	1.7
Apr 2028	978	11	11	689	11.6	88	153	448.70	545	102	1.7
May 2028	1016	6	14	751	12.2	90	155	448.70	545	95	1.5



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Hoover Static Head (Ft)	Hoover Generation Capacity (MW)	Hoover Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-feet (KWH/AF)
Jun 2025	797	13.4	1054.98	8047	-152	407.58	1309.0	292.0	94	366.2
Jul 2025	721	11.7	1054.14	7985	-62	405.96	1186.1	262.6	85	364.1
Aug 2025	628	10.2	1055.54	8088	104	407.73	1180.9	227.3	85	362.1
Sep 2025	456	7.7	1057.25	8216	127	415.02	905.0	164.7	65	361.1
WY 2025	7871							2920.7		
Oct 2025	485	7.9	1057.57	8240	24	415.75	738.0	175.7	53	362.3
Nov 2025	415	7.0	1058.91	8341	101	417.59	752.5	151.8	54	365.5
Dec 2025	272	4.4	1062.24	8594	253	420.18	701.1	97.0	49	356.7
Jan 2026	387	6.3	1065.37	8836	242	422.58	854.0	143.3	58	370.2
Feb 2026	486	8.7	1066.14	8896	60	422.01	862.0	182.4	58	375.5
Mar 2026	827	13.4	1062.05	8579	-316	413.23	680.1	311.8	47	377.1
Apr 2026	890	15.0	1056.32	8146	-433	406.08	750.4	330.6	53	371.6
May 2026	890	14.5	1050.00	7683	-464	399.72	1007.8	324.2	73	364.1
Jun 2026	861	14.5	1044.71	7306	-377	394.39	1312.1	308.3	97	358.3
Jul 2026	777	12.6	1040.50	7012	-294	389.86	1287.9	277.0	97	356.3
Aug 2026	649	10.6	1038.61	6883	-129	387.17	1275.3	225.1	97	346.8
Sep 2026	610	10.3	1037.02	6774	-108	387.59	1097.3	215.0	85	352.1
WY 2026	7549							2742.2		
Oct 2026	498	8.1	1036.92	6767	-7	391.75	762.6	176.7	59	355.1
Nov 2026	612	10.3	1035.31	6658	-109	393.21	759.1	217.9	59	355.9
Dec 2026	522	8.5	1036.83	6761	103	387.54	1191.9	185.7	92	355.8
Jan 2027	522	8.5	1039.27	6928	167	388.65	1032.4	186.3	79	356.8
Feb 2027	476	8.6	1041.21	7061	133	391.94	809.0	165.1	61	346.9
Mar 2027	937	15.2	1037.47	6805	-256	389.80	896.7	336.8	69	359.4
Apr 2027	658	11.1	1031.12	6379	-426	386.84	341.4	246.5	24	374.8
May 2027	676	11.0	1023.44	5881	-498	379.84	320.6	246.5	24	364.8
Jun 2027	650	10.9	1017.78	5527	-355	373.75	304.1	231.4	24	355.7
Jul 2027	671	10.9	1015.77	5403	-124	370.99	298.2	235.7	24	351.6
Aug 2027	670	10.9	1016.04	5419	17	370.71	299.0	235.4	24	351.1
Sep 2027	624	10.5	1014.93	5351	-68	371.12	295.8	218.6	24	350.5
WY 2027	7515							2682.6		
Oct 2027	487	7.9	1015.00	5356	4	373.64	222.0	172.6	18	354.5
Nov 2027	488	8.2	1013.73	5278	-77	374.93	219.2	174.6	18	357.5
Dec 2027	534	8.7	1015.22	5369	91	372.57	296.6	184.4	24	345.5
Jan 2028	503	8.2	1020.42	5691	322	374.42	233.8	179.2	18	356.6
Feb 2028	455	7.9	1023.77	5903	212	377.93	241.2	164.0	18	360.7
Mar 2028	673	11.0	1021.18	5738	-164	376.15	314.0	242.0	24	359.3
Apr 2028	649	10.9	1016.56	5451	-287	371.55	300.5	228.8	24	352.4
May 2028	668	10.9	1011.74	5159	-293	366.85	286.5	230.7	24	345.3

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Davis Static Head (Ft)	Davis Generation Capacity (MW)	Davis Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Jun 2025	771	13.0	643.14	1703	-2	139.47	204.0	98.6	80	127.9
Jul 2025	684	11.1	643.36	1709	6	140.92	204.0	87.7	80	128.1
Aug 2025	606	9.9	643.16	1703	-6	144.29	204.0	77.5	80	127.8
Sep 2025	552	9.3	639.10	1593	-113	138.06	204.0	69.4	80	125.9
WY 2025	7581							959.9		
Oct 2025	500	8.1	637.75	1614	-37	136.51	162.9	62.0	64	123.9
Nov 2025	335	5.6	640.38	1686	72	142.96	154.7	41.0	61	122.4
Dec 2025	262	4.3	640.01	1676	-10	141.23	154.7	33.0	61	126.0
Jan 2026	319	5.2	641.64	1721	45	142.94	190.8	41.6	75	130.3
Feb 2026	450	8.1	642.06	1733	12	139.63	153.0	58.5	60	130.0
Mar 2026	783	12.7	642.60	1748	15	138.80	200.7	100.6	79	128.5
Apr 2026	835	14.0	643.29	1768	20	140.86	204.0	107.5	80	128.7
May 2026	857	13.9	643.26	1767	-1	139.36	204.0	110.8	80	129.2
Jun 2026	840	14.1	643.00	1759	-7	139.69	204.0	105.7	80	125.9
Jul 2026	760	12.4	642.50	1745	-14	139.96	255.0	95.8	100	126.1
Aug 2026	634	10.3	642.00	1731	-14	140.26	255.0	80.1	100	126.4
Sep 2026	646	10.9	640.00	1675	-56	138.80	255.0	80.7	100	125.0
WY 2026	7221							917.3		
Oct 2026	665	10.8	633.00	1487	-188	134.32	227.0	80.4	89	121.0
Nov 2026	539	9.1	635.00	1540	53	132.54	159.8	64.4	63	119.4
Dec 2026	385	6.3	639.50	1662	122	137.05	154.7	47.5	61	123.5
Jan 2027	444	7.2	641.80	1726	64	140.00	156.3	56.0	61	126.1
Feb 2027	453	8.2	641.80	1725	0	140.73	156.6	57.5	61	126.8
Mar 2027	878	14.3	643.00	1759	34	138.90	194.1	109.9	76	125.1
Apr 2027	1010	17.0	643.00	1759	0	138.59	249.9	126.1	98	124.9
May 2027	1047	17.0	643.00	1759	0	138.57	255.0	130.8	100	124.8
Jun 2027	880	14.8	643.00	1759	0	139.32	255.0	110.5	100	125.5
Jul 2027	766	12.5	642.00	1731	-28	139.68	255.0	96.4	100	125.8
Aug 2027	681	11.1	642.00	1731	0	139.71	255.0	85.7	100	125.9
Sep 2027	659	11.1	640.00	1675	-56	138.71	255.0	82.4	100	125.0
WY 2027	8408							1047.5		
Oct 2027	654	10.6	633.00	1487	-188	134.38	227.0	79.2	89	121.1
Nov 2027	505	8.5	635.00	1540	53	132.78	159.8	60.4	63	119.6
Dec 2027	397	6.5	639.50	1662	122	136.95	154.7	48.9	61	123.4
Jan 2028	424	6.9	641.80	1726	64	140.15	156.3	53.6	61	126.3
Feb 2028	432	7.5	641.80	1725	0	141.02	156.6	54.9	61	127.1
Mar 2028	849	13.8	643.00	1759	34	139.08	194.1	106.4	76	125.3
Apr 2028	978	16.4	643.00	1759	0	138.76	249.9	122.3	98	125.0
May 2028	1016	16.5	643.00	1759	0	138.73	255.0	127.0	100	125.0



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Parker Static Head (Ft)	Parker Generation Capacity (MW)	Parker Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Jun 2025	604	10.1	448.25	585	-6	79.81	120.0	41.6	100	68.9
Jul 2025	563	9.1	448.51	590	5	80.19	120.0	39.3	100	69.9
Aug 2025	486	7.9	448.06	581	-9	81.84	120.0	33.8	100	69.6
Sep 2025	365	6.1	448.63	592	11	79.19	116.0	25.2	97	69.0
WY 2025	5579							382.6		
Oct 2025	394	6.4	447.36	519	-24	80.98	90.0	26.8	75	68.0
Nov 2025	237	4.0	449.14	553	34	84.08	92.0	15.2	77	64.5
Dec 2025	215	3.5	447.75	527	-27	82.95	108.4	13.3	90	61.9
Jan 2026	245	4.0	446.74	508	-19	78.49	94.8	16.0	79	65.0
Feb 2026	394	7.1	446.57	505	-3	75.02	92.1	26.5	77	67.4
Mar 2026	627	10.2	447.27	518	13	77.07	115.2	43.1	96	68.7
Apr 2026	598	10.0	448.42	539	22	78.07	120.0	41.0	100	68.6
May 2026	640	10.4	448.32	537	-2	77.85	120.0	43.7	100	68.3
Jun 2026	621	10.4	448.50	541	3	79.12	120.0	43.8	100	70.5
Jul 2026	637	10.4	448.00	531	-10	78.98	120.0	44.6	100	70.0
Aug 2026	510	8.3	447.50	522	-9	79.38	120.0	35.8	100	70.1
Sep 2026	433	7.3	447.50	522	0	79.60	120.0	30.3	100	70.0
WY 2026	5551							380.1		
Oct 2026	453	7.4	447.50	522	0	79.56	93.9	31.8	78	70.3
Nov 2026	350	5.9	447.50	522	0	80.29	92.0	24.1	77	68.8
Dec 2026	282	4.6	446.50	503	-19	80.48	102.6	17.9	85	63.5
Jan 2027	292	4.7	446.50	503	0	79.89	92.9	19.5	77	67.0
Feb 2027	382	6.9	446.50	503	0	78.79	92.1	26.4	77	69.2
Mar 2027	621	10.1	446.70	507	4	77.44	108.4	42.6	90	68.5
Apr 2027	699	11.8	448.70	545	38	77.89	120.0	48.7	100	69.6
May 2027	762	12.4	448.70	545	0	78.65	120.0	53.4	100	70.1
Jun 2027	706	11.9	448.70	545	0	78.84	120.0	49.6	100	70.2
Jul 2027	667	10.9	448.00	531	-13	78.89	120.0	46.7	100	69.9
Aug 2027	572	9.3	447.50	522	-9	78.93	120.0	39.9	100	69.7
Sep 2027	502	8.4	447.50	522	0	79.06	120.0	34.9	100	69.5
WY 2027	6289							435.6		
Oct 2027	505	8.2	447.50	522	0	79.16	90.0	35.4	75	70.0
Nov 2027	373	6.3	447.50	522	0	80.09	92.0	25.6	77	68.6
Dec 2027	303	4.9	446.50	503	-19	80.29	109.4	19.2	91	63.4
Jan 2028	279	4.5	446.50	503	0	80.00	92.9	18.7	77	67.1
Feb 2028	371	6.4	446.50	503	0	79.01	92.1	25.7	77	69.4
Mar 2028	610	9.9	446.70	507	4	77.51	108.4	41.9	90	68.6
Apr 2028	689	11.6	448.70	545	38	77.96	120.0	48.0	100	69.7
May 2028	751	12.2	448.70	545	0	78.71	120.0	52.7	100	70.1



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow

Upper Basin Power



— BUREAU OF —
RECLAMATION

Date	Glen Canyon (1000 MWHR)	Flaming Gorge (1000 MWHR)	Blue Mesa (1000 MWHR)	Morrow Point (1000 MWHR)	Crystal Reservoir (1000 MWHR)	Fontenelle Reservoir (1000 MWHR)
Jun 2025	271	33	25	34	19	6
Jul 2025	279	36	31	37	20	4
Aug 2025	268	39	26	34	20	4
Sep 2025	141	36	21	16	12	4
Summer 2025	1434	199	147	189	107	27
Oct 2025	142	19	17	24	11	2
Nov 2025	191	18	5	6	1	3
Dec 2025	190	19	5	6	2	3
Jan 2026	235	19	6	7	2	3
Feb 2026	194	17	5	7	2	3
Mar 2026	183	19	11	15	8	3
Winter 2026	1137	109	49	64	28	18
Apr 2026	172	25	22	28	17	1
May 2026	167	58	13	29	17	3
Jun 2026	179	37	20	26	13	3
Jul 2026	168	40	21	30	15	4
Aug 2026	166	40	21	31	15	4
Sep 2026	161	38	17	27	14	3
Summer 2026	1013	238	114	171	91	18
Oct 2026	164	43	11	19	10	3
Nov 2026	169	41	3	6	3	3
Dec 2026	201	43	3	6	3	4
Jan 2027	219	42	3	6	3	3
Feb 2027	192	38	3	5	3	3
Mar 2027	141	39	6	10	6	3
Winter 2027	1087	246	30	52	28	20
Apr 2027	0	37	11	21	12	2
May 2027	164	55	23	43	23	5
Jun 2027	197	36	11	20	14	7
Jul 2027	228	19	25	35	19	8
Aug 2027	242	26	24	34	17	7
Sep 2027	181	25	19	27	14	4
Summer 2027	1011	199	112	180	98	32
Oct 2027	165	23	16	24	11	4
Nov 2027	171	20	4	6	4	4
Dec 2027	204	22	5	8	5	4
Jan 2028	271	22	7	11	6	4
Feb 2028	215	20	7	11	6	3
Mar 2028	225	22	8	12	7	3
Winter 2028	1250	128	47	71	38	23
Apr 2028	216	21	12	20	12	3
May 2028	247	75	12	24	16	6

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

June 2026 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Predicted Space – Beginning of Month Conditions

Date	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Upper Basin Total (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)
Jun 2026	1009	486	624	17597	19716	19937	39653
Jul 2026	969	524	698	17853	20044	20314	40358
Aug 2026	1032	579	786	18082	20479	20608	41087
Sep 2026	1133	635	854	18246	20868	20737	41605
Oct 2026	1234	688	881	18395	21198	20846	42043
Nov 2026	1332	718	889	18471	21410	20853	42263
Dec 2026	1421	715	889	18597	21621	20962	42583
Jan 2027	1521	714	893	18849	21976	20859	42835
Feb 2027	1625	715	897	19183	22419	20692	43111
Mar 2027	1710	713	897	19432	22752	20559	43311
Apr 2027	1759	713	879	19628	22980	20815	43795
May 2027	1775	712	832	19641	22960	21241	44201
Jun 2027	1793	651	728	18814	21985	21739	43724
Jul 2027	1589	484	685	17857	20614	22093	42708
Aug 2027	1480	488	719	17846	20533	22217	42751
Sep 2027	1519	525	750	18121	20915	22201	43115
Oct 2027	1568	563	759	18249	21139	22269	43407
Nov 2027	1595	595	751	18289	21230	22264	43494
Dec 2027	1612	579	749	18368	21308	22342	43650
Jan 2028	1648	573	751	18577	21549	22251	43800
Feb 2028	1676	577	754	18982	21988	21929	43917
Mar 2028	1699	580	748	19205	22232	21717	43950
Apr 2028	1686	573	701	19356	22316	21882	44198
May 2028	1645	540	637	19285	22107	22169	44276

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS
June 2026 24-Month Study
Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Creditable / Effective Space – Beginning of Month Conditions

Date	Space	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Total or Maximum Allowed (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)	Beginning of Month Space Required (1000 Ac-Ft)	Mead Scheduled Release (1000 Ac-Ft)	Mead Flood Control Release (1000 Ac-Ft)	System Content (MAF)
Jun 2026	Effective	-3	-102	-74	-180	17597	19937	37354	1500	861	0	19.6
Jul 2026	Effective	-52	-63	-43	-157	17853	20314	38010	1500	777	0	18.8
Aug 2026	Creditable	1032	579	786	2397	18082	20608	41087	1500	649	0	18.2
Sep 2026	Creditable	1133	635	854	2622	18246	20737	41605	2270	610	0	17.8
Oct 2026	Creditable	1234	688	881	2803	18395	20846	42043	3040	498	0	17.3
Nov 2026	Creditable	1332	718	889	2939	18471	20853	42263	3810	612	0	17.1
Dec 2026	Creditable	1421	715	889	3025	18597	20962	42583	4580	522	0	16.9
Jan 2027	Creditable	1521	714	893	3127	18849	20859	42835	5350	522	0	16.7
Jan 2027	Effective	77	258	354	688	18849	20859	40396	5350	522	0	16.7
Feb 2027	Effective	181	259	358	798	19183	20692	40673	1500	476	0	16.5
Mar 2027	Effective	266	258	358	882	19432	20559	40873	1500	937	0	16.1
Apr 2027	Effective	314	258	333	905	19628	20815	41349	1500	1041	0	15.7
May 2027	Effective	327	255	263	846	19641	21241	41728	1500	1072	0	16.2
Jun 2027	Effective	341	181	121	643	18814	21739	41196	1500	908	0	17.2
Jul 2027	Effective	124	-7	24	141	17857	22093	40091	1500	769	0	17.1
Aug 2027	Creditable	1480	488	719	2687	17846	22217	42751	1500	710	0	16.8
Sep 2027	Creditable	1519	525	750	2793	18121	22201	43115	2270	624	0	16.4
Oct 2027	Creditable	1568	563	759	2890	18249	22269	43407	3040	487	0	16.1
Nov 2027	Creditable	1595	595	751	2941	18289	22264	43494	3810	578	0	16.0
Dec 2027	Creditable	1612	579	749	2941	18368	22342	43650	4580	534	0	16.0
Jan 2028	Creditable	1648	573	751	2973	18577	22251	43800	5350	503	0	15.9
Jan 2028	Effective	391	297	464	1152	18577	22251	41980	5350	503	0	15.9
Feb 2028	Effective	417	300	466	1184	18982	21929	42095	1500	455	0	15.9
Mar 2028	Effective	438	305	460	1202	19205	21717	42125	1500	908	0	15.7
Apr 2028	Effective	421	298	406	1125	19356	21882	42362	1500	1009	0	15.7
May 2028	Effective	375	266	318	959	19285	22169	42413	1500	1041	0	16.5

Model Run ID: 3320

Processed on: 6/9/2026 1:20:45 PM



July 2025 Most Probable 24-Month Study

The operation of Lake Powell and Lake Mead in the July 2025 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2025 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2024 24-Month Study projections of the January 1, 2025, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2025.

On May 6, 2024, Reclamation published the 2024 Interim Guidelines SEIS ROD, which included modifications to Sections 2, 6, and 7 of the 2007 Interim Guidelines. Subsequent 24-Month Studies reflect the 2024 Interim Guidelines SEIS ROD in modeled operations.

The August 2024 24-Month Study projected the January 1, 2025, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, as amended by the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2025 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre-feet (maf).

The August 2024 24-Month Study projected the January 1, 2025, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2025. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2025. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of June was 1.083 maf or 44% of the 30-year average from 1991 to 2020. The July 2025 unregulated inflow forecast for Lake Powell is 0.185 maf or 19% of the 30-year average. The 2025 April through July unregulated inflow forecast for Lake Powell is 2.70 maf or 42% of average. The WY 2025 unregulated inflow forecast for Lake Powell is 4.97 maf or 52% of average.

In this study, the CY 2025 diversion for Metropolitan Water District of Southern California (MWD) is projected to be 0.953 maf. The CY 2025 diversion for the Central Arizona Project (CAP) is projected to be 0.841 maf. Consumptive use for Nevada above Hoover (SNWP Use) is projected to be 0.197 maf for CY 2025.

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² 2024 Interim Guidelines SEIS ROD is available online at: https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

Due to changing Lake Mead elevations, Hoover’s generator capacity is adjusted based on estimated effective capacity and plant availability. The estimated effective capacity is based on projected Lake Mead elevations. Unit capacity tests will be performed as the lake elevation changes. This study reflects these changes in the projections.

For questions on Upper Colorado River Basin (UCB) reservoir operations, please contact Alex Pivarnik, the UCB River Operations Group Supervisor at apivarnik@usbr.gov. For questions on Lower Colorado River Basin (LCB) reservoir operations, please contact Noe Santos, the LCB River Operations Manager at nsantos@usbr.gov.

Hoover, Davis, and Parker Dam historical gross energy figures come from Power, Operations, and Maintenance reports provided by the Lower Colorado Region’s Power Office, Bureau of Reclamation, Boulder City, Nevada. Questions regarding these historical energy numbers can be directed to Rebecca Rogers (rrogers@usbr.gov) or Kyra Cubi (kcubi@usbr.gov).

References

The 2025 Annual Operating Plan is available online at:
<https://www.usbr.gov/uc/water/rsvrs/ops/aop/AOP25.pdf>.

The Interim Guidelines are available online at:
<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:
<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:
https://www.usbr.gov/uc/water/crsp/studies/24Month_07_ucb.pdf.

Information on the Lower Colorado Basin (LCB) Conservation Program is available online at:
<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS is available online at:
<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:
<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Fontenelle Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jul 2024	73	3	71	0	71	6499.63	286
Aug 2024	44	2	58	6	64	6496.59	263
Sep 2024	29	2	53	0	53	6492.86	237
WY 2024	834	14	791	75	867		
Oct 2024	30	1	47	4	51	6489.49	215
Nov 2024	32	1	48	1	49	6486.69	197
Dec 2024	29	1	49	2	51	6482.89	174
Jan 2025	24	1	49	2	52	6477.58	146
Feb 2025	27	0	47	0	47	6473.13	126
Mar 2025	52	0	50	1	52	6473.08	125
Apr 2025	84	1	35	26	62	6477.72	147
May 2025	133	1	98	0	98	6484.04	181
Jun 2025	187	2	82	0	82	6499.39	284
Jul 2025	41	3	54	0	54	6497.25	268
Aug 2025	30	2	52	0	52	6493.80	244
Sep 2025	25	2	48	0	48	6490.21	220
WY 2025	694	14	659	38	697		
Oct 2025	32	1	49	0	49	6487.39	201
Nov 2025	34	1	48	0	48	6485.08	187
Dec 2025	25	1	49	0	49	6480.74	162
Jan 2026	23	0	49	0	49	6475.40	136
Feb 2026	22	0	44	0	44	6470.11	113
Mar 2026	45	0	49	0	49	6468.96	108
Apr 2026	75	1	28	26	54	6473.88	129
May 2026	140	1	93	0	93	6482.89	174
Jun 2026	270	2	103	51	154	6500.00	288
Jul 2026	140	3	99	0	99	6505.04	326
Aug 2026	54	2	98	0	98	6498.96	281
Sep 2026	35	2	59	0	59	6495.36	255
WY 2026	895	14	769	77	846		
Oct 2026	42	1	55	0	55	6493.28	240
Nov 2026	41	1	60	0	60	6490.41	221
Dec 2026	32	1	64	0	64	6485.28	188
Jan 2027	31	1	64	0	64	6479.31	155
Feb 2027	29	0	58	0	58	6473.14	126
Mar 2027	51	0	63	0	63	6470.30	114
Apr 2027	77	1	38	21	58	6474.53	132
May 2027	166	1	101	12	113	6484.53	184
Jun 2027	301	2	103	92	195	6499.87	287

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Flaming Gorge Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Jensen Flow (1000 Ac-Ft)
Jul 2024	79	73	13	72	0	72	124	6029.17	3233	146
Aug 2024	57	75	12	96	0	96	123	6028.33	3202	125
Sep 2024	29	54	10	94	0	94	121	6026.99	3154	113
WY 2024	1169	1203	78	1199	33	1232				2797
Oct 2024	35	58	7	62	0	62	121	6026.69	3143	89
Nov 2024	39	55	3	53	0	53	120	6026.64	3141	87
Dec 2024	31	54	2	74	0	74	120	6026.05	3120	105
Jan 2025	16	43	2	74	0	75	118	6025.15	3088	107
Feb 2025	66	87	2	54	0	54	119	6025.97	3117	94
Mar 2025	81	85	3	65	0	65	120	6026.41	3133	122
Apr 2025	109	85	5	68	0	68	121	6026.72	3144	225
May 2025	157	127	7	75	0	75	122	6027.90	3186	355
Jun 2025	194	84	10	88	0	88	122	6027.51	3172	294
Jul 2025	45	58	13	99	0	99	120	6026.07	3121	114
Aug 2025	34	56	12	105	0	105	117	6024.41	3062	112
Sep 2025	25	48	10	101	0	101	115	6022.64	3001	108
WY 2025	832	838	75	920	1	921				1811
Oct 2025	38	55	7	52	0	52	115	6022.55	2998	74
Nov 2025	40	54	3	48	0	48	115	6022.63	3000	74
Dec 2025	27	51	2	49	0	49	115	6022.64	3001	69
Jan 2026	30	56	2	49	0	49	115	6022.79	3006	69
Feb 2026	35	57	2	44	0	44	115	6023.10	3017	64
Mar 2026	80	84	3	49	0	49	117	6023.99	3047	109
Apr 2026	105	84	5	48	0	48	118	6024.86	3078	233
May 2026	180	133	7	181	0	181	116	6023.35	3025	651
Jun 2026	335	219	10	163	0	163	118	6024.61	3069	558
Jul 2026	155	114	13	62	0	62	119	6025.69	3107	122
Aug 2026	60	104	12	78	0	78	120	6026.07	3121	93
Sep 2026	40	64	10	78	0	78	119	6025.42	3098	90
WY 2026	1125	1076	74	901	0	901				2206
Oct 2026	50	63	7	68	0	68	118	6025.12	3087	93
Nov 2026	49	68	3	62	0	62	118	6025.20	3090	91
Dec 2026	34	66	2	68	0	68	118	6025.11	3087	93
Jan 2027	42	75	2	68	0	68	118	6025.26	3092	93
Feb 2027	43	72	2	61	0	61	119	6025.50	3101	86
Mar 2027	85	97	3	64	0	64	120	6026.32	3130	138
Apr 2027	111	92	5	63	0	63	121	6027.00	3154	266
May 2027	239	186	7	243	0	243	118	6025.24	3091	756
Jun 2027	389	283	10	153	0	153	123	6028.48	3207	520

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Taylor Park Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jul 2024	18	25	9324.16	95
Aug 2024	10	19	9319.14	85
Sep 2024	7	18	9312.55	74
WY 2024	152	155		
Oct 2024	6	10	9310.58	71
Nov 2024	5	5	9310.61	71
Dec 2024	5	6	9310.32	70
Jan 2025	5	5	9309.85	70
Feb 2025	4	5	9309.41	69
Mar 2025	5	5	9309.39	69
Apr 2025	10	6	9312.10	73
May 2025	18	9	9317.35	82
Jun 2025	25	15	9322.73	92
Jul 2025	9	18	9317.54	83
Aug 2025	7	16	9312.43	74
Sep 2025	6	13	9307.79	66
WY 2025	105	113		
Oct 2025	5	7	9306.71	65
Nov 2025	4	5	9306.21	64
Dec 2025	4	5	9305.59	63
Jan 2026	4	5	9304.98	62
Feb 2026	3	4	9303.97	61
Mar 2026	4	5	9303.34	60
Apr 2026	7	6	9304.04	61
May 2026	24	12	9311.82	73
Jun 2026	38	16	9324.22	95
Jul 2026	15	21	9321.03	89
Aug 2026	8	18	9315.41	79
Sep 2026	6	15	9309.96	70
WY 2026	122	119		
Oct 2026	6	6	9309.96	70
Nov 2026	5	5	9309.92	70
Dec 2026	4	5	9309.13	69
Jan 2027	5	5	9309.00	68
Feb 2027	4	5	9308.49	68
Mar 2027	5	5	9308.36	67
Apr 2027	9	9	9308.36	67
May 2027	26	15	9315.11	78
Jun 2027	40	18	9327.06	100

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Blue Mesa Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jul 2024	94	100	1	117	0	117	7494.91	617
Aug 2024	63	73	1	100	0	100	7491.35	588
Sep 2024	42	54	1	82	0	82	7487.54	559
WY 2024	921	924	8	863	123	987		
Oct 2024	35	38	1	82	0	82	7481.75	515
Nov 2024	32	32	0	22	0	22	7483.02	524
Dec 2024	27	28	0	27	0	27	7483.05	525
Jan 2025	25	26	0	34	0	34	7481.98	517
Feb 2025	26	27	0	34	0	34	7480.99	509
Mar 2025	43	43	0	36	19	55	7479.19	496
Apr 2025	85	80	1	53	11	63	7481.45	513
May 2025	120	112	1	104	0	104	7482.44	520
Jun 2025	160	150	1	91	0	91	7490.03	578
Jul 2025	50	59	1	106	0	106	7483.79	530
Aug 2025	43	52	1	104	0	104	7476.55	477
Sep 2025	27	34	1	71	0	71	7471.12	439
WY 2025	674	682	8	763	30	793		
Oct 2025	30	32	0	54	0	54	7467.78	417
Nov 2025	26	27	0	12	0	12	7469.98	431
Dec 2025	23	24	0	12	0	12	7471.64	443
Jan 2026	20	21	0	17	0	17	7472.25	447
Feb 2026	19	20	0	14	0	14	7473.09	453
Mar 2026	30	31	0	17	0	17	7474.97	466
Apr 2026	61	60	1	43	0	43	7477.29	482
May 2026	192	180	1	166	0	166	7479.05	495
Jun 2026	240	218	1	33	0	33	7502.40	678
Jul 2026	92	98	1	104	0	104	7501.51	671
Aug 2026	51	61	1	76	0	76	7499.55	654
Sep 2026	31	40	1	76	0	76	7495.04	618
WY 2026	815	812	8	625	0	625		
Oct 2026	33	33	1	65	0	65	7490.97	585
Nov 2026	30	30	0	27	0	27	7491.28	588
Dec 2026	26	27	0	37	0	37	7490.00	578
Jan 2027	25	25	0	31	0	31	7489.25	572
Feb 2027	23	24	0	27	0	27	7488.76	568
Mar 2027	38	38	0	36	0	36	7488.98	570
Apr 2027	78	78	1	56	0	56	7491.70	591
May 2027	204	193	1	175	0	175	7493.78	608
Jun 2027	251	229	1	74	0	74	7511.99	761

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Morrow Point Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Blue Mesa Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jul 2024	95	117	1	118	118	0	118	7153.81	112
Aug 2024	64	100	1	101	100	0	100	7154.04	112
Sep 2024	42	82	0	83	64	0	83	7153.18	112
WY 2024	968	987	46	1033	960	3	1030		
Oct 2024	35	82	0	82	76	0	85	7149.35	109
Nov 2024	33	22	1	23	21	0	21	7151.56	110
Dec 2024	28	27	1	28	28	0	28	7152.12	111
Jan 2025	27	34	1	35	35	0	35	7152.49	111
Feb 2025	29	34	2	37	37	0	37	7152.43	111
Mar 2025	45	55	3	58	54	0	54	7157.15	115
Apr 2025	94	63	9	72	76	0	76	7152.22	111
May 2025	133	104	12	116	119	0	119	7148.94	108
Jun 2025	170	91	10	100	99	0	99	7149.91	109
Jul 2025	52	106	2	108	105	0	105	7153.73	112
Aug 2025	45	104	2	106	106	0	106	7153.73	112
Sep 2025	29	71	2	73	73	0	73	7153.73	112
WY 2025	720	793	46	839	828	0	838		
Oct 2025	32	54	2	56	56	0	56	7153.73	112
Nov 2025	28	12	2	14	14	0	14	7153.73	112
Dec 2025	25	12	2	14	14	0	14	7153.73	112
Jan 2026	22	17	2	19	19	0	19	7153.73	112
Feb 2026	21	14	2	16	16	0	16	7153.73	112
Mar 2026	34	17	4	21	21	0	21	7153.73	112
Apr 2026	70	43	9	52	52	0	52	7153.73	112
May 2026	215	166	23	189	189	0	189	7153.73	112
Jun 2026	260	33	20	53	53	0	53	7153.72	112
Jul 2026	95	104	3	107	107	0	107	7153.73	112
Aug 2026	54	76	3	79	79	0	79	7153.73	112
Sep 2026	34	76	3	79	79	0	79	7153.73	112
WY 2026	890	625	75	700	699	0	699		
Oct 2026	36	65	3	68	68	0	68	7153.73	112
Nov 2026	31	27	1	28	28	0	28	7153.73	112
Dec 2026	27	37	1	38	38	0	38	7153.73	112
Jan 2027	26	31	1	32	32	0	32	7153.73	112
Feb 2027	25	27	2	29	29	0	29	7153.73	112
Mar 2027	40	36	2	38	38	0	38	7153.73	112
Apr 2027	89	56	11	67	67	0	67	7153.73	112
May 2027	226	175	22	197	197	0	197	7153.73	112
Jun 2027	265	74	14	88	88	0	88	7153.72	112

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Crystal Reservoir



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Morrow Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Total Inflow (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Tunnel Flow (1000 Ac-Ft)	Below Tunnel Flow (1000 Ac-Ft)
Jul 2024	97	118	3	121	112	9	121	6751.70	17	68	57
Aug 2024	66	100	2	102	102	1	103	6747.78	15	64	42
Sep 2024	44	83	2	85	86	0	86	6741.65	14	61	27
WY 2024	1029	1030	61	1091	838	163	1094			448	637
Oct 2024	37	85	1	86	19	65	84	6748.80	16	60	25
Nov 2024	36	21	3	24	9	14	23	6751.30	16	0	21
Dec 2024	30	28	2	30	30	0	30	6750.63	16	0	27
Jan 2025	28	35	2	36	33	4	37	6748.76	16	0	33
Feb 2025	30	37	1	37	36	0	37	6751.77	17	0	33
Mar 2025	48	54	3	57	56	0	57	6752.75	17	12	41
Apr 2025	99	76	5	81	81	0	81	6751.73	17	49	31
May 2025	139	119	7	125	100	20	123	6757.45	18	63	60
Jun 2025	187	99	17	116	99	17	117	6752.70	17	62	58
Jul 2025	55	105	3	108	108	0	108	6753.04	17	65	43
Aug 2025	50	106	5	111	111	0	111	6753.04	17	65	46
Sep 2025	33	73	4	77	77	0	77	6753.04	17	55	22
WY 2025	771	838	51	889	760	122	886			433	440
Oct 2025	37	56	5	61	60	0	61	6753.04	17	49	11
Nov 2025	32	14	4	18	18	0	18	6753.04	17	1	17
Dec 2025	29	14	4	18	18	0	18	6753.04	17	0	18
Jan 2026	25	19	3	22	22	0	22	6753.04	17	0	22
Feb 2026	24	16	3	19	19	0	19	6753.04	17	0	19
Mar 2026	39	21	5	26	26	0	26	6753.04	17	5	21
Apr 2026	80	52	10	62	62	0	62	6753.04	17	42	20
May 2026	240	189	25	214	134	80	214	6753.04	17	62	152
Jun 2026	290	53	30	83	83	0	83	6753.03	17	61	22
Jul 2026	105	107	10	117	117	0	117	6753.04	17	65	52
Aug 2026	61	79	7	86	86	0	86	6753.04	17	65	21
Sep 2026	38	79	4	83	83	0	83	6753.04	17	55	28
WY 2026	1000	699	110	809	729	80	809			405	404
Oct 2026	40	68	4	72	64	8	72	6753.04	17	49	23
Nov 2026	36	28	5	33	33	0	33	6753.04	17	0	33
Dec 2026	32	38	5	43	43	0	43	6753.04	17	0	43
Jan 2027	31	32	5	37	37	0	37	6753.04	17	0	37
Feb 2027	29	29	4	33	33	0	33	6753.04	17	0	33
Mar 2027	46	38	6	44	44	0	44	6753.04	17	5	39
Apr 2027	100	67	11	78	78	0	78	6753.04	17	42	36
May 2027	251	197	25	222	134	88	222	6753.04	17	62	160
Jun 2027	293	88	28	116	116	0	116	6753.03	17	61	55



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Vallecito Reservoir



— BUREAU OF —
RECLAMATION

Date	Regulated Inflow (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)
Jul 2024	21	39	7657.44	105
Aug 2024	16	34	7650.32	88
Sep 2024	13	28	7643.64	72
WY 2024	219	201		
Oct 2024	10	13	7642.34	69
Nov 2024	10	2	7645.75	77
Dec 2024	6	2	7647.60	81
Jan 2025	4	2	7648.63	84
Feb 2025	3	1	7649.51	86
Mar 2025	6	2	7651.32	90
Apr 2025	21	5	7657.59	106
May 2025	40	32	7660.43	113
Jun 2025	35	38	7659.35	110
Jul 2025	11	42	7646.75	79
Aug 2025	8	38	7632.39	49
Sep 2025	9	30	7619.34	28
WY 2025	164	205		
Oct 2025	8	17	7611.45	19
Nov 2025	6	1	7616.05	24
Dec 2025	5	6	7615.51	24
Jan 2026	4	11	7609.06	17
Feb 2026	4	8	7604.63	13
Mar 2026	6	3	7607.92	16
Apr 2026	16	3	7619.40	29
May 2026	62	31	7637.28	59
Jun 2026	64	43	7646.80	80
Jul 2026	18	42	7635.66	56
Aug 2026	12	4	7639.63	64
Sep 2026	11	6	7641.72	68
WY 2026	216	174		
Oct 2026	10	9	7641.87	69
Nov 2026	8	0	7645.22	76
Dec 2026	7	0	7648.03	82
Jan 2027	6	0	7650.33	88
Feb 2027	5	0	7652.19	92
Mar 2027	10	0	7655.94	102
Apr 2027	23	0	7664.41	124
May 2027	68	31	7676.95	161
Jun 2027	62	43	7680.00	179

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Navajo Reservoir



BUREAU OF
RECLAMATION

Date	Modified Unregulated Inflow (1000 Ac-Ft)	Azotea Tunnel Diversion (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	NIIP Diversion (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Live Storage (1000 Ac-Ft)	Farmington Flow (1000 Ac-Ft)
Jul 2024	35	6	46	4	39	36	6049.94	1170	59
Aug 2024	25	6	37	3	35	50	6045.52	1120	71
Sep 2024	19	1	34	2	22	40	6042.68	1089	46
WY 2024	593	74	501	24	202	333			645
Oct 2024	24	0	27	1	9	34	6041.07	1072	55
Nov 2024	30	0	22	1	0	31	6040.08	1061	54
Dec 2024	18	0	14	1	0	22	6039.21	1052	37
Jan 2025	11	0	8	1	0	22	6037.80	1038	34
Feb 2025	16	0	14	1	1	22	6036.86	1028	34
Mar 2025	31	2	25	1	5	26	6036.19	1021	37
Apr 2025	78	9	53	2	15	25	6037.35	1033	44
May 2025	102	13	81	3	26	22	6040.32	1064	63
Jun 2025	61	11	50	3	27	23	6040.05	1061	108
Jul 2025	0	55	-25	4	0	50	6032.39	983	82
Aug 2025	0	47	-17	3	0	57	6024.37	906	75
Sep 2025	23	26	18	2	0	33	6022.45	888	52
WY 2025	393	163	270	22	82	367			675
Oct 2025	28	9	28	1	8	22	6022.14	886	40
Nov 2025	25	0	20	1	12	31	6019.56	862	45
Dec 2025	19	0	20	0	5	22	6018.69	855	34
Jan 2026	18	0	25	0	0	22	6019.03	858	33
Feb 2026	21	0	25	1	0	19	6019.56	862	29
Mar 2026	54	5	46	1	0	22	6022.08	885	38
Apr 2026	117	21	83	2	1	34	6027.08	931	74
May 2026	220	35	154	3	0	69	6035.49	1014	194
Jun 2026	184	51	112	3	1	86	6037.58	1035	221
Jul 2026	29	55	-3	3	1	63	6030.56	965	113
Aug 2026	24	47	-31	3	1	50	6021.53	880	80
Sep 2026	26	26	-4	2	5	30	6016.91	839	54
WY 2026	765	250	473	20	33	469			954
Oct 2026	31	9	21	1	1	22	6016.61	836	44
Nov 2026	28	0	20	1	1	21	6016.41	835	39
Dec 2026	24	0	17	0	0	22	6015.84	830	37
Jan 2027	22	0	16	0	0	22	6015.19	824	35
Feb 2027	29	0	24	1	1	19	6015.57	827	31
Mar 2027	92	5	77	1	10	22	6020.63	872	45
Apr 2027	147	21	104	2	18	21	6027.40	935	72
May 2027	251	35	179	3	34	22	6039.45	1055	157
Jun 2027	187	51	117	4	25	21	6045.72	1123	165

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Lake Powell



— BUREAU OF —
RECLAMATION

Date	Unregulated Inflow (1000 Ac-Ft)	Regulated Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Plant Release (1000 Ac-Ft)	Bypass Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	Bank Storage (1000 Ac-Ft)	End Of Month Storage (1000 Ac-Ft)	Lees Ferry Gage (1000 Ac-Ft)
Jul 2024	647	667	41	546	167	713	3584.61	4863	9667	715
Aug 2024	335	484	40	502	257	760	3581.01	4839	9375	753
Sep 2024	208	353	36	315	254	568	3578.08	4821	9142	563
WY 2024	7981	8130	269	6802	679	7481				7551
Oct 2024	291	405	25	314	168	483	3576.88	4813	9047	473
Nov 2024	389	389	24	457	47	504	3575.23	4803	8918	497
Dec 2024	299	349	19	599	0	599	3571.99	4783	8669	594
Jan 2025	235	303	5	723	0	723	3566.75	4751	8275	720
Feb 2025	306	329	6	639	0	639	3562.75	4728	7983	642
Mar 2025	366	370	9	626	0	626	3559.30	4708	7737	633
Apr 2025	583	507	15	598	0	598	3557.90	4701	7639	608
May 2025	849	698	17	599	0	599	3558.98	4707	7715	609
Jun 2025	1083	883	28	678	0	678	3561.30	4720	7879	681
Jul 2025	185	397	33	710	0	710	3556.75	4694	7559	717
Aug 2025	160	396	32	757	0	757	3551.44	4665	7195	762
Sep 2025	220	377	29	564	0	564	3548.45	4649	6995	572
WY 2025	4965	5403	241	7265	215	7480				7508
Oct 2025	370	418	20	480	0	480	3547.31	4643	6920	488
Nov 2025	355	366	19	500	0	500	3545.14	4632	6778	503
Dec 2025	285	304	15	600	0	600	3540.66	4609	6490	602
Jan 2026	235	254	4	723	0	723	3533.59	4574	6053	729
Feb 2026	285	288	4	639	0	639	3528.09	4547	5724	648
Mar 2026	445	375	7	675	0	675	3523.17	4525	5440	685
Apr 2026	645	508	10	601	0	601	3521.48	4517	5344	613
May 2026	1750	1609	13	599	0	599	3537.10	4591	6268	615
Jun 2026	2260	1836	24	628	0	628	3553.92	4679	7364	640
Jul 2026	745	754	32	709	0	709	3554.11	4680	7376	716
Aug 2026	305	422	31	758	0	758	3549.07	4652	7036	763
Sep 2026	320	437	28	568	0	568	3546.84	4641	6889	576
WY 2026	8000	7572	207	7480	0	7480				7578
Oct 2026	421	471	19	480	0	480	3546.44	4638	6863	488
Nov 2026	452	455	19	500	0	500	3545.54	4634	6804	503
Dec 2026	361	404	15	600	0	600	3542.51	4618	6608	602
Jan 2027	350	381	4	723	0	723	3537.42	4592	6288	729
Feb 2027	397	411	4	639	0	639	3533.92	4575	6073	648
Mar 2027	614	535	7	675	0	675	3531.67	4564	5937	685
Apr 2027	920	762	12	601	0	601	3533.97	4575	6075	613
May 2027	2060	1875	15	599	0	599	3552.16	4669	7243	615
Jun 2027	2423	1920	28	628	0	628	3568.61	4763	8414	640

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Glen Release (1000 Ac-Ft)	Side Inflow Glen to Hoover (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	SNWP Use (1000 Ac-Ft)	Downstream Requirements (1000 Ac-Ft)	Bank Storage (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Jul 2024	713	28	49	755	12.3	28	751	554	1061.38	8528
Aug 2024	760	81	53	614	10.0	29	651	563	1063.16	8665
Sep 2024	568	68	52	518	8.7	21	574	566	1063.71	8707
WY 2024	7481	660	489	7633		193	7717			
Oct 2024	483	47	49	663	10.8	20	670	554	1061.22	8516
Nov 2024	504	42	43	517	8.7	13	521	552	1060.89	8491
Dec 2024	599	64	35	423	6.9	10	462	564	1063.29	8675
Jan 2025	723	37	24	471	7.7	9	470	579	1066.37	8913
Feb 2025	639	57	23	513	9.2	8	513	589	1068.18	9056
Mar 2025	626	43	25	778	12.7	13	773	580	1066.43	8918
Apr 2025	598	28	33	921	15.5	18	915	559	1062.23	8593
May 2025	599	24	41	983	16.0	19	978	533	1057.02	8199
Jun 2025	678	31	50	798	13.4	23	795	523	1054.98	8047
Jul 2025	710	53	48	746	12.1	30	746	519	1054.21	7990
Aug 2025	757	102	51	699	11.4	26	699	524	1055.26	8068
Sep 2025	564	83	50	644	10.8	18	644	520	1054.44	8007
WY 2025	7480	612	474	8156		207	8186			
Oct 2025	480	62	48	439	7.1	15	439	523	1054.95	8045
Nov 2025	500	42	42	540	9.1	10	540	520	1054.31	7998
Dec 2025	600	65	34	508	8.3	8	508	527	1055.78	8106
Jan 2026	723	74	24	474	7.7	10	474	545	1059.40	8378
Feb 2026	639	61	22	490	8.8	10	490	555	1061.60	8545
Mar 2026	675	102	24	726	11.8	13	726	556	1061.77	8558
Apr 2026	601	93	33	935	15.7	13	935	539	1058.21	8288
May 2026	599	52	41	968	15.7	20	968	516	1053.44	7933
Jun 2026	628	18	49	828	13.9	22	828	500	1050.18	7696
Jul 2026	709	53	46	763	12.4	27	763	496	1049.21	7626
Aug 2026	758	102	50	728	11.8	24	728	499	1049.97	7680
Sep 2026	568	83	49	656	11.0	17	656	495	1049.04	7614
WY 2026	7480	807	461	8057		189	8057			
Oct 2026	480	62	46	481	7.8	15	481	495	1049.03	7613
Nov 2026	500	42	40	570	9.6	11	570	490	1047.97	7537
Dec 2026	600	65	33	533	8.7	10	533	495	1049.15	7622
Jan 2027	723	74	23	512	8.3	10	512	511	1052.42	7859
Feb 2027	639	61	21	530	9.5	10	530	519	1054.20	7990
Mar 2027	675	102	23	791	12.9	12	791	516	1053.56	7942
Apr 2027	601	93	31	1018	17.1	13	1018	494	1048.80	7596
May 2027	599	52	39	1061	17.2	20	1061	465	1042.59	7157
Jun 2027	628	18	46	888	14.9	21	888	446	1038.39	6867

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Power Release (1000 Ac-Ft)	Spill Release (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)
Jul 2024	755	-16	12	756	0	756	12.3	643.28	1706
Aug 2024	614	-13	16	597	0	597	9.7	642.84	1694
Sep 2024	518	-1	16	604	0	604	10.1	639.03	1592
WY 2024	7633	-101	152	7375	0	7375			
Oct 2024	663	-10	15	657	0	657	10.7	638.33	1573
Nov 2024	517	-14	13	488	0	488	8.2	638.39	1574
Dec 2024	423	-4	13	373	0	373	6.1	639.61	1607
Jan 2025	471	-13	9	398	0	398	6.5	641.52	1659
Feb 2025	513	-12	8	489	0	489	8.8	641.71	1663
Mar 2025	778	-17	10	723	0	723	11.8	642.74	1692
Apr 2025	921	-10	12	914	0	914	15.4	642.18	1676
May 2025	983	-13	14	927	0	927	15.1	643.20	1704
Jun 2025	798	-14	14	772	0	772	13.0	643.12	1702
Jul 2025	746	-19	12	731	0	731	11.9	642.50	1685
Aug 2025	699	-14	16	683	0	683	11.1	642.00	1671
Sep 2025	644	-1	16	680	0	680	11.4	640.01	1617
WY 2025	8156	-144	151	7834	0	7834			
Oct 2025	439	-6	14	602	0	602	9.8	633.00	1434
Nov 2025	540	-17	13	459	0	459	7.7	635.00	1486
Dec 2025	508	-2	13	375	0	375	6.1	639.51	1604
Jan 2026	474	-5	9	398	0	398	6.5	641.80	1666
Feb 2026	490	-13	8	469	0	469	8.4	641.80	1666
Mar 2026	726	-12	10	669	0	669	10.9	643.05	1700
Apr 2026	935	-16	13	908	0	908	15.3	643.00	1699
May 2026	968	-10	14	944	0	944	15.4	643.00	1699
Jun 2026	828	-16	14	798	0	798	13.4	643.00	1699
Jul 2026	763	-19	12	759	0	759	12.3	642.00	1671
Aug 2026	728	-14	15	698	0	698	11.4	642.00	1671
Sep 2026	656	-1	16	692	0	692	11.6	640.01	1617
WY 2026	8057	-132	151	7773	0	7773			
Oct 2026	481	-6	14	644	0	644	10.5	633.00	1434
Nov 2026	570	-17	13	489	0	489	8.2	635.00	1486
Dec 2026	533	-2	13	400	0	400	6.5	639.51	1604
Jan 2027	512	-5	9	436	0	436	7.1	641.80	1666
Feb 2027	530	-13	8	509	0	509	9.2	641.80	1666
Mar 2027	791	-12	10	735	0	735	12.0	643.05	1700
Apr 2027	1018	-16	13	991	0	991	16.7	643.00	1699
May 2027	1061	-10	14	1036	0	1036	16.9	643.00	1699
Jun 2027	888	-16	14	858	0	858	14.4	643.00	1699

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Hoover Release (1000 Ac-Ft)	Side Inflow (1000 Ac-Ft)	Evaporation Losses (1000 Ac-Ft)	Total Release (1000 Ac-Ft)	Total Release (1000 CFS)	MWD Diversion (1000 Ac-Ft)	CAP Diversion (1000 Ac-Ft)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Flow To Mexico (1000 Ac-Ft)	Flow To Mexico (1000 CFS)
Jul 2024	756	18	17	627	10.2	99	23	448.70	594	143	2.3
Aug 2024	597	9	17	467	7.6	98	23	448.23	584	107	1.7
Sep 2024	604	9	15	444	7.5	96	69	447.22	565	96	1.6
WY 2024	7375	84	140	5544		827	891			1364	
Oct 2024	657	15	12	483	7.9	99	68	447.44	569	71	1.2
Nov 2024	488	14	9	338	5.7	98	42	448.17	583	89	1.5
Dec 2024	373	17	7	284	4.6	100	29	446.47	551	90	1.5
Jan 2025	398	5	6	286	4.6	65	34	446.84	558	96	1.6
Feb 2025	489	-2	8	369	6.6	45	46	447.64	573	104	1.9
Mar 2025	723	0	9	538	8.7	12	170	447.01	561	145	2.4
Apr 2025	914	1	11	640	10.8	74	172	447.51	571	140	2.3
May 2025	927	2	13	625	10.2	92	171	448.59	591	113	1.8
Jun 2025	772	17	15	605	10.2	95	71	448.25	585	115	1.9
Jul 2025	731	17	17	610	9.9	99	15	448.00	580	114	1.9
Aug 2025	683	18	17	562	9.1	99	22	447.50	571	102	1.7
Sep 2025	680	9	15	506	8.5	96	62	447.50	570	93	1.6
WY 2025	7834	111	139	5844		974	902			1272	
Oct 2025	602	19	12	462	7.5	99	39	447.50	571	70	1.1
Nov 2025	459	14	9	353	5.9	87	19	447.50	570	85	1.4
Dec 2025	375	14	7	287	4.7	90	20	446.50	552	80	1.3
Jan 2026	398	7	6	278	4.5	77	38	446.50	552	132	2.1
Feb 2026	469	1	8	374	6.7	40	42	446.50	552	118	2.1
Mar 2026	669	11	9	545	8.9	3	111	446.70	555	113	1.8
Apr 2026	908	17	11	634	10.6	91	142	448.70	593	113	1.9
May 2026	944	4	13	688	11.2	94	143	448.70	593	105	1.7
Jun 2026	798	11	16	644	10.8	91	48	448.70	593	111	1.9
Jul 2026	759	17	17	651	10.6	94	17	448.00	580	117	1.9
Aug 2026	698	18	17	586	9.5	94	18	447.50	571	124	2.0
Sep 2026	692	9	15	530	8.9	91	55	447.50	570	122	2.0
WY 2026	7773	142	139	6031		948	693			1289	
Oct 2026	644	19	12	476	7.7	94	74	447.50	571	85	1.4
Nov 2026	489	14	9	354	5.9	91	44	447.50	570	109	1.8
Dec 2026	400	14	7	292	4.8	94	35	446.50	552	105	1.7
Jan 2027	436	7	6	300	4.9	81	49	446.50	552	136	2.2
Feb 2027	509	1	8	399	7.2	42	54	446.50	552	122	2.2
Mar 2027	735	11	9	579	9.4	3	142	446.70	555	117	1.9
Apr 2027	991	17	11	677	11.4	90	181	448.70	593	116	2.0
May 2027	1036	4	13	741	12.0	93	182	448.70	593	109	1.8
Jun 2027	858	11	16	690	11.6	90	61	448.70	593	114	1.9

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Hoover Dam – Lake Mead



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Hoover Static Head (Ft)	Hoover Generation Capacity (MW)	Hoover Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-feet (KWH/AF)
Jul 2024	755	12.3	1061.38	8528	-86	417.42	1336.1	279.5	93	370.1
Aug 2024	614	10.0	1063.16	8665	136	417.23	1336.1	226.7	93	369.4
Sep 2024	518	8.7	1063.71	8707	42	420.91	1241.0	192.1	87	370.8
WY 2024	7633							2874.6		
Oct 2024	663	10.8	1061.22	8516	-191	414.48	906.9	248.0	63	373.8
Nov 2024	517	8.7	1060.89	8491	-25	416.00	898.4	192.5	63	372.6
Dec 2024	423	6.9	1063.29	8675	184	420.09	815.0	156.5	56	370.2
Jan 2025	471	7.7	1066.37	8913	239	420.07	697.1	177.3	47	376.4
Feb 2025	513	9.2	1068.18	9056	142	418.72	562.0	194.6	38	378.9
Mar 2025	778	12.7	1066.43	8918	-137	417.77	1039.1	294.2	70	378.1
Apr 2025	921	15.5	1062.23	8593	-325	413.68	999.0	346.1	69	375.7
May 2025	983	16.0	1057.02	8199	-394	407.77	776.0	364.9	54	371.4
Jun 2025	798	13.4	1054.98	8047	-152	407.58	1309.0	292.0	94	366.0
Jul 2025	746	12.1	1054.21	7990	-57	403.07	1186.1	270.3	85	362.4
Aug 2025	699	11.4	1055.26	8068	77	402.86	1273.9	250.7	92	358.7
Sep 2025	644	10.8	1054.44	8007	-60	406.57	905.0	234.7	65	364.6
WY 2025	8156							3021.8		
Oct 2025	439	7.1	1054.95	8045	37	409.39	813.0	160.9	58	366.6
Nov 2025	540	9.1	1054.31	7998	-47	412.86	649.0	201.6	47	373.2
Dec 2025	508	8.3	1055.78	8106	109	411.22	645.6	191.2	46	376.7
Jan 2026	474	7.7	1059.40	8378	272	410.51	789.0	175.9	56	371.1
Feb 2026	490	8.8	1061.60	8545	167	411.11	1007.0	178.4	70	363.8
Mar 2026	726	11.8	1061.77	8558	13	413.12	838.0	273.4	59	376.8
Apr 2026	935	15.7	1058.21	8288	-270	410.35	914.0	354.0	65	378.5
May 2026	968	15.7	1053.44	7933	-355	402.86	1361.5	351.7	97	363.2
Jun 2026	828	13.9	1050.18	7696	-237	398.89	1337.3	299.6	97	361.7
Jul 2026	763	12.4	1049.21	7626	-70	397.12	1324.7	271.7	97	356.0
Aug 2026	728	11.8	1049.97	7680	54	397.34	1337.3	258.1	97	354.4
Sep 2026	656	11.0	1049.04	7614	-67	397.90	1324.7	231.1	97	352.1
WY 2026	8057							2947.7		
Oct 2026	481	7.8	1049.03	7613	-1	401.07	1146.9	173.3	84	360.2
Nov 2026	570	9.6	1047.97	7537	-75	402.82	1146.9	204.4	84	358.3
Dec 2026	533	8.7	1049.15	7622	84	404.77	635.1	194.0	46	363.8
Jan 2027	512	8.3	1052.42	7859	237	403.74	772.6	188.2	56	367.8
Feb 2027	530	9.5	1054.20	7990	131	403.97	978.4	191.2	70	361.0
Mar 2027	791	12.9	1053.56	7942	-47	405.36	813.2	295.1	59	372.9
Apr 2027	1018	17.1	1048.80	7596	-346	401.60	897.7	376.0	65	369.3
May 2027	1061	17.2	1042.59	7157	-439	392.84	1303.3	372.0	97	350.7
Jun 2027	888	14.9	1038.39	6867	-290	387.61	1277.2	313.2	97	352.5

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Davis Dam – Lake Mohave



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Davis Static Head (Ft)	Davis Generation Capacity (MW)	Davis Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Jul 2024	756	12.3	643.28	1706	-29	144.40	204.0	96.8	80	128.0
Aug 2024	597	9.7	642.84	1694	-12	141.47	204.0	76.5	80	128.1
Sep 2024	604	10.1	639.03	1592	-103	134.52	202.3	75.8	79	125.5
WY 2024	7375							931.3		
Oct 2024	657	10.7	638.33	1573	-19	135.41	185.9	80.4	73	122.4
Nov 2024	488	8.2	638.39	1574	2	139.30	156.4	60.7	61	124.3
Dec 2024	373	6.1	639.61	1607	33	140.76	154.7	46.6	61	125.1
Jan 2025	398	6.5	641.52	1659	52	142.86	172.7	51.6	68	129.8
Feb 2025	489	8.8	641.71	1663	5	140.99	156.6	60.9	61	124.7
Mar 2025	723	11.8	642.74	1692	28	139.14	195.8	92.3	77	127.8
Apr 2025	914	15.4	642.18	1676	-15	138.61	204.0	116.1	80	127.1
May 2025	927	15.1	643.20	1704	28	139.55	204.0	117.9	80	127.1
Jun 2025	772	13.0	643.12	1702	-2	139.44	204.0	98.6	80	127.8
Jul 2025	731	11.9	642.50	1685	-17	140.20	204.0	92.4	80	126.3
Aug 2025	683	11.1	642.00	1671	-14	139.95	204.0	86.1	80	126.1
Sep 2025	680	11.4	640.01	1617	-54	138.57	210.8	84.9	83	124.8
WY 2025	7834							988.6		
Oct 2025	602	9.8	633.00	1434	-183	134.74	227.0	73.0	89	121.4
Nov 2025	459	7.7	635.00	1486	51	133.13	159.8	55.1	63	119.9
Dec 2025	375	6.1	639.51	1604	118	137.12	154.7	46.3	61	123.5
Jan 2026	398	6.5	641.80	1666	62	140.34	156.3	50.3	61	126.4
Feb 2026	469	8.4	641.80	1666	0	140.60	156.6	59.4	61	126.7
Mar 2026	669	10.9	643.05	1700	34	140.21	194.1	84.6	76	126.3
Apr 2026	908	15.3	643.00	1699	-2	139.19	249.9	113.9	98	125.4
May 2026	944	15.4	643.00	1699	0	139.13	255.0	118.4	100	125.3
Jun 2026	798	13.4	643.00	1699	0	139.82	255.0	100.5	100	126.0
Jul 2026	759	12.3	642.00	1671	-27	139.71	255.0	95.6	100	125.9
Aug 2026	698	11.4	642.00	1671	0	139.59	255.0	87.8	100	125.8
Sep 2026	692	11.6	640.01	1617	-54	138.49	255.0	86.4	100	124.8
WY 2026	7773							971.3		
Oct 2026	644	10.5	633.00	1434	-183	134.45	227.0	78.0	89	121.1
Nov 2026	489	8.2	635.00	1486	51	132.90	159.8	58.6	63	119.7
Dec 2026	400	6.5	639.51	1604	118	136.93	154.7	49.4	61	123.4
Jan 2027	436	7.1	641.80	1666	62	140.07	156.3	55.0	61	126.2
Feb 2027	509	9.2	641.80	1666	0	140.29	156.6	64.3	61	126.4
Mar 2027	735	12.0	643.05	1700	34	139.79	194.1	92.6	76	125.9
Apr 2027	991	16.7	643.00	1699	-2	138.72	249.9	123.8	98	125.0
May 2027	1036	16.9	643.00	1699	0	138.62	255.0	129.4	100	124.9
Jun 2027	858	14.4	643.00	1699	0	139.45	255.0	107.8	100	125.6

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Parker Dam – Lake Havasu



— BUREAU OF —
RECLAMATION

Date	Power Release (1000 Ac-Ft)	Power Release (1000 CFS)	Reservoir Elevation End of Month (Ft)	End Of Month Storage (1000 Ac-Ft)	Change in Storage (1000 Ac-Ft)	Parker Static Head (Ft)	Parker Generation Capacity (MW)	Parker Gross Energy (MKWH)	Percent of Units Available (%)	Energy per Acre-foot (KWH/AF)
Jul 2024	627	10.2	448.70	594	-1	83.09	120.0	44.1	100	70.3
Aug 2024	467	7.6	448.23	584	-9	80.98	120.0	32.5	100	69.6
Sep 2024	444	7.5	447.22	565	-19	78.55	120.0	30.7	100	69.3
WY 2024	5543							380.2		
Oct 2024	483	7.9	447.44	569	4	81.30	90.0	33.2	75	68.8
Nov 2024	338	5.7	448.17	583	14	82.24	93.0	23.1	78	68.5
Dec 2024	284	4.6	446.47	551	-32	81.30	109.4	18.6	91	65.5
Jan 2025	286	4.6	446.84	558	7	78.93	94.8	19.7	79	69.1
Feb 2025	369	6.6	447.64	573	15	80.63	92.1	24.0	77	65.0
Mar 2025	538	8.7	447.01	561	-12	78.73	114.2	37.2	95	69.1
Apr 2025	640	10.8	447.51	571	9	77.23	118.0	43.6	98	68.2
May 2025	625	10.2	448.59	591	20	76.52	120.0	43.2	100	69.1
Jun 2025	604	10.1	448.25	585	-6	79.81	120.0	41.6	100	69.0
Jul 2025	610	9.9	448.00	580	-5	79.04	120.0	42.8	100	70.1
Aug 2025	562	9.1	447.50	571	-9	79.00	120.0	39.2	100	69.8
Sep 2025	506	8.5	447.50	570	0	79.04	120.0	35.1	100	69.5
WY 2025	5843							401.3		
Oct 2025	462	7.5	447.50	571	0	79.49	90.0	32.5	75	70.3
Nov 2025	353	5.9	447.50	570	0	80.27	92.0	24.3	77	68.8
Dec 2025	287	4.7	446.50	552	-19	80.44	109.4	18.2	91	63.5
Jan 2026	278	4.5	446.50	552	0	80.01	94.8	18.7	79	67.1
Feb 2026	374	6.7	446.50	552	0	78.86	92.1	25.9	77	69.3
Mar 2026	545	8.9	446.70	555	4	77.97	120.0	37.6	100	69.0
Apr 2026	634	10.6	448.70	593	38	78.32	120.0	44.4	100	70.0
May 2026	688	11.2	448.70	593	0	79.10	120.0	48.5	100	70.5
Jun 2026	644	10.8	448.70	593	0	79.25	120.0	45.5	100	70.6
Jul 2026	651	10.6	448.00	580	-13	79.00	120.0	45.6	100	70.0
Aug 2026	586	9.5	447.50	571	-10	78.83	120.0	40.8	100	69.7
Sep 2026	530	8.9	447.50	570	0	78.85	120.0	36.8	100	69.3
WY 2026	6031							418.6		
Oct 2026	476	7.7	447.50	571	0	79.39	90.0	33.4	75	70.2
Nov 2026	354	5.9	447.50	570	0	80.26	92.0	24.3	77	68.8
Dec 2026	292	4.8	446.50	552	-19	80.39	109.4	18.5	91	63.5
Jan 2027	300	4.9	446.50	552	0	79.82	94.8	20.1	79	66.9
Feb 2027	399	7.2	446.50	552	0	78.65	92.1	27.6	77	69.1
Mar 2027	579	9.4	446.70	555	4	77.73	120.0	39.8	100	68.8
Apr 2027	677	11.4	448.70	593	38	78.03	120.0	47.2	100	69.8
May 2027	741	12.0	448.70	593	0	78.77	120.0	52.0	100	70.2
Jun 2027	690	11.6	448.70	593	0	78.95	120.0	48.5	100	70.3



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow

Upper Basin Power



— BUREAU OF —
RECLAMATION

Date	Glen Canyon (1000 MWHR)	Flaming Gorge (1000 MWHR)	Blue Mesa (1000 MWHR)	Morrow Point (1000 MWHR)	Crystal Reservoir (1000 MWHR)	Fontenelle Reservoir (1000 MWHR)
Jul 2024	231	28	34	41	21	6
Aug 2024	209	37	29	35	20	5
Sep 2024	130	36	23	22	17	4
Summer 2024	1313	218	182	245	118	29
Oct 2024	129	24	22	26	3	3
Nov 2024	189	21	5	7	1	3
Dec 2024	247	29	7	9	4	3
Jan 2025	294	28	9	11	5	3
Feb 2025	258	20	9	12	6	3
Mar 2025	250	25	10	18	10	3
Winter 2025	1366	147	63	82	29	19
Apr 2025	237	26	14	26	16	2
May 2025	237	28	28	41	20	6
Jun 2025	271	33	25	34	19	6
Jul 2025	270	33	31	38	19	4
Aug 2025	284	35	30	38	19	4
Sep 2025	211	34	20	27	13	3
Summer 2025	1510	190	149	203	106	26
Oct 2025	178	17	15	20	10	3
Nov 2025	185	16	3	5	3	3
Dec 2025	219	16	3	5	3	3
Jan 2026	261	16	5	7	4	3
Feb 2026	228	15	4	6	3	2
Mar 2026	238	17	5	8	5	3
Winter 2026	1308	98	35	51	28	18
Apr 2026	209	16	12	19	11	2
May 2026	212	61	47	68	23	6
Jun 2026	231	55	10	19	14	7
Jul 2026	266	21	32	39	20	8
Aug 2026	283	26	23	29	15	8
Sep 2026	211	26	23	28	14	4
Summer 2026	1412	205	147	202	98	34
Oct 2026	178	23	19	24	11	4
Nov 2026	184	21	8	10	6	4
Dec 2026	220	23	11	14	7	4
Jan 2027	262	23	9	12	6	4
Feb 2027	230	21	8	11	6	3
Mar 2027	242	21	11	14	8	3
Winter 2027	1316	131	66	84	44	23
Apr 2027	214	21	17	24	13	2
May 2027	219	82	52	71	23	6
Jun 2027	239	52	23	32	20	7



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Predicted Space – Beginning of Month Conditions

Date	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Upper Basin Total (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)
Jul 2025	555	250	587	15435	16826	19573	36399
Aug 2025	622	298	665	15755	17340	19630	36970
Sep 2025	705	351	742	16119	17916	19552	37469
Oct 2025	790	389	760	16319	18257	19613	37870
Nov 2025	812	411	762	16394	18379	19575	37955
Dec 2025	823	397	786	16536	18541	19622	38164
Jan 2026	847	385	793	16823	18849	19514	38363
Feb 2026	869	381	790	17261	19302	19242	38544
Mar 2026	881	375	786	17589	19632	19075	38707
Apr 2026	855	362	763	17874	19854	19062	38916
May 2026	804	346	716	17970	19835	19332	39167
Jun 2026	811	333	634	17046	18824	19687	38511
Jul 2026	653	150	613	15950	17366	19924	37289
Aug 2026	577	157	683	15937	17354	19994	37348
Sep 2026	609	174	768	16278	17828	19940	37768
Oct 2026	658	210	809	16425	18103	20006	38109
Nov 2026	683	243	812	16451	18189	20007	38196
Dec 2026	700	240	813	16510	18263	20083	38346
Jan 2027	735	250	818	16706	18510	19998	38508
Feb 2027	764	256	824	17026	18870	19761	38631
Mar 2027	784	260	820	17241	19106	19630	38736
Apr 2027	767	258	776	17377	19179	19678	38857
May 2027	725	237	713	17238	18914	20024	38937
Jun 2027	735	220	593	16070	17619	20463	38082

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM



OPERATION PLAN FOR COLORADO RIVER SYSTEM RESERVOIRS

July 2025 24-Month Study

Most Probable Inflow



— BUREAU OF —
RECLAMATION

Flood Control Criteria: Creditable / Effective Space – Beginning of Month Conditions

Date	Space	Flaming Gorge (1000 Ac-Ft)	Blue Mesa (1000 Ac-Ft)	Navajo (1000 Ac-Ft)	Total or Maximum Allowed (1000 Ac-Ft)	Lake Powell (1000 Ac-Ft)	Lake Mead (1000 Ac-Ft)	Total (1000 Ac-Ft)	Beginning of Month Space Required (1000 Ac-Ft)	Mead Scheduled Release (1000 Ac-Ft)	Mead Flood Control Release (1000 Ac-Ft)	System Content (MAF)
Jul 2025	Effective	-54	-56	-75	-184	15435	19573	34823	1500	746	0	22.9
Aug 2025	Creditable	622	298	665	1585	15755	19630	36970	1500	699	0	22.4
Sep 2025	Creditable	705	351	742	1797	16119	19552	37469	2270	644	0	21.9
Oct 2025	Creditable	790	389	760	1939	16319	19613	37870	3040	439	0	21.7
Nov 2025	Creditable	812	411	762	1985	16394	19575	37955	3810	540	0	21.5
Dec 2025	Creditable	823	397	786	2005	16536	19622	38164	4580	508	0	21.4
Jan 2026	Creditable	847	385	793	2026	16823	19514	38363	5350	474	0	21.3
Jan 2026	Effective	323	259	126	708	16823	19514	37045	5350	474	0	21.3
Feb 2026	Effective	342	256	123	721	17261	19242	37224	1500	490	0	21.1
Mar 2026	Effective	352	251	118	720	17589	19075	37385	1500	726	0	21.0
Apr 2026	Effective	321	238	94	653	17874	19062	37589	1500	935	0	20.7
May 2026	Effective	264	220	45	528	17970	19332	37830	1500	968	0	21.4
Jun 2026	Effective	265	194	-41	418	17046	19687	37151	1500	828	0	22.7
Jul 2026	Effective	93	-12	-66	15	15950	19924	35889	1500	763	0	22.5
Aug 2026	Creditable	577	157	683	1417	15937	19994	37348	1500	728	0	22.1
Sep 2026	Creditable	609	174	768	1551	16278	19940	37768	2270	656	0	21.7
Oct 2026	Creditable	658	210	809	1677	16425	20006	38109	3040	481	0	21.4
Nov 2026	Creditable	683	243	812	1738	16451	20007	38196	3810	570	0	21.3
Dec 2026	Creditable	700	240	813	1753	16510	20083	38346	4580	533	0	21.3
Jan 2027	Creditable	735	250	818	1804	16706	19998	38508	5350	512	0	21.2
Jan 2027	Effective	337	197	362	895	16706	19998	37599	5350	512	0	21.2
Feb 2027	Effective	362	203	367	932	17026	19761	37719	1500	530	0	21.1
Mar 2027	Effective	380	207	362	949	17241	19630	37821	1500	791	0	21.0
Apr 2027	Effective	359	205	306	870	17377	19678	37925	1500	1018	0	21.0
May 2027	Effective	310	183	223	717	17238	20024	37979	1500	1061	0	21.8
Jun 2027	Effective	314	155	66	535	16070	20463	37068	1500	888	0	23.2

Model Run ID: 3287

Processed on: 7/10/2025 2:18:58 PM

January 24-Month Study
Date: January 16, 2026

From: River Operations Group, Salt Lake City
To: All Colorado River Annual Operating Plan (AOP) Recipients

Current Reservoir Status

	December Inflow (unregulated) (acre-feet)	Percent of Average (percent)	January 15, Midnight Elevation (feet)	January 15, Midnight Reservoir Storage (acre-feet)
Fontenelle	38,691	121%	6484.21	182,057
Flaming Gorge	39,994	121%	6022.52	2,996,502
Blue Mesa	26,744	106%	7468.05	418,459
Navajo	25,582	123%	6033.56	994,594
Powell	316,541	99%	3537.88	6,316,202

Expected Operations

The operation of Lake Powell and Lake Mead in the January 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the draft 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre feet (maf). To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the December 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

December 2025 through April 2026³. That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual WY 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in WY 2026 may be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

The 2026 operational tier determinations for Lake Powell and Lake Mead will be documented in the 2026 AOP, which is currently in development.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of December was 0.317 maf or 99% of the 30-year average from 1991 to 2020. The January 2026 unregulated inflow forecast for Lake Powell is 0.300 maf or 89% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 3.65 maf or 57% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 6.50 maf or 68% of average.

References

The draft 2026 Annual Operating Plan is available online at:

https://www.usbr.gov/lc/region/g4000/AOP2026/AOP26_draft.pdf.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_01_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.

³ Consistent with the Drought Response Operating Agreement and Framework.

Fontenelle Reservoir

As of January 07, 2026, the Fontenelle Reservoir pool elevation is 6485.05 feet, which amounts to 56 percent of live storage capacity. Inflows for the month of December totaled approximately 38,691 acre-feet (af) or 121 percent of average.

Current releases are 800 cfs. This release is expected to remain constant throughout the winter base flow period, pending significant hydrologic changes or emergencies. The winter base flow is typically from mid-November to mid-March, pending icing conditions on the Green River downstream of the dam this coming spring.

The January final forecast for unregulated inflows into Fontenelle for the next three months projects below average conditions. January, February, and March Most Probable inflow volumes amount to 35,000 af (115 percent of average), 25,000 af (88 percent of average), and 50,000 af (88 percent of average) respectively.

The next Fontenelle Working Group meeting is scheduled for April 2026 in Green River, WY. Details on the meeting will be provided as we get closer to the meeting date. Prior Fontenelle Working Group meeting minutes are available online on USBR's website at <https://www.usbr.gov/uc/water/crsp/wg/ft/ftcurrnt.html>. The Fontenelle Working Group is an open public forum for information exchange between Reclamation and other parties associated with the operation of Fontenelle Reservoir.

Flaming Gorge Reservoir

As of January 7, 2026 (end of day), Flaming Gorge Reservoir pool elevation is 6022.55 feet, which amounts to 82 percent of live storage capacity. Unregulated inflow volume for the month of December is approximately 40,000 acre-feet (af), which is 121 percent of the average December unregulated inflow volume.

Flaming Gorge Dam operations are in a moderately dry hydrologic classification for the month of January and are projected to remain in the moderately dry hydrologic classification through the remainder of the base flow period. The current average daily release is 800 cfs but may vary to meet the 1,100-1,500 cfs target in Reach 2, measured at the Jensen USGS Gage. This data is considered the most likely scenario given the current forecast, is general, and is subject to changing conditions.

The January unregulated inflows into Flaming Gorge for the next three months projects below average. January, February, and March forecasted unregulated inflow volumes 45,000 af (112 percent of average), 40,000 af (88 percent of average), and 73,000 af (69 percent of average), respectively.

Reclamation is planning to hold Flaming Gorge Working Group meetings in March 2026. Details on the meeting will be provided as we get closer to the meeting date. Flaming Gorge Working Group is an open public forum for information exchange between Reclamation and the stakeholders of Flaming Gorge Dam. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past Working Group meetings are posted on the

Working Group webpage. For more information on this group and these meetings please contact Alex Pivarnik at (385) 475 – 8329.

Aspinall Unit Reservoirs

As of January 9, 2026, releases from Crystal Dam is approximately 370 cfs. Flows of the Gunnison River in the Black Canyon are being maintained at about 350 cfs while the Gunnison Tunnel is no longer diverting flows. Flows in the Whitewater Reach of the Gunnison River are about 850 cfs.

The unregulated inflow volume in December to Blue Mesa was approximately 27,000 af (106 percent of average). Unregulated Inflow volumes forecasted for Blue Mesa for the next three months (January, February, and March) are projected to be: 20,000 af (85 percent of average), 19,000 af (85 percent of average), and 33,000 af (88 percent of average), respectively.

The forecasted 2026 water year unregulated inflow volume to Blue Mesa is projected to be 647,000 af (72 percent of average). The water supply period (April-July) for 2026 is forecasted currently for an unregulated inflow volume of to be 400,000 af of unregulated inflow (61 percent of average).

The Aspinall Unit Operations Group is an open public forum for information exchange between Reclamation and the stakeholders of the Aspinall Unit. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past working Group meetings are posted on the Operations Group webpage. For more information on this group and these meetings please contact Reece Carpenter in the Western Colorado Area office at (970) 248-0637.

The next Operations Group meeting will be held on February 11, 2026 at 1:30 p.m at the Western Colorado Area office, 445 West Gunnison Avenue, Suite 221, Grand Junction, CO. There will be a hybrid/call-in option. Contact Reece Carpenter in the Western Colorado Area office at (970) 248-0637 for more information regarding this Operation Group meeting.

Navajo Reservoir

On January 8, 2026, the daily average release rate from Navajo Dam was 300 cfs. The water surface elevation was 6033.5 feet above sea level. At this elevation the live storage is 0.994 maf (60 percent of live storage capacity). Diversions to Cutter Reservoir for the Navajo Indian Irrigation Project (NIIP) and the Navajo Gallup Water Supply Project (NGWSP) were 0 cfs. The San Juan-Chama project was diverting 0 cfs from the basin above Navajo Reservoir.

Releases from Navajo Dam are made for authorized purposes of the Navajo Unit and are pursuant to the Record of Decision for the Navajo Reservoir Operations. Releases target the San Juan River Recovery Implementation Program's (SJRIIP) recommended downstream baseflow range of 500 cfs to 1,000 cfs through the critical habitat reach of the San Juan River (Farmington, NM to Lake Powell).

Navajo was at 6033.4 ft of pool elevation and 0.990 maf of live storage by the end of December, which was 60 percent of average for the end of the month. The release averaged 300 cfs and totaled 17.4 kaf, which was 60 percent of average for the month. Preliminary modified unregulated inflow (MUI) into

Navajo was 25.6 kaf, which was 124 percent of average for the month. Calculated evaporation for the month was 0.5 kaf. NIIP diverted a total of 0 kaf. Navajo had a net storage change of +2.6 kaf during the last month.

The most probable MUI forecast for January, February, March is 22 kaf (110 percent of average), 23 kaf (85 percent of average), and 55 kaf (67 percent of average), respectively.

Reclamation conducts Public Operations Meetings three times per year to gather input for determining upcoming operations for Navajo Reservoir. Input from individuals, organizations, and agencies along with other factors such as weather, water rights, endangered species requirements, flood control, hydro power, recreation, fish and wildlife management, and reservoir levels, will be considered in the development of these reservoir operation plans. In addition, the meetings are used to coordinate activities and exchange information among agencies, water users, and other interested parties concerning the San Juan River and Navajo Reservoir. The next meeting will be held virtually on January 27th at 1-3pm. Email cfelletter@usbr.gov for a meeting invite.

Glen Canyon Dam / Lake Powell

Current Status

The unregulated inflow volume to Lake Powell during December was 317 thousand acre-feet (kaf) (99 percent of average). The release volume from Glen Canyon Dam in December was 501 kaf. The end of December elevation and storage of Lake Powell were 3,540.31 feet (159.7 feet from full pool) and 6.47 million acre-feet (maf) (28 percent of live capacity), respectively.

Current Operations

The operation of Lake Powell and Lake Mead in the January 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines), the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),⁴ and reflects the draft 2026 Annual Operating Plan (AOP).

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in WY 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 maf. To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the November 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026. That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual water year 2026 operations, and being

⁴ 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in water year 2026 may be less than 7.48 maf.

On May 9, 2024, Reclamation published the 2024 Interim Guidelines SEIS ROD, which included modifications to Sections 2, 6, and 7 of the 2007 Interim Guidelines. The current 24-Month Study reflects these modifications in modeled operations.

On July 3, 2024, Reclamation signed the Glen Canyon Dam Long-Term Experimental and Management Plan Supplemental Environmental Impact Statement Record of Decision (2024 LTEMP SEIS ROD⁵). The 2024 LTEMP SEIS ROD analyzed flow options to disrupt smallmouth bass and other warm water invasive non-native fish from establishing below Glen Canyon Dam by interrupting spawning and species expansion. Reclamation initiated these flows on August 3, 2025 and returned to normal operations on October 21, 2025.

The anticipated monthly release volume for January is 625,000 acre-feet. The February volume is anticipated to be 525,000 acre-feet and the hourly pattern will be confirmed with a subsequent directive toward the end of January.

In addition to daily scheduled fluctuations for power generation, the instantaneous releases from Glen Canyon Dam may also fluctuate to provide 40 megawatts (MW) of system regulation. These instantaneous release adjustments stabilize the electrical generation and transmission system and translate to a range of about 1,300 cfs above or below the hourly scheduled release rate. Under normal system conditions, fluctuations for regulation are typically short lived and generally balance out over the hour with minimal or no noticeable impacts on downstream river flow conditions.

Releases from Glen Canyon Dam can also fluctuate beyond scheduled releases when called upon to respond to unscheduled power outages or power system emergencies. Depending on the severity of the system emergency, the response from Glen Canyon Dam can be significant, within the full range of the operating capacity of the power plant for as long as is necessary to maintain balance in the transmission system. Glen Canyon Dam currently maintains 30 MW (approximately 1,300 cfs) of generation capacity in reserve in order to respond to a system emergency even when generation rates are already high. System emergencies occur infrequently and typically require small responses from Glen Canyon Dam. However, these responses can have a noticeable impact on the river downstream of Glen Canyon Dam.

Inflow Forecasts and Model Projections

The forecast for water year 2026 unregulated inflow to Lake Powell, issued on January 6, 2026, by the Colorado Basin River Forecast Center, projects that the most probable (median) unregulated inflow volume in water year 2026 will be 6.50 maf (68 percent of average).

In addition to the January 2026 24-Month Study based on the Most Probable inflow scenario, Reclamation has conducted runs to determine a possible range of reservoir elevations. The 24-Month Study minimum,

⁵ 2024 LTEMP SEIS ROD is available online at:

<https://www.usbr.gov/uc/DocLibrary/EnvironmentalImpactStatements/GlenCanyonDamLong-TermExperimentalManagementPlan/20240703-GCDLTEMP-FinalSEIS-RecordofDecision-508-AMWD.pdf>

most, and maximum probable scenarios were used to determine the range of probable outcomes. The probable minimum and probable maximum model runs are conducted simultaneously in January, April, August, and October, or when necessary to incorporate changing conditions. The probable minimum inflow scenario reflects a dry hydrologic condition which statistically would be exceeded 90 percent of the time. The most probable inflow scenario reflects a median hydrologic condition which statistically would be exceeded 50 percent of the time. The probable maximum inflow scenario reflects a wet hydrologic condition which statistically would be exceeded 10 percent of the time. There is approximately an 80 percent probability that a future elevation will fall inside the range of the minimum and maximum inflow scenarios. Additionally, there are possible inflow scenarios that would result in reservoir elevations falling outside the ranges indicated in these reports.

The January forecast for water year 2026 ranges from a minimum probable of 4.78 maf (50 percent of average) to a maximum probable of 10.57 maf (110 percent of average) with the most probable forecast for water year 2026 of 6.50 maf (68 percent of average). There is a 10 percent chance that inflows could be higher than the current maximum probable forecast and a 10 percent chance that inflows could be lower than the minimum probable forecast.

Based on the current forecast of 6.50 maf unregulated inflow for water year 2026, the January 24-Month Study projects Lake Powell elevation will end water year 2026 near 3,519.54 feet with approximately 5.24 maf in storage (22 percent of capacity). Projections of end of water year 2026 elevation using the January minimum and maximum inflow forecast results from the 24-Month Study model run are 3,499.53 feet and 3,566.57 feet, respectively. The annual release volume from Lake Powell during water year 2026 is 7.48 maf under the Mid-Elevation Release Tier as determined under Section 6.C.1 of the Interim Guidelines as determined by the Department of the Interior as described above.

Upper Colorado River Basin Hydrology

Upper Colorado River Basin regularly experiences significant year to year hydrologic variability. The 30-year average was updated in October 2022 from 1981 through 2010 to 1991 through 2020. Shifting the period of record decreased the average unregulated inflow 1.20 maf. The period 2000-2022 is the lowest 23-year period since the closure of Glen Canyon Dam in 1963, with an average unregulated inflow of 8.29 maf, or 93 percent of the 30-year average (1991-2020). (For comparison, the 1991-2020 total water year average is 9.60 maf.) The unregulated inflow during the 2000-2025 period ranged from a low of 2.64 maf (28 percent of average) in water year 2002 to a high of 15.97 maf (166 percent of average) in water year 2011. In water year 2021 unregulated inflow volume to Lake Powell was 3.50 maf (36 percent of average), the second driest year on record above 2002. Under the current most probable forecast, the total water year 2026 unregulated inflow to Lake Powell is projected to be 6.50 maf (68 percent of average). At the beginning of water year 2026, total system storage in the Colorado River Basin was 21.8 maf (37 percent of 58.48 maf total system capacity). This is a decrease of 3.35 maf over the total storage at the beginning of water year 2025 when total system storage was 25.15 maf (43 percent of capacity). Since the beginning of water year 2000, total Colorado Basin storage has experienced year to year increases and decreases in response to wet and dry hydrology, ranging from a high of 94 percent of capacity at the beginning of 2000 to the beginning of water year 2023 with 19.55 maf (33 percent of capacity).

February 24-Month Study
Date: February 13, 2026

From: River Operations Group, Salt Lake City
To: All Colorado River Annual Operating Plan (AOP) Recipients

Current Reservoir Status

	January Inflow (unregulated) (acre-feet)	Percent of Average (percent)	February 12, Midnight Elevation (feet)	February 12, Midnight Reservoir Storage (acre-feet)
Fontenelle	23,146	106%	6480.70	162,258
Flaming Gorge	31,460	78%	6022.56	2,997,884
Blue Mesa	21,920	93%	7467.27	413,307
Navajo	21,324	106%	6032.95	988,516
Powell	265,117	79%	3533.29	6,034,370

Expected Operations

The operation of Lake Powell and Lake Mead in the February 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the draft 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre feet (maf). To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the December 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

December 2025 through April 2026³. That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual WY 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in WY 2026 may be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of January was 0.265 maf or 79% of the 30-year average from 1991 to 2020. The February 2026 unregulated inflow forecast for Lake Powell is 0.260 maf or 71% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 2.40 maf or 38% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 5.02 maf or 52% of average.

References

The draft 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/AOP2026.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_02_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.

³ Consistent with the Drought Response Operating Agreement and Framework.

Fontenelle Reservoir

As of February 09, 2026, the Fontenelle Reservoir pool elevation is 6480.97 feet, which amounts to 49 percent of live storage capacity. Inflows for the month of January totaled approximately 32,146 acre-feet (af) or 106 percent of average.

Current releases are 800 cfs. This release is expected to remain constant throughout the winter base flow period, pending significant hydrologic changes or emergencies. The winter base flow is typically from mid-November to mid-March, pending icing conditions on the Green River downstream of the dam this coming spring.

The February final forecast for unregulated inflows into Fontenelle for the next three months projects below average conditions. February, March, and April Most Probable inflow volumes amount to 25,000 af (88 percent of average), 50,000 af (88 percent of average), and 75,000 af (89 percent of average) respectively.

The next Fontenelle Working Group meeting is scheduled for April 2026 in Green River, WY. Details on the meeting will be provided as we get closer to the meeting date. Prior Fontenelle Working Group meeting minutes are available online on USBR's website at <https://www.usbr.gov/uc/water/crsp/wg/ft/ftcurrnt.html>. The Fontenelle Working Group is an open public forum for information exchange between Reclamation and other parties associated with the operation of Fontenelle Reservoir.

Flaming Gorge Reservoir

As of February 9, 2026 (end of day), Flaming Gorge Reservoir pool elevation is 6022.50 feet, which amounts to 82 percent of live storage capacity. Unregulated inflow volume for the month of January is approximately 31,460 acre-feet (af), which is 78 percent of the average January unregulated inflow volume.

Flaming Gorge Dam operations are in a moderately dry hydrologic classification for the month of February and are projected to remain in the moderately dry hydrologic classification through the remainder of the base flow period. The current average daily release is 800 cfs but may vary to meet the 1,100-1,500 cfs target in Reach 2, measured at the Jensen USGS Gage. This data is considered the most likely scenario given the current forecast, is general, and is subject to changing conditions.

The February unregulated inflows into Flaming Gorge for the next three months projects below average. February, March, and April forecasted unregulated inflow volumes 40,000 af (88 percent of average), 70,000 af (66 percent of average), and 80,000 af (64 percent of average), respectively.

Reclamation is planning to hold Flaming Gorge Working Group meetings in March 2026. Details on the meeting will be provided as we get closer to the meeting date. Flaming Gorge Working Group is an open public forum for information exchange between Reclamation and the stakeholders of Flaming Gorge Dam. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past Working Group meetings are posted on the

Working Group webpage. For more information on this group and these meetings please contact Alex Pivarnik at (385) 475 – 8329.

Aspinall Unit Reservoirs

As of February 3, 2026, releases from Crystal Dam is approximately 400 cfs. Flows of the Gunnison River in the Black Canyon are being maintained at about 380 cfs while the Gunnison Tunnel is no longer diverting flows. Flows in the Whitewater Reach of the Gunnison River are about 800 cfs.

The unregulated inflow volume in January to Blue Mesa was approximately 22,000 af (93 percent of average). Unregulated Inflow volumes forecasted for Blue Mesa for the next three months (February, March, and April) are projected to be: 18,000 af (80 percent of average), 32,000 af (85 percent of average), and 49,000 af (63 percent of average), respectively.

The forecasted 2026 water year unregulated inflow volume to Blue Mesa is projected to be 579,000 af (80 percent of average). The water supply period (April-July) for 2026 is forecasted currently for an unregulated inflow volume of to be 340,000 af of unregulated inflow (52 percent of average).

Under this forecast, operation of Aspinall under the Aspinall Record of Decision (2012) would require a spring peak release to provide 1 day of sustained flows in the Gunnison River in the Whitewater reach at or above 900 cfs. This forecast would also require Aspinall releases to provide a single day peak flow in the Black Canyon of 771 cfs per the Black Canyon Reserved Water Right Decree. Given this current projection of the most probable operating scenario, Blue Mesa is projected to fill to approximately 7,480 feet by late June with approximately 500,000 acre-feet of storage. This is approximately 40 feet from full pool elevation (7519.4 feet) with approximately 328,000 acre-feet of unfilled storage space in Blue Mesa Reservoir.

The Aspinall Unit Operations Group is an open public forum for information exchange between Reclamation and the stakeholders of the Aspinall Unit. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past working Group meetings are posted on the Operations Group webpage. For more information on this group and these meetings please contact Reece Carpenter in the Western Colorado Area office at (970) 248-0637.

The next Operations Group meeting will be held on February 11, 2026 at 1:30 p.m at the Western Colorado Area office, 445 West Gunnison Avenue, Suite 221, Grand Junction, CO. There will be a hybrid/call-in option. Contact Reece Carpenter in the Western Colorado Area office at (970) 248-0637 for more information regarding this Operation Group meeting.

Navajo Reservoir

On February 10, 2026, the daily average release rate from Navajo Dam was 380 cfs. The water surface elevation was 6033.0 feet above sea level. At this elevation the live storage is 0.989 maf (60 percent of live storage capacity). Diversions to Cutter Reservoir for the Navajo Indian Irrigation Project (NIIP) and the Navajo Gallup Water Supply Project (NGWSP) were 0 cfs. The San Juan-Chama project was diverting 0 cfs from the basin above Navajo Reservoir.

Releases from Navajo Dam are made for authorized purposes of the Navajo Unit and are pursuant to the Record of Decision for the Navajo Reservoir Operations. Releases target the San Juan River Recovery Implementation Program's (SJRIIP) recommended downstream baseflow range of 500 cfs to 1,000 cfs through the critical habitat reach of the San Juan River (Farmington, NM to Lake Powell).

Navajo was at 6033.2 ft of pool elevation and 0.991 maf of live storage by the end of January, which was 78 percent of average for the end of the month. The release averaged 311 cfs and totaled 19.1 kaf, which was 68 percent of average for the month. Preliminary modified unregulated inflow (MUI) into Navajo was 21.7 kaf, which was 108 percent of average for the month. Calculated evaporation for the month was 0.5 kaf. NIIP diverted a total of 0 kaf. Navajo had a net storage change of -2.0 kaf during the last month.

The most probable MUI forecast for February, March, April is 20 kaf (74 percent of average), 46 kaf (56 percent of average), and 87 kaf (59 percent of average), respectively.

Reclamation conducts Public Operations Meetings three times per year to gather input for determining upcoming operations for Navajo Reservoir. Input from individuals, organizations, and agencies along with other factors such as weather, water rights, endangered species requirements, flood control, hydro power, recreation, fish and wildlife management, and reservoir levels, will be considered in the development of these reservoir operation plans. In addition, the meetings are used to coordinate activities and exchange information among agencies, water users, and other interested parties concerning the San Juan River and Navajo Reservoir. The next meeting will be held on April 21st at 1-3pm at the Farmington Civic Center. There will also be a virtual option, email cfelletter@usbr.gov for a meeting invite.

Glen Canyon Dam / Lake Powell

Current Status

The unregulated inflow volume to Lake Powell during January was 265 thousand acre-feet (kaf) (79 percent of average). The release volume from Glen Canyon Dam in December was 625 kaf. The end of January elevation and storage of Lake Powell were 3,535.02 feet (165.0 feet from full pool) and 6.14 million acre-feet (maf) (26 percent of live capacity), respectively.

Current Operations

The operation of Lake Powell and Lake Mead in the February 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines), the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD)⁴, and reflects the 2026 Annual Operating Plan (AOP).

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent

⁴ 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in WY 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 maf. To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the November 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026. That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual water year 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in water year 2026 may be less than 7.48 maf.

On May 9, 2024, Reclamation published the 2024 Interim Guidelines SEIS ROD, which included modifications to Sections 2, 6, and 7 of the 2007 Interim Guidelines. The current 24-Month Study reflects these modifications in modeled operations.

On July 3, 2024, Reclamation signed the Glen Canyon Dam Long-Term Experimental and Management Plan Supplemental Environmental Impact Statement Record of Decision (2024 LTEMP SEIS ROD⁵). The 2024 LTEMP SEIS ROD analyzed flow options to disrupt smallmouth bass and other warm water invasive non-native fish from establishing below Glen Canyon Dam by interrupting spawning and species expansion. Reclamation initiated these flows on August 3, 2025 and returned to normal operations on October 21, 2025.

The anticipated monthly release volume for February is 525,000 acre-feet. The March volume is anticipated to be 500,000 acre-feet and the hourly pattern will be confirmed with a subsequent directive toward the end of February.

In addition to daily scheduled fluctuations for power generation, the instantaneous releases from Glen Canyon Dam may also fluctuate to provide 40 megawatts (MW) of system regulation. These instantaneous release adjustments stabilize the electrical generation and transmission system and translate to a range of about 1,300 cfs above or below the hourly scheduled release rate. Under normal system conditions, fluctuations for regulation are typically short lived and generally balance out over the hour with minimal or no noticeable impacts on downstream river flow conditions.

Releases from Glen Canyon Dam can also fluctuate beyond scheduled releases when called upon to respond to unscheduled power outages or power system emergencies. Depending on the severity of the system emergency, the response from Glen Canyon Dam can be significant, within the full range of the operating capacity of the power plant for as long as is necessary to maintain balance in the transmission system. Glen Canyon Dam currently maintains 30 MW (approximately 1,300 cfs) of generation capacity in reserve in order to respond to a system emergency even when generation rates are already high. System emergencies occur infrequently and typically require small responses from Glen Canyon Dam. However, these responses can have a noticeable impact on the river downstream of Glen Canyon Dam.

⁵ 2024 LTEMP SEIS ROD is available online at:

<https://www.usbr.gov/uc/DocLibrary/EnvironmentalImpactStatements/GlenCanyonDamLong-TermExperimentalManagementPlan/20240703-GCDLTEMP-FinalSEIS-RecordofDecision-508-AMWD.pdf>.

Inflow Forecasts and Model Projections

The forecast for water year 2026 unregulated inflow to Lake Powell, issued on February 4, 2026, by the Colorado Basin River Forecast Center, projects that the most probable (median) unregulated inflow volume in water year 2026 will be 5.02 maf (52 percent of average).

In addition to the February 2026 24-Month Study based on the Most Probable inflow scenario, Reclamation has conducted runs to determine a possible range of reservoir elevations. The 24-Month Study minimum, most, and maximum probable scenarios were used to determine the range of probable outcomes. The probable minimum and probable maximum model runs are conducted simultaneously in January, April, August, and October, or when necessary to incorporate changing conditions. The probable minimum inflow scenario reflects a dry hydrologic condition which statistically would be exceeded 90 percent of the time. The most probable inflow scenario reflects a median hydrologic condition which statistically would be exceeded 50 percent of the time. The probable maximum inflow scenario reflects a wet hydrologic condition which statistically would be exceeded 10 percent of the time. There is approximately an 80 percent probability that a future elevation will fall inside the range of the minimum and maximum inflow scenarios. Additionally, there are possible inflow scenarios that would result in reservoir elevations falling outside the ranges indicated in these reports.

The February forecast for water year 2026 ranges from a minimum probable of 3.32 maf (35 percent of average) to a maximum probable of 8.12 maf (85 percent of average) with the most probable forecast for water year 2026 of 5.02 maf (52 percent of average). There is a 10 percent chance that inflows could be higher than the current maximum probable forecast and a 10 percent chance that inflows could be lower than the minimum probable forecast.

Based on the current forecast of 5.02 maf unregulated inflow for water year 2026, the February 24-Month Study projects Lake Powell elevation will end water year 2026 near 3,497.52 feet with approximately 4.10 maf in storage (18 percent of capacity). Projections of end of water year 2026 elevation using the February minimum and January maximum inflow forecast results from the 24-Month Study model run are 3,479.37 feet and 3,566.57 feet, respectively. The annual release volume from Lake Powell during water year 2026 is 7.48 maf under the Mid-Elevation Release Tier as determined under Section 6.C.1 of the Interim Guidelines as determined by the Department of the Interior as described above.

Upper Colorado River Basin Hydrology

Upper Colorado River Basin regularly experiences significant year to year hydrologic variability. The 30-year average was updated in October 2022 from 1981 through 2010 to 1991 through 2020. Shifting the period of record decreased the average unregulated inflow 1.20 maf. The period 2000-2022 is the lowest 23-year period since the closure of Glen Canyon Dam in 1963, with an average unregulated inflow of 8.29 maf, or 93 percent of the 30-year average (1991-2020). (For comparison, the 1991-2020 total water year average is 9.60 maf.) The unregulated inflow during the 2000-2025 period ranged from a low of 2.64 maf (28 percent of average) in water year 2002 to a high of 15.97 maf (166 percent of average) in water year 2011. In water year 2021 unregulated inflow volume to Lake Powell was 3.50 maf (36 percent of average), the second driest year on record above 2002. Under the current most probable forecast, the total water year 2026 unregulated inflow to Lake Powell is projected to be 5.02 maf (52 percent of average).

At the beginning of water year 2026, total system storage in the Colorado River Basin was 21.8 maf (37 percent of 58.48 maf total system capacity). This is a decrease of 3.35 maf over the total storage at the beginning of water year 2025 when total system storage was 25.15 maf (43 percent of capacity). Since the beginning of water year 2000, total Colorado Basin storage has experienced year to year increases and decreases in response to wet and dry hydrology, ranging from a high of 94 percent of capacity at the beginning of 2000 to the beginning of water year 2023 with 19.55 maf (33 percent of capacity).

March 24-Month Study

Date: March 13, 2026

From: River Operations Group, Salt Lake City
To: All Colorado River Annual Operating Plan (AOP) Recipients

Current Reservoir Status

	February Inflow (unregulated) (acre-feet)	Percent of Average (percent)	March 12, Midnight Elevation (feet)	March 12, Midnight Reservoir Storage (acre-feet)
Fontenelle	31,028	109%	6478.8	152,286
Flaming Gorge	42,028	93%	6022.81	3,006,530
Blue Mesa	23,134	103%	7467.78	416,671
Navajo	20,440	76%	6033.23	991,302
Powell	252,882	70%	3529.81	5,825,829

Expected Operations

The operation of Lake Powell and Lake Mead in the March 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre feet (maf). To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the December 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² The 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

December 2025 through April 2026.³ That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual WY 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in WY 2026 may be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of February was 0.253 maf or 70% of the 30-year average from 1991 to 2020. The March 2026 unregulated inflow forecast for Lake Powell is 0.400 maf or 67% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 2.30 maf or 36% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 4.95 maf or 52% of average.

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_03_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.

³ Consistent with the Drought Response Operating Agreement and Framework.

Fontenelle Reservoir

As of March 04, 2026, the Fontenelle Reservoir pool elevation is 6479.08 feet, which amounts to 46 percent of live storage capacity. Inflows for the month of February totaled approximately 32,028 acre-feet (af) or 109 percent of average.

Current releases are 800 cfs. This release is expected to remain constant throughout the winter base flow period, pending significant hydrologic changes or emergencies. The winter base flow is typically from mid-November to mid-March, pending icing conditions on the Green River downstream of the dam this coming spring.

The March final forecast for unregulated inflows into Fontenelle for the next three months projects below average conditions. March, April, and May Most Probable inflow volumes amount to 55,000 af (97 percent of average), 75,000 af (89 percent of average), and 110,000 af (63 percent of average), respectively.

The next Fontenelle Working Group meeting is scheduled for April 2026 in Green River, WY. Details on the meeting will be provided as we get closer to the meeting date. Prior Fontenelle Working Group meeting minutes are available online on USBR's website at <https://www.usbr.gov/uc/water/crsp/wg/ft/ftcurrnt.html>. The Fontenelle Working Group is an open public forum for information exchange between Reclamation and other parties associated with the operation of Fontenelle Reservoir.

Flaming Gorge Reservoir

As of March 04, 2026 (end of day), Flaming Gorge Reservoir pool elevation is 6022.73 feet, which amounts to 82 percent of live storage capacity. Unregulated inflow volume for the month of February is approximately 42,030 acre-feet (af), which is 93 percent of the average unregulated inflow volume.

As of March 1st, operations have entered the transition period. The current average daily release is 800 cfs and this release is expected to be maintained through the end of April, pending hydrology.

The March unregulated inflows into Flaming Gorge for the next three months projects below average. March, April, and May forecasted unregulated inflow volumes 80,000 af (75 percent of average), 95,000 af (76 percent of average), and 135,000 af (54 percent of average), respectively.

Reclamation is planning to hold Flaming Gorge Working Group meetings in March and April 2026. The next Flaming Gorge Working Group meeting is scheduled for Wednesday, March 11, 2026, at 12:00 noon MT. Participants can attend the meeting either in person or virtually. The in-person session will take place at the Utah Division of Wildlife Resources in Vernal, UT. Flaming Gorge Working Group is an open public forum for information exchange between Reclamation and the stakeholders of Flaming Gorge Dam. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past Working Group meetings are posted on the Working Group webpage. For more information on this group and these meetings please contact Alex Pivarnik at (385) 475 – 8329.

Aspinall Unit Reservoirs

As of March 10, 2026, releases from Crystal Dam is approximately 775 cfs. Flows of the Gunnison River in the Black Canyon are being maintained at about 425 cfs while the Gunnison Tunnel is approximately 350 cfs. Flows in the Whitewater Reach of the Gunnison River are about 1200 cfs.

The unregulated inflow volume in February to Blue Mesa was approximately 23,000 af (103 percent of average). Unregulated Inflow volumes forecasted for Blue Mesa for the next three months (March, April, and May) are projected to be: 35,000 af (93 percent of average), 45,000 af (58 percent of average), and 113,000 af (56 percent of average), respectively.

The forecasted 2026 water year unregulated inflow volume to Blue Mesa is projected to be 564,000 af (62 percent of average). The water supply period (April-July) for 2026 is forecasted currently for an unregulated inflow volume of to be 320,000 af of unregulated inflow (49 percent of average).

Under this forecast, operation of Aspinall under the Aspinall Record of Decision (2012) would require a spring peak release to provide 1 day of sustained flows in the Gunnison River in the Whitewater reach at or above 900 cfs. This forecast would also require Aspinall releases to provide a single day peak flow in the Black Canyon of 944 cfs per the Black Canyon Reserved Water Right Decree. Given this current projection of the most probable operating scenario, Blue Mesa is projected to fill to approximately 7,477 feet by late June with approximately 480,000 acre-feet of storage. This is approximately 42 feet from full pool elevation (7519.4 feet) with approximately 348,000 acre-feet of unfilled storage space in Blue Mesa Reservoir.

The Aspinall Unit Operations Group is an open public forum for information exchange between Reclamation and the stakeholders of the Aspinall Unit. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past working Group meetings are posted on the Operations Group webpage. For more information on this group and these meetings please contact Reece Carpenter in the Western Colorado Area office at (970) 248-0637.

The next Operations Group meeting will be held on April 23, 2026 at 1:00 p.m. The location is TBD. There will be a hybrid/call-in option. Contact Reece Carpenter in the Western Colorado Area office at (970) 248-0637 for more information regarding this Operation Group meeting.

Navajo Reservoir

On March 9, 2026, the daily average release rate from Navajo Dam was 300 cfs. The water surface elevation was 6033.2 feet above sea level. At this elevation the live storage is 0.999 maf (60 percent of live storage capacity). Diversions to Cutter Reservoir for the Navajo Indian Irrigation Project (NIIP) and the Navajo Gallup Water Supply Project (NGWSP) were 344 cfs. The San Juan-Chama project was diverting 62 cfs from the basin above Navajo Reservoir.

Releases from Navajo Dam are made for authorized purposes of the Navajo Unit and are pursuant to the Record of Decision for the Navajo Reservoir Operations. Releases target the San Juan River Recovery

Implementation Program's (SJ RIP) recommended downstream baseflow range of 500 cfs to 1,000 cfs through the critical habitat reach of the San Juan River (Farmington, NM to Lake Powell).

Navajo was at 6032.9 ft of pool elevation and 0.988 maf of live storage by the end of February, which was 78 percent of average for the end of the month. The release averaged 336 cfs and totaled 18.6 kaf, which was 64 percent of average for the month. Preliminary modified unregulated inflow (MUI) into Navajo was 20.4 kaf, which was 76 percent of average for the month. Calculated evaporation for the month was 0.6 kaf. NIIP diverted a total of 2.9 kaf. Navajo had a net storage change of -2.2 kaf during the last month.

The most probable MUI forecast for March, April, and May is 44 kaf (54 percent of average), 81 kaf (55 percent of average), and 153 kaf (63 percent of average), respectively.

Reclamation conducts Public Operations Meetings three times per year to gather input for determining upcoming operations for Navajo Reservoir. Input from individuals, organizations, and agencies along with other factors such as weather, water rights, endangered species requirements, flood control, hydro power, recreation, fish and wildlife management, and reservoir levels, will be considered in the development of these reservoir operation plans. In addition, the meetings are used to coordinate activities and exchange information among agencies, water users, and other interested parties concerning the San Juan River and Navajo Reservoir. The next meeting will be held on April 21st at 1-3pm at the Farmington Civic Center. There will also be a virtual option, email cfelletter@usbr.gov for a meeting invite.

Glen Canyon Dam / Lake Powell

Current Status

The unregulated inflow volume to Lake Powell during February was 253 thousand acre-feet (kaf) (70 percent of average). The release volume from Glen Canyon Dam in February was 525 kaf. The end of February elevation and storage of Lake Powell were 3,531.00 feet (169.0 feet from full pool) and 5.90 million acre-feet (maf) (25 percent of live capacity), respectively.

Current Operations

The operation of Lake Powell and Lake Mead in the March 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines), the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),⁴ and reflects the 2026 Annual Operating Plan (AOP).

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in WY 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 maf. To protect a target elevation at Lake Powell of 3,525

⁴ 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the November 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026. That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual water year 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in water year 2026 may be less than 7.48 maf.

On May 9, 2024, Reclamation published the 2024 Interim Guidelines SEIS ROD, which included modifications to Sections 2, 6, and 7 of the 2007 Interim Guidelines. The current 24-Month Study reflects these modifications in modeled operations.

On July 3, 2024, Reclamation signed the Glen Canyon Dam Long-Term Experimental and Management Plan Supplemental Environmental Impact Statement Record of Decision (2024 LTEMP SEIS ROD⁵). The 2024 LTEMP SEIS ROD analyzed flow options to disrupt smallmouth bass and other warm water invasive non-native fish from establishing below Glen Canyon Dam by interrupting spawning and species expansion. Reclamation initiated these flows on August 3, 2025, and returned to normal operations on October 21, 2025.

The anticipated monthly release volume for March is 500,000 acre-feet. The April volume is anticipated to be 490,000 acre-feet and the hourly pattern will be confirmed with a subsequent directive toward the end of March.

In addition to daily scheduled fluctuations for power generation, the instantaneous releases from Glen Canyon Dam may also fluctuate to provide 40 megawatts (MW) of system regulation. These instantaneous release adjustments stabilize the electrical generation and transmission system and translate to a range of about 1,300 cfs above or below the hourly scheduled release rate. Under normal system conditions, fluctuations for regulation are typically short lived and generally balance out over the hour with minimal or no noticeable impacts on downstream river flow conditions.

Releases from Glen Canyon Dam can also fluctuate beyond scheduled releases when called upon to respond to unscheduled power outages or power system emergencies. Depending on the severity of the system emergency, the response from Glen Canyon Dam can be significant, within the full range of the operating capacity of the power plant for as long as necessary to maintain balance in the transmission system. Glen Canyon Dam currently maintains 30 MW (approximately 1,300 cfs) of generation capacity in reserve in order to respond to a system emergency even when generation rates are already high. System emergencies occur infrequently and typically require small responses from Glen Canyon Dam. However, these responses can have a noticeable impact on the river downstream of Glen Canyon Dam.

⁵ 2024 LTEMP SEIS ROD is available online at:

<https://www.usbr.gov/uc/DocLibrary/EnvironmentalImpactStatements/GlenCanyonDamLong-TermExperimentalManagementPlan/20240703-GCDLTEMP-FinalSEIS-RecordofDecision-508-AMWD.pdf>

Inflow Forecasts and Model Projections

The forecast for water year 2026 unregulated inflow to Lake Powell, issued on March 4, 2026, by the Colorado Basin River Forecast Center, projects that the most probable (median) unregulated inflow volume in water year 2026 will be 4.95 maf (52 percent of average).

In addition to the March 2026 24-Month Study based on the Most Probable inflow scenario, Reclamation has conducted runs to determine a possible range of reservoir elevations. The 24-Month Study minimum, most, and maximum probable scenarios were used to determine the range of probable outcomes. The probable minimum and probable maximum model runs are conducted simultaneously in January, April, August, and October, or when necessary to incorporate changing conditions. The probable minimum inflow scenario reflects a dry hydrologic condition which statistically would be exceeded 90 percent of the time. The most probable inflow scenario reflects a median hydrologic condition which statistically would be exceeded 50 percent of the time. The probable maximum inflow scenario reflects a wet hydrologic condition which statistically would be exceeded 10 percent of the time. There is approximately an 80 percent probability that a future elevation will fall inside the range of the minimum and maximum inflow scenarios. Additionally, there are possible inflow scenarios that would result in reservoir elevations falling outside the ranges indicated in these reports.

The March forecast for water year 2026 ranges from a minimum probable of 3.54 maf (37 percent of average) to a maximum probable of 7.17 maf (79 percent of average) with the most probable forecast for water year 2026 of 4.95 maf (52 percent of average). There is a 10 percent chance that inflows could be higher than the current maximum probable forecast and a 10 percent chance that inflows could be lower than the minimum probable forecast.

Based on the current forecast of 4.92 maf unregulated inflow for water year 2026, the March 24-Month Study projects Lake Powell elevation will end water year 2026 near 3,497.48 feet with approximately 4.09 maf in storage (18 percent of capacity). Projections of end of water year 2026 elevation using the March minimum and January maximum inflow forecast results from the 24-Month Study model run are 3,480.22 feet and 3,566.57 feet, respectively. The annual release volume from Lake Powell during water year 2026 is 7.48 maf under the Mid-Elevation Release Tier as determined under Section 6.C.1 of the Interim Guidelines as determined by the Department of the Interior as described above.

Upper Colorado River Basin Hydrology

Upper Colorado River Basin regularly experiences significant year to year hydrologic variability. The 30-year average was updated in October 2022 from 1981 through 2010 to 1991 through 2020. Shifting the period of record decreased the average unregulated inflow 1.20 maf. The period 2000-2022 is the lowest 23-year period since the closure of Glen Canyon Dam in 1963, with an average unregulated inflow of 8.29 maf, or 93 percent of the 30-year average (1991-2020). (For comparison, the 1991-2020 total water year average is 9.60 maf.) The unregulated inflow during the 2000-2025 period ranged from a low of 2.64 maf (28 percent of average) in water year 2002 to a high of 15.97 maf (166 percent of average) in water year 2011. In water year 2021 unregulated inflow volume to Lake Powell was 3.50 maf (36 percent of average), the second driest year on record above 2002. Under the current most probable forecast, the total water year 2026 unregulated inflow to Lake Powell is projected to be 4.95 maf (52 percent of average).

At the beginning of water year 2026, total system storage in the Colorado River Basin was 21.8 maf (37 percent of 58.48 maf total system capacity). This is a decrease of 3.35 maf over the total storage at the beginning of water year 2025 when total system storage was 25.15 maf (43 percent of capacity). Since the beginning of water year 2000, total Colorado Basin storage has experienced year to year increases and decreases in response to wet and dry hydrology, ranging from a high of 94 percent of capacity at the beginning of 2000 to the beginning of water year 2023 with 19.55 maf (33 percent of capacity).

April 24-Month Study
Date: April 17, 2026

From: River Operations Group, Salt Lake City
To: All Colorado River Annual Operating Plan (AOP) Recipients

Current Reservoir Status

	March Inflow (unregulated) (acre-feet)	Percent of Average (percent)	April 16, Midnight Elevation (feet)	April 16, Midnight Reservoir Storage (acre-feet)
Fontenelle	56,520	99%	6480.80	162,799
Flaming Gorge	63,537	60%	6022.83	3,007,223
Blue Mesa	42,134	113%	7463.95	391,817
Navajo	77,618	94%	6037.07	1,030,149
Powell	349,751	58%	3526.42	5,626,998

Expected Operations

The operation of Lake Powell and Lake Mead in the April 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre feet (maf). To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the December 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² The 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

December 2025 through April 2026.³ That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual WY 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in WY 2026 may be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of March was 0.350 maf or 59% of the 30-year average from 1991 to 2020. The April 2026 unregulated inflow forecast for Lake Powell is 0.550 maf or 61% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 1.40 maf or 22% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 3.87 maf or 40% of average.

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_04_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.

³ Consistent with the Drought Response Operating Agreement and Framework.

Fontenelle Reservoir

As of April 5, 2026, the Fontenelle Reservoir pool elevation is 6480.90 feet, which amounts to 49 percent of live storage capacity. Inflows for the month of March totaled approximately 56,520 acre-feet (af) or 99 percent of average.

Current releases are 800 cfs. This release is expected to remain constant through April, pending conditions on the Green River this spring.

The April final forecast for unregulated inflows into Fontenelle for the next three months projects below average conditions. April, May, and June Most Probable inflow volumes amount to 75,000 af (89 percent of average), 90,000 af (51 percent of average), and 195,000 af (64 percent of average), respectively.

The next Fontenelle Working Group meeting is scheduled for April 22, 2026 in Green River, WY. Prior Fontenelle Working Group meeting minutes are available online on USBR's website at <https://www.usbr.gov/uc/water/crsp/wg/ft/ftcurrnt.html>. The Fontenelle Working Group is an open public forum for information exchange between Reclamation and other parties associated with the operation of Fontenelle Reservoir.

Flaming Gorge Reservoir

As of April 5, 2026 (end of day), Flaming Gorge Reservoir pool elevation is 6022.79 feet, which amounts to 82 percent of live storage capacity. Unregulated inflow volume for the month of March is approximately 56,520 acre-feet (af), which is 99 percent of the average unregulated inflow volume.

As of March 1st, operations entered the transition period. The current average daily release is 800 cfs and this release is expected to be maintained through the end of April, pending hydrology.

The April unregulated inflows into Flaming Gorge for the next three months projects to be below average. April, May, and June forecasted unregulated inflow volumes are 95,000 af (76 percent of average), 100,000 af (40 percent of average), and 210,000 af (54 percent of average), respectively.

Reclamation is planning to hold Flaming Gorge Working Group meetings in March and April 2026. The next Flaming Gorge Working Group meeting is scheduled for Tuesday, April 21, 2026, at 12:00 noon MT. Participants can attend the meeting either in person or virtually. The in-person session will take place at the Utah Division of Wildlife Resources in Vernal, UT. Flaming Gorge Working Group is an open public forum for information exchange between Reclamation and the stakeholders of Flaming Gorge Dam. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past Working Group meetings are posted on the Working Group webpage. For more information on this group and these meetings please contact Alex Pivarnik at (385) 475 – 8329.

Aspinall Unit Reservoirs

As of April 5, 2026, releases from Crystal Dam are approximately 1350 cfs. Flows of the Gunnison River in the Black Canyon are being maintained at about 330 cfs while the Gunnison Tunnel is approximately 1000 cfs. Flows in the Whitewater Reach of the Gunnison River are about 1400 cfs.

The unregulated inflow volume in March to Blue Mesa was approximately 42,000 af (113 percent of average). Unregulated Inflow volumes forecasted for Blue Mesa for the next three months (April, May and June) are projected to be: 67,000 af (86 percent of average), 89,000 af (44 percent of average), and 57,000 af (23 percent of average), respectively.

The forecasted 2026 water year unregulated inflow volume to Blue Mesa is projected to be 479,000 af (53 percent of average). The water supply period (April-July) for 2026 is forecasted currently for an unregulated inflow volume of 240,000 af (37 percent of average).

Under this forecast, operation of Aspinall under the Aspinall Record of Decision (2012) would require a spring peak release to provide 1 day of sustained flows in the Gunnison River in the Whitewater reach at or above 900 cfs. This forecast would also require Aspinall releases to provide a single day peak flow in the Black Canyon of 829 cfs per the Black Canyon Reserved Water Right Decree. Given this current projection of the most probable operating scenario, Blue Mesa is projected to fill to approximately 7,468 feet by late May with approximately 420,000 acre-feet of storage. This is approximately 51 feet from full pool elevation (7519.4 feet) with approximately 408,000 acre-feet of unfilled storage space in Blue Mesa Reservoir.

The Aspinall Unit Operations Group is an open public forum for information exchange between Reclamation and the stakeholders of the Aspinall Unit. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past working Group meetings are posted on the Operations Group webpage. For more information on this group and these meetings please contact Andrew Limbach in the Western Colorado Area office at (970) 248-0644.

The next Operations Group meeting will be held on April 23, 2026 at 1:00 p.m. This meeting will be virtual. Contact Andrew Limbach in the Western Colorado Area office at (970) 248-0644 for more information regarding this Operation Group meeting.

The next Operations Group meeting will be held on April 23, 2026 at 1:00 p.m. The location is TBD. There will be a hybrid/call-in option. Contact Reece Carpenter in the Western Colorado Area office at (970) 248-0637 for more information regarding this Operation Group meeting.

Navajo Reservoir

On April 3, 2026, the daily average release rate from Navajo Dam was 284 cfs. The water surface elevation was 6036.1 feet above sea level. At this elevation the live storage is 1.020 maf (62 percent of live storage capacity). Diversions to Cutter Reservoir for the Navajo Indian Irrigation Project (NIIP) and the Navajo Gallup Water Supply Project (NGWSP) were 25 cfs. The San Juan-Chama project was diverting 323 cfs from the basin above Navajo Reservoir.

Releases from Navajo Dam are made for authorized purposes of the Navajo Unit and are pursuant to the Record of Decision for the Navajo Reservoir Operations. Releases target the San Juan River Recovery Implementation Program's (SJ RIP) recommended downstream baseflow range of 500 cfs to 1,000 cfs through the critical habitat reach of the San Juan River (Farmington, NM to Lake Powell).

Navajo was at 6035.6 ft of pool elevation and 1.015 maf of live storage by the end of March, which was 78 percent of average for the end of the month. The release averaged 284 cfs and totaled 17.4 kaf, which was 38 percent of average for the month. Preliminary modified unregulated inflow (MUI) into Navajo was 77.8 kaf, which was 95 percent of average for the month. Calculated evaporation for the month was 1.3 kaf. NIIP diverted a total of 13.5 kaf. Navajo had a net storage change of +27.4 kaf during the last month.

The most probable MUI forecast for April, May and June is 81 kaf (55 percent of average), 89 kaf (37 percent of average), and 13 kaf (7 percent of average), respectively.

Reclamation conducts Public Operations Meetings three times per year to gather input for determining upcoming operations for Navajo Reservoir. Input from individuals, organizations, and agencies along with other factors such as weather, water rights, endangered species requirements, flood control, hydro power, recreation, fish and wildlife management, and reservoir levels, will be considered in the development of these reservoir operation plans. In addition, the meetings are used to coordinate activities and exchange information among agencies, water users, and other interested parties concerning the San Juan River and Navajo Reservoir. The next meeting will be held on April 21st from 1-3pm. The meeting will be entirely virtual, to attend email cfelletter@usbr.gov for a meeting invite.

Glen Canyon Dam / Lake Powell

Current Status

The unregulated inflow volume to Lake Powell during March was 350 thousand acre-feet (kaf) (59 percent of average). The release volume from Glen Canyon Dam in March was 500 kaf. The end of March elevation and storage of Lake Powell were 3,527.99 feet (172 feet from full pool) and 5.72 million acre-feet (maf) (25 percent of live capacity), respectively.

Current Operations

The operation of Lake Powell and Lake Mead in the March 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines), the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),⁴ and reflects the 2026 Annual Operating Plan (AOP).

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the

⁴ 2024 Interim Guidelines SEIS ROD is available online at:

https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

operational tier for Lake Powell in WY 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 maf. To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the November 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026. That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual water year 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in water year 2026 may be less than 7.48 maf.

On May 9, 2024, Reclamation published the 2024 Interim Guidelines SEIS ROD, which included modifications to Sections 2, 6, and 7 of the 2007 Interim Guidelines. The current 24-Month Study reflects these modifications in modeled operations.

On July 3, 2024, Reclamation signed the Glen Canyon Dam Long-Term Experimental and Management Plan Supplemental Environmental Impact Statement Record of Decision (2024 LTEMP SEIS ROD⁵). The 2024 LTEMP SEIS ROD analyzed flow options to disrupt smallmouth bass and other warm water invasive non-native fish from establishing below Glen Canyon Dam by interrupting spawning and species expansion. Reclamation initiated these flows on August 3, 2025, and returned to normal operations on October 21, 2025.

The anticipated monthly release volume for April is 490,000 acre-feet. The May volume and the hourly pattern will be confirmed with a subsequent directive toward the end of April.

In addition to daily scheduled fluctuations for power generation, the instantaneous releases from Glen Canyon Dam may also fluctuate to provide 40 megawatts (MW) of system regulation. These instantaneous release adjustments stabilize the electrical generation and transmission system and translate to a range of about 1,300 cfs above or below the hourly scheduled release rate. Under normal system conditions, fluctuations for regulation are typically short lived and generally balance out over the hour with minimal or no noticeable impacts on downstream river flow conditions.

Releases from Glen Canyon Dam can also fluctuate beyond scheduled releases when called upon to respond to unscheduled power outages or power system emergencies. Depending on the severity of the system emergency, the response from Glen Canyon Dam can be significant, within the full range of the operating capacity of the power plant for as long as is necessary to maintain balance in the transmission system. Glen Canyon Dam currently maintains 30 MW (approximately 1,300 cfs) of generation capacity in reserve in order to respond to a system emergency even when generation rates are already high. System emergencies occur infrequently and typically require small responses from Glen Canyon Dam. However, these responses can have a noticeable impact on the river downstream of Glen Canyon Dam.

⁵ 2024 LTEMP SEIS ROD is available online at:

<https://www.usbr.gov/uc/DocLibrary/EnvironmentalImpactStatements/GlenCanyonDamLong-TermExperimentalManagementPlan/20240703-GCDLTEMP-FinalSEIS-RecordofDecision-508-AMWD.pdf>

Inflow Forecasts and Model Projections

The forecast for water year 2026 unregulated inflow to Lake Powell, issued on April 2, 2026, by the Colorado Basin River Forecast Center, projects that the most probable (median) unregulated inflow volume in water year 2026 will be 3.87 maf (40 percent of average).

In addition to the April 2026 24-Month Study based on the Most Probable inflow scenario, Reclamation has conducted runs to determine a possible range of reservoir elevations. The 24-Month Study minimum, most, and maximum probable scenarios were used to determine the range of probable outcomes. The probable minimum and probable maximum model runs are conducted simultaneously in January, April, August, and October, or when necessary to incorporate changing conditions. The probable minimum inflow scenario reflects a dry hydrologic condition which statistically would be exceeded 90 percent of the time. The most probable inflow scenario reflects a median hydrologic condition which statistically would be exceeded 50 percent of the time. The probable maximum inflow scenario reflects a wet hydrologic condition which statistically would be exceeded 10 percent of the time. There is approximately an 80 percent probability that a future elevation will fall inside the range of the minimum and maximum inflow scenarios. Additionally, there are possible inflow scenarios that would result in reservoir elevations falling outside the ranges indicated in these reports.

The April forecast for water year 2026 ranges from a minimum probable of 3.01 maf (31 percent of average) to a maximum probable of 5.73 maf (60 percent of average) with the most probable forecast for water year 2026 of 3.87 maf (40 percent of average). There is a 10 percent chance that inflows could be higher than the current maximum probable forecast and a 10 percent chance that inflows could be lower than the minimum probable forecast.

Based on the current forecast of 3.87 maf unregulated inflow for water year 2026, the April 24-Month Study projects Lake Powell elevation will end water year 2026 near 3,483.15 feet with approximately 3.44 maf in storage (15 percent of capacity). Projections of end of water year 2026 elevation using the April minimum and April maximum inflow forecast results from the 24-Month Study model run are 3,474.57 feet and 3,508.22 feet, respectively. The annual release volume from Lake Powell during water year 2026 is 7.48 maf under the Mid-Elevation Release Tier as determined under Section 6.C.1 of the Interim Guidelines as determined by the Department of the Interior as described above.

Upper Colorado River Basin Hydrology

Upper Colorado River Basin regularly experiences significant year to year hydrologic variability. The 30-year average was updated in October 2022 from 1981 through 2010 to 1991 through 2020. Shifting the period of record decreased the average unregulated inflow 1.20 maf. The period 2000-2022 is the lowest 23-year period since the closure of Glen Canyon Dam in 1963, with an average unregulated inflow of 8.29 maf, or 93 percent of the 30-year average (1991-2020). (For comparison, the 1991-2020 total water year average is 9.60 maf.) The unregulated inflow during the 2000-2025 period ranged from a low of 2.64 maf (28 percent of average) in water year 2002 to a high of 15.97 maf (166 percent of average) in water year 2011. In water year 2021 unregulated inflow volume to Lake Powell was 3.50 maf (36 percent of average), the second driest year on record above 2002. Under the current most probable forecast, the total water year 2026 unregulated inflow to Lake Powell is projected to be 3.87 maf (40 percent of average).

At the beginning of water year 2026, total system storage in the Colorado River Basin was 21.8 maf (37 percent of 58.48 maf total system capacity). This is a decrease of 3.35 maf over the total storage at the beginning of water year 2025 when total system storage was 25.15 maf (43 percent of capacity). Since the beginning of water year 2000, total Colorado Basin storage has experienced year to year increases and decreases in response to wet and dry hydrology, ranging from a high of 94 percent of capacity at the beginning of 2000 to the beginning of water year 2023 with 19.55 maf (33 percent of capacity).

May 24-Month Study
Date: May 15, 2026

From: River Operations Group, Salt Lake City
To: All Colorado River Annual Operating Plan (AOP) Recipients

Current Reservoir Status

	April Inflow (unregulated) (acre-feet)	Percent of Average (percent)	May 14, Midnight Elevation (feet)	May 14, Midnight Reservoir Storage (acre-feet)
Fontenelle	45,915	54%	6478.58	151,166
Flaming Gorge	51,190	41%	6017.77	2,835,332
Blue Mesa	37,167	48%	7457.06	349,480
Navajo	72,984	42%	6036.50	1,024,306
Powell	371,631	41%	3526.72	5,644,427

Expected Operations

The operation of Lake Powell and Lake Mead in the May 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell was originally projected to be 7.48 million acre-feet (maf). Further, given the hydrologic variability of the Colorado River System and potential for declining reservoir conditions, Section 6.E of the 2024 Interim Guidelines SEIS ROD allows for Lake Powell's release in WY 2026 to be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD,

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² The 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases for the months of December 2025 through April 2026 were implemented in the December 2025 24-Month Study, reducing the release volume for these months by 0.598 maf. As historically dry conditions persisted in WY 2026 and reservoir conditions were projected to decline below 3,500 feet at Lake Powell, the Department of the Interior implemented an action under Section 6.E of the 2024 Interim Guidelines SEIS ROD by reducing Lake Powell's annual release from 7.48 maf to 6.00 maf in WY 2026.³ This action was taken in conjunction with the 2026 Drought Response Operations Plan which will release between approximately 660,000 acre-feet to 1.00 maf of additional water from Flaming Gorge reservoir to Lake Powell by April 2027.⁴ The May 2026 Most Probable 24-Month Study reflects a 1.0 maf Drought Response Operations release.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the DCP and the Lower Colorado River Basin Conservation and Efficiency Program (LC Conservation Program).

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of April was 0.372 maf or 41% of the 30-year average from 1991 to 2020. The May 2026 unregulated inflow forecast for Lake Powell is 0.180 maf or 9% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 0.800 maf or 13% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 3.27 maf or 34% of average.

³ For more information please visit: <https://www.usbr.gov/newsroom/news-release/5326>.

⁴ For more information please visit: <https://www.usbr.gov/ColoradoRiverBasin/dcp/droa>.

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_04_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.

Fontenelle Reservoir

As of May 7, 2026, the Fontenelle Reservoir pool elevation is 6478.92 feet, which amounts to 46 percent of live storage capacity. Inflows for the month of April totaled approximately 45,915 acre-feet (af) or 54 percent of average.

Current releases are 800 cfs. This release is expected to remain constant through May.

The May final forecast for unregulated inflows into Fontenelle for the next three months projects much below average conditions. May, June, and July Most Probable inflow volumes amount to 65,000 af (37 percent of average), 165,000 af (54 percent of average), and 79,000 af (47 percent of average), respectively.

The next Fontenelle Working Group meeting is scheduled for TBD, August 2026. Prior Fontenelle Working Group meeting minutes are available online on USBR's website at <https://www.usbr.gov/uc/water/crsp/wg/ft/ftcurrnt.html>. The Fontenelle Working Group is an open public forum for information exchange between Reclamation and other parties associated with the operation of Fontenelle Reservoir.

Flaming Gorge Reservoir

As of May 7, 2026 (end of day), Flaming Gorge Reservoir pool elevation is 6019.99 feet, which amounts to 79 percent of live storage capacity. Unregulated inflow volume for the month of April is approximately 51,190 acre-feet (af), which is 41 percent of the average unregulated inflow volume.

Between 660,000 and one million acre-feet of additional water is being delivered from Flaming Gorge Reservoir to Lake Powell through April 2027 to help keep Lake Powell above critical elevations.

These actions are part of the Drought Response Operations Agreement (DROA), a component of the 2019 Colorado River Drought Contingency Plan for the Upper Colorado River Basin. To read more about the need for 2026-2027 supplemental releases, visit: [Reclamation Acts to Protect Colorado River System During Historic Drought](#).

The May unregulated inflows into Flaming Gorge for the next three months projects to be much below average. May, June, and July forecasted unregulated inflow volumes are 70,000 af (28 percent of average), 175,000 af (45 percent of average), and 84,000 af (42 percent of average), respectively.

The next Flaming Gorge Working Group meeting is scheduled for TBD, August, 2026. Flaming Gorge Working Group is an open public forum for information exchange between Reclamation and the stakeholders of Flaming Gorge Dam. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past Working Group meetings are posted on the Working Group webpage. For more information on this group and these meetings please contact Alex Pivarnik at (385) 475 – 8329.

Aspinall Unit Reservoirs

As of May 11, 2026, releases from Crystal Dam are approximately 1350 cfs. Flows of the Gunnison River in the Black Canyon are being maintained at about 330 cfs while the Gunnison Tunnel is approximately 1000 cfs. Flows in the Whitewater Reach of the Gunnison River are about 950 cfs.

The unregulated inflow volume in April to Blue Mesa was approximately 37,000 af (47 percent of average). Unregulated Inflow volumes forecasted for Blue Mesa for the next three months (May, June, and July) are projected to be: 62,000 af (31 percent of average), and 47,000 af (19 percent of average), and 24,000 af (86 percent of average), respectively.

The forecasted 2026 water year unregulated inflow volume to Blue Mesa is projected to be 407,000 af (45 percent of average). The water supply period (April-July) for 2026 is forecasted currently for an unregulated inflow volume of 170,000 af (26 percent of average).

Under this forecast, operation of Aspinall under the Aspinall Record of Decision (2012) would require a spring peak release to provide 1 day of sustained flows in the Gunnison River in the Whitewater reach at or above 900 cfs. This forecast would also require Aspinall releases to provide a 24-hour peak flow in the Black Canyon of 728 cfs per the Black Canyon Reserved Water Right Decree. Given this current projection of the most probable operating scenario, Blue Mesa has to filled to approximately 7,468 feet in late January with approximately 420,000 acre-feet of storage. This is approximately 51 feet from full pool elevation (7519.4 feet) with approximately 408,000 acre-feet of unfilled storage space in Blue Mesa Reservoir.

The Aspinall Unit Operations Group is an open public forum for information exchange between Reclamation and the stakeholders of the Aspinall Unit. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past working Group meetings are posted on the Operations Group webpage. For more information on this group and these meetings please contact Andrew Limbach in the Western Colorado Area office at (970) 248-0644.

The next Operations Group meeting will be held in August, time and date to be determined. Contact Andrew Limbach in the Western Colorado Area office at (970) 248-0644 for more information regarding this Operation Group meeting.

Navajo Reservoir

On May 4, 2026, the daily average release rate from Navajo Dam was 804 cfs. The water surface elevation was 6036.6 feet above sea level. At this elevation the live storage is 1.025 maf (62 percent of live storage capacity). Diversions to Cutter Reservoir for the Navajo Indian Irrigation Project (NIIP) and the Navajo Gallup Water Supply Project (NGWSP) were 514 cfs. The San Juan-Chama project was diverting 59 cfs from the basin above Navajo Reservoir.

Releases from Navajo Dam are made for authorized purposes of the Navajo Unit and are pursuant to the Record of Decision for the Navajo Reservoir Operations. Releases target the San Juan River Recovery

Implementation Program's (SJ RIP) recommended downstream baseflow range of 500 cfs to 1,000 cfs through the critical habitat reach of the San Juan River (Farmington, NM to Lake Powell).

Navajo was at 6036.7 ft of pool elevation and 1.026 maf of live storage by the end of April, which was 76 percent of average for the end of the month. The release averaged 342 cfs and totaled 20.4 kaf, which was 39 percent of average for the month. Preliminary modified unregulated inflow (MUI) into Navajo was 73.0 kaf, which was 50 percent of average for the month. Calculated evaporation for the month was 2.0 kaf. NIIP diverted a total of 24.2 kaf. Navajo had a net storage change of +8.5 kaf during the last month.

The most probable MUI forecast for May, June, and July is 90 kaf (37 percent of average), 14 kaf (7 percent of average), and -9 kaf (-19 percent of average), respectively.

Reclamation conducts Public Operations Meetings three times per year to gather input for determining upcoming operations for Navajo Reservoir. Input from individuals, organizations, and agencies along with other factors such as weather, water rights, endangered species requirements, flood control, hydro power, recreation, fish and wildlife management, and reservoir levels, will be considered in the development of these reservoir operation plans. In addition, the meetings are used to coordinate activities and exchange information among agencies, water users, and other interested parties concerning the San Juan River and Navajo Reservoir. The next meeting will be held on August 18th from 1-3pm. The meeting will be entirely virtual, to attend email cfelletter@usbr.gov for a meeting invite.

Glen Canyon Dam / Lake Powell

Current Status

The unregulated inflow volume to Lake Powell during April was 372 thousand acre-feet (kaf) (41 percent of average). The release volume from Glen Canyon Dam in April was 471 kaf. The end of April elevation and storage of Lake Powell were 3,526.99 feet (173 feet from full pool) and 5.62 million acre-feet (maf) (24 percent of live capacity), respectively.

Current Operations

The operation of Lake Powell and Lake Mead in the May 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines), the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),⁵ and reflects the 2026 Annual Operating Plan (AOP).

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in WY 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 maf. To protect a target elevation at Lake Powell of 3,525

⁵ 2024 Interim Guidelines SEIS ROD is available online at:

https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

feet, adjustments to Glen Canyon Dam monthly volume releases have been incorporated into the November 2025 24-Month Study and include an adjusted monthly release volume pattern for Glen Canyon Dam that will hold back a total of 0.598 maf in Lake Powell from December 2025 through April 2026. That same amount of water (0.598 maf) will be released later in the water year. Given the hydrologic variability of the Colorado River System, the actual water year 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in water year 2026 may be less than 7.48 maf.

On May 9, 2024, Reclamation published the 2024 Interim Guidelines SEIS ROD, which included modifications to Sections 2, 6, and 7 of the 2007 Interim Guidelines. The current 24-Month Study reflects these modifications in modeled operations.

On July 3, 2024, Reclamation signed the Glen Canyon Dam Long-Term Experimental and Management Plan Supplemental Environmental Impact Statement Record of Decision (2024 LTEMP SEIS ROD⁶). The 2024 LTEMP SEIS ROD analyzed flow options to disrupt smallmouth bass and other warm water invasive non-native fish from establishing below Glen Canyon Dam by interrupting spawning and species expansion. Reclamation initiated these flows on August 3, 2025, and returned to normal operations on October 21, 2025.

The anticipated monthly release volume for May is 460,000 acre-feet. The June volume and the hourly pattern will be confirmed with a subsequent directive toward the end of May.

In addition to daily scheduled fluctuations for power generation, the instantaneous releases from Glen Canyon Dam may also fluctuate to provide 40 megawatts (MW) of system regulation. These instantaneous release adjustments stabilize the electrical generation and transmission system and translate to a range of about 1,300 cfs above or below the hourly scheduled release rate. Under normal system conditions, fluctuations for regulation are typically short lived and generally balance out over the hour with minimal or no noticeable impacts on downstream river flow conditions.

Releases from Glen Canyon Dam can also fluctuate beyond scheduled releases when called upon to respond to unscheduled power outages or power system emergencies. Depending on the severity of the system emergency, the response from Glen Canyon Dam can be significant, within the full range of the operating capacity of the power plant for as long as is necessary to maintain balance in the transmission system. Glen Canyon Dam currently maintains 30 MW (approximately 1,300 cfs) of generation capacity in reserve in order to respond to a system emergency even when generation rates are already high. System emergencies occur infrequently and typically require small responses from Glen Canyon Dam. However, these responses can have a noticeable impact on the river downstream of Glen Canyon Dam.

⁶ 2024 LTEMP SEIS ROD is available online at:

<https://www.usbr.gov/uc/DocLibrary/EnvironmentalImpactStatements/GlenCanyonDamLong-TermExperimentalManagementPlan/20240703-GCDLTEMP-FinalSEIS-RecordofDecision-508-AMWD.pdf>

Inflow Forecasts and Model Projections

The forecast for water year 2026 unregulated inflow to Lake Powell, issued on May 5, 2026, by the Colorado Basin River Forecast Center, projects that the most probable (median) unregulated inflow volume in water year 2026 will be 3.27 maf (34 percent of average).

In addition to the May 2026 24-Month Study based on the Most Probable inflow scenario, Reclamation has conducted runs to determine a possible range of reservoir elevations. The 24-Month Study minimum, most, and maximum probable scenarios were used to determine the range of probable outcomes. The probable minimum and probable maximum model runs are conducted simultaneously in January, April, August, and October, or when necessary to incorporate changing conditions. The probable minimum inflow scenario reflects a dry hydrologic condition which statistically would be exceeded 90 percent of the time. The most probable inflow scenario reflects a median hydrologic condition which statistically would be exceeded 50 percent of the time. The probable maximum inflow scenario reflects a wet hydrologic condition which statistically would be exceeded 10 percent of the time. There is approximately an 80 percent probability that a future elevation will fall inside the range of the minimum and maximum inflow scenarios. Additionally, there are possible inflow scenarios that would result in reservoir elevations falling outside the ranges indicated in these reports.

The May forecast for water year 2026 ranges from a minimum probable of 3.01 maf (31 percent of average) to a maximum probable of 4.27 maf (45 percent of average) with the most probable forecast for water year 2026 of 3.27 maf (34 percent of average). There is a 10 percent chance that inflows could be higher than the current maximum probable forecast and a 10 percent chance that inflows could be lower than the minimum probable forecast.

Based on the current forecast of 3.27 maf unregulated inflow for water year 2026, the May 24-Month Study projects Lake Powell elevation will end water year 2026 near 3,510.85 feet with approximately 4.77 maf in storage (20 percent of capacity). Projections of end of water year 2026 elevation using the May minimum and May maximum inflow forecast results from the 24-Month Study model run are 3,511.78 feet and 3,517.25 feet, respectively. The annual release volume from Lake Powell during water year 2026 is 6.0 maf under the Mid-Elevation Release Tier as determined under Section 6.C.1 of the Interim Guidelines and Section 6.E of the 2024 Interim Guidelines SEIS ROD as determined by the Department of the Interior as described above.

Upper Colorado River Basin Hydrology

Upper Colorado River Basin regularly experiences significant year to year hydrologic variability. The 30-year average was updated in October 2022 from 1981 through 2010 to 1991 through 2020. Shifting the period of record decreased the average unregulated inflow 1.20 maf. The period 2000-2022 is the lowest 23-year period since the closure of Glen Canyon Dam in 1963, with an average unregulated inflow of 8.29 maf, or 93 percent of the 30-year average (1991-2020). (For comparison, the 1991-2020 total water year average is 9.60 maf.) The unregulated inflow during the 2000-2025 period ranged from a low of 2.64 maf (28 percent of average) in water year 2002 to a high of 15.97 maf (166 percent of average) in water year 2011. In water year 2021 unregulated inflow volume to Lake Powell was 3.50 maf (36 percent of average), the second driest year on record above 2002. Under the current most probable forecast, the total water year 2026 unregulated inflow to Lake Powell is projected to be 3.27 maf (34 percent of average).

At the beginning of water year 2026, total system storage in the Colorado River Basin was 21.8 maf (37 percent of 58.48 maf total system capacity). This is a decrease of 3.35 maf over the total storage at the beginning of water year 2025 when total system storage was 25.15 maf (43 percent of capacity). Since the beginning of water year 2000, total Colorado Basin storage has experienced year to year increases and decreases in response to wet and dry hydrology, ranging from a high of 94 percent of capacity at the beginning of 2000 to the beginning of water year 2023 with 19.55 maf (33 percent of capacity).

June 24-Month Study
Date: June 15, 2026

From: River Operations Group, Salt Lake City
To: All Colorado River Annual Operating Plan (AOP) Recipients

Current Reservoir Status

	May Inflow (unregulated) (acre-feet)	Percent of Average (percent)	June 14, Midnight Elevation (feet)	June 14, Midnight Reservoir Storage (acre-feet)
Fontenelle	66,232	38%	6490.34	220,527
Flaming Gorge	70,211	28%	6016.34	2,787,951
Blue Mesa	54,798	27%	7452.46	322,976
Navajo	63,025	26%	6034.46	1,003,615
Powell	382,993	18%	3527.58	5,694,569

Expected Operations

The operation of Lake Powell and Lake Mead in the June 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2026 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2025 24-Month Study projections of the January 1, 2026, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2026.

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in water year (WY) 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell was originally projected to be 7.48 million acre-feet (maf). Further, given the hydrologic variability of the Colorado River System and potential for declining reservoir conditions, Section 6.E of the 2024 Interim Guidelines SEIS ROD allows for Lake Powell's release in WY 2026 to be less than 7.48 maf. Consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD,

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² The 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

Reclamation will consider all tools that are available during the interim period to avoid Lake Powell elevation declining below 3,500 feet.

To protect a target elevation at Lake Powell of 3,525 feet, adjustments to Glen Canyon Dam monthly volume releases for the months of December 2025 through April 2026 were implemented in the December 2025 24-Month Study, reducing the release volume for these months by 0.598 maf. As historically dry conditions persisted in WY 2026 and reservoir conditions were projected to decline below 3,500 feet at Lake Powell, the Department of the Interior implemented an action under Section 6.E of the 2024 Interim Guidelines SEIS ROD by reducing Lake Powell's annual release from 7.48 maf to 6.00 maf in WY 2026.³ This action was taken in conjunction with the 2026 Drought Response Operations Plan which will release between approximately 660,000 acre-feet to 1.00 maf of additional water from Flaming Gorge reservoir to Lake Powell by April 2027.⁴ The June 2026 Most Probable 24-Month Study reflects a 1.0 maf Drought Response Operations release.

The August 2025 24-Month Study projected the January 1, 2026, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2026. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2026. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the DCP and the Lower Colorado River Basin Conservation and Efficiency Program (LC Conservation Program).

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of May was 0.383 maf or 18% of the 30-year average from 1991 to 2020. The June 2026 unregulated inflow forecast for Lake Powell is 0.170 maf or 7% of the 30-year average. The 2026 April through July unregulated inflow forecast for Lake Powell is 0.950 maf or 15% of average. The WY 2026 unregulated inflow forecast for Lake Powell is 3.40 maf or 35% of average.

³ For more information please visit: <https://www.usbr.gov/newsroom/news-release/5326>.

⁴ For more information please visit: <https://www.usbr.gov/ColoradoRiverBasin/dcp/droa>.

References

The 2026 Annual Operating Plan is available online at:

<https://www.usbr.gov/lc/region/g4000/aop/AOP26.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_06_ucb.pdf.

Information on the LCB Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS ROD is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.

Fontenelle Reservoir

As of June 3, 2026, the Fontenelle Reservoir pool elevation is 6485.20 feet, which amounts to 56 percent of live storage capacity. Inflows for the month of May totaled approximately 66,232 acre-feet (af) or 38 percent of average.

Current releases are 700 cfs. Releases may change due to hydrologic conditions.

The June final forecast for unregulated inflows into Fontenelle for the next three months projects much below average conditions. June, July, and August Most Probable inflow volumes amount to 155,000 af (51 percent of average), 63,000 af (37 percent of average), and 29,000 af (45 percent of average), respectively.

The next Fontenelle Working Group meeting is scheduled for TBD, August 2026. Prior Fontenelle Working Group meeting minutes are available online on USBR's website at <https://www.usbr.gov/uc/water/crsp/wg/ft/ftcurrnt.html>. The Fontenelle Working Group is an open public forum for information exchange between Reclamation and other parties associated with the operation of Fontenelle Reservoir.

Flaming Gorge Reservoir

As of June 3, 2026 (end of day), Flaming Gorge Reservoir pool elevation is 6017.50 feet, which amounts to 77 percent of live storage capacity. Unregulated inflow volume for the month of May is approximately 70,211 af, which is 28 percent of the average unregulated inflow volume.

Between 660,000 and one million acre-feet of additional water is being delivered from Flaming Gorge Reservoir to Lake Powell through April 2027 to help keep Lake Powell above critical elevations.

These actions are part of the Drought Response Operations Agreement (DROA), a component of the 2019 Colorado River Drought Contingency Plan for the Upper Colorado River Basin. To read more about the need for 2026-2027 supplemental releases, visit: [Reclamation Acts to Protect Colorado River System During Historic Drought](#).

The June unregulated inflows into Flaming Gorge for the next three months projects to be much below average. June, July, and August forecasted unregulated inflow volumes are 160,000 af (41 percent of average), 69,000 af (34 percent of average), and 30,000 af (42 percent of average), respectively.

The next Flaming Gorge Working Group meeting is scheduled for TBD, August, 2026. Flaming Gorge Working Group is an open public forum for information exchange between Reclamation and the stakeholders of Flaming Gorge Dam. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past Working Group meetings are posted on the Working Group webpage. For more information on this group and these meetings please contact Alex Pivarnik at (385) 475 – 8329.

Aspinall Unit Reservoirs

As of June 10, 2026, releases from Crystal Dam are approximately 1,475 cfs. Flows of the Gunnison River in Black Canyon are about 440 cfs and flows in the Whitewater Reach of the Gunnison River is approximately 815 cfs. Per the 2012 Aspinall ROD, reduction in baseflow targets are allowed under severe drought. In consultation with the USFWS, the baseflow target at Whitewater is 815 cfs for June 2026.

The current 2026 water year unregulated inflow volume forecast for Blue Mesa is 384,000 af (42 percent of average). The unregulated inflow forecast for the 2026 water supply period (April-July) is 150,000 af (23 percent of average). Conditions are very dry and Blue Mesa Reservoir will not fill this year. Current projections indicate Blue Mesa storage will continue to decrease through the rest of water year 2026 with a projected elevation and storage of 7412.17 feet and 140,000 af, 17 percent of live capacity.

Unregulated inflow in May to Blue Mesa was 55,000 af (27 percent of average). The unregulated inflow forecast to Blue Mesa for June, July, and August, is 38,000 af (15 percent of average), 20,000 af (19 percent of average), and 25,000 af (44 percent of average), respectively.

Under the Aspinall Record of Decision (Aspinall ROD), in combination with the Black Canyon Reserved Water Right Decree (BC Reserved Water Right), a spring peak release from Crystal Dam was made on May 27th and May 28th resulting in a mean flow for 24 hours in the Black Canyon of 713 cfs. Spring peak 1 day peak in the Whitewater Reach were required to reach 900 cfs under the Aspinall ROD this year based on the dry conditions that are occurring. Flows in this reach have been well above 900 cfs for most of the spring.

The Aspinall Unit Operations Group is an open public forum for information exchange between Reclamation and the stakeholders of the Aspinall Unit. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past working Group meetings are posted on the Operations Group webpage. For more information on this group and these meetings please contact Andrew Limbach in the Western Colorado Area office at (970) 248-0644.

The next Operations Group meeting will be held in August, time and date to be determined. Contact Andrew Limbach in the Western Colorado Area office at (970) 248-0644 for more information regarding this Operation Group meeting.

Navajo Reservoir

On June 1, 2026, the daily average release rate from Navajo Dam was 800 cfs. The water surface elevation was 6036.3 feet above sea level. At this elevation the live storage is 1.023 maf (62 percent of live storage capacity). Diversions to Cutter Reservoir for the Navajo Indian Irrigation Project (NIIP) and the Navajo Gallup Water Supply Project (NGWSP) were 418 cfs. The San Juan-Chama project was diverting 117 cfs from the basin above Navajo Reservoir.

Releases from Navajo Dam are made for authorized purposes of the Navajo Unit and are pursuant to the Record of Decision for the Navajo Reservoir Operations. Releases target the San Juan River Recovery Implementation Program's (SJ RIP) recommended downstream baseflow range of 500 cfs to 1,000 cfs through the critical habitat reach of the San Juan River (Farmington, NM to Lake Powell).

Navajo was at 6036.5 ft of pool elevation and 1.024 maf of live storage by the end of May, which was 73 percent of average for the end of the month. The release averaged 569 cfs and totaled 35.0 kaf, which was 33 percent of average for the month. Preliminary modified unregulated inflow (MUI) into Navajo was 63.1 kaf, which was 26 percent of average for the month. Calculated evaporation for the month was 2.9 kaf. NIIP diverted a total of 28.4 kaf. Navajo had a net storage change of -2.1 kaf during the last month.

The most probable MUI forecast for June, July and August is 8 kaf (4 percent of average), -10 kaf (-21 percent of average), and -2 kaf (-6 percent of average), respectively.

Reclamation conducts Public Operations Meetings three times per year to gather input for determining upcoming operations for Navajo Reservoir. Input from individuals, organizations, and agencies along with other factors such as weather, water rights, endangered species requirements, flood control, hydro power, recreation, fish and wildlife management, and reservoir levels, will be considered in the development of these reservoir operation plans. In addition, the meetings are used to coordinate activities and exchange information among agencies, water users, and other interested parties concerning the San Juan River and Navajo Reservoir. The next meeting will be held on August 18th from 1-3pm. The meeting will be entirely virtual, to attend email cfelletter@usbr.gov for a meeting invite.

Glen Canyon Dam / Lake Powell

Current Status

The unregulated inflow volume to Lake Powell during May was 383 thousand acre-feet (kaf) (18 percent of average). The release volume from Glen Canyon Dam in May was 459 kaf. The end of May elevation and storage of Lake Powell were 3,527.96 feet (172 feet from full pool) and 5.72 million acre-feet (maf) (24 percent of live capacity), respectively.

Current Operations

The operation of Lake Powell and Lake Mead in the June 2026 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines), the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),⁵ and reflects the 2026 Annual Operating Plan (AOP).

The August 2025 24-Month Study projected the January 1, 2026, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, and Section 6.E of the 2024 Interim Guidelines SEIS ROD, the operational tier for Lake Powell in WY 2026 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell was projected to be 7.48 million acre-feet. Given the hydrologic variability of the Colorado River System, the actual water year 2026 operations, and being consistent with Section 6.E of the 2024 Interim Guidelines SEIS ROD, the projected release from Lake Powell in water year 2026 is 6.0 maf.

⁵ 2024 Interim Guidelines SEIS ROD is available online at:

https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

The anticipated monthly release volume for June 2026 is 509,000 acre-feet. The July volume and the hourly pattern will be confirmed with a subsequent directive toward the end of June.

In addition to daily scheduled fluctuations for power generation, the instantaneous releases from Glen Canyon Dam may also fluctuate to provide 40 megawatts (MW) of system regulation. These instantaneous release adjustments stabilize the electrical generation and transmission system and translate to a range of about 1,300 cfs above or below the hourly scheduled release rate. Under normal system conditions, fluctuations for regulation are typically short lived and generally balance out over the hour with minimal or no noticeable impacts on downstream river flow conditions.

Releases from Glen Canyon Dam can also fluctuate beyond scheduled releases when called upon to respond to unscheduled power outages or power system emergencies. Depending on the severity of the system emergency, the response from Glen Canyon Dam can be significant, within the full range of the operating capacity of the power plant for as long as is necessary to maintain balance in the transmission system. Glen Canyon Dam currently maintains 30 MW (approximately 1,000 cfs) of generation capacity in reserve in order to respond to a system emergency even when generation rates are already high. System emergencies occur infrequently and typically require small responses from Glen Canyon Dam. However, these responses can have a noticeable impact on the river downstream of Glen Canyon Dam.

Inflow Forecasts and Model Projections

The forecast for water year 2026 unregulated inflow to Lake Powell, issued on June 3, 2026, by the Colorado Basin River Forecast Center, projects that the most probable (median) unregulated inflow volume in water year 2026 will be 3.40 maf (35 percent of average).

In addition to the June 2026 24-Month Study based on the Most Probable inflow scenario, Reclamation has conducted runs to determine a possible range of reservoir elevations. The 24-Month Study minimum, most, and maximum probable scenarios were used to determine the range of probable outcomes. The probable minimum and probable maximum model runs are conducted simultaneously in January, April, August, and October, or when necessary to incorporate changing conditions. The probable minimum inflow scenario reflects a dry hydrologic condition which statistically would be exceeded 90 percent of the time. The most probable inflow scenario reflects a median hydrologic condition which statistically would be exceeded 50 percent of the time. The probable maximum inflow scenario reflects a wet hydrologic condition which statistically would be exceeded 10 percent of the time. There is approximately an 80 percent probability that a future elevation will fall inside the range of the minimum and maximum inflow scenarios. Additionally, there are possible inflow scenarios that would result in reservoir elevations falling outside the ranges indicated in these reports.

The June forecast for water year 2026 ranges from a minimum probable of 3.34 maf (35 percent of average) to a maximum probable of 3.50 maf (36 percent of average) with the most probable forecast for water year 2026 of 3.40 maf (35 percent of average). There is a 10 percent chance that inflows could be higher than the current maximum probable forecast and a 10 percent chance that inflows could be lower than the minimum probable forecast.

Based on the current forecast of 3.40 maf unregulated inflow for water year 2026, the June 24-Month Study projects Lake Powell elevation will end water year 2026 near 3,513.74 feet with approximately 4.92

maf in storage (21 percent of capacity). Projections of end of water year 2026 elevation using the June minimum and May maximum inflow forecast results from the 24-Month Study model run are 3,513.46 feet and 3,517.25 feet, respectively. The annual release volume from Lake Powell during water year 2026 is 6.0 maf under the Mid-Elevation Release Tier as determined under Section 6.C.1 of the Interim Guidelines and Section 6.E of the 2024 Interim Guidelines SEIS ROD as determined by the Department of the Interior as described above.

Upper Colorado River Basin Hydrology

Upper Colorado River Basin regularly experiences significant year to year hydrologic variability. The 30-year average was updated in October 2022 from 1981 through 2010 to 1991 through 2020. Shifting the period of record decreased the average unregulated inflow by 1.20 maf. The period 2000-2022 is the lowest 23-year period since the initial filling of Glen Canyon Dam in 1963, with an average unregulated inflow of 8.29 maf, or 93 percent of the 30-year average (1991-2020). (For comparison, the 1991-2020 total water year average is 9.60 maf.) The unregulated inflow during the 2000-2025 period ranged from a low of 2.64 maf (28 percent of average) in water year 2002 to a high of 15.97 maf (166 percent of average) in water year 2011. In water year 2021 unregulated inflow volume to Lake Powell was 3.50 maf (36 percent of average), the second driest year on record above 2002. Under the current most probable forecast, the total water year 2026 unregulated inflow to Lake Powell is projected to be 3.40 maf (35 percent of average).

At the beginning of water year 2026, total system storage in the Colorado River Basin was 21.8 maf (37 percent of 58.48 maf total system capacity). This is a decrease of 3.35 maf over the total storage at the beginning of water year 2025 when total system storage was 25.15 maf (43 percent of capacity). Since the beginning of water year 2000, total Colorado Basin storage has experienced year to year increases and decreases in response to wet and dry hydrology, ranging from a high of 94 percent of capacity at the beginning of 2000 to the beginning of water year 2023 with 19.55 maf (33 percent of capacity).

July 24-Month Study
Date: July 15, 2025

From: River Operations Group, Salt Lake City
To: All Colorado River Annual Operating Plan (AOP) Recipients

Current Reservoir Status

	June Inflow (unregulated) (acre-feet)	Percent of Average (percent)	July 14, Midnight Elevation (feet)	July 14, Midnight Reservoir Storage (acre-feet)
Fontenelle	187,242	61%	6500.29	290,417
Flaming Gorge	194,329	50%	6027.01	3,154,255
Blue Mesa	160,372	64%	7486.31	549,182
Navajo	60,675	32%	6037.21	1,031,588
Powell	1,082,758	44%	3558.87	7,706,914

Expected Operations

The operation of Lake Powell and Lake Mead in the July 2025 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines),¹ the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),² and reflects the 2025 Annual Operating Plan (AOP). Pursuant to the Interim Guidelines, the August 2024 24-Month Study projections of the January 1, 2025, system storage and reservoir water surface elevations set the operational tier for the coordinated operation of Lake Powell and Lake Mead during 2025.

On May 6, 2024, Reclamation published the 2024 Interim Guidelines SEIS ROD, which included modifications to Sections 2, 6, and 7 of the 2007 Interim Guidelines. Subsequent 24-Month Studies reflect the 2024 Interim Guidelines SEIS ROD in modeled operations.

The August 2024 24-Month Study projected the January 1, 2025, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, as amended by the 2024 Interim Guidelines SEIS ROD, the

¹ For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to Intentionally Created Surplus recovery and Upper Basin demand management, operations under these agreements are in effect through 2026. Reclamation initiated the process to develop operations for post-2026 in June 2023, and the modeling assumptions described here are subject to change.

² 2024 Interim Guidelines SEIS ROD is available online at:
https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

operational tier for Lake Powell in water year (WY) 2025 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 million acre-feet (maf).

The August 2024 24-Month Study projected the January 1, 2025, Lake Mead elevation to be below 1,075 feet and above 1,050 feet. Consistent with Section 2.D.1 of the Interim Guidelines, a Shortage Condition consistent with Section 2.D.1.a will govern the operation of Lake Mead for calendar year (CY) 2025. In addition, Section III.B of Exhibit 1 to the Lower Basin Drought Contingency Plan (DCP) Agreement will also govern the operation of Lake Mead for CY 2025. Lower Basin projections for Lake Mead take into consideration additional conservation efforts under the LC Conservation Program.

Current runoff projections into Lake Powell are provided by the National Weather Service's Colorado Basin River Forecast Center. The observed unregulated inflow into Lake Powell for the month of June was 1.083 maf or 44% of the 30-year average from 1991 to 2020. The July 2025 unregulated inflow forecast for Lake Powell is 0.185 maf or 19% of the 30-year average. The 2025 April through July unregulated inflow forecast for Lake Powell is 2.70 maf or 42% of average. The WY 2025 unregulated inflow forecast for Lake Powell is 4.97 maf or 52% of average.

References

The 2025 Annual Operating Plan is available online at:

<https://www.usbr.gov/uc/water/rsvrs/ops/aop/AOP25.pdf>.

The Interim Guidelines are available online at:

<https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.

The Colorado River Drought Contingency Plans are available online at:

<https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>.

The Upper Basin Hydrology Summary is available online at:

https://www.usbr.gov/uc/water/crsp/studies/24Month_07_ucb.pdf.

Information on the Lower Colorado Basin (LCB) Conservation Program is available online at:

<https://www.usbr.gov/lc/LCBConservation.html>.

Information on the 2024 Interim Guidelines SEIS is available online at:

<https://www.usbr.gov/ColoradoRiverBasin/interimguidelines/seis/index.html>.

Information on reservoir inflow observations and forecasts is available online at:

<https://www.cbrfc.noaa.gov/product/hydrofcst/hydrofcst.php>.

Fontenelle Reservoir

As of July 2, 2025, the Fontenelle Reservoir pool elevation is 6499.36 feet, which amounts to 85 percent of live storage capacity. Inflows for the month of June totaled approximately 187,242 acre-feet (af) or 61 percent of average.

Due to continuing dry conditions, releases from Fontenelle are expected to be at 850 cfs for most of July but may change pending hydrology.

The July final forecast for unregulated inflows into Fontenelle for the next three months projects much below average conditions. July, August, and September Most Probable inflow volumes amount to 41,000 af (24 percent of average), 30,000 af (46 percent of average), and 25,000 af (62 percent of average), respectively.

The next Fontenelle Working Group meeting is scheduled for August 28, 2025 at 10:00 a.m at Seedskadee National Wildlife Refuge, WY. Details on the meeting will be provided as we get closer to the meeting date. Prior Fontenelle Working Group meeting minutes are available online on USBR's website at <https://www.usbr.gov/uc/water/crsp/wg/ft/ftcurrnt.html>. The Fontenelle Working Group is an open public forum for information exchange between Reclamation and other parties associated with the operation of Fontenelle Reservoir.

Flaming Gorge Reservoir

As of July 2, 2025 (end of day), Flaming Gorge Reservoir pool elevation is 6027.46 feet, which amounts to 86 percent of live storage capacity. Unregulated inflow volume for the month of June is approximately 194,329 acre-feet (af), which is 50 percent of the average unregulated inflow volume.

Summer Baseflow- As the Yampa River flows decrease, the releases from Flaming Gorge will increase to sustain targets in Reach 2 of the Green River (Jensen stream gage). Increased releases have started and will continue to change depending on hydrology on the Yampa River.

The July unregulated inflow forecast into Flaming Gorge for the next three months projects much below average conditions. July, August, and September forecasted unregulated inflow volumes are 45,000 af (22 percent of average), 34,000 af (47 percent of average), and 25,000 af (54 percent of average), respectively.

The July water supply forecast of the April through July unregulated inflow volume into Flaming Gorge Reservoir is 505,000 acre-feet (52 percent of average).

Reclamation is planning to hold a Flaming Gorge Working Group meeting on August 27, 2025, in Vernal, UT (and Teams virtual meeting). The Flaming Gorge Working Group is an open public forum for information exchange between Reclamation and the stakeholders of Flaming Gorge Dam. The public is encouraged to attend and comment on the operations and plans presented by Reclamation at these meetings. Meeting notes from past Working Group meetings are posted on the Working Group webpage. For more information on this group and these meetings please contact Alex Pivarnik at (385) 475 – 8329.

Aspinall Unit Reservoirs

As of July 3, 2025, releases from Crystal Dam are approximately 1,800 cfs. Flows of the Gunnison River in the Black Canyon is measured at about 760 cfs. Flows in the Whitewater Reach of the Gunnison River are about 1,200 cfs.

The unregulated inflow volume in June to Blue Mesa was 160,000 af (64 percent of average). Unregulated Inflow volumes forecasted for Blue Mesa for the next three months (July, August, and September) are projected to be 50,000 af (47 percent of average), 43,000 af (75 percent of average), and 27,000 af (77 percent of average), respectively.

The forecasted 2025 water year unregulated inflow volume to Blue Mesa is projected to be 674,000 af (75 percent of average). The water supply period (April-July) for 2025 is forecasted currently for an unregulated inflow volume of to be 415,000 af of unregulated inflow (64 percent of average). Given this current projection of the most probable operating scenario, Blue Mesa has fill to approximately 7,490 feet in late June with approximately 584,000 af of storage. This is approximately 29 feet from full pool elevation (7519.4 feet) with approximately 243,000 af of unfilled storage space in Blue Mesa Reservoir.

The Aspinall Unit Operations Group is an open public forum for information exchange between Reclamation and the stakeholders of the Aspinall Unit. The public is encouraged to attend and comments on the operations and plans presented by Reclamation at these meetings. Meeting notes from past working Group meetings are posted on the Operations Group webpage. For more information on this group and these meetings please contact Conor Felletter in the Western Colorado Area Office's Durango Office at (970) 637-1985.

The next Operations Group meeting will be held on August 21, 2025 at 1:00 p.m in Montrose, CO at a location TBD. There will be a hybrid/call-in option. Contact Conor Felletter in the Western Colorado Area Office's Durango Office at (970) 637-1985 for more information regarding this Operation Group meeting.

Navajo Reservoir

On July 3, 2025 the release is 550 cfs. The 7-day average reservoir inflow is 400 cfs. The water surface elevation is 6039.7 feet above sea level. At this elevation the live storage is 1.057 maf. Diversions to Cutter Reservoir for the Navajo Indian Irrigation Project (NIIP) and the Navajo Gallup Water Supply Project (NGWSP) are 651 cfs.

Releases from Navajo Dam are made for authorized purposes of the Navajo Unit and are pursuant to the Record of Decision for the Navajo Reservoir Operations. Releases target the San Juan River Recovery Implementation Program's (SJ RIP) recommended downstream baseflow range of 500 cfs to 1,000 cfs through the critical habitat reach of the San Juan River (Farmington, NM to Lake Powell).

The release is scheduled to increase to 650 cfs on July 4th. Future changes in release are subject to changes in river flows and weather conditions.

Reclamation conducts Public Operations Meetings three times per year to gather input for determining upcoming operations for Navajo Reservoir. Input from individuals, organizations, and agencies along with

other factors such as weather, water rights, endangered species requirements, flood control, hydro power, recreation, fish and wildlife management, and reservoir levels, will be considered in the development of these reservoir operation plans. In addition, the meetings are used to coordinate activities and exchange information among agencies, water users, and other interested parties concerning the San Juan River and Navajo Reservoir. The next Operations Group meeting will be held on August 21, 2025 at 1:00 p.m in Montrose, CO at a location TBD. This meeting is open to the public with a virtual option using Microsoft Teams. [Register for the webinar at this link](#). Contact Conor Felletter in the Western Colorado Area Office's Durango Office at cfelletter@usbr.gov for more information regarding this Operation Group meeting.

Glen Canyon Dam / Lake Powell

Current Status

The unregulated inflow volume to Lake Powell during June was 1,083 thousand acre-feet (kaf) (44 percent of average). The release volume from Glen Canyon Dam in June was 678 kaf. The end of June elevation and storage of Lake Powell were 3,561.30 feet (139 feet from full pool) and 7.88 maf (34 percent of live capacity), respectively.

Current Operations

The operation of Lake Powell and Lake Mead in the July 2025 24-Month Study is pursuant to the December 2007 Record of Decision on Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations of Lake Powell and Lake Mead (Interim Guidelines), the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Interim Guidelines SEIS ROD),³ and reflects the 2025 Annual Operating Plan (AOP).

The August 2024 24-Month study projects the January 1, 2025, Lake Powell elevation to be less than 3,575 feet and at or above 3,525 feet and the Lake Mead elevation to be at or above 1,025 feet. Consistent with Section 6.C.1 of the Interim Guidelines, as amended by the 2024 Interim Guidelines SEIS ROD), the operational tier for Lake Powell in water year 2025 is the Mid-Elevation Release Tier and the water year release volume from Lake Powell is projected to be 7.48 maf.

On May 9, 2024, Reclamation published the 2024 Interim Guidelines SEIS ROD, which included modifications to Sections 2, 6, and 7 of the 2007 Interim Guidelines. The current 24-Month Study reflects these modifications in modeled operations.

On July 3, 2024, Reclamation signed the Glen Canyon Dam Long-Term Experimental and Management Plan Supplemental Environmental Impact Statement Record of Decision (2024 LTEMP SEIS ROD⁴). The 2024 LTEMP SEIS ROD analyzed flow options to disrupt smallmouth bass and other warm water invasive non-native fish from establishing below Glen Canyon Dam by interrupting spawning and species expansion.

³ 2024 Interim Guidelines SEIS ROD is available online at:

https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240507-Near-termColoradoRiverOperations-SEIS-RecordofDecision-signed_508.pdf.

⁴ 2024 LTEMP SEIS ROD is available online at:

<https://www.usbr.gov/uc/DocLibrary/EnvironmentalImpactStatements/GlenCanyonDamLong-TermExperimentalManagementPlan/20240703-GCDLTEMP-FinalSEIS-RecordofDecision-508-AMWD.pdf>

The anticipated monthly release volume for July is 710,000 acre-feet and anticipated hourly releases during July 2025 will fluctuate from a low of approximately 10,241 cfs to a high of approximately 17,341 cfs. The August volume is anticipated to be 757,000 acre-feet and the hourly pattern will be confirmed with a subsequent directive toward the end of July.

In addition to daily scheduled fluctuations for power generation, the instantaneous releases from Glen Canyon Dam may also fluctuate to provide 40 megawatts (MW) of system regulation. These instantaneous release adjustments stabilize the electrical generation and transmission system and translate to a range of about 1,300 cfs above or below the hourly scheduled release rate. Under normal system conditions, fluctuations for regulation are typically short lived and generally balance out over the hour with minimal or no noticeable impacts on downstream river flow conditions.

Releases from Glen Canyon Dam can also fluctuate beyond scheduled releases when called upon to respond to unscheduled power outages or power system emergencies. Depending on the severity of the system emergency, the response from Glen Canyon Dam can be significant, within the full range of the operating capacity of the power plant for as long as is necessary to maintain balance in the transmission system. Glen Canyon Dam currently maintains 30 MW (approximately 1,300 cfs) of generation capacity in reserve in order to respond to a system emergency even when generation rates are already high. System emergencies occur infrequently and typically require small responses from Glen Canyon Dam. However, these responses can have a noticeable impact on the river downstream of Glen Canyon Dam.

Inflow Forecasts and Model Projections

The forecast for water year 2025 unregulated inflow to Lake Powell, issued on July 1, 2025, by the Colorado Basin River Forecast Center, projects that the most probable (median) unregulated inflow volume in water year 2025 will be 4.97 maf (52 percent of average).

In addition to the July 2025 24-Month Study based on the Most Probable inflow scenario, Reclamation has conducted runs to determine a possible range of reservoir elevations. The July 2025 24-Month Study most and minimum probable scenarios, along with the April 2025 maximum probable scenario, were used to determine the range of probable outcomes. The probable minimum and probable maximum model runs are conducted simultaneously in January, April, August, and October, or when necessary to incorporate changing conditions. The probable minimum inflow scenario reflects a dry hydrologic condition which statistically would be exceeded 90 percent of the time. The most probable inflow scenario reflects a median hydrologic condition which statistically would be exceeded 50 percent of the time. The probable maximum inflow scenario reflects a wet hydrologic condition which statistically would be exceeded 10 percent of the time. There is approximately an 80 percent probability that a future elevation will fall inside the range of the minimum and maximum inflow scenarios. Additionally, there are possible inflow scenarios that would result in reservoir elevations falling outside the ranges indicated in these reports.

The July forecast for water year 2026 ranges from a minimum probable of 4.30 maf (45 percent of average) to a maximum probable of 15.20 maf (158 percent of average) with the most probable forecast for water year 2025 of 8.00 maf (83 percent of average). There is a 10 percent chance that inflows could be higher than the current maximum probable forecast and a 10 percent chance that inflows could be lower than the minimum probable forecast.

Based on the current forecast of 4.97 maf unregulated inflow for water year 2025, the July 24-Month Study projects Lake Powell elevation will end water year 2025 near 3,548.45 feet with approximately 7.00 maf in storage (30 percent of capacity). Projections of end of water year 2025 elevation using the July minimum and April maximum inflow forecast results from the 24-Month Study model run are 3,548.45 feet and 3,591.01 feet, respectively. The annual release volume from Lake Powell during water year 2025 is 7.48 maf under the Mid-Elevation Release Tier as determined under Section 6.C.1 of the Interim Guidelines as determined by the Department of the Interior as described above.

Upper Colorado River Basin Hydrology

Upper Colorado River Basin regularly experiences significant year to year hydrologic variability. The 30-year average was updated in October 2022 from 1981 through 2010 to 1991 through 2020. Shifting the period of record decreased the average unregulated inflow 1.20 maf. The period 2000-2022 is the lowest 23-year period since the closure of Glen Canyon Dam in 1963, with an average unregulated inflow of 8.29 maf, or 93 percent of the 30-year average (1991-2020). (For comparison, the 1991-2020 total water year average is 9.60 maf.) The unregulated inflow during the 2000-2022 period has ranged from a low of 2.64 maf (28 percent of average) in water year 2002 to a high of 15.97 maf (166 percent of average) in water year 2011. In water year 2021 unregulated inflow volume to Lake Powell was 3.50 maf (36 percent of average), the second driest year on record above 2002. Under the current most probable forecast, the total water year 2025 unregulated inflow to Lake Powell is projected to be 4.97 maf (52 percent of average).

At the beginning of water year 2025, total system storage in the Colorado River Basin was 25.15 maf (43 percent of 58.48 maf total system capacity). This is a decrease of 110 kaf over the total storage at the beginning of water year 2024 when total system storage was 25.26 maf (43 percent of capacity). Since the beginning of water year 2000, total Colorado Basin storage has experienced year to year increases and decreases in response to wet and dry hydrology, ranging from a high of 94 percent of capacity at the beginning of 2000 to the beginning of water year 2023 with 19.55 maf (33 percent of capacity).