EventForce Management System

Salesforce Implementation Guide

Business Name: EventForce Management System

Objectives

EventForce is a Salesforce-based CRM created for Event Planner Solutions. It replaces scattered, manual event-management work with one automated platform that covers client bookings, venue reservations, vendor coordination and feedback collection, and it gives the team live visibility into what is happening across every event.

By keeping data in a single place, automating routine workflows and improving collaboration between event coordinators, vendor managers and clients, the system is expected to cut manual processes by about 60% and improve booking efficiency by about 40%. Timely communication should lift client satisfaction, while built-in reports and analytics give the business the insight it needs to grow.

Phase 1: Requirement Analysis & Planning

This phase defines an EventForce Management System in Salesforce that lets event planners handle client bookings, vendor coordination, venue reservations and feedback in one CRM. Key processes such as event scheduling, cancellation approvals and client reminders are automated, and reports and dashboards provide real-time visibility.

Functional Scope

- Custom objects: Event, Client, Vendor, Venue, Feedback and Event Vendor (a junction object).
- Relationship design using Lookup, Master-Detail and a Many-to-Many link between Event and Vendor.
- Flows that automate reminders, feedback notifications and approval updates.
- Validation rules and formula fields that keep data entry accurate and calculate the event budget.
- An approval process for event cancellation requests, with email alerts to coordinators and clients.
- Profiles, roles and permission sets that control user access and security.
- Reports and dashboards covering event summaries, vendor performance and upcoming events.

Stakeholder Mapping

- **Clients** – request event services, give feedback and follow event updates.
- **Event Coordinators** – schedule events, communicate with clients and run approval workflows.
- **Vendors** – deliver the services assigned to an event, such as catering, decor and logistics.
- **Venue Managers** – maintain venue availability and reservations.
- **Event Administrators** – oversee system operations, security and data monitoring.

Execution Roadmap

1. Object & Field Setup – build the Event, Client, Vendor, Venue, Feedback and Event Vendor objects.
2. Automation Flows – add record-triggered flows for event reminders and approvals.
3. Validation Rules & Formula Fields – enforce clean data and calculate budgets.
4. Profiles, Roles & Permission Sets – set up user access and record visibility.
5. Approval Process – automate the cancellation workflow, including notifications.
6. Apex Classes & Triggers – keep venue availability current and block double bookings.
7. Reports & Dashboards – provide analytics on upcoming events and overall performance.

Phase 2: Backend Development & Configuration

The backend and configuration phase builds the working engine of EventForce. Salesforce Flows, Apex code and security settings together form the automation backbone that manages events, clients, vendors, venues and feedback.

Declarative tools – record-triggered flows, validation rules, formula fields and approval processes – automate booking confirmations, reminders and cancellation approvals. Apex classes and triggers take care of the more advanced logic, such as updating venue availability and preventing double bookings, so the system stays accurate as it grows.

Profiles, roles, permission sets and sharing rules were also configured to control who can see and change what, protecting data integrity across all modules. As a result, the application moved from a static structure to a dynamic, automated and secure CRM that can support real event-management workflows.

Milestone 1: Salesforce Account

What Is Salesforce?


Salesforce is a cloud platform for customer success. It helps organizations sell, serve, market, analyze and connect with customers from anywhere. With its standard products and features you can manage relationships with prospects and customers, collaborate with employees and partners, and store data securely in the cloud.

Activity 1: Create a Developer Account

Start by creating a Salesforce Developer Edition org.


1. Open https://developer.salesforce.com/signup.
2. Complete the sign-up form with the following details:
   - First name and last name
   - Email address
   - Role: Developer
   - Company: your college name
   - Country: India
   - Postal code: your PIN code
   - Username: a combination of your name and the company

The username does not have to be a real email address; any value in the format username@organization.com works. Click **Sign me up** when the form is complete.




Activity 2: Activate the Account

1. Open the inbox of the email address you registered with and click **Verify Account**. The email can take 5–10 minutes to arrive.



2. Click **Verify Account**.
3. Set a password, answer the security question and click **Change Password**.
4. You will be redirected to your Salesforce Setup home page.



Data Architecture

The following custom objects were created:

1. **Event__c** – fields: Event Name, Event Date, Event Type, Event Status, Event Budget.
2. **Client__c** – fields: Client Name, Email, Phone, Address, Country, City.
3. **Vendor__c** – fields: Vendor Name, Email, Phone, Service Type, Status.

4. **Venue__c** – fields: Venue Name, Address, Location (URL), Capacity, Availability Status.
5. **Feedback__c** – fields: Feedback ID (Auto Number), Rating, Comments.
6. **EventVendor__c** (junction object) – connects Event and Vendor to model a many-to-many relationship.

Relationships

Relationship	Type
Event → Client	Lookup
Event → Venue	Lookup
Feedback → Event	Lookup
Feedback → Client	Lookup
EventVendor → Event	Master-Detail
EventVendor → Vendor	Master-Detail

Steps to Implement

Milestone 2: Objects

What Is an Object?

A Salesforce object works like a database table that stores information specific to your organization. It is made up of fields (the columns) and records (the rows).


The application uses five custom objects:

1. Event
2. Client
3. Vendor
4. Venue
5. Feedback

Activity 1: Create the Event Object


To create a custom object, follow these steps:

1. From Setup, open **Object Manager**.
2. Click **Create** and choose **Custom Object**.




3. Enter **Event** as the Label.
4. Enter **Events** as the Plural Label.
5. Set the Record Name to **Event Name**.





6. Choose **Text** as the data type.



7. Under Optional Features, select **Allow Reports**, **Allow Activities** and **Track Field History**.
8. Under Deployment Status, make sure **Deployed** is selected.
9. Under Search Status, select **Allow Search**.
10. Under Object Creation Options, select **Add Notes and Attachments related list to default page layout**.
11. Leave everything else unchanged and click **Save**.

Activity 2: Create the Client Object

1. Click the gear icon and select **Setup**.
2. Open the **Object Manager** tab next to the Home tab.
3. At the far right, open the **Create** dropdown and select **Custom Object**.
4. On the Custom Object Definition page, fill in the details as follows:
   - Label: Client
   - Plural Label: Clients
   - Record Name: Client Name
   - Data type: Text
   - Tick **Allow Reports**
   - Tick **Allow Search**
   - Under Object Creation Options, select **Add Notes and Attachments related list to default page layout**
5. Click **Save**.

Activity 3: Create the Vendor Object

1. Click the gear icon and select **Setup**.
2. Open the **Object Manager** tab next to the Home tab.
3. At the far right, open the **Create** dropdown and select **Custom Object**.
4. On the Custom Object Definition page, fill in the details as follows:
   - Label: Vendor
   - Plural Label: Vendors
   - Record Name: Vendor Name
   - Data type: Text
   - Tick **Allow Reports**
   - Tick **Allow Search**
   - Under Object Creation Options, select **Add Notes and Attachments related list to default page layout**
5. Click **Save**.

Activity 4: Create the Venue Object

1. Click the gear icon and select **Setup**.
2. Open the **Object Manager** tab next to the Home tab.
3. At the far right, open the **Create** dropdown and select **Custom Object**.
4. On the Custom Object Definition page, fill in the details as follows:
   - Label: Venue
   - Plural Label: Venues
   - Record Name: Venue Name
   - Data type: Text
   - Tick **Allow Reports**
   - Tick **Allow Search**
   - Under Object Creation Options, select **Add Notes and Attachments related list to default page layout**
5. Click **Save**.

Activity 5: Create the Feedback Object

1. Click the gear icon and select **Setup**.
2. Open the **Object Manager** tab next to the Home tab.
3. At the far right, open the **Create** dropdown and select **Custom Object**.
4. On the Custom Object Definition page, fill in the details as follows:
   - Label: Feedback

- Plural Label: Feedbacks
- Record Name: Feedback
- Data type: Auto Number
- Display format: F-{0000}
- Starting number: 0
- Tick **Allow Reports**
- Tick **Allow Search**
- Under Object Creation Options, select **Add Notes and Attachments related list to default page layout**

5. Click **Save**.

Milestone 3: Tabs

What Is a Tab?


Tabs let users see information at a glance. They display the data of objects, or other web content, inside the application.

- **Standard object tabs** show data from standard Salesforce objects.
- **Custom object tabs** show data from custom objects. They look and behave just like standard tabs.


Activity 1: Create a Custom Tab (Event)

Now create a custom tab.

1. Click the **Home** tab, type **Tabs** in Quick Find and select **Tabs**.



2. Under Custom Object Tabs, click **New**.



3. For Object, select **Event**.
4. For Tab Style, pick any icon.
5. Leave the other defaults as they are and click **Next**, **Next**, then **Save**.

Activity 2: Create a Custom Tab (Client)

1. Click the **Home** tab, type **Tabs** in Quick Find and select **Tabs**.
2. Under Custom Object Tabs, click **New**.
3. For Object, select **Client**.
4. For Tab Style, pick any icon.
5. Leave the other defaults as they are and click **Next**, **Next**, then **Save**.

Activity 3: Create a Custom Tab (Vendor)

1. Click the **Home** tab, type **Tabs** in Quick Find and select **Tabs**.
2. Under Custom Object Tabs, click **New**.
3. For Object, select **Vendor**.
4. For Tab Style, pick any icon.
5. Leave the other defaults as they are and click **Next**, **Next**, then **Save**.

Activity 4: Create a Custom Tab (Venue)

1. Click the **Home** tab, type **Tabs** in Quick Find and select **Tabs**.
2. Under Custom Object Tabs, click **New**.
3. For Object, select **Venue**.

4. For Tab Style, pick any icon.
5. Leave the other defaults as they are and click **Next**, **Next**, then **Save**.

Activity 5: Create a Custom Tab (Feedback)

1. Click the **Home** tab, type **Tabs** in Quick Find and select **Tabs**.
2. Under Custom Object Tabs, click **New**.
3. For Object, select **Feedback**.
4. For Tab Style, pick any icon.
5. Leave the other defaults as they are and click **Next**, **Next**, then **Save**.

Milestone 4: Fields & Relationships


What Are Fields?

Fields in Salesforce are the equivalent of columns in a relational database. Each field stores one kind of value for a record. There are two kinds of fields:

- **Standard fields** – every custom object gets a few automatically: Created By, Last Modified By, Owner and the record-name field created with the object. These cannot be deleted or edited and are always required. On standard objects, the fields that ship by default are likewise standard fields and cannot be removed.
- **Custom fields** – added by an administrator or developer to meet a particular business need. They may or may not be required.


Activity 1: Create Fields for the Event Object

1. Click the gear icon and select **Setup**; Setup opens in a new tab.
2. Open the **Object Manager** tab next to Home.
3. Select **Event**.
4. Choose **Fields & Relationships** in the left navigation and click **New**.
5. In the sidebar, click **Fields & Relationships**. Some fields already exist – these are the standard fields.



Click **New** to add a custom field. Tip: before creating a field, search first to make sure a similar one does not already exist.

6. Choose **Picklist** as the data type and click **Next**.



7. Enter **Event Type** as the Field Label.

8. Select **Enter values, with each value separated by a new line** and add these values:

- Wedding
- Corporate
- Birthday
- Anniversary
- Festival
- Concert
- Other



9. Click **Next**, **Next** and **Save**.

Create the remaining fields the same way, choosing each data type carefully.

Event Date

Select **Date** as the data type and click **Next**. Enter **Event Date** as the Field Label, then click **Next**, **Next** and **Save & New**.


Event Status

Select **Picklist** as the data type and click **Next**. Enter **Event Status** as the Field Label, choose **Enter values, with each value separated by a new line** and add these values:

- Planned
- Confirmed
- Completed
- Pending Cancellation
- Canceled
- Rejected

Event Budget (Formula Field)

1. Select **Formula** as the data type and click **Next**.




2. Enter **Event Budget** as the Field Label.
3. Choose **Currency** as the formula return type and click **Next**.



4. Enter the following formula:

```
CASE(
  TEXT(Event_Type__c),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

5. Click **Check Syntax** to confirm the formula is valid.



6. Click **Next**, **Next**, then **Save**.

Activity 2: Create Fields for the Client Object

1. Select **Email** as the data type and click **Next**. Enter **Email** as the Field Label, then click **Next**, **Next** and **Save & New**.
2. Select **Phone** as the data type and click **Next**. Enter **Phone** as the Field Label, then click **Next**, **Next** and **Save**.
3. Select **Text Area** as the data type and click **Next**. Enter **Address** as the Field Label, then click **Next**, **Next** and **Save**.
4. Select **Picklist** as the data type and click **Next**. Enter **Country** as the Field Label, choose **Enter values, with each value separated by a new line** and add:
   - India
   - Philippines
   - Saudi Arabia
   - USA
   - Switzerland
   - Thailand
   - Maldives
   - Dubai
   - Sri Lanka
   - Bangkok
   - Singapore
   - Myanmar
   - France
   - Nepal

5. Click **Save**.
6. Select **Picklist** as the data type and click **Next**. Enter **City** as the Field Label, choose **Enter values, with each value separated by a new line** and add:
   - Hyderabad
   - Mumbai
   - Delhi
   - Bangalore
   - Chennai
   - Alaminos
   - Angeles City
   - Palayan
   - Quezon City
   - San Juan
   - Riyadh
   - Jeddah
   - Tayma
   - Dammam
   - Medina
   - New York
   - Los Angeles
   - Chicago
   - Houston
   - Columbus
   - Geneva
   - Basel
   - Lausanne
   - Bern
   - Lucerne
7. Click **Save**.

Activity 3: Create Fields for the Vendor Object

1. Select **Multi-Select Picklist** as the data type and click **Next**. Enter **Service Type** as the Field Label, choose **Enter values, with each value separated by a new line** and add:
   - Catering
   - Decor
   - Photography

- Videography
- Lighting
- Stage Setup
- Makeup Artist
- DJ/Music
- Transportation
- Hosting/Anchor

2. Select **Email** as the data type and click **Next**. Enter **Email** as the Field Label, then click **Next**, **Next** and **Save & New**.
3. Select **Phone** as the data type and click **Next**. Enter **Phone** as the Field Label, then click **Next**, **Next** and **Save**.
4. Select **Picklist** as the data type and click **Next**. Enter **Status** as the Field Label, choose **Enter values, with each value separated by a new line** and add:
   - Available
   - Booked
   - Cancelled

Activity 4: Create Fields for the Venue Object

1. Select **Text Area** as the data type and click **Next**. Enter **Address** as the Field Label, then click **Next**, **Next** and **Save**.
2. Select **URL** as the data type and click **Next**. Enter **Location** as the Field Label, then click **Next**, **Next** and **Save**.
3. Select **Number** as the data type and click **Next**. Enter **Capacity** as the Field Label, then click **Next**, **Next** and **Save**.
4. Select **Picklist** as the data type and click **Next**. Enter **Availability Status** as the Field Label, choose **Enter values, with each value separated by a new line** and add:
   - Available
   - Reserved
   - Not Available

Activity 5: Create Fields for the Feedback Object

1. Select **Picklist** as the data type and click **Next**. Enter **Rating** as the Field Label, choose **Enter values, with each value separated by a new line** and add:
   - 1
   - 2
   - 3
   - 4

- 5


2. Select **Long Text Area** as the data type and click **Next**. Enter **Comments** as the Field Label, then click **Next**, **Next** and **Save**.

Relationships

Activity 1: Lookup Relationships on the Event Object

Start with the first lookup relationship on Event (Event → Venue).

1. From Setup, go to **Object Manager** and select the **Event** object.
2. In the sidebar, click **Fields & Relationships**.
3. Select **Lookup Relationship** and click **Next**.



4. Choose **Venue** as the related object and click **Next**.




5. Enter **Venue** as the Field Label, then click **Next**, **Next**, **Next** and **Save**.




Many-to-Many Relationship (Event ↔ Vendor)

Salesforce does not support a direct many-to-many relationship, so a junction object, EventVendor__c, is used instead.

1. Go to **Object Manager** and click **Create → Custom Object**.
2. Enter **Event Vendor** as the Label and **EventVendor__c** as the Object Name.



3. From Setup, go to **Object Manager** and select the **Event Vendor** object.
4. In the sidebar, click **Fields & Relationships**.
5. Select **Master-Detail Relationship** and click **Next**.



6. Choose **Event** as the related object and click **Next**.
7. Enter **Event** as the Field Label, then click **Next**, **Next**, **Next** and **Save & New**.
8. Select **Master-Detail Relationship** again and click **Next**.
9. Choose **Vendor** as the related object and click **Next**.
10. Enter **Vendor** as the Field Label, then click **Next**, **Next**, **Next** and **Save**.

Lookup Relationship (Event → Client)

1. From Setup, go to **Object Manager** and select the **Event** object.
2. In the sidebar, click **Fields & Relationships**.
3. Select **Lookup Relationship** and click **Next**.
4. Choose **Client** as the related object and click **Next**.
5. Enter **Client** as the Field Label, then click **Next**, **Next**, **Next** and **Save**.

Activity 2: Lookup Relationships on the Feedback Object

Feedback → Event:

1. From Setup, go to **Object Manager** and select the **Feedback** object.
2. In the sidebar, click **Fields & Relationships**.
3. Select **Lookup Relationship** and click **Next**.
4. Choose **Event** as the related object and click **Next**.
5. Enter **Event** as the Field Label, then click **Next**, **Next**, **Next** and **Save**.

Feedback → Client:


1. From Setup, go to **Object Manager** and select the **Feedback** object.
2. In the sidebar, click **Fields & Relationships**.
3. Select **Lookup Relationship** and click **Next**.
4. Choose **Client** as the related object and click **Next**.

5. Enter **Client** as the Field Label, then click **Next**, **Next**, **Next** and **Save**.

Activity 3: Lookup Filter

Scenario: In the event management app every Event belongs to a Client. When someone creates Feedback and picks a Client, the Event lookup should list only that client's events. For example, if Ramesh is selected, only Ramesh's events appear.


1. Click the gear icon and select **Setup**.
2. Type **Object Manager** in Quick Find and open it.
3. Find and open the **Feedback** object (Feedback__c).
4. In the left menu, click **Fields & Relationships**.
5. Find the **Event** lookup field (Event__c) and click it.



6. Click **Edit**.
7. Scroll to the Lookup Filter section and click **Show Filter Settings**.



8. Build the filter criteria as follows:
   - Field (left side): the Event object's client field – Event: Client__c
   - Operator: equals
   - Value (right side): choose the **Field** option, then select the Client field on the Feedback record – Feedback: Client__c
9. Tick **Enable this filter**.
10. Click **Save**.



Milestone 5: Validation Rules

A validation rule runs when a user tries to save a record and checks whether the data meets the criteria you defined. If it does not, the rule shows an error message and blocks the save until the problem is corrected.

Activity 1: Create a Validation Rule on Client__c

1. From Setup, open **Object Manager**, type **Client** in the quick find box and open the Client object.
2. Click **Validation Rules**, then **New**.
3. Enter **Email_Valid_Address** as the Rule Name.
4. Tick **Active**.
5. Enter this error condition formula:

```
NOT(REGEX(Email__c, "^[a-zA-Z0-9._]+@[a-zA-Z0-9.]+\\.[a-zA-Z]{2,}$" ))
```

6. Set the Error Message to **Please Enter Valid Email Address**, set the Error Location to **Field**, choose the **Email** field and click **Save**.

Milestone 6: Approval Process


Activity 1: Create the Event Cancellation Approval Process

Note: complete the Profiles, Roles and Users milestones before building the approval process.

1. Create the Classic Email Templates

1. Click the gear icon (top right) and select **Setup**.
2. Type **Email Templates** in Quick Find.
3. Open **Classic Email Templates**.


4. Click **New Template**.



5. Choose the template type **Text** (plain text, no formatting) and click **Next**.

6. Fill in the Email Template Information as shown below.

Field	Value
Folder	Unfiled Public Email Templates (a public or private folder; this one is fine for now)
Email Template Name	Event Cancellation Request Notification
Template Unique Name	Auto-filled, or change it (no spaces)
Encoding	Leave the default (UTF-8)
Subject	Approval Request: Cancel Event {!Event__c.Name}
Email Body	Hello! An approval request has been submitted to cancel the event: - Event Name: {!Event__c.Name} - Event Date: {!Event__c.Event_Date__c} Thank you, EventForce Management System



2. Template for the Client (Cancellation Approved)

Create a second template that emails the client once a cancellation is approved.

1. Template Name: **Email to Client After Cancellation**
2. Subject: **Event Cancellation Notice – {!Event__c.Name}**
3. Body:

```
Hello!

We would like to inform you that the event has been canceled.

Event Name: {!Event__c.Name}

Date: {!Event__c.Event_Date__c}

If you have any questions or need assistance, please contact us.

Thank you for your understanding,
Event Management Team
```

3. Template for the Event Owner (Cancellation Approved)

1. Template Name: **Approval Notification to Event Owner**
2. Subject: **Event Cancellation Approved: {!Event__c.Name}**
3. Body:

```
Hello {!Event__c.OwnerFullName}

Your cancellation request for the event {!Event__c.Name} has been approved.

Event Date: {!Event__c.Event_Date__c}
```

```
The event status has been updated to Canceled.

Thank you,
EventForce Management System
```

4. Template for the Event Owner (Cancellation Rejected)

1. Template Name: **Rejection Notification to Event Owner**
2. Subject: **Event Cancellation Rejected: {!Event__c.Name}**
3. Body:

```
Hello {!Event__c.OwnerFullName},

Your cancellation request for the event {!Event__c.Name} has been rejected.


Event Date: {!Event__c.Event_Date__c}

The event status has been reverted to Confirmed.

Thank you,
EventForce Management System
```


5. Create the Approval Process

1. Type **Approval Processes** in Quick Find and open it under Process Automation.
2. Click the **Event** object name.
3. Click **Create New Approval Process → Use Standard Setup Wizard**.



Step 1: Basic Settings


- Name: **Event_Cancellation_Process**
- Unique Name: auto-filled; keep it as is.
- Click **Next**.



Specify Entry Criteria

The entry criteria decide when the process is triggered.

- Choose **Criteria are met**.
- Field: Event → Event Status
- Operator: Equals
- Value: Pending Cancellation
- Click **Next**.




Step 2: Select Approver

You can pick either of these options:

- **Option 1 – a specific user:** select “Automatically assign using user or queue” and choose a specific user (the manager).
- **Option 2 – the submitter's manager:** select “Automatically assign to the manager of the user who submitted the record”. Make sure every user has a manager set on their User record.

Then click **Next**.



Step 3: Email Template

For the Approval Assignment Email Template, select **Event Cancellation Request Notification**.




Step 4: Select Fields to Display on the Approval Page Layout

A dual list appears, with Available Fields on the left and Selected Fields on the right. Pick the key business fields approvers need to see. Suggested fields for Event:


- Event Name
- Owner
- Client
- Last Modified By
- Created By
- Event Budget
- Event Date
- Event Status
- Event Type
- Venue
- Use **Add** to move fields from left to right.

- Use the Up/Down arrows to set the display order.
- Click **Next**.



Step 5: Specify Initial Submitters


- Select **Event Owner** as the initial submitter.
- Click **Save**.



Step 6: Initial Submission Actions


Define what happens when a record is submitted.

- Click **Add New → Email Alert**.



Fill in the details:

1. Description: **Alert - Event Cancellation Request**
2. Unique Name: auto-filled.
3. Object: **Event__c**
4. Email Template: **Event Cancellation Request Notification**
5. Recipients: add the role **Event Coordinator**.
6. Additional Email: optionally enter extra email addresses.
7. From Email Address: **Current User's Email Address**
8. Click **Save**.




Step 7: Final Approval Actions


- Click **Add New → Field Update**.




- Select the field to update: **Event Status**.
- Name: **Event Status Update**
- Field: Event Status
- New Value: **Canceled**
- Click **Save**.



- Click **Add New → Email Alert**.




- Description: **Alert - Cancellation Approved**
- Email Template: **Approval Notification to Event Owner**
- Recipient Type: **Event Owner**
- From Email Address: **Current User's Email**
- Click **Save**.




Step 8: Final Rejection Actions

- Click **Add New → Email Alert**.
- Description: **Alert - Cancellation Rejected**
- Email Template: **Rejection Notification to Event Owner**
- Recipient Type: **Event Owner**
- From Email Address: **Current User's Email**
- Click **Save**.




- Click **Add New → Field Update**.
- Select the field to update: **Event Status**.
- Name: **Event Status To Rejected**
- Field: Event Status
- New Value: **Rejected**
- Click **Save**.




Step 9: Approval Steps

- Click **Add New Step**.



- Step Name: **Manager Review**
- Unique Name: auto-filled.
- Step Number: optional; controls the order.
- Click **Next**.



Specify Step Criteria

- Choose **All records should enter this step**.
- Click **Next**.



Select Assigned Approver


Choose who approves the record at this step:

- Select **Automatically assign to approver(s)**.
- Select **A specific user**.
- Choose a related user (Michael Jackson).
- Click **Save**.



Step 10: Activate the Approval Process

- Click **View Approval Process Detail Page**.
- Click the **Activate** button at the top.



Milestone 7: Flows

A flow is a Salesforce tool for automating business processes, collecting and updating data, and guiding users through screens or steps. Flows are built in a visual interface, so no coding is needed.


Activity 1: Flow to Send a 3-Day Reminder Email to the Client

Scenario: When an Event is created or updated with Status = Confirmed and it has a valid Client with an email address, the system automatically emails the Client a reminder 3 days before the Event Date.


1. Go to Setup, type **Flow** in the quick find box, open **Flows** and click **New Flow**.




2. Select **Record-Triggered Flow** and click **Create**.




3. Under Object, select **Event**.
4. Choose **A record is created or updated**.




5. Set the condition: Field = Event Status, Operator = Equals, Value = Confirmed.
6. Under Optimize the Flow For, select **Actions and Related Records** and click **Done**.




7. Click the **Start** element, then click **Add Schedule Path**.




8. Enter **3_Days_Before** as the Path Label; the API name fills in automatically.
9. Select Time Source: **Event__c: Event Date**.
10. Enter Offset Number: **3**.
11. Select Offset Options: **Days Before**, then click the **x** icon.



12. Open the **Toolbox** at the top left and click **New Resource**.




13. Select **Text Template**.



14. Enter the API Name **Subject**.

- In the Body, enter: Reminder: Your Event {!$Record.Name} is in 3 days
- Choose **View as Plain Text**.
- Click **Done**.



Create a second resource:

1. Select **Text Template**.

2. Enter the API Name **Body**.

3. In the Body, enter the following:

```
Hello {!$Record.Client__r.Name},


This is a reminder that your event "{!$Record.Name}" will take place on {!$Record.Event_Date__c}.

Venue: {!$Record.Venue__r.Name}
Type: {!$Record.Event_Type__c}

We look forward to seeing you!


- EventForce Team
```

4. Choose **View as Plain Text**.
5. Click **Done**.




Now add the email action:


1. Under **3 Days Before**, click the + symbol and choose **Action** from the list.
2. Select **Email Action**.




3. Search for **Send Email** and select it.




4. Enter **Alert_Client_3Day_Reminder** as the Label.




5. Set the Recipient Address List to the **Client Email**.
6. Set the CC Recipient Address List to the **Event Owner**.




7. Under Configure Email Content, select **Compose Email Content**.
8. Set Subject to the **Subject** resource.
9. Set Body to the **Body** resource.



10. Click **Save**.
11. Enter **Client Reminder - 3 Days Before** as the Flow Label, then click **Save** and **Activate**.






Milestone 8: Apex Classes

Activity 1: Update Venue Availability Automatically


Scenario: When an Event is created with a Venue, set the Venue's Availability Status to "Reserved". When the event is cancelled, set it back to "Available".

Create the Apex Class


1. Click the gear icon and select **Developer Console**.



2. Click **File → New → Apex Class**.




3. Name the class **VenueStatusHelper** and click **OK**.



4. Enter the following source code:


```
public with sharing class VenueStatusHelper {
    public static void updateVenueStatus(List<Event__c> events){
        List<Venue__c> venues = new List<Venue__c>();
        for(Event__c ev : events){
            if(ev.Venue__c != null){
                if(ev.Event_Status__c == 'Confirmed'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
                } else if(ev.Event_Status__c == 'Canceled'){
                    venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Available'));
                }
            }
        }
        if(!venues.isEmpty()) update venues;
    }
}
```

5. Save the class with **Ctrl+S**.



Create the Trigger for This Class

1. Click **File → New → Apex Trigger**.




2. Name the trigger **EventTrigger13** and select the object **Event__c**.
3. Click **Submit**.



4. Enter the following trigger code:

```
trigger EventTrigger13 on Event__c (after insert, after update) {
    VenueStatusHelper.updateVenueStatus(Trigger.new);
}
```




Milestone 9: Apex Trigger

Activity 1: Prevent Double Booking

Scenario: Two events must not be booked at the same Venue on the same date.

Create the Apex Trigger

1. Click **File → New → Apex Trigger**.



2. Name the trigger **PreventDoubleBooking** and select the object **Event__c**.
3. Click **Submit**.
4. Enter the following trigger code:


```
trigger PreventDoubleBooking on Event__c (before insert, before update) {

    Set<Id> venueIds = new Set<Id>();
    for(Event__c ev : Trigger.new){
        if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
    }

    Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
    for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
                      FROM Event__c WHERE Venue__c IN :venueIds]){
        if(!venueEventMap.containsKey(e.Venue__c)){
            venueEventMap.put(e.Venue__c, new List<Event__c>());
        }
        venueEventMap.get(e.Venue__c).add(e);
    }

    for(Event__c ev : Trigger.new){
        if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c)){
            for(Event__c existing : venueEventMap.get(ev.Venue__c)){
                if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id){
                    ev.addError('This Venue is already booked on this date.');
                }
            }
        }
    }
}
```

5. Save the trigger with **Ctrl+S**.



Milestone 10: Batchable and Schedulable Asynchronous Apex

Scenario: Every night, mark all past events as Completed.

Step 1: Create the Batch Apex Class

1. Click the gear icon and select **Developer Console**.
2. Click **File → New → Apex Class**.
3. Name the class **BatchCompleteEvents** and click **OK**.
4. Enter the following source code:

```
global class BatchCompleteEvents implements Database.Batchable<sObject> {
  global Database.QueryLocator start(Database.BatchableContext bc){
     return Database.getQueryLocator(
       'SELECT Id, Event_Date__c, Event_Status__c FROM Event__c WHERE Event_Date__c < TODAY AND Event_S
    );
  }
  global void execute(Database.BatchableContext bc, List<Event__c> scope){
    for(Event__c ev : scope){
       ev.Event_Status__c = 'Completed';
    }
    update scope;
  }
  global void finish(Database.BatchableContext bc){
    System.debug('Past events marked as Completed');
  }
}
```

5. Save the class with **Ctrl+S**.


Step 2: Create the Schedulable Class

1. Click the gear icon and select **Developer Console**.
2. Click **File → New → Apex Class**.
3. Name the class **ScheduleCompleteEvents** and click **OK**.
4. Enter the following source code:


```
global class ScheduleCompleteEvents implements Schedulable {
    global void execute(SchedulableContext sc){
        Database.executeBatch(new BatchCompleteEvents(), 200);
    }
}
```

Step 3: Schedule the Batch Job from Setup

1. Click the gear icon and select **Setup**.
2. Type **Apex Classes** in Quick Find and open it.




3. Click the **Schedule Apex** button at the top.



4. Enter the job details: Job Name **Daily Event Completion**; Apex Class **ScheduleCompleteEvents** (the schedulable class you created).

5. Set the schedule: Frequency **Weekly**, Days **all days**, Preferred Start Time **08:00 PM**.
6. Click **Save**. The job is now scheduled.



From now on Salesforce runs BatchCompleteEvents every day at 8 PM and marks past events as Completed.

Phase 3: UI/UX Development & Customization

This phase gives EventForce a simple, user-friendly interface. A custom Lightning App brings every module – Events, Clients, Vendors, Venues and Feedback – together in one workspace. Reports and dashboards were also built to visualize event schedules, vendor performance and client feedback.

Reports such as Upcoming Events by Month support analytical tracking, and the EventForce Operations Dashboard gives a clear, at-a-glance summary of the key business metrics. The result is a responsive, data-driven experience that lets users manage and monitor event operations efficiently through the Lightning interface.

Milestone 11: The Lightning App


What Is an App?

A Salesforce app is a group of tabs that work together as a unit. It has a name, a logo and a defined set of tabs; the simplest apps have just two tabs.


Activity 1: Create a Lightning App

Create the Event Planner Management System app.


1. From Setup, type **App Manager** in Quick Find and select it.




2. Click **New Lightning App** and enter **Event Planner** as the App Name.
3. Upload an image and click **Next**.



4. Under App Options, keep the default selections and click **Next**.
5. Under Utility Items, leave everything as it is and click **Next**.
6. From Available Items, select **Event**, **Client**, **Vendor**, **Venue** and **Feedback**.
7. Also select **Reports** and **Dashboards**, move them all to Selected Items and click **Next**.



8. From Available Profiles, select **System Administrator** and move it to Selected Profiles.
9. Click **Save & Finish**.



To check your work, open the **App Launcher**, type **Event Planner** and select the app.

Note:

- The **App Launcher** lists the apps available to you.
- The **App Name** shows the app that is currently selected.
- The **Navigation menu** shows the tabs available inside the app.


Milestone 12: Reports

Activity 1: Create a Report Folder

1. Click the App Launcher and search for **Reports**.
2. Open the **Reports** tab and click **New Folder**.
3. Enter **EventForce Report** as the Folder Label; the unique name fills in automatically.
4. Click **Save**.

Activity 2: Share the Report Folder

1. In the app, open the **Reports** tab.
2. Click **All Folders**, open the dropdown arrow beside the EventForce Report folder and click **Share**.
3. Share with **Roles**: search for and select **Event Coordinator** and **Vendor Manager**, and give each **Viewer** access.
4. Click **Share**, then **Done**.




Activity 3: Create a Report

Note: before creating a report, add at least 10 records to every object, and fill in every field on each record for the best results.

Report 1: Upcoming Events – Summary by Month

Purpose: see upcoming events and how many fall in each month.

1. Open the App Launcher and click the **Reports** tab.
2. Click **New Report**.
3. Set the Category to **All**, search for **Events** (or **Events with Client & Venue**), select it and click **Start Report**.
4. In the outline pane, add these columns:
   - Event Name
   - Event Date
   - Event Type
   - Client__r.Name
   - Venue__r.Name
   - Event_Budget__c
5. Remove any columns you do not need.
6. Turn on **Update Preview Automatically**.
7. Open Filters and apply:
   - Show Me = All Events
   - Event Date ≥ TODAY (or Next 30 Days)
   - Event Status ≠ Canceled
8. In the Group Rows section, select **Event Date**, open its dropdown and choose **Group by Calendar Month**.
9. Click **Add Summary** and summarize: Row Count (automatic) and **Event_Budget__c → SUM** (total budget per month).
10. Click **Add Chart** and choose:
    - Chart Type: Column or Line
    - X-axis: Event Date (Calendar Month)
    - Y-axis: Row Count or SUM(Event_Budget__c)
11. Click **Save** and name the report **Upcoming Events by Month**.
12. The Report Unique Name fills in automatically.
13. Choose the **EventForce Reports** folder, then click **Save** and **Run**.




Milestone 13: Dashboards

Activity 1: Create a Dashboard

Create the EventForce dashboard.

1. In the EventForce Management System app, open the **Dashboards** tab.
2. Click **New Dashboard**.
3. Name it **EventForce Operations Dashboard**.
4. Click **Create**.
5. Click **+ Widget**.
6. Select the **Upcoming Events by Month** report and configure the widget:
   - Chart: Donut Chart
   - Max Values Displayed: 6
   - Subtitle: Upcoming Events Overview
   - Widget Theme: Light
   - Click **Save**.



Phase 4: Data Migration, Testing & Security

This phase prepares and secures the system for deployment. Validated data was loaded into Salesforce, users were created, and role-based access controls were put in place so that every record is visible only to the right people.

Records for Events, Clients, Vendors, Venues and Feedback were imported with the Data Import Wizard after pre-validation checks to avoid duplicates and keep the data consistent. User accounts were created for the Event Admin, Event Coordinator, Vendor Manager and Client, each with a Profile and Role that match their level of access.

Security was configured through Profiles, the Role Hierarchy, Permission Sets and Sharing Rules. Organization-Wide Defaults (OWD) were set to Private, and controlled access is granted through sharing rules such as Event_Sharing_For_Vendors. Testing then verified data accuracy, automation behavior and user permissions, confirming that EventForce is secure, reliable and ready for real-time business operations.

Milestone 14: Profiles


What Is a Profile?

A profile is a collection of settings and permissions that defines what a user can do in Salesforce. It controls object permissions, field permissions, user permissions, tab settings, app settings, Apex class access, Visualforce page access, page layouts, record types, login hours and login IP ranges.

One profile can be assigned to many users, but each user can have only one profile at a time.

Activity 1: Create the Event Admin Profile

1. From Setup, type **Profiles** in the Quick Find box.
2. Click **New Profile**.




3. For Existing Profile, select **System Administrator**.
4. Enter **Event Admin** as the Profile Name.
5. Click **Save**.

Why use System Administrator as the base?


It already includes Modify All Data, Customize Application and full CRUD access to every object. Cloning it means the Event Admin profile inherits full access automatically. You can remove permissions later if needed, but an Event Admin normally keeps full access.

Activity 2: Create the Event Coordinator Profile


1. From Setup, type **Profiles** in the Quick Find box.
2. Click **New Profile**.
3. For Existing Profile, select **Standard Platform User**.
4. Enter **Event Coordinator** as the Profile Name.
5. Click **Save**.
6. Click **Edit**.



7. Set the Custom App Settings default to **Event Planner**.




8. Scroll down to Custom Object Permissions and grant:
   - Event: Create, Read, Edit, Delete (CRED)
   - Client: Read / Edit
   - Vendor: Read
   - Venue: Read
   - Feedback: Create / Read




9. Set the session timeout to **2 hours of inactivity**.
10. Update the password policies as follows:

11. User passwords expire in: **Never expires**.
12. Minimum password length: **8**. Then click **Save**.



Activity 3: Create the Vendor Manager Profile

1. From Setup, type **Profiles** in the Quick Find box.
2. Click **New Profile**.
3. For Existing Profile, select **Standard Platform User**.
4. Enter **Vendor Manager** as the Profile Name.
5. Click **Save**.
6. Click **Edit**.
7. Set the Custom App Settings default to **Event Planner**.
8. Scroll down to Custom Object Permissions and grant:
   - Vendor: CRED
   - Event: Read Only
   - Venue: Read Only
   - Client: Read Only
   - Feedback: Read Only




9. Set the session timeout to **2 hours of inactivity**.
10. Update the password policies as follows:
11. User passwords expire in: **Never expires**.

12. Minimum password length: **8**. Then click **Save**.

Activity 4: Create the Client Profile

1. From Setup, type **Profiles** in the Quick Find box.
2. Click **New Profile**.
3. For Existing Profile, select **Standard Platform User**.
4. Enter **Client Profile** as the Profile Name.
5. Click **Save**.
6. Click **Edit**.
7. Set the Custom App Settings default to **Event Planner**.
8. Scroll down to Custom Object Permissions and grant:
   - Event: Read Only (their own events)
   - Feedback: Create / Read (so clients can leave feedback)
   - Vendor and Venue: No Access




9. Set the session timeout to **2 hours of inactivity**.
10. Update the password policies as follows:
11. User passwords expire in: **Never expires**.
12. Minimum password length: **8**. Then click **Save**.

Milestone 15: Roles


Roles determine which users can access which data and functions, and they define the reporting hierarchy of the organization. Users higher in the hierarchy get broader access to data and more control over the system.

Activity 1: Create the Event Admin Role


1. Search for **Roles** in the Quick Find box and open it.
2. Select **Set Up Roles**.



3. Click **Expand All**, then click **Add Role** under CEO.



4. Enter **Event Admin** as the Label; the Role Name fills in automatically. Click **Save**.



Activity 2: Create the Event Coordinator Role (under Event Admin)

1. Under Event Admin, click **Add Role**.
2. Enter **Event Coordinator** as the Label; the Role Name fills in automatically.
3. Click **Save**, following the same steps as in the previous activity.

Activity 3: Create the Vendor Manager Role (under Event Admin)

1. Under Event Admin, click **Add Role**.
2. Enter **Vendor Manager** as the Label; the Role Name fills in automatically.
3. Click **Save**, following the same steps as before.

Activity 4: Create the Client Role (under Event Admin)

1. Under Event Admin, click **Add Role**.
2. Enter **Client** as the Label; the Role Name fills in automatically.
3. Click **Save**, following the same steps as before.

Milestone 16: Users

What Is a User?


A user is anyone who logs in to Salesforce – for example sales reps, managers and IT specialists who need access to company records. Every user has an account, and the settings on that account determine which features and records the user can access.

Note: a Developer Org allows only two users to hold a Salesforce license at a time. If no Salesforce license is available, deactivate a user who has one, or change the license type from Salesforce to another


type.

Activity 1: Create a User

1. From Setup, type **Users** in the Quick Find box and select **Users**.
2. Click **New User**.



3. Fill in the fields:
   - First Name: Sizzler
   - Last Name: Jaligam
   - Alias: choose any alias
   - Email: your personal email address
   - Username: must be unique and in the form text@text.text
   - Nickname: choose any nickname
   - Role: Event Admin
   - User License: Salesforce
   - Profile: Event Admin
4. Click **Save**.



Activity 2: Create the Other Users

Repeat the steps above to create the remaining users with these settings:


- Role: Event Coordinator, Vendor Manager and Client (one user each)
- User License: Salesforce Platform
- Profile: Event Coordinator, Vendor Manager and Client (matching each role)

Milestone 17: Permission Sets


A permission set is a collection of settings and permissions that grants access to tools, features and objects without changing the user's profile.

Activity 1: Create a New Permission Set


1. Go to Setup, type **Permission Set** in the quick find box, select **Permission Sets** and click **New**.
2. Enter **Feedback Manager** as the Label.
3. Click **Save**.



4. Add the extra permissions for the Feedback Manager permission set.
5. Open **Object Settings**.
6. Search for the **Feedback** object.
7. Click **Edit** and go to Object Permissions.
8. Enable the **Read, Create, Edit and Delete** permissions.
9. Click **Save**.



10. Click **Manage Assignments**.




11. Click **Add Assignments**.



12. Select the user with the **Event Coordinator** role.

13. Click **Next**, then **Assign**.



Milestone 18: Sharing Settings

Salesforce sharing settings control how records are accessed and shared across the organization. They are essential for data security and privacy, and Salesforce offers several tools for defining and enforcing them.

Organization-Wide Defaults (OWD)


OWD is the baseline level of access that determines what every user can see and do with records. It can be set object by object (Accounts, Contacts, Opportunities and so on). Other sharing mechanisms – role hierarchy, sharing rules, manual sharing and Apex sharing – can then widen that default. The OWD options are:

1. **Private** – only the record owner and users above them in the role hierarchy can view or edit the record; users cannot see each other's records by default.
2. **Public Read Only** – every user can view the records, but only the owner and those above them in the hierarchy can edit them.
3. **Public Read/Write** – every user can view and edit records regardless of ownership, which suits open collaboration.
4. **Controlled by Parent** – used for child objects (such as Tasks or Cases) so that access to a child record follows the sharing settings of its parent record (such as an Account).


Configured properly, OWD ensures the right people reach the right data while sensitive information stays protected.

Activity 1: Configure OWD

1. Go to Setup → **Sharing Settings** and click **Edit**.



2. In Organization-Wide Defaults, select the **Event** object.
3. Click **Edit**, then set both Default Internal Access and Default External Access to **Private** for the Event object.
4. Click **Save**.




Sharing Rules

Sharing rules share records with users based on conditions. They are meant for objects whose OWD is Private or Public Read Only, because sharing rules can only extend access, never restrict it. There are two types:


- Owner-based sharing rules
- Criteria-based sharing rules

Activity 1: Create a Sharing Rule

1. Search for **Sharing Settings** in Quick Find and open it.
2. Scroll down to the **Event** object and click **New** to create a sharing rule.



3. Enter **Event_Sharing_For_Vendors** as the Label.
4. The Rule Name fills in automatically.
5. In step 3, select the records to share: members of **Roles → Event Coordinator**.
6. In step 4, share with **Roles → Vendor Manager**.
7. In step 5, set the access level to **Read Only**.
8. Click **Save**.



Phase 5: Deployment, Documentation & Maintenance

Deployment

Every configuration, customization and automation in EventForce was built and tested inside a Salesforce Developer Edition org. The purpose of this phase is to show how a real CRM solution is prepared for deployment once configuration, testing and security are complete.

A live production deployment was not carried out in this exercise, for these reasons:

- Developer Edition orgs are standalone environments and are not connected to production instances.
- Real deployments rely on sandboxes, change sets or Salesforce DevOps tooling (such as GitHub CI/CD pipelines or Salesforce DX), which belong to enterprise-level implementations.

The phase therefore simulates the deployment process, making sure all metadata – objects, fields, flows, Apex and dashboards – is properly structured, version-controlled and ready to migrate when needed.

Maintenance, Monitoring & Troubleshooting

Maintenance keeps event, client, vendor and feedback data accurate and current. Regularly monitoring flows, Apex jobs and approval processes helps catch problems and failed automations early. Troubleshooting typically involves:

- Resolving user-access errors and permission conflicts.
- Debugging Apex triggers and flow logic.
- Adjusting validation rules or sharing settings as business needs change.

Although this work was done in a Developer Org for academic purposes, these practices mirror real-world CRM administration and support long-term stability, scalability and trust in the Salesforce ecosystem.

Project Documentation

Project documentation is the complete record of EventForce: its purpose, data model, configuration, automation and testing. It shows that business requirements were mapped correctly to Salesforce features, and it supports future scaling, training and maintenance.

The documentation covers:

- Business overview and objectives
- Phase-wise implementation (Requirements → Development → UI → Testing → Security)
- Data model and ER diagram
- Automation components – flows, approval process, validation rules and Apex logic
- Security model – profiles, roles, permission sets and sharing rules
- Testing results and sample screenshots of all Salesforce features

Good documentation is a blueprint for future developers and administrators, promoting consistent development, compliance and smooth knowledge transfer.

Guidelines for the EventForce Salesforce Documentation Submission

General Instructions

1. Submit the documentation in a professional format (Word or PDF).
2. Use clear headings and bullet points so it is easy to read.
3. Keep formatting consistent (for example Times New Roman, 12 pt).
4. Check grammar and alignment, and make sure the content is original (no plagiarism).

Mandatory Sections

1. **Project Overview** – a summary of the EventForce CRM and its purpose.
2. **Objectives** – the main goals and business value.
3. **Phases 1–4** – requirement analysis, backend development, UI customization, data migration and security.

4. **Phase 5** – deployment strategy, maintenance approach and documentation summary.
5. **Conclusion** – project learnings and outcomes.
6. **Screenshots** of objects, flows, validation rules, approval processes and reports.

Guidelines for the EventForce Salesforce Project Demo Video

1. **Introduction** – introduce yourself, the project title and its purpose.
2. **App Overview** – show the custom app in the App Launcher, along with the key objects.
3. **UI Demonstration** – demonstrate record creation, validation rules and navigation.
4. **Automation Showcase** – display the flows, approval process and Apex logic.
5. **Security Setup** – explain profiles, roles, permission sets and sharing rules.
6. **Reports & Dashboards** – show the insights and analytics.
7. **Debugging & Fixes** – describe how issues were identified and resolved.
8. **Conclusion** – summarize the outcomes and what you learned.

Pro Tips

- Speak in your own voice and keep the video between 5 and 10 minutes.
- Record in HD with a clear screen and low background noise.
- Follow a logical order: Introduction → UI → Automation → Security → Reports → Summary.
- Highlight the standout automations, such as the 3-Day Reminder Flow and the Approval Process.

Conclusion

The EventForce Management System shows how Salesforce can streamline and automate event planning through custom objects, automation and analytics. Although it was built in a Developer Org for academic purposes, the project reflects real-world CRM practice by combining a solid data model, automation logic and thoughtful user-experience design.

This final phase completes the project lifecycle: the system is tested, documented and ready for enterprise-level deployment and maintenance.

Thank You!!