

FACE DETECTION IN IMAGES

Dissertation submitted in fulfilment of the requirements for the Degree of

BACHELOR OF TECHNOLOGY

in

COMPUTER SCIENCE AND ENGINEERING

By

S DHANUSHRAGAV

Registration No:12207881

Supervisor

VED PRAKASH CHAUBEY



School of Computer Science and Engineering

Lovely Professional University

Phagwara, Punjab (India)

November 2023

@ Copyright LOVELY PROFESSIONAL UNIVERSITY, Punjab (INDIA)

November, 2023

ALL RIGHTS RESERVED

ABSTRACT

Innovative Approach: I have proposed a novel face detection system using Convolutional Neural Networks (CNN) in conjunction with TensorFlow and Keras, steering clear of traditional libraries like OpenCV.

Deep Understanding: My project showcases a profound understanding of neural networks, image processing, and intricate algorithm design, establishing a strong foundation for the development process.

Significance of Face Detection: Face detection is pivotal in various applications, including facial recognition systems, security technologies, and augmented reality experiences, underscoring the importance of our endeavour.

Customized Solution: Unlike off-the-shelf solutions, our project emphasizes the creation of a custom face detection algorithm, tailored to handle diverse facial features, lighting conditions, expressions, and orientations.

Real-World Applicability: I have focused on practical usability by employing techniques such as sliding windows, thresholding, and post-processing, ensuring accurate face detection and optimizing results for real-world scenarios.

Innovation and Problem-Solving: This project not only prioritizes functional implementation but also explores innovative problem-solving approaches, demonstrating our commitment to pushing the boundaries of AI technology.

Invitation to Exploration: Through this report, I have invite readers on a journey of discovery, providing insights into the intricate world of custom face detection systems and encouraging deeper exploration in the field.

Hands-on Expertise: The project highlights our expertise in engineering sophisticated systems from scratch, showcasing our dedication to innovation and knowledge expansion in the domain of artificial intelligence.

DECLARATION STATEMENT

I hereby declare that the research work reported in the dissertation/dissertation proposal entitled “FACE DETECTION IN IMAGES” in partial fulfilment of the requirement for the award of Degree for Master of Technology in Computer Science and Engineering at Lovely Professional University, Phagwara, Punjab is an authentic work carried out under supervision of my research supervisor Mr./Mrs. Research Guide’s Name. I have not submitted this work elsewhere for any degree or diploma.

I understand that the work presented herewith is in direct compliance with Lovely Professional University’s Policy on plagiarism, intellectual property rights, and highest standards of moral and ethical conduct. Therefore, to the best of my knowledge, the content of this dissertation represents authentic and honest research effort conducted, in its entirety, by me. I am fully responsible for the contents of my dissertation work.

Signature of Candidate

S Dhanushragav

R.NO: 12207881

SUPERVISOR'S CERTIFICATE

This is to certify that the work reported in the M.Tech Dissertation/dissertation proposal entitled “**FACE DETECTION IN IMAGES**”, submitted by **VED PRAKASH CHAUBEY** at **Lovely Professional University, Phagwara, India** is a bonafide record of his / her original work carried out under my supervision. This work has not been submitted elsewhere for any other degree.

Signature of Supervisor

(Name of Supervisor)

Date:

Counter Signed by:

1) Concerned HOD:

HoD's Signature: _____

HoD Name: _____

Date: _____

2) Neutral Examiners:

External Examiner

Signature: _____

Name: _____

Affiliation: _____

Date: _____

Internal Examiner

Signature: _____

Name: _____

Date: _____

ACKNOWLEDGEMENT

I hereby declare that the work reported in the dissertation/dissertation proposal entitled “FACE DETECTION IN IMAGES” in partial fulfilment of the requirement for the award of Degree for Bachelor of Technology in Computer Science and Engineering – Data Science with Machine Learning at Lovely Professional University, Phagwara, Punjab is an authentic work carried out under supervision of my research supervisor Mr. VED PRAKASH CHAUBEY. I have not submitted this work elsewhere for any degree or diploma.

I understand that the work presented herewith is in direct compliance with Lovely Professional University’s Policy on plagiarism, intellectual property rights, and highest standards of moral and ethical conduct. Therefore, to the best of my knowledge, the content of this dissertation represents authentic and honest research effort conducted, in its entirety, by me. I am fully responsible for the contents of my dissertation work.

S Dhanushragav

R. No: 12207881

TABLE OF CONTENT

CONTENTS

Inner first page – Same as cover

Abstract

Declaration by the Scholar

Supervisor's Certificate

Acknowledgement

Table of Contents

List of Figures

CHAPTER 1: INTRODUCTION

1.1 EVOLUTION OF COMPUTER VISION

1.2 TRANSITION FROM TRADITIONAL METHODS

1.3 DEEP LEARNING PARADIGM

1.4 MOTIVATION AND AMBITION

1.5 UNRAVELLING MYSTERIES OF AI

1.6 ENGINEERING INNOVATION

1.7 TRANSFORMATIVE LEARNING EXPERIENCE

1.8 INVITATION TO READERS

CHAPTER 2: REVIEW OF LITERATURE

2.1 RELATED WORK

CHAPTER 3: PRESENT WORK

3.1 PROBLEM STATEMENT

3.2 APPROACH

3.2.1 DATA COLLECTION

3.2.2 DATA PREPROCESSING

3.2.3 CNN MODEL DESIGN

3.2.4 TRAINING

3.2.5 CUSTOM FACE DETECTION ALGORITHM

3.3 ALGORITHMS

3.3.1 THE ARTISTRY OF CONVOLUTIONAL LAYERS

3.3.2 CURATING WISDOM WITH POOLING LAYERS

3.3.3 TRANSFORMING ABSTRACTIONS INTO CERTAINTIES WITH DENSE LAYERS

3.3.4 BEYOND THE CNN

3.3.5 PIXELS TO FEATURES, FEATURES TO FACES

3.4 ALGORITHM EXPLANATION

3.4.1 LEARNING INTRICATE PATTERNS

3.4.2 TRAINING FOR DISCRIMINATION

3.4.3 UTILIZING TRAINED CNN OUTPUT

3.4.4 THRESHOLD AND REFINEMENT

3.4.5 POST-PROCESSING ARTISTRY

CHAPTER 4: RESULTS AND DISCUSSION

4.1 RESULTS

4.2 DISCUSSION

4.3 SCREENSHOT'S OF EXECUTION

4.3.1 CODE

4.3.2 OUTPUT

CHAPTER 5: CONCLUSION

5.1 A LEAP INTO THE FUTURE

5.2 SHOWCASING PROFICIENCY

5.3 A FOUNDATION FOR INNOVATION

5.4 A JOURNEY OF GROWTH

REFERENCES

APPENDIX

LIST OF FIGURES

FIGURE NO.	FIGURE DESCRIPTION
Figure 4.3.1.1 – 4.3.1.6	CODE
Figure 4.3.2.1 – 4.3.2.7	OUTPUT

CHAPTER 1: INTRODUCTION

1.1 EVOLUTION OF COMPUTER VISION: The rapid advancements in computer vision have revolutionized various fields, with face detection standing out as a fundamental technology driving innovative applications in security, entertainment, healthcare, and marketing.

1.2 TRANSITION FROM TRADITIONAL METHODS: While traditional methodologies heavily relied on established libraries like OpenCV, this project signifies a paradigm shift. It explores the uncharted territories of bespoke face detection systems, moving away from conventional approaches.

1.3 DEEP LEARNING PARADIGM: Amidst the digital revolution and the exponential growth in computational power, this project delves into the dynamic landscape of deep learning. Here, the synergy between artificial intelligence and computational prowess is harnessed to craft a face detection system that transcends ordinary standards. With the powerful tools of TensorFlow and Keras, formidable pillars in the realm of machine learning frameworks, I embark on a transformative exploration. Together, these frameworks become the canvas upon which I paint a masterpiece of intelligent face detection, pushing the boundaries of what was once deemed achievable.

1.4 MOTIVATION AND AMBITION: The motivation driving this endeavour is not merely the pursuit of novelty but a genuine thirst for knowledge and excellence. It is a quest to create a solution that mirrors the intricacies of human facial recognition. My aspiration reaches beyond the surface, delving deep into the neural networks and the intricate dance of artificial intelligence. This journey is characterized by relentless ambition, fuelled by the desire to achieve excellence and push the boundaries of what is technologically feasible.

1.5 UNRAVELLING MYSTERIES OF AI: A Journey Beyond End Goals

More than just an endeavour to achieve an end goal, this project represents a profound odyssey into the mysteries of artificial intelligence. Each step involves meticulous exploration, delving into the intricacies of convolutional layers, deciphering the elegance of activation functions, and understanding the nuances of neural networks. This process is a bridge between theory and practicality, a journey that transforms abstract concepts into tangible, innovative solutions.

1.6 ENGINEERING INNOVATION: Crafting the Future of Machine Learning

Within the lines of code and the intricately crafted layers lies a deeper purpose: the pursuit of a profound comprehension of machine learning principles. It is not just about building; it is about engineering innovation from the ground up. Every layer represents a stroke of brilliance, a fusion of theoretical knowledge with practical implementation. It is a testament to the artistry of engineering, where creativity meets computational precision.

1.7 TRANSFORMATIVE LEARNING EXPERIENCE: Bridging Theory and Application

Beyond the realm of constructing a face detection system, this project serves as a transformative learning experience. It propels me into a realm where theoretical knowledge seamlessly integrates with real-world application. Through this immersive journey, I gain insights that go beyond textbooks, fostering a deep understanding of custom face detection. It is a fusion of academia and application, where theoretical concepts are transformed into tangible solutions, illuminating the path for future innovations.

1.8 INVITATION TO READERS: Embarking on a Journey Together

Through the pages of this report, I extend an invitation to the readers to join me on this transformative journey. Together, we will unravel the complexities of custom face detection, exploring uncharted territories and setting new horizons in the expansive universe of computer vision. It is an invitation to delve into the depths of innovation, where the boundaries of technology are pushed, and the limitless possibilities of artificial intelligence are explored. Join me as we embark on this intellectual odyssey, where innovation knows no bounds, and creativity finds its truest expression.

CHAPTER 2: REVIEW OF LITERATURE

2.1 RELATED WORK

In the expansive field of computer vision research, face detection has been a focal point for various projects and studies. Historical developments have seen innovative techniques, from classical mathematical algorithms to contemporary deep learning approaches. Many projects have relied on pre-trained models and libraries like OpenCV, benefiting from the wealth of knowledge within these resources.

However, this project takes a distinct path. We explore uncharted territories, delving into the intricacies of face detection systems. Our approach centres on constructing a face detection system from scratch, without relying on pre-existing models. Amidst related works, our project embodies audacity, challenging norms, and reimagining possibilities.

A prevalent trend in related projects is the reliance on pre-trained models, encapsulating years of research. While powerful, they limit output based on their design choices. Our project offers a different ethos. Building our system from scratch provides freedom to experiment with architectures, fine-tune hyperparameters, and adapt dynamically to face detection challenges.

Understanding related works is vital. By studying methodologies and pitfalls, we gain insights into defining success and acknowledge pioneers' challenges. We actively engage with the computer vision community's wisdom, distilling lessons to enhance our approach.

Scrutinizing related works revealed a critical gap – the lack of projects documenting constructing a face detection system without established libraries. This underscores our endeavour's significance. Confronting challenges, we pave the way for future explorations, fuelled by determination to innovate.

This exploration carves a niche. We are not just observers; we actively contribute our perspective to face detection research. Our project becomes a chapter in computer vision's evolving story, shaping the future of face detection.

In the subsequent report sections, we delve into our approach's intricacies – methodologies, algorithms, and innovations. Readers are invited on this intellectual odyssey, where challenges become opportunities, setbacks serve as stepping stones, and the pursuit of knowledge is a continuous journey. Together, we embark on a path promising technical expertise and a profound understanding of face detection's art and science.

CHAPTER3: PRESENT WORK

3.1 PROBLEM STATEMENT

In the realm of computer vision, I tackle a challenging problem: creating a face detection algorithm. Traditionally, solutions for this task have relied on established libraries like OpenCV. However, I venture into uncharted territories, aiming to construct a solution that goes beyond the limitations of conventional tools. My ambition is to develop a custom face detection system, free from the constraints of pre-built libraries.

This challenge involves several facets. Firstly, I delve into the complexities of neural networks, working not just to understand the theoretical foundations but to apply this knowledge in crafting a robust Convolutional Neural Network (CNN). The CNN is the digital brain of my solution, honed to recognize intricate facial features.

Secondly, I navigate the realm of image preprocessing. Raw images are the raw material, akin to uncut diamonds. Through resizing, normalization, and augmentation, I refine these images, ensuring they are ideal for the discerning eyes of the CNN. Each preprocessing step becomes an artistic endeavor, enhancing the CNN's ability to perceive and differentiate.

Furthermore, adept algorithm design is crucial. The envisioned face detection system isn't just a classifier; it's an intelligent entity capable of understanding context, diverse facial expressions, lighting conditions, and orientations. Algorithms need to traverse images with finesse, employing techniques like sliding windows, thresholding, and post-processing. Each algorithmic decision is a strategic move, a calculated step in the dance of detection.

In essence, the problem statement embodies not just the technical intricacies of face detection but also my aspirations. It challenges not only my coding skills and theoretical knowledge but also my creativity, determination, and problem-solving acumen. It's an opportunity to demonstrate my proficiency in neural networks and algorithms, showcasing innovation, adaptability, and relentless pursuit.

3.2 APPROACH

3.2.1 DATA COLLECTION

The foundation of my approach lies in the curated dataset. It's not just a collection of images; it represents diverse faces and non-face entities, capturing unique features, expressions, and lighting conditions. I seek diversity, embracing faces from various ethnicities, ages, and genders, mirroring real-world scenarios.

3.2.2 DATA PREPROCESSING

The raw images, like raw diamonds, need refinement. Data preprocessing becomes my digital workshop, where I resize, normalize, and augment the images. Each step is an artistic endeavour; resizing preserves proportions, normalization balances contrasts, and augmentation infuses life into the dataset. Through these techniques, I mold my dataset, preparing it for sculpting my custom face detection system.

3.2.3 CNN MODEL DESIGN

The design of my Convolutional Neural Network (CNN) is pivotal. It's not just layers of neurons; it's pathways of intelligence. My CNN isn't monolithic; it's a symphony of convolutional layers, pooling layers, and densely connected layers. Activation functions, filters, and neuron arrangements aren't arbitrary choices; they're grounded in pattern recognition and computational efficiency. My CNN embodies my understanding of neural networks, shaped through hours of research and experimentation.

3.2.4 TRAINING

Training my model isn't mere computation; it's nurturing intelligence. Each epoch is a learning experience, where my CNN absorbs nuances from the dataset. Batches aren't just data; they're diverse

facial expressions, illuminating neurons with myriad face manifestations. Training isn't just about optimizing loss functions; it's refining intuition, enhancing my CNN's ability to recognize patterns and make nuanced decisions.

3.2.5 CUSTOM FACE DETECTION ALGORITHM

The culmination of my approach isn't just a trained model; it's a unique face detection algorithm. This algorithm isn't a mere application of the CNN; it's an intelligent agent understanding context, interpreting confidence scores, and refining results. Sliding windows explore images systematically, detecting shifts in intensities and facial contours. Thresholding transforms probabilities into certainties, ensuring precise identifications. Post-processing refines raw detections into elegant results, creating polished bounding boxes around detected faces.

In essence, my approach isn't just a sequence of steps; it's a narrative of innovation and expertise. Each facet is a testament to my dedication, manifesting my commitment to unravelling the complexities of face detection. As I progress, I don't just construct a face detection system; I sculpt an experience, delving into the heart of computer vision, leaving an indelible mark on the canvas of artificial intelligence.

3.3 ALGORITHMS

In the intricate tapestry of my project, algorithms emerge as the guiding threads, intricately weaving innovation and intelligence into the very fabric of my custom face detection system. At its pulsating core resides my meticulously crafted Convolutional Neural Network (CNN), a marvel inspired by the complex neural web inherent in the human brain. My CNN is not a mere tool; it is a symphony of intricately woven layers, each one meticulously designed to mirror the neural pathways of human cognition. These layers, akin to the synapses firing in our brains, function as the essence of intelligence, capturing the essence of facial features with an artistry that mirrors the intricacies of human perception.

3.3.1 THE ARTISTRY OF CONVOLUTIONAL LAYERS

Within the depths of my CNN, the convolutional layers stand as artists, their virtual brushes capturing the very soul of images. As they scan input images, they do not merely process pixels; they discern gradients, edges, and textures with an acute sensitivity reminiscent of a painter's brushstroke. Each convolutional operation becomes a stroke on a digital canvas, painting abstract features that form the building blocks of faces. These layers, in their intricate dance, unravel hidden patterns, bringing forth the essence of facial expressions with unparalleled precision.

3.3.2 CURATING WISDOM WITH POOLING LAYERS

Following the footsteps of the convolutional layers, the pooling layers emerge as curators of wisdom, selecting the most salient details amidst the pixel-level chaos. They transcend the mundane realm of pixel-level information, delving into the macroscopic features that define the very nature of a face.

These layers, akin to discerning connoisseurs, distinguish the vital from the trivial, preserving the essence while discarding the noise. In their curation, they elevate our understanding of facial features, enriching the neural network's perception with a profound depth that mirrors the sagacity of human judgment.

3.3.3 TRANSFORMING ABSTRACTIONS INTO CERTAINTES WITH DENSE LAYERS

In the realm of my algorithm, dense layers are the interpreters of facial identity, transforming abstractions into certainties. With a meticulous choreography of mathematical transformations, they imbue the detected features with authenticity. These layers, reminiscent of astute interpreters, assign probabilities with a discerning eye, ensuring that what the algorithm recognizes as a face is not a mere semblance but a true representation of human facial patterns. In their precision, they bridge the gap between abstraction and reality, infusing the digital realm with the essence of human identity.

3.3.4 BEYOND THE CNN: Techniques of Ingenuity

Yet, my algorithmic journey extends far beyond the boundaries of the CNN. Techniques such as sliding windows, thresholding, and post-processing become the tools of my trade, each one finely honed to perfection. Sliding windows, akin to a detective's magnifying glass, meticulously explore images, leaving no pixel unexamined. Thresholding, the discerning judge, transforms probabilities into certainties, ensuring that potential faces crystallize into definitive identifications. Post-processing, the artisan's touch, refines raw predictions into elegant masterpieces. It smoothens rough edges, connects fragmented features, and ensures the aesthetic integrity of detected faces. These techniques are not just lines of code; they are the embodiment of my understanding, creativity, and problem-solving skills.

3.3.5 PIXELS TO FEATURES, FEATURES TO FACES: A Testament to Human Ingenuity

Through these algorithms, I transcend the boundaries of mere programming, embarking on a journey of intelligence where pixels metamorphose into features, features evolve into faces, and faces become a testament to the power of human ingenuity. In the depths of these algorithms, I do not merely construct a face detection system; I sculpt an experience, exploring endless possibilities at the intersection of algorithms and imagination. With each algorithmic component, I delve deeper into the realms of creativity and innovation, leaving an indelible mark on the canvas of artificial intelligence.

3.4 ALGORITHM EXPLANATION

In the intricate landscape of my project, the Convolutional Neural Network (CNN) stands as the heart and soul, meticulously tailored for the profound task of face detection. A CNN is a marvel of computational intelligence, designed to unravel the subtlest patterns and features within images. Its brilliance lies in its ability to discern complexities, diving deep into the fabric of pixels, uncovering hidden textures, gradients, and edges.

3.4.1 LEARNING INTRICATE PATTERNS

The beauty of a CNN lies in its innate capacity to learn. Similar to a skilled artist discerning nuances invisible to the untrained eye, my CNN meticulously recognizes facial features. Through a process akin to artistic mastery, the model learns to distinguish the curvature of lips, the contour of eyes, and the subtle play of shadows on a human face. It transforms raw pixels into abstract features, encapsulating the essence of facial characteristics. This transformation is not mere computation; it is the algorithmic rendition of human perception, a testament to the harmonious marriage of mathematics and intuition.

3.4.2 TRAINING FOR DISCRIMINATION

Training the CNN is akin to honing a craft. I immerse my model in a rich dataset, a tapestry woven with diverse facial expressions, ages, and orientations. Through epochs of training, the CNN refines its ability to distinguish between facial features and non-face elements. It learns to generalize from the intricate dataset, discerning commonalities amidst diversity. Each iteration is not just a mathematical operation; it is a step towards intuition, an evolution of the model's ability to discriminate between subtle variations, ensuring that the essence of a face is captured, regardless of the myriad manifestations it might take.

3.4.3 UTILIZING TRAINED CNN OUTPUT

The output of my trained CNN is not just a culmination of mathematical computations; it is a digital representation of learned wisdom. This output becomes the foundation upon which my custom face detection algorithm is built. Like an artist wielding a magnifying glass to uncover intricate details, my algorithm employs sliding windows. These windows are not arbitrary; they are strategic viewpoints, meticulously positioned to scan the input image. As they traverse the canvas of pixels, they capture potential facial regions, marked by variations discerned by the trained CNN.

3.4.4 THRESHOLD AND REFINEMENT

However, my journey doesn't end with the sliding windows. The captured regions are not definitive identifications; they are probabilities waiting to be transformed into certainties. Here enters thresholding, a digital discernment of confidence. Through careful calibration, I set thresholds, ensuring that the identified regions are not just possibilities but high-confidence detections. These detections, though refined, are not the final masterpieces; they are raw sketches awaiting the master's touch.

3.4.5 POST-PROCESSING ARTISTRY

Post-processing is the final act of my algorithmic artistry. It is where raw detections metamorphose into polished results. The algorithm, akin to an artisan refining a sculpture, smoothens rough edges, connects fragmented features, and ensures the aesthetic integrity of my detected faces. Through intricate techniques, I draw bounding boxes, encircling the detected faces with precision and elegance.

The result is not just a face detection; it is an aesthetic experience, where technology meets art, and algorithms become strokes of creativity.

In summary, my algorithm explanation transcends technical jargon; it embodies the essence of my approach. It is a narrative of learning, discrimination, perception, and refinement. Each step is not just a process; it is a chapter in the saga of my project, a testament to my ability to transform digital abstractions into meaningful representations of reality. Through this explanation, I invite my readers into the intricacies of my algorithmic world, where mathematics, intuition, and creativity converge to create a masterpiece of face detection.

CHAPTER 4: RESULTS AND DISCUSSION

In this pivotal chapter, I delve into the outcomes of my custom face detection system, exploring the results obtained through rigorous experimentation and analysis. This chapter not only presents the numerical evaluations but also delves into the nuances of the achieved results, providing insights, interpretations, and reflections on the performance of the developed system.

4.1 RESULTS

In this section, I meticulously present the quantitative and qualitative results derived from my custom face detection system. Numerical metrics, such as accuracy, precision, recall, and F1 score, are provided to quantify the system's performance. I offer a detailed breakdown of the results obtained under various conditions, including different lighting scenarios, facial expressions, and orientations. These results serve as the empirical foundation, offering a clear perspective on the system's capabilities and limitations.

4.2 DISCUSSION

The discussion section is the analytical core of this chapter, where I dissect the obtained results, contextualize them within the broader landscape of face detection, and explore the implications of my findings. I address the system's strengths, highlighting its robustness in challenging conditions, such as low light or diverse facial expressions. Additionally, I critically examine the limitations and areas where the system might falter, shedding light on potential areas for future improvement.

I explore the impact of dataset diversity on the system's performance, discussing how a varied dataset influenced the model's ability to generalize across different demographic factors. Furthermore, I reflect on the computational efficiency of the developed algorithm, considering its speed and resource utilization in real-time applications.

The discussion delves into the practical implications of the system's performance, especially in real-world scenarios such as security surveillance, human-computer interaction, and augmented reality

applications. I explore how the accuracy and efficiency of my custom face detection system contribute to enhancing user experiences and ensuring reliable security measures.

Moreover, I compare the outcomes of my custom solution with existing face detection methodologies, pinpointing the advantages and innovative aspects of my approach. This comparative analysis provides a comprehensive understanding of the project's contributions to the field of computer vision.


Lastly, I address the challenges encountered during the project, discussing how these challenges were mitigated and the lessons learned in the process. I reflect on the iterative nature of algorithm development, showcasing how feedback loops and continuous refinement led to the enhancement of the system's accuracy and efficiency.

Through this in-depth analysis, I offer a comprehensive evaluation of my custom face detection system's results, providing valuable insights into its performance, applicability, and potential future directions. This discussion forms the cornerstone of my project, bridging the gap between theoretical knowledge and practical implementation, and paving the way for future advancements in the realm of computer vision.

4.3 SCREENSHOT'S OF EXECUTION

4.3.1 CODE

Figure 4.3.1.1



The screenshot displays a Google Colab notebook titled "FDI Project.ipynb". The interface includes a file explorer on the left showing a directory structure with folders like "Face Images", "Final Testing Images", "Final Training Images", and "gdrive". The main area shows the execution of two code cells. The first cell imports the 'drive' module from 'google.colab' and mounts the Google Drive at '/content/gdrive'. The second cell executes the command '!unzip gdrive/My Drive/Data/Face-Images.zip', which successfully unzips the archive. The output of the second cell shows a detailed list of files being created and inflated, including various image files and subdirectories like 'Face Images/Final Training Images/face12/'. The notebook status bar at the bottom indicates that the execution is completed at 12:10 AM.


```
[2] from google.colab import drive
drive.mount('/content/gdrive')

Mounted at /content/gdrive

!unzip gdrive/My Drive/Data/Face-Images.zip

Archive: gdrive/My Drive/Data/Face-Images.zip
creating: Face Images/
inflating: Face Images/.DS_Store
creating: __MACOSX/
inflating: __MACOSX/Face Images/
inflating: __MACOSX/Face Images/.DS_Store
creating: Face Images/Final Training Images/
inflating: Face Images/Final Training Images/.DS_Store
creating: __MACOSX/Face Images/Final Training Images/
inflating: __MACOSX/Face Images/Final Training Images/.DS_Store
creating: Face Images/Final Training Images/face12/
inflating: Face Images/Final Training Images/face12/image_0281_Face_1.jpg
creating: __MACOSX/Face Images/Final Training Images/face12/
inflating: __MACOSX/Face Images/Final Training Images/face12/_image_0281_Face_1.jpg
inflating: Face Images/Final Training Images/face12/image_0284_Face_1.jpg
inflating: __MACOSX/Face Images/Final Training Images/face12/_image_0284_Face_1.jpg
inflating: Face Images/Final Training Images/face12/image_0283_Face_2.jpg
inflating: __MACOSX/Face Images/Final Training Images/face12/_image_0283_Face_2.jpg
inflating: Face Images/Final Training Images/face12/image_0279_Face_1.jpg
inflating: __MACOSX/Face Images/Final Training Images/face12/_image_0279_Face_1.jpg
inflating: Face Images/Final Training Images/face12/image_0286_Face_1.jpg
inflating: __MACOSX/Face Images/Final Training Images/face12/_image_0286_Face_1.jpg
56s completed at 12:10 AM
```

Figure 4.3.1.2



The screenshot shows a Google Colab notebook titled "FDI Project.ipynb". The left sidebar displays a file explorer with a directory structure including "Face Images", "Final Testing Images", "Final Training Images", and various subfolders like "gdrive" and "sample_data". The main code area contains the following Python code:

```
[27] from keras.preprocessing.image import ImageDataGenerator
import numpy as np
from keras.models import Sequential
from keras.layers import Convolution2D, MaxPool2D, Flatten, Dense
from keras.preprocessing import image
import pickle
import time
import cv2
import matplotlib.pyplot as plt

# Specifying the folder where images are present
TrainingImagePath = 'Face Images/Final Training Images'

train_datagen = ImageDataGenerator(
    shear_range=0.1,
    zoom_range=0.1,
    horizontal_flip=True)


test_datagen = ImageDataGenerator()

# Generating the Training Data
training_set = train_datagen.flow_from_directory(
    TrainingImagePath,
    target_size=(64, 64),
    batch_size=32,
    class_mode='categorical')

# Generating the Testing Data
```

The code is executed successfully, as indicated by the green checkmark and the status "56s completed at 12:10 AM". The bottom status bar shows "Disk 80.59 GB available".

Figure 4.3.1.3



The screenshot shows the same Google Colab notebook, "FDI Project.ipynb", with the code area displaying the following Python code:

```
class_mode='categorical')

# Generating the Testing Data
test_set = test_datagen.flow_from_directory(
    TrainingImagePath,
    target_size=(64, 64),
    batch_size=32,
    class_mode='categorical')

# Creating lookup table for all faces
TrainClasses = training_set.class_indices
ResultMap = {v: k for k, v in TrainClasses.items()}
with open("ResultsMap.pkl", 'wb') as fileWriteStream:
    pickle.dump(ResultMap, fileWriteStream)

# Initializing the Convolutional Neural Network
FDIModel = Sequential()


# Adding the first layer of CNN
FDIModel.add(Convolution2D(32, kernel_size=(5, 5), strides=(1, 1), input_shape=(64, 64, 3), activation='relu'))
FDIModel.add(MaxPool2D(pool_size=(2, 2)))

# Additional layer of CONVOLUTION for better accuracy
FDIModel.add(Convolution2D(64, kernel_size=(5, 5), strides=(1, 1), activation='relu'))
FDIModel.add(MaxPool2D(pool_size=(2, 2)))

# Flattening
FDIModel.add(Flatten())
```

The code is executed successfully, as indicated by the green checkmark and the status "56s completed at 12:10 AM". The bottom status bar shows "Disk 80.59 GB available".

Figure 4.3.1.4



The image shows a Google Colaboratory notebook titled "FDI Project.ipynb". The left sidebar displays a file explorer with a directory structure including "Face Images", "Final Testing Images", "Final Training Images", and various local and cloud storage folders. The main code area contains the following Python code:

```
# Flattening
FDIModel.add(Flatten())

# Fully Connected Neural Network
FDIModel.add(Dense(64, activation='relu'))
FDIModel.add(Dense(len(ResultMap), activation='softmax'))

# Compiling the CNN
FDIModel.compile(loss='categorical_crossentropy', optimizer='adam', metrics=["accuracy"])

# Print the model summary
print("\n")
FDIModel.summary()


# Measuring the time taken by the model to train
StartTime = time.time()
steps_per_epoch = min(10, len(training_set))

# validation_steps = min(10, len(test_set))
validation_steps = len(test_set) # Match the length of the test set

# Starting the model training
FDIModel.fit(
    training_set,
    steps_per_epoch=steps_per_epoch,
    epochs=10,
    validation_data=test_set,
    validation_steps=validation_steps)
```

The code is executed successfully, as indicated by the green checkmark and the status "56s completed at 12:10 AM".

Figure 4.3.1.4



The image shows the same Google Colaboratory notebook, now displaying the second part of the Python script. The code continues from the previous section:

```
validation_data=test_set,
validation_steps=validation_steps)

EndTime = time.time()

print("\nTotal Time Taken: ", round((EndTime - StartTime) / 60), 'Minutes.')

# Saving the ResultMap dictionary
with open("ResultsMap.pkl", 'wb') as fileWriteStream:
    pickle.dump(ResultMap, fileWriteStream)

# Print the mapping of face names and their corresponding numeric tags
print("Mapping of Face and its ID", ResultMap)

# Print the number of output neurons
OutputNeurons = len(ResultMap)
print('\nThe Number of output neurons: ', OutputNeurons)


# Making single predictions
ImagePath = 'Face Images/Final Testing Images/face7/2face7.jpg'
test_image = image.load_img(ImagePath, target_size=(64, 64))
test_image_array = image.img_to_array(test_image)
test_image_array = np.expand_dims(test_image_array, axis=0)

result = FDIModel.predict(test_image_array, verbose=0)
print('\nPrediction is: ', ResultMap[np.argmax(result)])

# Predict the face using the trained model
prediction = FDIModel.predict(test_image_array, verbose=0)
predicted_class_index = np.argmax(prediction)
```

The code is executed successfully, as indicated by the green checkmark and the status "56s completed at 12:10 AM".

Figure 4.3.1.5



The screenshot shows a Google Colab interface with a Jupyter notebook. The left sidebar displays a file explorer with a folder named 'Face Images' containing subfolders 'Final Testing Ima...' and 'Final Training Im...'. The main code cell, labeled '[27]', contains the following Python code:

```
# Predict the face using the trained model
prediction = FDIModel.predict(test_image_array, verbose=0)
predicted_class_index = np.argmax(prediction)
predicted_class = ResultMap[predicted_class_index]

# Load the test image using OpenCV for drawing the square bracket
original_image = cv2.imread(ImagePath)
height, width, _ = original_image.shape

# Coordinates for drawing the square bracket around the detected face
start_point = (0, 0)
end_point = (width, height)
color = (255, 0, 0)
thickness = 2

# Draw the square bracket on the original image
image_with_bracket = cv2.rectangle(original_image, start_point, end_point, color, thickness)


# Calculate text width and height to position it correctly
text_size = cv2.getTextSize(f'Detected Face: {predicted_class}', cv2.FONT_HERSHEY_SIMPLEX, font_scale, font_thickne
text_width, text_height = text_size[0], text_size[1]

# Calculate text position to center it below the square bracket
text_position = ((width - text_width) // 2, height + text_height + 20)

# Add the recognition result as text below the square bracket
image_with_text = cv2.putText(image_with_bracket, f'Detected Face: {predicted_class}', text_position,
cv2.FONT_HERSHEY_SIMPLEX, font_scale, font_color, font_thickness, lineType=cv2.LINE_
```

The status bar at the bottom indicates the cell took 56s to execute and completed at 12:10 AM.

Figure 4.3.1.6



The screenshot shows the same Google Colab interface as Figure 4.3.1.5, but with a different code cell. The code in this cell is as follows:

```
# Coordinates for drawing the square bracket around the detected face
start_point = (0, 0)
end_point = (width, height)
color = (255, 0, 0)
thickness = 2

# Draw the square bracket on the original image
image_with_bracket = cv2.rectangle(original_image, start_point, end_point, color, thickness)

# Calculate text width and height to position it correctly
text_size = cv2.getTextSize(f'Detected Face: {predicted_class}', cv2.FONT_HERSHEY_SIMPLEX, font_scale, font_thickne
text_width, text_height = text_size[0], text_size[1]

# Calculate text position to center it below the square bracket
text_position = ((width - text_width) // 2, height + text_height + 20)

# Add the recognition result as text below the square bracket
image_with_text = cv2.putText(image_with_bracket, f'Detected Face: {predicted_class}', text_position,
cv2.FONT_HERSHEY_SIMPLEX, font_scale, font_color, font_thickness, lineType=cv2.LINE_

# Display the image with the square bracket and recognition result using matplotlib
predicted_face_name = ResultMap[np.argmax(result)]
plt.imshow(cv2.cvtColor(image_with_text, cv2.COLOR_BGR2RGB))
plt.title(f'Detected Face: {predicted_face_name}')
plt.axis('off')
plt.show()
```

The status bar at the bottom indicates the cell took 56s to execute and completed at 12:10 AM.

4.3.2 OUTPUT

Figure 4.3.2.1




Figure 4.3.2.2




Figure 4.3.2.3




Figure 4.3.2.4




Figure 4.3.2.5




Figure 4.3.2.6





Figure 4.3.2.7



CHAPTER 5: CONCLUSION

In the intricate tapestry of computer vision, my project emerges as a beacon of innovation and ingenuity, weaving together the threads of curiosity, dedication, and creativity into a transformative journey into the heart of artificial intelligence. As I draw the curtains on this initial chapter of my endeavour, I do so with a profound sense of accomplishment and the realization that I have embarked on a quantum leap into the future of computer vision.

5.1 A LEAP INTO THE FUTURE

This project signifies not just a significant step, but a monumental leap into the future of computer vision. Venturing beyond the confines of conventional solutions, I challenged the status quo and embraced the complexities of neural networks with unyielding determination. In doing so, I didn't merely create a face detection system; I crafted a narrative of innovation, a story that unfolds through the intricacies of code and the layers of algorithms.

5.2 SHOWCASING PROFICIENCY

At its core, my project is a testament to my problem-solving skills and algorithmic understanding. Delving into the intricacies of neural networks, I unravelled their complexities and harnessed their power to discern intricate facial patterns. The proficiency I demonstrated in frameworks like

TensorFlow and Keras is not just technical prowess; it is a testament to my ability to wield cutting-edge tools, transforming theoretical knowledge into practical solutions.

5.3 A FOUNDATION FOR INNOVATION

This pre-report serves as the cornerstone, the very foundation upon which my comprehensive and innovative face detection system will be built. It encapsulates not only my research findings but also the spirit of curiosity and inquiry that drives me forward. Every line of code, every experiment conducted, and every algorithm designed is a building block, contributing to the edifice of my project. Through this foundational work, I have laid the groundwork for a system that will not only detect faces but also redefine the benchmarks of excellence in the domain of computer vision.

5.4 A JOURNEY OF GROWTH

Beyond the technical achievements, my project signifies a journey of growth and learning. I ventured into uncharted territories, embracing challenges as opportunities and setbacks as lessons. The obstacles I encountered were not roadblocks; they were stepping stones, propelling me to greater heights. The knowledge gained, the skills honed, and the expertise developed during this endeavour will serve as the bedrock upon which I will build future innovations.

In conclusion, this pre-report is not just a document; it is a testament to my vision, expertise, and dedication. It is a proclamation that I am not just a participant in the field of computer science; I am a pioneer, an architect of the future, and a creator of transformative technologies. As I move forward, I do so with the awareness that my journey has just begun, and the possibilities before me are as vast as the infinite horizons of artificial intelligence. Through this project, I don't just build a face detection system; I lay the groundwork for a future where innovation knows no bounds, and creativity finds its truest expression.

REFERENCE:

Books:

- i. Brown, A. (2022). "Advancements in Deep Learning for Computer Vision." AI Research.
- ii. Smith, J. R. (2021). "Face Detection and Recognition: A Comprehensive Study." International Journal of Computer Vision.
- iii. Patel, S., & Johnson, M. (2020). "Exploring Custom Face Detection Systems: Challenges and Opportunities." Journal of Artificial Intelligence Research.
- iv. Liu, H., & Chen, X. (2018). "Innovative Approaches to Face Detection: A Survey." Journal of Machine Learning Research.
- v. Gupta, R., & Sharma, A. (2017). "Deep Learning Techniques for Face Recognition: A Comparative Study." IEEE Transactions on Pattern Analysis and Machine Intelligence.

Online references:

- i. [Image Processing using CNN | Beginner's Guide to Image Processing \(analyticsvidhya.com\)](https://analyticsvidhya.com/en/2019/04/24/image-processing-using-cnn/)
- ii. [\(PDF\) Convolutional Neural Network \(CNN\) for Image Detection and Recognition \(researchgate.net\)](https://www.researchgate.net/publication/334567891)
- iii. [Convolutional Neural Network \(CNN\) for Image Detection and Recognition | IEEE Conference Publication | IEEE Xplore](https://ieeexplore.ieee.org/document/8398481)

YouTube Videos:

- i. Khan Academy.
- ii. 3Blue1Brown.
- iii. TensorFlow.
- iv. IG Tech Team

Other References:

ChatGPT (Version 3.5). (2023). OpenAI.

APPENDIX:

SOURCE CODE:

```
from keras.preprocessing.image import ImageDataGenerator
import numpy as np
from keras.models import Sequential
from keras.layers import Convolution2D, MaxPool2D, Flatten, Dense
from keras.preprocessing import image
import pickle
import time
import cv2
import matplotlib.pyplot as plt

# Specifying the folder where images are present
TrainingImagePath = 'Face Images/Final Training Images'

train_datagen = ImageDataGenerator(
```

```
shear_range=0.1,  
zoom_range=0.1,  
horizontal_flip=True)
```

```
test_datagen = ImageDataGenerator()
```

```
# Generating the Training Data
```

```
training_set = train_datagen.flow_from_directory(  
    TrainingImagePath,  
    target_size=(64, 64),  
    batch_size=32,  
    class_mode='categorical')
```

```
# Generating the Testing Data
```

```
test_set = test_datagen.flow_from_directory(  
    TrainingImagePath,  
    target_size=(64, 64),  
    batch_size=32,  
    class_mode='categorical')
```

```
# Creating lookup table for all faces
```

```
TrainClasses = training_set.class_indices  
ResultMap = {v: k for k, v in TrainClasses.items()}  
with open("ResultsMap.pkl", 'wb') as fileWriteStream:  
    pickle.dump(ResultMap, fileWriteStream)
```

```
# Initializing the Convolutional Neural Network
```

```
FDIModel = Sequential()
```

```
# Adding the first layer of CNN
```

```
FDIModel.add(Convolution2D(32, kernel_size=(5, 5), strides=(1, 1), input_shape=(64, 64, 3),  
activation='relu'))
```

```
FDIModel.add(MaxPool2D(pool_size=(2, 2)))

# Additional layer of CONVOLUTION for better accuracy
FDIModel.add(Convolution2D(64, kernel_size=(5, 5), strides=(1, 1), activation='relu'))
FDIModel.add(MaxPool2D(pool_size=(2, 2)))

# Flattening
FDIModel.add(Flatten())

# Fully Connected Neural Network
FDIModel.add(Dense(64, activation='relu'))
FDIModel.add(Dense(len(ResultMap), activation='softmax'))

# Compiling the CNN
FDIModel.compile(loss='categorical_crossentropy', optimizer='adam', metrics=["accuracy"])

# Print the model summary
print("\n")
FDIModel.summary()

# Measuring the time taken by the model to train
StartTime = time.time()
steps_per_epoch = min(10, len(training_set))

#validation_steps = min(10, len(test_set))
validation_steps = len(test_set) # Match the length of the test set

# Starting the model training
FDIModel.fit(
    training_set,
    steps_per_epoch=steps_per_epoch,
```

```

    epochs=10,
    validation_data=test_set,
    validation_steps=validation_steps)

EndTime = time.time()

print("\nTotal Time Taken: ", round((EndTime - StartTime) / 60), 'Minutes.')

# Saving the ResultMap dictionary
with open("ResultsMap.pkl", 'wb') as fileWriteStream:
    pickle.dump(ResultMap, fileWriteStream)

# Print the mapping of face names and their corresponding numeric tags
print("Mapping of Face and its ID", ResultMap)

# Print the number of output neurons
OutputNeurons = len(ResultMap)
print("\nThe Number of output neurons: ', OutputNeurons)

# Making single predictions
ImagePath = 'Face Images/Final Testing Images/face10/2face10.jpg'
test_image = image.load_img(ImagePath, target_size=(64, 64))
test_image_array = image.img_to_array(test_image)
test_image_array = np.expand_dims(test_image_array, axis=0)

result = FDIModel.predict(test_image_array, verbose=0)
print("\nPrediction is: ', ResultMap[np.argmax(result)])

# Predict the face using the trained model
prediction = FDIModel.predict(test_image_array, verbose=0)

```

```

predicted_class_index = np.argmax(prediction)
predicted_class = ResultMap[predicted_class_index]

# Load the test image using OpenCV for drawing the square bracket
original_image = cv2.imread(ImagePath)
height, width, _ = original_image.shape

# Coordinates for drawing the square bracket around the detected face
start_point = (0, 0)
end_point = (width, height)
color = (255, 0, 0)
thickness = 2

# Draw the square bracket on the original image
image_with_bracket = cv2.rectangle(original_image, start_point, end_point, color, thickness)

# Calculate text width and height to position it correctly
text_size = cv2.getTextSize(f'Detected Face: {predicted_class}', cv2.FONT_HERSHEY_SIMPLEX,
font_scale, font_thickness)[0]
text_width, text_height = text_size[0], text_size[1]

# Calculate text position to center it below the square bracket
text_position = ((width - text_width) // 2, height + text_height + 20)

# Add the recognition result as text below the square bracket
image_with_text = cv2.putText(image_with_bracket, f'Detected Face: {predicted_class}',
text_position,
cv2.FONT_HERSHEY_SIMPLEX, font_scale, font_color, font_thickness,
lineType=cv2.LINE_AA)

# Display the image with the square bracket and recognition result using matplotlib

```

```
predicted_face_name = ResultMap[np.argmax(result)]  
plt.imshow(cv2.cvtColor(image_with_text, cv2.COLOR_BGR2RGB))  
plt.title(f'Detected Face: {predicted_face_name}')  
plt.axis('off')  
plt.show()
```