


CV.11

WWW(apache), Proxy(squid),(opakovanie DHCP,DNS, LOG, SSH)

PortForward: 22,53,80,443,3128



DHCP

- statická adresa servera 192.168.1.1/24 (přidat DNS1=192.168.1.1)
 - Virtuální adaptér eth1:0 192.168.1.100
 - nepovinné .. Přidat rozhraní eth1 do /etc/sysconfig/dhcpd
- /etc/dhcpd.conf
 - doména „localdomain“,
 - rozsah adres 192.168.1.128-192.168.1.254

DNS

- Doména „localdomain“
 - autoritatívna zóna /var/named/localdomain (zóna localdomain)
 - SOA, A, AAAA, NS, MX, CNAME
 - reverzná zóna /var/named/192.168.1 (zóna 1.168.192.in-addr.arpa)
 - SOA, PTR, NS
- Záznamy
 - autoritatívna zóna:

• www1.localdomain 192.168.1.1	nst2.localdomain 192.168.1.254
• www2.localdomain 192.168.1.1	nst3.localdomain 192.168.1.253
• www3.localdomain 192.168.1.100	nst1.localdomain 192.168.1.1
 - reverzná zóna:
 - 192.168.1.1, 192.168.1.100 nst1.localdomain, www3.localdomain 254,253 –nst2,3

RSYSLOG

- *.* do /dev/console
- Xming – xconsole (vbox – NAT – portforward 22)

PROXY (squid)

- Port 3128 (vbox NAT portforward 3128)
- `squid -z` , vytvorí adresárovú štruktúru pre cache
- *service squid start*

WWW apache2

- /etc/httpd/conf/httpd.conf
- Riadok 165 -> Listen 80
- Riadok 363-365 -> zakomentovat (vypnut autentifikáciu)
- Name Based, IP based webserver (Sekcia 3 (riadok 1131))
- HTTPS (port 443) /etc/httpd/conf.d/ssl.conf
- <https://certbot.eff.org/> (<http://letsencrypt.org>) – potrebuje verejnú IP, dns môže byť ddns napr. <https://www.duckdns.org/>

SSH

- Tunel Xforwarding
- Tunel 221 na 192.168.1.254:22
- Prípadne porty 80,443 pre http, https

Tools ... tar,wget, html formuláre, cgi skripty

- <https://deja-vix.sk/sysadmin/proxy.html>
- <https://tech.david-cheong.com/blocking-ads-using-squid-proxy-server/>