

EXPERIMENT- 9


1.

Dataset

```
inventory <- data.frame(  
  ProductID = c(1,2,3),  
  ProductName = c("Product A","Product B","Product C"),  
  Quantity = c(250,175,300),  
  Price = c(20,15,18)  
)
```

Bar Chart

```
barplot(inventory$Quantity,  
  names.arg = inventory$ProductName,  
  col = c("red","green","blue"),  
  main = "Quantity of Products in Inventory",  
  xlab = "Products",  
  ylab = "Quantity Available")
```



2.

Dataset


```
inventory <- data.frame(  
  ProductName = c("Product A","Product B","Product C"),  
  Category = c("Category 1","Category 1","Category 2"),  
  Quantity = c(250,175,300)  
)
```

Create Matrix

```
table_data <- xtabs(Quantity ~ Category + ProductName, data = inventory)
```

Stacked Bar Chart

```
barplot(table_data,  
  col = c("orange","skyblue"),  
  main = "Quantity by Product Category",  
  xlab = "Products",  
  ylab = "Quantity",  
  legend = rownames(table_data))
```




3.

Dataset

```
inventory <- data.frame(  
  ProductID = c(1,2,3),  
  ProductName = c("Product A","Product B","Product C"),  
  Quantity = c(250,175,300),  
  Price = c(20,15,18)  
)
```

Display Table

```
print(inventory)
```



4.

