

EXPERIMENT- 13

1.


```
month <- c("Jan", "Feb", "Mar", "Apr", "May", "Jun")
```

```
sales <- c(12000, 15000, 18000, 17000, 20000, 22000)
```

```
plot(sales,  
     type = "o",  
     xaxt = "n",  
     col = "blue",  
     pch = 16,  
     xlab = "Month",  
     ylab = "Sales",  
     main = "Monthly Sales Trend")
```

```
axis(1, at = 1:6, labels = month)
```

```
grid()
```



2.

```
install.packages("maps")
```


```
library(maps)
```

```
map("world",
```

```
    col = "lightblue",
```


```
    fill = TRUE)
```

```
title("World Map")
```



3.

```
sales_data <- data.frame(  
  Month = c("Jan", "Feb", "Mar", "Apr", "May", "Jun"),  
  Sales = c(12000, 15000, 18000, 17000, 20000, 22000)  
)  
  
print(sales_data)
```



4.

Geographic Data


The distribution of cities on a geographic map



© 2026 Mapbox © OpenStreetMap

2 unknown

Average Temperature vs Population



Geographic Data Table

City	
Chennai	5,00,000
	75
	1,000
Delhi	6,00,000
	80
	1,200
Mumbai	7,00,000
	68
	800