

EXPERIMENT- 16

```
1. date <- as.Date(c("2023-01-01", "2023-01-02", "2023-01-03"))
```


```
stock_a <- c(100, 105, 110)
```

```
stock_b <- c(150, 152, 148)
```

```
stock_c <- c(120, 118, 122)
```

```
matplot(date,  
         cbind(stock_a, stock_b, stock_c),  
         type = "o",  
         pch = 16,  
         col = c("blue", "red", "green"),  
         xlab = "Date",  
         ylab = "Stock Price",  
         main = "Stock Prices")
```

```
legend("topleft",  
       legend = c("Stock A", "Stock B", "Stock C"),  
       col = c("blue", "red", "green"),  
       lty = 1,  
       pch = 16)
```



2. `date <- c("2023-01-02", "2023-01-03")`

`stock_a <- c(100, 105, 110)`

`percentage_change <- c(`

`(105 - 100) / 100 * 100,`

`(110 - 105) / 105 * 100`

`)`

`barplot(percentage_change,`


`names.arg = date,`

`col = "skyblue",`

`xlab = "Date",`

`ylab = "Percentage Change (%)",`


`main = "Daily Percentage Change in Stock A")`




```

3. stock_data <- data.frame(
  Date = c("2023-01-01", "2023-01-02", "2023-01-03"),
  Stock_A = c(100, 105, 110),
  Stock_B = c(150, 152, 148),
  Stock_C = c(120, 118, 122))
print(stock_data)

```



4.



1 null