


EXPERIMENT- 20

```
13.product <- c("Product A", "Product B", "Product C", "Product D", "Product E")  
quantity <- c(250, 175, 300, 200, 220)
```

```
barplot(quantity,  
  names.arg = product,  
  col = "skyblue",  
  xlab = "Products",  
  ylab = "Quantity Available",  
  main = "Product Inventory")
```




```

14.category_data <- matrix(
  c(120, 80, 150,
    130, 95, 150),
  nrow = 2,
  byrow = TRUE
)

colnames(category_data) <- c("Product A", "Product B", "Product C")
rownames(category_data) <- c("Category 1", "Category 2")

barplot(category_data,
  beside = FALSE,
  col = c("skyblue", "orange"),
  legend = rownames(category_data),
  xlab = "Products",
  ylab = "Quantity",
  main = "Product Quantity by Category")


```



```
16.price <- c(20, 15, 18, 25, 22)
quantity <- c(250, 175, 300, 200, 220)
```

```
plot(price,
      quantity,
      pch = 19,
      col = "red",
      xlab = "Product Price ($)",
      ylab = "Quantity Available",
      main = "Product Price vs Quantity")
```


```
abline(lm(quantity ~ price),
       col = "blue",
       lwd = 2)
```



4.

Employee Performance Analysis

Department distribution



The relationship between years of service and performance scores

