MAGNAKRON

SAFETY DATA SHEET

Section 1: Chemical Product and Company Identification

Product Name	Cetyl-Stearyl Alcohol (50/50)
Trade Name	MAGNOL-6585
IUPAC Name	Hexadecanol-Octadecanol mixture
Synonym(s)	C16-C18 fatty alcohol, palmityl-stearyl alcohol, hexadecyl-octadecyl alcohol
CAS Number	67762-30-5
EC Number	267-009-1
Product use	Surfactants, chemical intermediate, emulsifier, emollient, textile additive
Recommended Restrictions	No data available
Company information	**Magnakron Corporation** 300 Rike Drive Millstone Township, NJ 08535 732-928-5800 Info@magnakron.com
24 Hour Emergency Response Information	Chemtrec: 1-800-424-9300
Chemtrec number	CCN620540

Section 2: Hazards identification

The substance is not classified according to the Globally Harmonized System (GHS)

GHS classification

Physical Hazards	None
Health hazards	None
Environmental hazards	None

Section 3: Composition/information on ingredients

Components	CAS No.	Percentage, %
1-Octadecanol (Stearyl alcohol)	112-92-5	45 – 58
1-Hexadecanol (Cetyl alcohol)	36653-82-4	42 – 55
1-Tetradecanol (Myristyl alcohol) Eye Irrit. 2B H320,  Aquatic Tox. Chronic 1: H 410	112-72-1	< 3

Section 4: First aid measures

First aid procedures

Inhalation

Remove to fresh air. If breathing is irregular or has stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.

Skin	Wash off immediately with soap and plenty pf water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice.
Eye	Rinse thoroughly with plenty pf water for at least 15 minutes and consult a physician.
Ingestion	If swallowed, call a poison control center or doctor immediately. *Do not induce vomiting without medical advice. Never give* anything by mouth to an unconscious person.
Notes to physician	Not available

Section 5: Firefighting measures

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards arising from the chemical	The product is an eye irritant.
Fire / Explosion	NFPA class IIIB combustible liquid
Hazardous combustion products	Thermal decomposition or burning may produce carbon monoxide and/or carbon dioxide. (Hazardous reactions will not occur under normal conditions.)
Protective equipment and precautions for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Keep containers and surroundings cool with water spray.

Section 6: Accidental release measures

Spill precautions	Material can create slippery conditions.
Personal precautions	If spilled evacuate personnel to safe areas. Remove all sources of ignition.
Environmental precautions	Do not flush into surface water or sanitary sewer system.
Methods for containment & cleaning up	Evacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Section 7: Handling and storage

Precautions for safe handling	Handle in accordance with good industrial hygiene and safety procedures. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

	Since empty containers contain product residue and can be dangerous, follow all hazard warnings and precautions even after container is emptied. Keep away from sources of ignition. Ensure all equipment is electrically grounded before beginning transfer operations.
Load/ unload temperature	60ºC - 77°C / 140°F - 170°F
Conditions for safe storage	Keep away from possible contact with strong oxidizing agents and incompatible substances like inorganic acids, caustics, amines, aldehydes… Do not store near sources of ignition. Keep container in a cool, dry and well-ventilated place. Keep container tightly closed. Ground all equipment containing the material. Refer to Section 6 for clean-up of spillages. Refer to Section 13 for disposal considerations.
Storage/ transport pressure	Ambient

Section 8: Exposure controls / personal protection

Exposure Guidelines	Contains no substances with occupational exposure limit values.
Recommended monitoring procedures	Ensure adequate ventilation, especially in confined areas
Appropriate engineering controls	Eyewash stations and emergency showers must be close to the work areas. Provide mechanical ventilation for confined spaces. Use explosion-proof ventilation equipment.
General protective and hygienic measures	Keep away from foodstuffs, beverages and feeds. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
Personal protective equipment	
Eye / face protection	 Wear tight sealing safety goggles or face shield with goggles, dependent upon potential exposure.
Skin protection	 Wear appropriate protective clothing / lab coat to prevent skin exposure.
Respiratory protection	 Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.
Hand protection	 Wear chemical-resistant gloves.

Section 9: Physical and chemical properties

Physical State	Solid (flakes)
Color	white
Odor	Characteristic
pH	No data available
Melting point/Freezing point	36 °C / 97 °F
Boiling point	331 - 350 °C, 628 - 662 °F
Flash point	163 °C, 325 °F; ASTM D 93
Evaporation rate	No data available
Flammability or explosive limits in air,	
Lower, % by volume	0.4
Upper, % by volume	5.0
Vapor pressure	0.1 mm Hg @ 21 °C, 260 °F
Vapor density	7.4
Solubility (H2O)	Insoluble
Octanol/H2O coeff	No data available
Auto-ignition temperature	277°C / 530°F
Decomposition temperature	No data available
Viscosity	10.67 cSt @ 60 °C, 140 °F
Specific Gravity	No data available

Section 10: Stability and reactivity

Chemical stability	No decomposition if stored and applied as directed
Possibility of hazardous reactions	No data available.
Conditions to avoid	Keep away from heat and sources of ignition
Materials to avoid	Inorganic acids, strong oxidizing agents, halogens
Hazardous decomposition products	No data available
Reactivity	Stable at normal ambient temperatures and pressure

Section 11: Toxicological Information

Toxicological Data	Test Results
Acute dermal toxicity	Test substance: 1-Hexadecanol LD_{50} rabbit: 2,000 mg/kg Test substance: 1-Octadecanol No Data
Acute inhalation toxicity	Test substance: 1-Octadecanol No Data Rat >3.2 mg/l dust / mist FHSA Test substance: 1-Hexadecanol

	Exposed for 8 hours per day for 10 days showed only hyperactivity. All rats survived at indicated concentration
Acute oral toxicity	No Data Test substance 1-Octadeecanol LD50 male and female rat > 8,000 mg/kg FHSA Test substance 1-Hexadecanol Beagle dogs fed up to 3.0% 1 –hexadecanol in the diet for 13 weeks exhibited no effect other than elevated liver enzyme levels
Skin corrosion / irritation	Human skin OECD test guideline 404 Test substance 1-Octadecanol - not irritating Test substance 1-Hexadecanol Primary irritation rabbit 24 hours 1.5 max score 8.0. Not irritating
Eye damage / irritation	Test substance 1-Octadecanol Test guideline 405 – irritating Test substance 1-Hexadecanol Primary irritation rabbit 1 hour, 15.3 max score is 110. - Irritating

Section 12: Ecological Information

Aquatic toxicity	Very toxic to aquatic life with long lasting effects.
Toxicity to fish	Test substance: 1-Octadecanol LC50 (Oncorhynchus mykiss (rainbow trout)) 96 hours; semi-static test. In the range of water solubility not toxic under test conditions., (literature value) Test substance: 1-Hexadecanol LC50 (Oncorhynchus mykiss (rainbow trout)) 96 hours; semi-static test. In the range of water solubility not toxic under test conditions., (literature value)
Toxicity to aquatic invertebrates	Test substance: 1-Octadecanol EC50 (Daphnia magna (Water flea)) 48 hours In the range of water solubility not toxic under test conditions., (literature value) Test substance: 1-Hexadecanol EC50 (Daphnia magna (Water flea)) 48 hours In the range of water solubility not toxic under test conditions., (predicted value)
Toxicity to algae	Test substance: 1-Octadecanol ErL50 (Desmodesmus subspicatus (green algae)) 96 hours; OECD Test Guideline 201 In the range of water solubility not toxic under test conditions., (literature value) Test substance: 1-Hexadecanol ErL50 (Desmodesmus subspicatus (green algae)) 96 hours; OECD Test Guideline 201 In the range of water solubility not toxic under test conditions., (literature value)
Chronic toxicity to fish	No data available
Chronic toxicity to aquatic invertebrates	Test substance: 1-Octadecanol NOEC (Daphnia magna (Water flea)) 21 d: > 0.001 - 0.01 mg/l; semi-static test; OECD Test Guideline 211 (literature value) Test substance 1-hexadecanol NOEC (Daphnia magna (Water flea)) 21d In the range of water solubility not toxic under test conditions

Biodegradation	Readily biodegradable Test substance 1-Octadecanol OECD test guideline 301B 28d > 60% Test substance 1-hexadecanol OECD test guideline 301B 28d >60%

Section 13: Disposal Considerations

Disposal instructions	DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE/PROVINCIAL AND LOCAL REGULATIONS. Do not dispose of via sinks, drains or into the immediate environment.
Contaminated packaging	Dispose of according to local or national government regulations.
Waste code	Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.
Empty containers	Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum preconditioner, or properly disposed.

Section 14: Transport Information

DOT	Not a DOT controlled material
Basic shipping requirements:	
UN number	Not applicable
Proper shipping name	Not applicable
Hazard class	Not applicable
Packing group	Not applicable
Additional information:	
Special provisions	Not applicable
Packing exceptions	Not applicable
Packaging non bulk	Not applicable
Packaging bulk	transport in bulk according to annex II or marpol 73/78 and the IBC code
ERG number	Not applicable
Hazard ID	Not applicable


Section 15: Regulatory Information

US federal regulations	
OSHA Hazards (HCS 1994)	Non-hazardous substance
TSCA Inventory Listing	
1-Octadecanol	112-92-5
1-Hexadecanol	36653-82-4
Hazard categories	No information available
SARA Section 302	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA Section 311 /312 classification	Non-hazardous substance
SARA Section 313 chemical	Does not contain any material that exceed the threshold
CERCLA hazardous substance (40 CFR 302)	Not listed
International Regulations	
WHMIS Classification	WHMIS hazardous composition: No ingredients are hazardous according to the CPR criteria.
European Union Classification	The product does not need to be labelled in accordance with EC directives or respective national laws.
Australia AICS	Listed
Japan ENCS	Listed
Japan ISHL	Listed
Canada Domestic DSL	Listed
Canada Non-Domestic NDSL	Not listed
European inventory of existing commercial	
Chemical substances EINECS	Listed
Philippines PICCS	Listed
Korea KECI	Listed
China IECSC	Listed
Mexico INSQ	Listed
New Zealand NZIoC	Listed
Switzerland CHINV	Listed
Taiwan NECI	Listed
California Prop 65	Not listed

Section 16: Other Information

HMIS® ratings

Health: 1
Flammability: 1
Reactivity: 0



Magnakron Corporation
300 Rike Drive
Millstone Twp., NJ 08535

NFPA ratings	Health: 1 Flammability: 1 Reactivity: 0



Disclaimer	*The information provided herein is for sole purpose of reference only. Magnakron Corporation makes no warranty, express, implied or otherwise, as to the product's fitness for any particular use or merchantability.*
Issue date	10/23/2017
Revision date	12/15/25

Magnakron Corporation
300 Rike Drive
Millstone Twp., NJ 08535