SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Sales No.	:	UAN22239/00 Tobacconist 388 9999-36-8301 UAN22239/00 Tobacco Chocolate
Relevant identified uses of the substance or mixture and uses advised against Intended Use Fragrances	:	Perfume compound
Company	:	Givaudan Fragrances Corp. 300 Waterloo Valley Road International Trade Center MOUNT OLIVE NJ 07828 UNITED STATES OF AMERICA +12152070061
Emergency telephone number	:	+18669280789

Please refer to section 16 for a full list of emergency phone numbers.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Skin sensitisation	:	Category 1

GHS label elements

Hazard pictograms :



Signal word	:	Warning
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary statements :

Prevention:

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not Otherwise Classified. : None

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

Ingredients with unknown acute toxicity.:
The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: **0** %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.	Concentration [%]
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)	54464-57-2	10.00 - 30.00
2H-1-benzopyran-2-one (=coumarin)	91-64-5	5.00 - 10.00

benzyl 2-hydroxybenzoate	118-58-1	3.00 - 7.00
5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol	65113-99-7	3.00 - 7.00
3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	121-33-5	1.00 - 5.00
2,6-dimethyl-7-octen-2-ol	18479-58-8	1.00 - 5.00
complex mixture obtained by oxidation of light fractions of patchouli oil	1442462-94-3	1.00 - 5.00
(ethoxymethoxy)cyclododecane	58567-11-6	1.00 - 5.00
Orange oil (sweet)	8028-48-6	1.00 - 5.00
Cyclopentadecanolide	106-02-5	0.50 - 1.50
2-propenoic acid, 3-phenyl-, phenylmethyl ester	103-41-3	0.10 - 1.00
Terpenes and terpenoids of Orange Oil	68647-72-3	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

First aid measures

Description of first aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Consult physician or Poison Control Center. The National Hotline for US Poison Control Centers is 1.800.222.1222; https://www.poison.org

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Immediately seek medical attention if chemical entered ear canal.
If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Protect unharmed eye.
Remove contact lenses.
Immediately flush eye(s) with plenty of water.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed	:	Immediately consult Poison Control Center or physician. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet

Special hazards arising from the substance or mixture

Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.

Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep people away from and upwind of spill/leak.

For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.
Material can create slippery conditions.
Use personal protective equipment.

Environmental precautions

Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

Clean contaminated floors and objects thoroughly while observing environmental regulations.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage conditions	:	Ambient / 10-30℃ (50-85℉) Dry, well ventilated, preferably full, hermetically sealed
Advice on common storage	:	Protect against light.
Other data	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components	CAS-No. :	Type:	Value :	Basis :	Revision:
3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	121-33-5	TWA	10 mg/m3	US WEEL	2009-01-01
Orange oil (sweet)	8028-48-6	TWA	10 mg/m3	NIOSH REL	2013-10-08
Orange oil (sweet)	8028-48-6	TWA	5 mg/m3	NIOSH REL	2013-10-08
Orange oil (sweet)	8028-48-6	PEL	10 mg/m3	CAL PEL	2014-11-26
Orange oil (sweet)	8028-48-6	PEL	5 mg/m3	CAL PEL	2014-11-26

Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the prod-uct's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.
PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

Personal protective equipment

Eye/face protection : Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard.

Hand protection : Use gloves when handling substance in open systems.

		Inspect gloves prior to use. Train operators for proper use.If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently. If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time.
Other skin protection	:	Wear working clothes covering arms and legs. The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.
Respiratory protection	:	Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. In case a risk analysis proved the cartridge respirator as acceptable, use type: ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a backup to engineering controls. In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).
Thermal hazards	:	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	:	Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product.

Environmental exposure controls

General advice	:	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Form	:	liquid
Color	:	Reddish brown to Dark reddish brown
Taste	:	not determined
Odor	:	sweet, woody
Odour Threshold	:	Not applicable
Flash point	:	> 212 °F (> 100 °C) Method: Grabner miniflash closed cup
Lower explosion limit	:	not determined
Upper explosion limit	:	not determined
Flammability	:	Not applicable
Particle size	:	no data available
Particle Size Distribution	:	no data available
Auto-ignition temperature	:	not determined
Decomposition temperature	:	no data available
pH	:	not determined
Melting point	:	no data available
Boiling point	:	no data available
Vapor pressure	:	0.0782 hPa at 68 °F (20 °C) Calculated (90.9 %)
Density	:	1,002.19 kg/m3 at 68 °F (20 °C)
Bulk density	:	Not applicable
Solubility/qualitative	:	practically insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity, kinematic	:	no data available
Relative vapour density	:	no data available
Evaporation rate	:	no data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No decomposition if stored and applied as directed.

Chemical stability

No decomposition if stored and applied as directed.

Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.

Conditions to avoid

Conditions to avoid	:	no data available

Incompatible materials

Materials to avoid	:	Not applicable

Hazardous decomposition products

Hazardous decomposition products	:	no data available
Thermal decomposition	:	no data available

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute oral toxicity

ATE	:	> 5,000 mg/kg	
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)	:	LD50: > 5,000 mg/kg	Species: Rat
2H-1-benzopyran-2-one (=coumarin)	:	Acute toxicity estimate: 500 mg/kg	Species: Rat
benzyl 2-hydroxybenzoate	:	LD50: 2,227 mg/kg	Species: Rat
5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol	:	LD50: > 6,750 mg/kg	Species: Rat
3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	:	LD50: 3,300 mg/kg	Species: Rat
2,6-dimethyl-7-octen-2-ol	:	LD50: 3,600 mg/kg	Species: Rat
(ethoxymethoxy)cyclododecane	:	LD50: > 5,000 mg/kg	Species: Rat

Orange oil (sweet)	:	LD50: > 5,000 mg/kg	Species: Rat
2-propenoic acid, 3-phenyl-, phenylmethyl ester	:	LD50: 3,760 mg/kg	Species: Guinea pig
Acute inhalation toxicity	:	No data is available on the product itself.	
Acute dermal toxicity			
ATE	:	> 5,000 mg/kg	
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)	:	LD50: > 5,000 mg/kg	Species: Rabbit
benzyl 2-hydroxybenzoate	:	LD50: 14,150 mg/kg	Species: Rabbit
3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)	:	LD50: 2,600 mg/kg	Species: Rat
(ethoxymethoxy)cyclododecane	:	LD50: > 5,000 mg/kg	Species: Rabbit
Orange oil (sweet)	:	LD50: > 5,000 mg/kg	Species: Rabbit
Cyclopentadecanolide	:	LD50: > 5,000 mg/kg	Species: Rabbit
Terpenes and terpenoids of Orange Oil	:	LD50: > 5,000 mg/kg	Species: Rabbit
Acute toxicity (other routes of administration)	:	No data is available on the product itself.	
Skin corrosion/irritation	:	May cause skin irritation and/or dermatitis.	
Serious eye damage/eye irritation	:	Vapours may cause irritation to the eyes, respiratory system and the skin.	
Respiratory or skin sensitisation	:	Causes sensitisation.	
Mutagenicity	:	No data is available on the product itself.	

Teratogenicity : No data is available on the product itself.

Reproductive toxicity
Not classified due to lack of data.

Carcinogenicity:

IARC	:	Remarks	:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	:	Remarks	:	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	:	Remarks	:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

STOT - single exposure : No data is available on the product itself.

STOT - repeated exposure : No data is available on the product itself.

Aspiration hazard : No data is available on the product itself.

Further information : no data available

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

SECTION 12. Ecological information

Ecological information is not reported.

SECTION 13. DISPOSAL CONSIDERATIONS

Product : Dispose of in accordance with local, state and federal regulations.
The product should not be allowed to enter drains, water

courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Do not expose containers to high temperatures such as in hot work processes.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

14.1 UN number

49 CFR	:	N/A
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

49 CFR	:	Not regulated as a dangerous good
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	:	(EXTRACTS, LIQUID)
IATA	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Extracts, liquid)

14.3 Transport hazard class(es)

49 CFR	:	N/A
IMDG	:	9
IATA	:	9

14.4 Packing group

49 CFR	:	N/A
IMDG	:	III
IATA	:	III

14.5 Environmental hazards

CFR	:	Not regulated as a dangerous good

IMDG
Marine pollutant : yes

IATA (Passenger)
Environmentally hazardous : yes

IATA (Cargo)
Environmentally hazardous : yes

14.6 Special precautions for user

49 CFR
Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

IMDG
IMDG Code Segregation Group : None

14.7 Transport in bulk according to IMO instruments
Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Only relevant information is reported

CERCLA Reportable Quantity
Listed substances in the product are at low enough levels to not be expected to exceed the RQ

TSCA list
No substances are subject to a Significant New Use Rule.


No substances are subject to TSCA 12(b) export notification requirements.

SARA 311/312 Hazards. : Respiratory or skin sensitization
Skin corrosion or irritation
Serious eye damage or eye irritation

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full list of Emergency response numbers worldwide.

Region	Country	Phone Number	Region	Country	Phone Number
Global	Global	+1 215 207 0061	Europe	Czech replublic	+420 228 882 830
Americas	All Americas	+1 215 207 0061		Finland	+358 9 7479 0199
	United States	+1 866 928 0789		Switzerland	+33 1 72 11 00 03 +49 89 220 61012
	Canada	+1 800 579 7421	Middle East/Africa	All Middle East/Africa	+44 1235 239671
	Mexico	+52 55 5004 8763		Middle East	+44 1273 289454
	Brazil	+55 11 3197 5891	APAC	All Asia-Pacific	+65 3158 1074
	Chile	+56 2 2582 9336		Sri Lanka	+65 3158 1195
	Colombia	+57 601 508 7337		Taiwan	+886 2 8793 3212
	Argentina	+54 11 5984 3690		Japan	+81 50 5057 7850
Europe	All Europe	+44 1235 239670		Indonesia	007 803 011 0293
	France	+33 1 72 11 00 03		Malaysia	+60 3 6207 4347
	Germany	0800 000 7801		Thailand	001 800 120 666 751
	Spain	+34 91 114 2520		India	000 800 100 7479
	Italy	800 699 792		Pakistan	+65 3158 1329
	Netherlands	+31 10 713 8195		Bangladesh	+65 3158 1200

Administrative information:
Report Information: SDS_US/EN/GHS_SDS_NA_REGION/31
Sales & Distribution Information: MW01/FR/US13/01/0040005922/0102425724/000030
Shipping Order Information: 36,465,249/33,344,492

	Turkey	0800 621 2139		Philippines	+63 2 8231 2149
	Norway	+47 2103 4452		Vietnam	+84 28 4458 2388
	Greece	+30 21 1198 3182		Korea	+65 3158 1285
	Portugal	+351 30880 4750		South Korea	+82 2 3479 8401
	Denmark	+45 8988 2286		Australia	1800 074 234
	Sweden	+46 8 566 42573		New Zealand	0800 446 881
	Poland	+48 22 307 3690		China	0532 8388 9090

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GB EH40 - Great Britain, Environmental Hygiene; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; NOM-010-STPS - Official Mexican Standard, Ministry of Labor and Social Welfare; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

Version : 2 1
Revision Date : 26 FEB 2026
Print Date : 26 FEB 2026