Safety Data Sheet

acc. to OSHA HCS 2024

Date of issue: 03/05/2026 *Reviewed on 03/05/2026*

1 Identification

· **Product identifier**

· **Trade name(s): OLIBANUM OIL NATURAL100**
· **CAS Number:**
8016-36-2
· **Other means of identification**

· **Article number(s):** 91780

· **Details of the supplier of the safety data sheet**
· **MANUFACTURER / SUPPLIER:**
EXCELLENTIA INTERNATIONAL PHONE: +1 (732) 749-9840
30 STEWART PLACE
FAIRFIELD, NJ 07004
USA

· **Information Department:**
Product Safety and Regulatory Affairs or VelocityEHS: 1 800 255-3924 or +1 813 248-0585
· **Emergency telephone number:**
VelocityEHS. USA 1 800 255-3924 or +1 813 248-0585 email: Safety_Mgr@excellentiaint.com

*

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS02 Flame

Flammable liquids 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.
Reproductive toxicity 2 H361 Suspected of damaging fertility or the unborn child.
Aspiration hazard 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin irritation 2 H315 Causes skin irritation.
Sensitization - skin 1 H317 May cause an allergic skin reaction.

· **Label elements**
· **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Bicyclo(3.1.1)hept-2-ene, 2,6,6-trimethyl-
Benzene, 1-methyl-4-(1-methylethyl)-

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS 2024

Date of issue: 03/05/2026 *Reviewed on 03/05/2026*

Trade name(s): OLIBANUM OIL NATURAL100

(Contd. of page 1)

1,6-Octadiene, 7-methyl-3-methylene-
Cyclohexene, 1-methyl-4-(1-methylethenyl)-
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-
2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl-
Carvone
Olibanum oil

· ***Hazard statements***
H226 Flammable liquid and vapor.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H361 Suspected of damaging fertility or the unborn child.
H304 May be fatal if swallowed and enters airways.

· ***Precautionary statements***

P210	*Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*
P241	*Use explosion-proof [electrical/ventilating/lighting] equipment.*
P301+P310	*If swallowed: Immediately call a poison center/doctor.*
P321	*Specific treatment (see on this label).*
P331	*Do NOT induce vomiting.*
P303+P361+P353	*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*
P362+P364	*Take off contaminated clothing and wash it before reuse.*
P405	*Store locked up.*
P501	*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· ***Information pertaining to particular dangers for man and environment:***
· ***Classification system:***
· ***NFPA ratings (scale 0 - 4)***



Health = 1
Fire = 2
Reactivity = 0

· ***WHMIS-ratings (scale 0 - 4)***



Health = 1
Fire = 2
Reactivity = 0

· ***Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***Classification according to (d)(1)(ii) of § 1910.1200***
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
· ***Hazards not otherwise classified***
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS 2024

Date of issue: 03/05/2026 Reviewed on 03/05/2026

Trade name(s): OLIBANUM OIL NATURAL100

(Contd. of page 2)

*

3 Composition/information on ingredients

· **Chemical characterization: Substances**
· **CAS No. Description**
8016-36-2 Olibanum oil

· **Dangerous components:**		
CAS: 8016-36-2	Olibanum oil	≥0.1-<1%
CAS: 80-56-8 EINECS: 201-291-9	Bicyclo(3.1.1)hept-2-ene, 2,6,6-trimethyl-	≥25-≤50%
CAS: 138-86-3 EINECS: 205-341-0 Index number: 601-029-00-7 RTECS: OS 8100000	Cyclohexene, 1-methyl-4-(1-methylethenyl)-	≥10-≤50%
CAS: 99-87-6 EINECS: 202-796-7 Index number: 601-094-00-1 RTECS: GZ 5950000	Benzene, 1-methyl-4-(1-methylethyl)-	≥2.5-≤10%
CAS: 123-35-3 EINECS: 204-622-5 RTECS: RG 5365000	1,6-Octadiene, 7-methyl-3-methylene-	≥0.1-<10%
CAS: 127-91-3 EINECS: 204-872-5	Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	≥1-≤2.5%
CAS: 470-82-6 EINECS: 207-431-5	2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl-	≥1-≤2.5%
CAS: 78-70-6 EINECS: 201-134-4 Index number: 603-235-00-2 RTECS: RG 5775000	1,6-Octadien-3-ol, 3,7-dimethyl-	≥0.1-<1%
CAS: 99-49-0 EINECS: 202-759-5 Index number: 606-148-00-8	Carvone	≥0.1-<1%

· **Predominant Ingredients**		
CAS: 80-56-8 EINECS: 201-291-9	Bicyclo(3.1.1)hept-2-ene, 2,6,6-trimethyl-	≥25-≤50%
CAS: 138-86-3 EINECS: 205-341-0 Index number: 601-029-00-7 RTECS: OS 8100000	Cyclohexene, 1-methyl-4-(1-methylethenyl)-	≥10-≤50%
CAS: 99-87-6 EINECS: 202-796-7 Index number: 601-094-00-1 RTECS: GZ 5950000	Benzene, 1-methyl-4-(1-methylethyl)-	≥5-≤10%
CAS: 123-35-3 EINECS: 204-622-5 RTECS: RG 5365000	1,6-Octadiene, 7-methyl-3-methylene-	≤3%
CAS: 470-82-6 EINECS: 207-431-5	2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl-	≥1-≤2.5%

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS 2024

Date of issue: 03/05/2026 Reviewed on 03/05/2026

Trade name(s): OLIBANUM OIL NATURAL100

(Contd. of page 3)

4 First-aid measures

· **Description of first aid measures**
· **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** If symptoms persist consult doctor.
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:** CO2, sand, extinguishing powder. Do not use water.
· **For safety reasons unsuitable extinguishing agents:**
Water
Water with full jet
· **Special hazards arising from the substance or mixture** No further relevant information available.
· **Advice for firefighters**
· **Protective equipment:** No special measures required.

*

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
· **Protective Action Criteria for Chemicals**

· **PAC-1:**		
99-87-6	Benzene, 1-methyl-4-(1-methylethyl)-	120 mg/m3

· **PAC-2:**		
99-87-6	Benzene, 1-methyl-4-(1-methylethyl)-	1300 mg/m3

· **PAC-3:**		
99-87-6	Benzene, 1-methyl-4-(1-methylethyl)-	1900 mg/m3

· **Reference to other sections**
Emergency responders, Medical responders and users should refer to the following sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS 2024

Date of issue: 03/05/2026 Reviewed on 03/05/2026

Trade name(s): OLIBANUM OIL NATURAL100

(Contd. of page 4)

*
7 Handling and storage

· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Wear gloves and eye protection. Avoid inhalation and contact with skin and eyes. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
· **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
No special requirements.
It is recommended that this material be stored in a cool, dry, well ventilated area, in tightly sealed, full containers.
· **Information about storage in one common storage facility:** Not required
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Specific end use(s)** No further relevant information available.

*
8 Exposure controls/personal protection

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

80-56-8 Bicyclo(3.1.1)hept-2-ene, 2,6,6-trimethyl-	
TLV	Long-term value: 112 mg/m³, 20 ppm DSEN, A4
138-86-3 Cyclohexene, 1-methyl-4-(1-methylethenyl)-	
WEEL	Long-term value: 30 ppm
127-91-3 Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	
TLV	Long-term value: 112 mg/m³, 20 ppm DSEN, A4

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

(Contd. of page 5)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

*

9 Physical and chemical properties

Values are indicative. Consult product specification for product specific ranges.

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Liquid
· **Color:**	Pale yellow
· **Odor:**	Characteristic
· **Odor threshold:**	Not determined
· **Melting point/Melting range:**	Undetermined
· **Boiling point/Boiling range:**	Undetermined
· **Flammability:**	Flammable.
· **Explosion limits:**	
· **Lower:**	Not determined
· **Upper:**	Not determined
· **Flash point:**	41 °C (105.8 °F)
· **Decomposition temperature:**	Not determined
· **pH-value:**	Not determined
· **Viscosity:**	
· **Kinematic:**	Not determined
· **Dynamic:**	Not determined
· **Solubility in / Miscibility with**	
· **Water:**	Not miscible or difficult to mix.
· **Partition coefficient (n-octanol/water):**	Not determined
· **Vapor pressure:**	Not determined
· **Vapor pressure:**	
· **Density at 20 °C (68 °F):**	0.8765 g/cm³ (7.31439 lbs/gal)
· **Relative density**	Not determined

(Contd. on page 7)

(Contd. of page 6)

· **Vapor density**	Not determined
· **Particle characteristics**	Not applicable
· **Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Not determined
· **Danger of explosion:**	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
	Not determined
· **Organic solvents:**	26-40.5 %
· **Solids content:**	0.0 %
· **Change in condition**	
· **Evaporation rate**	Not determined

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

*

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**
· **Primary irritant effect:**
· **on the skin:** Irritant to skin and mucous membranes.
· **on the eye:** No irritating effect.
· **Sensitization:** Sensitization possible through skin contact.
· **Additional toxicological information:**
· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**		
123-35-3	1,6-Octadiene, 7-methyl-3-methylene-	2B

· **Alternative sources for toxicological information**
No non-standard sources for toxicological information where used.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS 2024

Date of issue: 03/05/2026 *Reviewed on 03/05/2026*

Trade name(s): OLIBANUM OIL NATURAL100

(Contd. of page 7)

· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***Other adverse effects***
· ***Remark:*** *Very toxic for fish*
· ***Additional ecological information:***
· ***General notes:***
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms


13 Disposal considerations

· ***Waste treatment methods***
· ***Recommendation:***
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· ***Uncleaned packagings:***
· ***Recommendation:*** *Disposal must be made according to official regulations.*

*
14 Transport information

· ***UN-Number***	
· ***DOT, ADR, IMDG, IATA***	*UN1197*
· ***UN proper shipping name***	
· ***DOT, IATA***	*Extracts, liquid*
· ***ADR***	*1197 EXTRACTS, LIQUID, ENVIRONMENTALLY HAZARDOUS*
· ***IMDG***	*EXTRACTS, LIQUID, MARINE POLLUTANT*
· ***Transport hazard class(es)***	
· ***DOT***	



· ***Class***	*3 Flammable liquids*
· ***Label***	*3*
· ***ADR***	



· ***Class***	*3 (F1) Flammable liquids*

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS 2024

Date of issue: 03/05/2026 Reviewed on 03/05/2026

Trade name(s): OLIBANUM OIL NATURAL100

(Contd. of page 8)

· **Label**	3
· **IMDG**	
	
· **Class**	3 Flammable liquids
· **Label**	3
· **IATA**	
	
· **Class**	3 Flammable liquids
· **Label**	3
· **Packing group**	
· **DOT, ADR, IMDG, IATA**	III
· **Environmental hazards:**	Product contains environmentally hazardous substances: dipentene
· **Marine pollutant:**	Yes (DOT) Symbol (fish and tree)
· **Special marking (ADR):**	Symbol (fish and tree)
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable
· **Transport/Additional information:**	USA: proper shipping name: "Combustible liquid". If in non-bulk containers and there is no other subsidiary hazard then no hazard label is required.
· **DOT**	
· **Quantity limitations**	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· **Emergency Response Guidebook No. :**	127
· **Remarks:**	USA: proper shipping name: "Combustible Liquid" - No hazard label is required if shipped in containers less than 450 liters (119 gal.) and there is no other subsidiary hazard. [49 CFR 173.120(b)(2)] Special marking with the Marine Pollutant symbol (fish and tree) and the provisions specific to Marine Pollutants do not apply unless all or part of the transportation is by vessel. The provisions specific to Marine Pollutants do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft, See 49CFR 171.4c
· **ADR**	
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 10)

(Contd. of page 9)

· **IMDG**

· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **Special precautions for user**	Warning: Flammable liquids
· **Hazard identification number (Kemler code):**	30
· **EMS Number:**	F-E,S-D
· **Stowage Category**	A
· **UN "Model Regulation":**	UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS

*

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**
All components have the value ACTIVE.

· **Hazardous Air Pollutants**
None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

123-35-3	1,6-Octadiene, 7-methyl-3-methylene-

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.

· **Cancerogenity categories**

· **TLV (Threshold Limit Value)**

80-56-8	Bicyclo(3.1.1)hept-2-ene, 2,6,6-trimethyl-	A4
127-91-3	Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	A4

· **International Chemical Inventories**

· **DSL Canadian Domestic Substances List**
All ingredients are listed.

· **ECL Korea**

470-82-6	2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl-	*

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS 2024

Date of issue: 03/05/2026 Reviewed on 03/05/2026

Trade name(s): OLIBANUM OIL NATURAL100

(Contd. of page 10)

· **Philippines Inventory of Chemicals and Chemical Substances**

All ingredients are listed.

· **Chinese Chemical Inventory of Existing Chemical Substances**

All ingredients are listed.

· **Australian Inventory of Chemical Substances**

All ingredients are listed.

· **Korean Existing Chemical Inventory**

80-56-8	Bicyclo(3.1.1)hept-2-ene, 2,6,6-trimethyl-	KE-34427
138-86-3	Cyclohexene, 1-methyl-4-(1-methylethenyl)-	KE-24396
99-87-6	Benzene, 1-methyl-4-(1-methylethyl)-	KE-21748
123-35-3	1,6-Octadiene, 7-methyl-3-methylene-	KE-24386
127-91-3	Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	KE-11518
470-82-6	2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl-	KE-34618
78-70-6	1,6-Octadien-3-ol, 3,7-dimethyl-	KE-11592
99-49-0	Carvone	KE-24400

· **New Zealand Inventory of Chemicals**

All ingredients are listed.

· **TCSI - Taiwan Chemical Substance Inventory**

All ingredients are listed.

· **Existing Chemical Substances**

80-56-8	Bicyclo(3.1.1)hept-2-ene, 2,6,6-trimethyl-	4-593, 8-497
138-86-3	Cyclohexene, 1-methyl-4-(1-methylethenyl)-	3-2245, 7-988, 8-498
99-87-6	Benzene, 1-methyl-4-(1-methylethyl)-	3-12, 3-15
123-35-3	1,6-Octadiene, 7-methyl-3-methylene-	2-2358
127-91-3	Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	4-593, 8-497
470-82-6	2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl-	5-684
78-70-6	1,6-Octadien-3-ol, 3,7-dimethyl-	2-249, 2-258
99-49-0	Carvone	3-2402

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	40.5

· **Water hazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of previous version** 09/01/2023
· **Date of preparation** 03/05/2026

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS 2024

Date of issue: 03/05/2026 *Reviewed on 03/05/2026*

Trade name(s): OLIBANUM OIL NATURAL100

(Contd. of page 11)

· ***Abbreviations and acronyms:***

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable liquids 3: Flammable liquids – Category 3
Skin irritation 2: Skin corrosion/irritation – Category 2
Sensitization - skin 1: Skin sensitisation – Category 1
Carcinogenicity 2: Carcinogenicity – Category 2
Reproductive toxicity 2: Reproductive toxicity – Category 2
Aspiration hazard 1: Aspiration hazard – Category 1

· **** Data compared to the previous version altered.***