

Code-Layout, Readability and Reusability

Date	01 October 2026
Team ID	SWTID-2026-4498
Project Name	Import data using Transform Maps
Maximum Marks	5 Marks

Code-Layout, Readability and Reusability:

This document evaluates the quality of the codebase in terms of its structure, readability, and reusability. Well-organized code with proper naming conventions, comments, and modular design ensures that the project is maintainable and can be extended or reused in future development.

Code Layout Checklist:

S.No	Code Quality Parameter	Description	Followed (Yes / No / Partial)	Remarks
1	Consistent Indentation	Uniform spacing/tabs used throughout the code	Yes	Transform scripts (onBefore, onAfter, field scripts) use uniform 4-space indentation.
2	Proper File Structure	Files and folders are logically organized	Yes	Data Source, Import Set Table, Transform Map and field maps are named consistently and kept in one update set.
3	Meaningful Variable Names	Variables reflect their purpose clearly	Yes	Names such as sourceEmail, targetUser and existingRecord are used instead of single letters.
4	Function / Method Names	Functions are descriptively named	Yes	Functions like getManagerSysId() and normalizePhone() state exactly what they do.
5	Code Comments	Inline and block comments explain logic	Yes	Block comments describe each transform script; inline comments explain the field mapping logic.
6	Modular Design	Code is split into reusable functions/modules	Partial	Shared logic sits in a Script Include; a few simple field scripts remain inline.
7	No Redundant Code	Duplicate or unused code is removed	Yes	Unused field maps and test data sources removed; coalesce prevents duplicate records.
8	Error Handling	Exceptions and errors are handled gracefully	Yes	try/catch with gs.error() logging; invalid rows are skipped using ignore = true and reviewed in the Import Log.

Reusable Components / Modules:

S.No	Component / Module Name	Language / Technology	Where Reused	Reusability Level (High / Medium / Low)
1	Import Set Table (u_user_import)	ServiceNow Import Sets	Staging table reused for every CSV/Excel user load	High
2	User Import Transform Map	ServiceNow Transform Maps	Reused across Dev, Test and Prod instances via update set	High
3	DataImportUtil Script Include	JavaScript (server-side)	Called from field map scripts and onBefore/onAfter scripts	High
4	Coalesce on Email / Employee ID	Field Map configuration	Applied in other transform maps to avoid duplicates	Medium
5	Scheduled Data Import	ServiceNow Scheduled Import	Automates recurring loads from the same data source	Medium

Overall Code Quality Assessment:

Aspect	Rating (1-5)	Comments
Code Layout & Structure		
Readability		
Reusability		
Documentation / Comments		
Overall Score		

