

adx_signal

Predicate1:

```
if pd.isna(adx) or pd.isna(plus_di) or pd.isna(minus_di):
```

a: isna(adx)

b: isna(plus_di)

c: isna(minus_di)

p1: a OR b OR c

num	a	b	c	p	Pa	Pb	Pc
1	T	T	T	T			
2	T	T	F	T			
3	T	F	T	T			
4	T	F	F	T	T		
5	F	T	T	T			
6	F	T	F	T		T	
7	F	F	T	T			T
8	F	F	F	F	T	T	T

RACC

Major clause	Set of possible tests
a	(4,8)
b	(6,8)
c	(7,8)

CACC/GACC

Major clause	Set of possible tests
a	(4,8)
b	(6,8)
c	(7,8)

Predicate2:

```
If adx > 25:  
    if plus_di > minus_di:  
        return "BUY"  
    elif minus_di > plus_di:  
        return "SELL"
```

d: $adx > 25$

e: $plus_di > minus_di$

f: $minus_di > plus_di$

p2: $d \ \&\& \ (e \ || \ f)$

num	d	e	f	p	Pd	Pe	Pf
1	T	T	T	T	T		
2	T	T	F	T	T	T	
3	T	F	T	T	T		T
4	T	F	F	F		T	T
5	F	T	T	F	T		
6	F	T	F	F	T		
7	F	F	T	F	T		
8	F	F	F	F			

RACC

Major clause	Set of possible tests
d	(1,5),(2,6),(3,7)
e	(2,4)
f	(3,4)

CACC/GACC

Major clause	Set of possible tests
d	(1,5),(1,6),(1,7),(2,6),(2,5),(2,7),(3,7),(3,5),(3,6)
e	(2,4)
f	(3,4)

bollinger signal

Predicate1:

```
if pd.isna(lower) or pd.isna(upper) or pd.isna(price):
```

a: `isna(lower)`

b: `isna(upper)`

c: `isna(price)`

p1: `a OR b OR c`

num	a	b	c	p	Pa	Pb	Pc
1	T	T	T	T			
2	T	T	F	T			
3	T	F	T	T			
4	T	F	F	T	T		
5	F	T	T	T			
6	F	T	F	T		T	
7	F	F	T	T			T
8	F	F	F	F	T	T	T

RACC

Major clause	Set of possible tests
a	(4,8)
b	(6,8)
c	(7,8)

CACC/GACC

Major clause	Set of possible tests
a	(4,8)
b	(6,8)
c	(7,8)

Predicate2:

```

if price < lower:
    return "BUY"
elif price > upper:
    return "SELL"

```

d: price < lower

e: price > upper

p2: d OR e

num	d	e	p	Pd/Pe
1	T	T	T	
2	T	F	T	T
3	F	T	T	T
4	F	F	F	T

RACC

Major clause	Set of possible tests
d	(2,4)
e	(3,4)

CACC/GACC

Major clause	Set of possible tests
d	(2,4)
e	(3,4)

ma_signal

Predicate1:

if pd.isna(ma) or pd.isna(price):

a: isna(ma)

b: isna(price)

p1: a OR b

num	a	b	p	Pa	Pb
1	T	T	T		
2	T	F	T	T	

3	F	T	T		T
4	F	F	F	T	T

RACC

Major clause	Set of possible tests
a	(2,4)
b	(3,4)

CACC/GACC

Major clause	Set of possible tests
a	(2,4)
b	(3,4)

Predicate2:

```

if price > ma:
    return "BUY"
elif price < ma:
    return "SELL"

```

a: price > ma

b: price < ma

p2: a OR b

num	a	b	p	Pa	Pb
1	T	T	T		
2	T	F	T	T	
3	F	T	T		T
4	F	F	F	T	T

RACC

Major clause	Set of possible tests
a	(2,4)
b	(3,4)

CACC/GACC

Major clause	Set of possible tests
a	(2,4)
b	(3,4)

rsi_signal

Predicate1:

```
if pd.isna(rsi):
```

a: isna(rsi)

p1 = a

num	a	p	Pa
1	T	T	T
2	F	F	T

RACC/CACC/GACC

Major clause	Set of possible tests
a	(1,2)

Predicate2:

```
if rsi < 30:  
    return "BUY"  
elif rsi > 70:  
    return "SELL"
```

b: rsi < 30

c: rsi > 70

p2: b OR c

num	b	c	p	Pb	Pc
1	T	T	T		
2	T	F	T	T	
3	F	T	T		T
4	F	F	F	T	T

RACC

Major clause	Set of possible tests
b	(2,4)
c	(3,4)

CACC/GACC

Major clause	Set of possible tests
b	(2,4)
c	(3,4)

volume_signal

Predicate 1

```
if pd.isna(current_vol) or pd.isna(vol_ma):
```

a: isna(current_vol)

b: isna(vol_ma)

p1: a OR b

num	a	b	p	Pa	Pb
1	T	T	T		

2	T	F	T	T	
3	F	T	T		T
4	F	F	F	T	T

RACC

Major clause	Set of possible tests
a	(2,4)
b	(3,4)

CACC/GACC

Major clause	Set of possible tests
a	(2,4)
B	(3,4)

Predicate2:

if current_vol > vol_ma * 1.5:

c: current_vol > vol_ma * 1.5

p2: c

num	c	p	Pc
1	T	T	T
2	F	F	T

RACC/CACC/GACC

Major clause	Set of possible tests
c	(1,2)

stochastic_signal

Predicate1:

```
If pd.isna(stoch):
```

a: isna(stoch)

p1:a

num	a	p	Pa
1	T	T	T
2	F	F	T

RACC/CACC/GACC

Major clause	Set of possible tests
a	(1,2)

Predicate2:

```
if stoch < 20:  
    return "BUY"  
elif stoch > 80:  
    return "SELL"
```

b: stoch < 20

c: stoch > 80

p2:b or c

num	b	c	p	Pb	Pc
1	T	T	T		
2	T	F	T	T	
3	F	T	T		T
4	F	F	F	T	T

RACC

Major clause	Set of possible tests
b	(2,4)
c	(3,4)

CACC/GACC

Major clause	Set of possible tests
b	(2,4)
C	(3,4)