

Question 1

In _____ paradigm for cooperating processes, producer process produces information that is consumed by a consumer process, assumes that there is a fixed buffer size

- ☐ Unbounded buffer
- ☒ Bounded buffer
- ☐ Producer bounder buffer
- ☐ Producer unbounded buffer
- ☐ Consumer bounder buffer
- ☐ Consumer unbounded buffer

Question 2

After I/O starts, control returns to user program only upon I/O completion

- ☐ This I/O structure is called
- ☒ Synchronous
- ☐ Asynchronous
- ☐ I/O Burst
- ☐ CPU Burst
- ☐ None of the above

Question 3

_____ is passive entity stored on disk (executable file); and _____ is an active entity

- ☒ Program, Process
- ☐ Process Program
- ☐ Process, Thread
- ☐ Thread, Process
- ☐ Program, Thread

Question 4

When the CPU jumps its state from one process to the other process, this scenario is technically called

- ☐ State Switch
- ☐ Process Switch
- ☒ Context Switch
- ☐ PCB Switch
- ☐ Block Switch

Question 5

Huge range, including denial-of-service, worms, viruses, identity theft, theft of service are the examples of

- ☒ Security
- ☐ Protection
- ☐ Confidential
- ☐ privileged escalation

Question 6

In Asymmetric clustering

- ☐ One node running applications, monitoring other nodes
- ☐ Multiple machines in hot-standby mode
- ☐ Multiple nodes running applications, monitoring each other
- ☒ One machine in hot-standby mode

Question 7

Which of the following option is the example of System Call

- ☐ Wait()
- ☐ Abort()
- ☐ Fork ()
- ☐ Exit ()
- ☒ All of the above
- ☐ None of the above

Question 8

Which of the following statement is true

- ☐ Cache has smaller storage capacity than Register
- ☒ Register has smaller storage capacity than Cache
- ☐ Both are true
- ☐ Both are false

Question 9

After I/O starts, control returns to user program without waiting for I/O completion. This I/O structure is called

- ☐ Synchronous
- ☒ Asynchronous
- ☐ I/O Burst
- ☐ CPU Burst
- ☐ None of the above

Question 10

If no parent waiting (did not invoke wait()) process is a

- ☐ cascading termination
- ☒ zombie
- ☐ Orphan
- ☐ Renderer
- ☐ Process Termination
- ☐ Sandbox

Question 1

In Asymmetric Multiprocessing

- ☐ All processors are assigned a specific task
- ☐ All processors performs a specific tasks
- ☒ Each processor is assigned a specific task
- ☐ Each processor performs all tasks
- ☐ None of the above

Question 2

Defense of the system against internal and external attacks is called

- ☒ Security
- ☐ Protection
- ☐ Confidential
- ☐ privileged escalation

Question 3

Cooperating processes need interprocess communication (IPC) that is of two models

- ☐ Independent or non-cooperating
- ☐ Modularity and Convenience
- ☒ Shared memory and Message passing
- ☐ Synchronous and Asynchronous
- ☐ Bounded and Unbounded

Question 5

Pipes act as a conduit allowing two processes to communicate. It is majorly of two types. Named pipes and Ordinary Pipes. About named pipes

- ☐ Can be accessed without a parent-child relationship
- ☐ Its bidirectional
- ☐ Provided on both UNIX and Windows systems
- ☐ Named Pipes are more powerful than ordinary pipes
- ☒ All of the above
- ☐ None of the above

Question 4

After I/O starts, control returns to user program without waiting for I/O completion. This I/O structure is called

- ☐ Synchronous
- ☒ Asynchronous
- ☐ I/O Burst
- ☐ CPU Burst
- ☐ None of the above

Question 6

Considering the memory layout for the Process, memory dynamically allocated during run time is in

- ☐ Text Section
- ☐ Stack
- ☐ Data Section
- ☒ Heap
- ☐ Program Counter

Question 7

_____ loaded at power-up or reboot

- ☒ Firmware
- ☐ Software
- ☐ Kernel
- ☐ Operating System
- ☐ Middleware

Question 8

Processes within a system may be _____ or _____

- ☐ Dependent or cooperating
- ☐ Independent or non-cooperating
- ☐ Dependent or non-cooperating
- ☒ Independent or cooperating
- ☐ None of the above

Question 9

In _____ paradigm for cooperating processes, producer process produces information that is consumed by a consumer process, assumes that there is a fixed buffer size

- ☐ Unbounded buffer
- ☒ Bounded buffer
- ☐ Producer bounder buffer
- ☐ Producer unbounded buffer
- ☐ Consumer bounder buffer
- ☐ Consumer unbounded buffer

Question 10

Any mechanism for controlling access of processes or users to resources defined by the OS is called

- ☐ Security
- ☒ Protection
- ☐ Confidential
- ☐ privileged escalation

Remaining time: 15 minutes, 22 seconds.

Question Completion Status:

⏪ ⚠ Moving to another question will save this response.

Question 5

Operating System also acts as

- ☐ Resource Allocator
- ☐ Control Program
- ☐ Kernal
- ☒ Resource Allocator and Control Program
- ☐ Resource Allocator and Control Program and Kernal

⏪ ⚠ Moving to another question will save this response.

Question 10

Information associated with each process is placed in

- ☒ Task Control Block
- ☐ Thread Control Block
- ☐ Program Control Block
- ☐ Application Control Block
- ☐ Active Control Block

Question 8

Multiprocess environment, among 3 different types of processes in Google Chrome Browser, _____ process serves web pages, deals with HTML, Javascript.

- ☐ Browser
- ☒ Renderer
- ☐ Sandbox
- ☐ Plug-in
- ☐ Process

→ ⚠ Moving to another question will save this response.

Question 5

Following types of storage are managed by Operating System

- ☐ Main memory, Solid-state disk and Magnetic disk
- ☐ Register, Cache and Main memory
- ☐ Main memory, Solid-state disk and Register
- ☒ Main memory, Cache and Magnetic disk
- ☐ Cache, Solid-state disk and Register

→ ⚠ Moving to another question will save this response.

تظهر التحذيرات عند مرور نصف الوقت، ونمو دقيقي، ويصبح الصليبي من الوقت دقيقة واحدة و30 ثانية.
محاولات متعددة غير مسموح. يمكن إجراء هذا الاختبار مرة واحدة فقط.
فرضي الإكمال بمجرد البدء، يجب إكمال هذا الاختبار في جلسة واحدة لا تترك الاختبار قبل النقر فوق **حفظ وإرسال**.
يتم حفظ إجاباتك تلقائيًا.

الوقت المتبقي: 29 دقائق و 33 ثانية (نواي).

حالة إكمال الأسئلة:

السؤال 1 من 10 < <<

يقوم الانتقال إلى سؤال آخر بحفظ هذا الرد.

0.5 درجات حفظ الإجابة

السؤال 1

In message passing model of Cooperating processes, the IPC may be either blocking or non-blocking, _____ is considered asynchronous and _____ is considered synchronous.

☒ non-blocking, blocking

☐ Blocking, non-blocking

☐ Bounded non-blocking, unbounded blocking

☐ Bounded blocking, unbounded non-blocking

☐ None of the above

السؤال 1 من 10 < <<

يقوم الانتقال إلى سؤال آخر بحفظ هذا الرد.

Following types of storage are managed by Operating System

☒ Main memory, Solid-state disk and Magnetic disk

☐ Register, Cache and Main memory

☐ Main memory, Solid-state disk and Register

☐ Main memory, Cache and Magnetic disk

☐ Cache, Solid-state disk and Register

تظهر التحذيرات عند مرور نصف الوقت. وهو 5 دقائق. وبصبح المتبقي من محاولات متعددة غير مسموح. يمكن إجراء هذا الاختبار مرة واحدة فقط. بمجرد البدء، يجب إكمال هذا الاختبار في جلسة واحدة، لا تترك الاختبار قبل النة يتم حفظ إجاباتك تلقائيًا.

الوقت المتبقي: 25 دقائق، 58 ثانية (تواي).

حالة إكمال الأسئلة:

انقر فوق إرسال لإكمال هذا التقييم.

السؤال 10

Which of the following statement is true

- Disk surface is logically divided into sectors, which are subdivided into tracks ☐
- Disk surface is logically divided into tracks, which are subdivided into sectors ☒
- Disk surface is physically divided into sectors, which are subdivided into tracks ☐
- Disk surface is physically divided into tracks, which are subdivided into sectors ☐

انقر فوق إرسال لإكمال هذا التقييم.

معلومات الاختبار

الوصف

إرشادات

اختبار محدد يهدف هذا الاختبار له حد زمني يصل إلى 30 دقيقة/دقائق. سيتم حفظ هذا الاختبار وإرساله تلقائيًا عند انتهاء الوقت.

تظهر التحذيرات عند مرور نصف الوقت، وهو 5 دقائق، ويصبح المينغي من الوقت دقيقة واحدة و30 ثانية.

محاولات متعددة غير مسموح. يمكن إجراء هذا الاختبار مرة واحدة فقط.

فرض الإكمال بمجرد البدء، يجب إكمال هذا الاختبار في جلسة واحدة. لا تترك الاختبار قبل التفر فوق حفظ وإرسال.

يتم حفظ إجاباتك تلقائيًا.

الوقت المتبقي: 23 دقائق، 41 ثانية (نواي).

حالة إكمال الأسئلة:

السؤال 9 من 10

يقوم الانتقال إلى سؤال آخر بحفظ هذا الرد

السؤال 9

0.5 درجات

In _____ paradigm for cooperating processes, producer process produces information that is consumed by a consumer process, places no practical limit on the size of the buffer

Unbounded buffer ☒

Bounded buffer ☐

Producer bounded buffer ☐

Producer unbounded buffer ☐

Consumer bounded buffer ☐

Consumer unbounded buffer ☐

السؤال 9 من 10

يقوم الانتقال إلى سؤال آخر بحفظ هذا الرد

الوقت المتبقي: 19 دقائق، 06 ثانية (نواب).

حالة إكمال الأسئلة:

يقوم الانتقال إلى سؤال آخر بحفظ هذا الرد.

السؤال 6

Considering the memory layout for the Process, Function parameters, return addresses, local variables are placed in

- Text Section ☐
- Stack ☒
- Data Section ☐
- Heap ☐
- Program Counter ☐

يقوم الانتقال إلى سؤال آخر بحفظ هذا الرد.

Remaining Time: 25 minutes, 15 seconds.

Question Completion Status:

→ ⚠ Moving to another question will save this response.

Question 4

Information associated with each process is placed in

- ☒ Task Control Block
- ☐ Thread Control Block
- ☐ Program Control Block
- ☐ Application Control Block
- ☐ Active Control Block

→ ⚠ Moving to another question will save this response.



SAR/EUR
%0,44-



Q Search



Remaining Time: 26 minutes, 06 seconds.

❖ Question Completion Status:

→ ⚠ Moving to another question will save this response.

Question 3

Multiprocess environment, among 3 different types of processes in Google Chrome Browser, _____ process manages user interface, disk and network I/O

- ☒ Browser
- Renderer
- ☐ Sandbox
- ☐ Plug-in
- ☐ Process

→ ⚠ Moving to another question will save this response.



SAR/EUR
70,44-



Search



الوقت المتبقي: 12 دقائق، 31 ثانية (تواي).

حالة إكمال الأسئلة:

يقوم الانتقال إلى سؤال آخر بحفظ هذا الرد.

السؤال 3

Which of the following statment is true

Cache is faster than Register ☐

Register is faster than Cache ☒

Both are true ☐

Both are false ☐

يقوم الانتقال إلى سؤال آخر بحفظ هذا الرد.

→ ⚠ Moving to another question will save this response.

Question 9

Processes within a system may be _____ or _____

- ☐ Dependent or cooperating
- ☐ Independent or non-cooperating
- ☐ Dependent or non-cooperating
- ☒ Independent or cooperating
- ☐ None of the above

→ ⚠ Moving to another question will save this response.

⏪ ⚠ Moving to another question will save this response.

⏪ < Question 5 of 5

0.5 points

Question 5

In message passing model of Cooperating processes, the IPC may be either blocking or non-blocking or its different combinations are also possible. If both send and receive are blocking, we have a _____

- ☐ anonymous (State)
- ☐ Renoderer (State)
- ☒ rendezvous (State)
- ☐ Zombie (State)
- ☐ Cascade (State)

⏪ ⚠ Moving to another question will save this response.

⏪ < Question 5 of 5

→ ⚠ Moving to another question will save this response.

Question 4

Considering the memory layout for the Process, global variables are placed in

- ☐ Text Section
- ☐ Stack
- ☒ Data Section
- ☐ Heap
- ☐ Program Counter

→ ⚠ Moving to another question will save this response.

Question 1

Program in execution is called

- ☐ Thread
- ☒ Process
- ☐ Kernel
- ☐ Driver
- ☐ System Call

Question 9

Which of the following statement is true

- ☐ Disk surface is logically divided into sectors, which are subdivided into tracks
- ☒ Disk surface is logically divided into tracks, which are subdivided into sectors
- ☐ Disk surface is physically divided into sectors, which are subdivided into tracks
- ☐ Disk surface is physically divided into tracks, which are subdivided into sectors

Your answers are saved automatically. Do not leave the test before clicking **Save and Submit**.

Remaining Time: 23 minutes, 45 seconds.

Question Completion Status:

⚠ Moving to another question will save this response.

Question 5 of 10

Question 5

0.5 points Save Answer

In message passing model of Cooperating processes, the IPC may be either blocking or non-blocking. _____ is considered asynchronous and _____ is considered synchronous

- ☒ Non-blocking, blocking
- ☐ Blocking, non-blocking
- ☐ Bounded non-blocking, unbounded blocking
- ☐ Bounded blocking, unbounded non-blocking
- ☐ None of the above

⚠ Moving to another question will save this response.

Question 5 of 10



10:04
٤٠/١٢/٢٧

