
TERRA_PROJECT
.terraform
lb
modules
backend
main.tf
variables.tf
loadbalancer
main.tf
variables.tf
.terraform.lock.hcl
main.tf
outputs.tf
terraform.tfstate
terraform.tfstate.backup
variables.tf

nginx.conf | main.tf ...\backend | variabl

lb > nginx.conf

```
events {}

http {
    upstream backend_servers {
        server backend_0:80;
        server backend_1:80;
        server backend_2:80;
        server backend_3:80;
        server backend_4:80;
    }

    server {
        listen 80;

        location / {
            proxy_pass http://backe
            proxy_http_version 1.0;
            proxy_set_header Connec
        }
    }
}
```

main.tf | variab | BLACKBOX

modules > loadbalancer > main.tf

```
terraform {
  required_providers {
    docker = {
      source  = "kreuzwerker/docker
      version = "~> 3.0"
    }
  }
}

resource "docker_image" "nginx" {
  name = "nginx:latest"
}

resource "docker_container" "loadba
  name  = "nginx_lb"
  image = docker_image.nginx.image_

  networks_advanced {
    name = var.network_name
  }

  volumes {
    host_path      = abspath("${pat
    container_path = "/etc/nginx/ng
  }

  ports {
    internal = 80
    external = 8080
  }
}
```

main.tf ...\loadbalancer | main.tf .\

main.tf

```
terraform {
  required_providers {
    docker = {
      source = "kreuzwerker/docker"
    }
  }
}

provider "docker" {}

resource "docker_network" "app_netw
  name = "mini_network"
}

module "backend" {
  source       = "./modules/backenc
  network_name = docker_network.app
  server_count = var.server_count
}

module "loadbalancer" {
  source       = "./modules/loadbal
  network_name = docker_network.app
}
```

main.tf | variables.tf

modules > loadbalancer > variables.tf

```
variable "network_name" {}
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS DEVDB

powersh...
wsl terra...

```
root@KHIYRAA:/home/mochi/terra_project# terraform apply
module.backend.docker_image.nginx: Refreshing state... [id=sha256:0236ee02dcbce00b9bd83e0f5fbc51069e7e1161bd59d99885b3ae1734f3392enginx:latest]
module.loadbalancer.docker_image.nginx: Refreshing state... [id=sha256:0236ee02dcbce00b9bd83e0f5fbc51069e7e1161bd59d99885b3ae1734f3392enginx:latest]
docker_network.app_network: Refreshing state... [id=3ab3e5ff1d53c11f8508341e24f3916b254accb08ee07192902b53dd4382c0d5]
module.loadbalancer.docker_container.loadbalancer: Refreshing state... [id=03d6f375554f5a575c37e5029e8b41cfb1b72d9c40b06fc107936a57bc1a8734]
module.backend.docker_container.backend[1]: Refreshing state... [id=30837cdd71de43108e6d92132e12c919cdb7ce4c8b641a328cbd1f91e8924698]
module.backend.docker_container.backend[2]: Refreshing state... [id=0e1f08b523a1dd256eeb49382782e693150d1c5c83a8aec42d871f8ad45ac45d]
module.backend.docker_container.backend[3]: Refreshing state... [id=b4c7ea0050e9c9663e21246851c70d426140450cb05949d081404f75169f6a7e]
module.backend.docker_container.backend[4]: Refreshing state... [id=696de4227a3a4273732815cd9612af2b5185fa3af042fc61e27e02b1f3cc21a1]
module.backend.docker_container.backend[0]: Refreshing state... [id=90863ef0f484fd8d31a2a7f43a38d097dfac987f5de56a2647c5da83f4bb0df8]

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:
  + create

Terraform will perform the following actions:

  # module.backend.docker_container.backend[0] will be created
  + resource "docker_container" "backend" {
      + attach                                    = false
      + bridge                                    = (known after apply)
      + command                                   = [
          + "sh",
          + "-c",
          + "echo '<h1>Backend Server 0</h1>' > /usr/share/nginx/html/index.html && nginx -g 'daemon off;'",
        ]
      + container_logs                            = (known after apply)
      + container_read_refresh_timeout_milliseconds = 15000
      + entrypoint                                = (known after apply)
      + env                                       = (known after apply)
      + exit_code                                 = (known after apply)
      + hostname                                  = (known after apply)
      + id                                        = (known after apply)
      + image                                     = "sha256:0236ee02dcbce00b9bd83e0f5fbc51069e7e1161bd59d99885b3ae1734f3392e"
      + init                                      = (known after apply)
      + ipc_mode                                  = (known after apply)
      + log_driver                                = (known after apply)
      + logs                                      = false
      + must_run                                  = true
      + name                                      = "backend_0"
      + network_data                              = (known after apply)
      + network_mode                              = "bridge"
      + read_only                                 = false
      + remove_volumes                            = true
      + restart                                   = "no"
      + rm                                        = false
      + runtime                                   = (known after apply)
```

Ln 31, Col 2 Spaces: 2 UTF-8 CRLF Terraform Finish Setup Go Live BLACKBOXAI: Open Chat Quokka Prettier

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS DEVDB

powersh...
wsl terra...

```
Outputs:

backend_container_names = [
  "backend_0",
  "backend_1",
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.

Outputs:

backend_container_names = [
  "backend_0",
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.

Outputs:

backend_container_names = [
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.

Outputs:
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.

Apply complete! Resources: 6 added, 0 changed, 0 destroyed.
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.

Apply complete! Resources: 6 added, 0 changed, 0 destroyed.
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.
Apply complete! Resources: 6 added, 0 changed, 0 destroyed.

Outputs:

backend_container_names = [
  "backend_0",
  "backend_1",
  "backend_2",
  "backend_3",
  "backend_4",
]
load_balancer_url = "http://localhost:8080"
root@KHIYRAA:/home/mochi/terra_project#
```

Ln 31, Col 2 Spaces: 2 UTF-8 CRLF Terraform Finish Setup Go Live BLACKBOXAI: Open Chat Quokka Prettier

docker desktop PERSONAL

Search Ctrl+K

- Ask Gordon
- Containers
- Images
- Volumes
- Kubernetes
- Builds
- MCP Toolkit BETA
- Docker Hub
- Docker Scout
- Models
- Extensions

Containers

Give feedback

Container CPU usage
0.00% / 800% (8 CPUs available)

Container memory usage
42.25MB / 11.34GB

Show charts

Search

Only show running containers

Name	Container ID	Image	Port(s)	CPU (%)	Last st	Actions
nervous_shockl	9c85fe540547	nodetest	3000:3000	0%	7 days	
nginx_lb	4358c470bff5	0236ee02c	8080:80	0%	22 min	
backend_1	1e45783ffcd8	0236ee02c		0%	22 min	
backend_3	5095a2b65d0d	0236ee02c		0%	22 min	
backend_0	270af7201047	0236ee02c		0%	22 min	
backend_4	bafdd297191d	0236ee02c		0%	22 min	
backend_2	09b3ce6959c3	0236ee02c		0%	22 min	
candling_egg	-	-	-	0%	58 min	
tugas2m3	-	-	-	0%	5 days	
container_larave	-	-	-	0%	7 days	

Showing 10 items

Engine running | RAM 2.33 GB CPU 0.38% Disk: 16.71 GB used (limit 1006.85 GB) | Update available



Backend Server 1



Backend Server 0