Y 1w Δ Salmon (NOK/KG) [Weekly]



Y 2w Δ Salmon (NOK/KG) [Weekly]





Y 1m Δ Salmon (NOK/KG) [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.020 Non-normal ✗
Skew=-0.13 Kurt=0.34
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Y 3m Δ Salmon (NOK/KG) [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.026 Non-normal ✗
Skew=-0.13 Kurt=-0.31
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Y 6m Δ Salmon (NOK/KG) [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
2008
2012
2016
2020
2024
Distribution (FishPool)
JB p=0.039 Non-normal ✗
Skew=-0.08 Kurt=-0.35
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Y 12m Δ Salmon (NOK/KG) [Weekly]



Δ Salmon (NOK/KG) 1w [Weekly]




Δ Salmon (NOK/KG) 2w [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
● FishPool period
2008
2012
2016
2020
2024
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.09 Kurt=1.46
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Δ Salmon (NOK/KG) 1m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.008 Non-normal ✗
Skew=-0.09 Kurt=0.44
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



Δ Salmon (NOK/KG) 3m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.030 Non-normal ✗
Skew=-0.15 Kurt=-0.26
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Δ Salmon (NOK/KG) 6m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.029 Non-normal ✗
Skew=-0.09 Kurt=-0.36
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



Δ Salmon (NOK/KG) 12m [Weekly]
Time Series | ADF p=0.0005 KPSS p=0.1 → Stationary ✓ Action: Use levels
● FishPool period
Distribution (FishPool)
JB p=0.004 Non-normal ✗
Skew=-0.25 Kurt=-0.10
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Spread (FP - SSB) [Weekly]




Δ Spread (FP - SSB) [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.84 Kurt=17.85
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


FWD 1m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.18 Kurt=0.68
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



Δ FWD 1m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
2008
2012
2016
2020
2024
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.50 Kurt=6.61
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



FWD 3m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.01 → Trend-stationary Action: Detrend
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=6.02 Kurt=50.91
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Δ FWD 3m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.59 Kurt=82.76
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

FWD 6m [Weekly]



Δ FWD 6m [Weekly]





FWD 12m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.0668 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.239 Normal ✓
Skew=-0.04 Kurt=0.26
Empirical
Normal (H0)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Δ FWD 12m [Weekly]




FWD Slope [Weekly]
Time Series | ADF p=0.0 KPSS p=0.0377 → Trend-stationary Action: Detrend
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.42 Kurt=1.09
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



FWD Curvature [Weekly]
Time Series | ADF p=0.0376 KPSS p=0.01 → Trend-stationary Action: Detrend
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-7.32 Kurt=68.15
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



Δ Export Volume 1w [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-2.59 Kurt=15.09
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Δ Export Volume 2w [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-1.84 Kurt=9.63
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Δ Export Volume 1m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-1.30 Kurt=4.53
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



Δ Chilean Exports 1w [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.04 Kurt=2.33
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Δ Chilean Exports 2w [Weekly]




Δ Chilean Exports 1m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.18 Kurt=2.08
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Δ Chilean Exports 3m [Weekly]











Δ Biomass (1 - 2) Monthly [Monthly]
Time Series | ADF p=0.912 KPSS p=0.01 → Non-stationary Action: Use Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.68 Kurt=-0.62
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr



Δ Biomass (2+) Monthly [Monthly]
Time Series | ADF p=0.0663 KPSS p=0.1 → Inconclusive Action: Default Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-1.86 Kurt=14.77
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.671 LB(6) p=0.006 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr



Δ Total Biomass Monthly [Monthly]
Time Series | ADF p=0.0014 KPSS p=0.1 → Stationary ✓ Action: Use levels
● FishPool period
Distribution (FishPool)
JB p=0.002 Non-normal ✗
Skew=0.53 Kurt=-0.39
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr



Avg Weight (KG) Monthly [Monthly]
Time Series | ADF p=0.0356 KPSS p=0.01 → Trend-stationary Action: Detrend
FishPool period
Distribution (FishPool)
JB p=0.001 Non-normal ✗
Skew=-0.61 Kurt=0.11
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr


FCR Monthly [Monthly]
Time Series | ADF p=0.4627 KPSS p=0.1 → Inconclusive Action: Default Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.14 Kurt=-1.36
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr



Harvest Intensity Monthly [Monthly]
Time Series | ADF p=0.4395 KPSS p=0.01 → Non-stationary Action: Use Δln
FishPool period
Distribution (FishPool)
JB p=0.002 Non-normal ✗
Skew=0.55 Kurt=0.29
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr

Loss Rate Monthly [Monthly]




Mortality Rate Monthly [Monthly]
Time Series | ADF p=0.1595 KPSS p=0.1 → Inconclusive Action: Default Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=2.02 Kurt=9.27
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr

Smolt Release 65w Monthly [Monthly]




ISA Outbreak [Weekly]
Time Series | ADF p=0.092 KPSS p=0.01 → Non-stationary Action: Use Δln
FishPool period
2008
2012
2016
2020
2024
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.38 Kurt=-0.83
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Lice Outbreak [Weekly]



Lice Treatment (%) [Weekly]




Sea Temp [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.23 Kurt=-1.29
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Δ EURNOK [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=1.10 Kurt=12.85
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.052 LB(26) p=0.001 LB(52) p=0.012 LB(104) p=0.227
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



CPI NO Monthly [Monthly]
Time Series | ADF p=0.0852 KPSS p=0.01 → Non-stationary Action: Use Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.99 Kurt=1.17
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr



NIBOR 3m [Weekly]
Time Series | ADF p=0.2002 KPSS p=0.01 → Non-stationary Action: Use Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.76 Kurt=-0.31
Empirical
Normal (H0)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Δ Shrimp Price (Global) Monthly [Monthly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.50 Kurt=1.25
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.002
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr

Δ Broiler Price (EU) [Weekly]










Δ Pig Price (EU) [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.48 Kurt=4.30
Empirical
Normal (H0)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Meat CPI (EU) Monthly [Monthly]





Δ Fishmeal Monthly [Monthly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.68 Kurt=2.52
Empirical
Normal (H₀)
ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr
LB(1) p=0.000 LB(6) p=0.000 LB(12) p=0.000 LB(24) p=0.000
PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr

Brent FWD 1m [Weekly]




Δ Brent FWD 1m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.83 Kurt=14.20
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.132 LB(26) p=0.000 LB(52) p=0.013 LB(104) p=0.139
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Brent FWD 6m [Weekly]
Time Series | ADF p=0.1122 KPSS p=0.0467 → Non-stationary Action: Use Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-1.26 Kurt=3.02
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Δ Brent FWD 6m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-1.14 Kurt=9.44
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.020 LB(26) p=0.002 LB(52) p=0.018 LB(104) p=0.161
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



Brent FWD 12m [Weekly]
Time Series | ADF p=0.1567 KPSS p=0.0437 → Non-stationary Action: Use Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-1.14 Kurt=2.51
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Δ Brent FWD 12m [Weekly]











Brent FWD Slope [Weekly]
Time Series | ADF p=0.0041 KPSS p=0.01 → Trend-stationary Action: Detrend
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=1.23 Kurt=3.64
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr


Brent FWD Curvature [Weekly]
Time Series | ADF p=0.0 KPSS p=0.01 → Trend-stationary Action: Detrend
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-4.39 Kurt=42.88
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



Wheat FWD 1m [Weekly]
Time Series | ADF p=0.8894 KPSS p=0.01 → Non-stationary Action: Use Δln
0.4
0.2
0.0
−0.2
2008
2012
2016
2020
2024
FishPool period
Distribution (FishPool)
JB p=0.057 Normal ✓
Skew=-0.21 Kurt=-1.37
Empirical
Normal (H₀)
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−0.2
0.0
0.2
0.4
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
Insufficient data
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
Insufficient data
0.0
0.2
0.4
0.6
0.8
1.0

Δ Wheat FWD 1m [Weekly]



Wheat FWD 6m [Weekly]




Δ Wheat FWD 6m [Weekly]
Time Series | ADF p=0.0049 KPSS p=0.074 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.077 Normal ✓
Skew=-0.19 Kurt=1.52
Empirical
Normal (H0)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
Insufficient data
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
Insufficient data

Wheat FWD Slope [Weekly]




Wheat FWD Curvature [Weekly]
Time Series | ADF p=0.0 KPSS p=0.0789 → Stationary ✓ Action: Use levels
● FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=0.85 Kurt=3.67
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Soybean FWD 1m [Weekly]





Δ Soybean FWD 1m [Weekly]
Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels
● FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.58 Kurt=2.87
Empirical
Normal (H0)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.699 LB(26) p=0.742 LB(52) p=0.993 LB(104) p=0.999
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
PACF failed

Soybean FWD 6m [Weekly]



Δ Soybean FWD 6m [Weekly]




Soybean FWD 12m [Weekly]
Time Series | ADF p=0.8011 KPSS p=0.01 → Non-stationary Action: Use Δln
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=1.17 Kurt=0.40
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
PACF failed


Δ Soybean FWD 12m [Weekly]
Time Series | ADF p=0.0927 KPSS p=0.1 → Inconclusive Action: Default Δln
FishPool period
Distribution (FishPool)
JB p=0.002 Non-normal ✗
Skew=-0.33 Kurt=1.66
Empirical
Normal (H₀)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.344 LB(26) p=0.006 LB(52) p=0.429 LB(104) p=0.006
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
PACF failed


Soybean FWD Slope [Weekly]
Time Series | ADF p=0.0021 KPSS p=0.0966 → Stationary ✓ Action: Use levels
FishPool period
Distribution (FishPool)
JB p=0.000 Non-normal ✗
Skew=-0.63 Kurt=-0.09
Empirical
Normal (H0)
ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr
LB(4) p=0.000 LB(26) p=0.000 LB(52) p=0.000 LB(104) p=0.000
PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

Soybean FWD Curvature [Weekly]