



Y 1w Δ Salmon (NOK/KG) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Y 2w Δ Salmon (NOK/KG) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Y 1m Δ Salmon (NOK/KG) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Y 3m Δ Salmon (NOK/KG) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







Y 6m Δ Salmon (NOK/KG) [Weekly]

Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Y 12m Δ Salmon (NOK/KG) [Weekly]

Time Series | ADF p=0.0001 KPSS p=0.1 → Stationary ✓ Action: Use levels




Δ Salmon (NOK/KG) 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Salmon (NOK/KG) 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Salmon (NOK/KG) 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Salmon (NOK/KG) 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Salmon (NOK/KG) 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Salmon (NOK/KG) 12m [Weekly]


Time Series | ADF p=0.0005 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




RVol 4w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




RVol 13w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







Spread (FP - SSB) [Weekly]

Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Δ Spread (FP - SSB) [Weekly]

Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




FWD 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ FWD 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




FWD 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ FWD 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




FWD 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ FWD 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




FWD 12m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.0454 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ FWD 12m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




FWD Slope [Weekly]


Time Series | ADF p=0.0 KPSS p=0.0377 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




FWD Curvature [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Export Volume 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Export Volume 2w [Weekly]


Time Series | ADF $p=0.0$ KPSS $p=0.1 \rightarrow$ Stationary $\checkmark$ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Export Volume 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Chilean Exports 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Chilean Exports 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Chilean Exports 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Chilean Exports 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Total Biomass Monthly [Monthly]


Time Series | ADF p=0.0014 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ YOY Total Biomass Monthly [Monthly]


Time Series | ADF p=0.006 KPSS p=0.01 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr







PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Avg Weight (KG) Monthly [Monthly]

Time Series | ADF p=0.0356 KPSS p=0.01 → Trend-stationary Action: Detrend




YOY Avg Weight (KG) Monthly [Monthly]


Time Series | ADF p=0.0002 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Harvest Intensity 1m Monthly [Monthly]


Time Series | ADF p=0.4395 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Harvest Intensity 3m Monthly [Monthly]


Time Series | ADF p=0.5039 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Loss Rate 1m Monthly [Monthly]


Time Series | ADF p=0.1588 KPSS p=0.0821 → Inconclusive Action: Default Δln




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Loss Rate 3m Monthly [Monthly]


Time Series | ADF p=0.1427 KPSS p=0.0521 → Inconclusive Action: Default Δln




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Loss Rate 6m Monthly [Monthly]


Time Series | ADF p=0.0996 KPSS p=0.0367 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 2m Monthly [Monthly]


Time Series | ADF p=0.2259 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 3m Monthly [Monthly]


Time Series | ADF p=0.1883 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 4m Monthly [Monthly]


Time Series | ADF p=0.1748 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 5m Monthly [Monthly]


Time Series | ADF p=0.1884 KPSS p=0.0106 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 6m Monthly [Monthly]


Time Series | ADF p=0.184 KPSS p=0.0169 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 7m Monthly [Monthly]


Time Series | ADF p=0.187 KPSS p=0.0331 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 8m Monthly [Monthly]


Time Series | ADF p=0.1925 KPSS p=0.0131 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 9m Monthly [Monthly]


Time Series | ADF p=0.1834 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 10m Monthly [Monthly]


Time Series | ADF p=0.1799 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 11m Monthly [Monthly]


Time Series | ADF $p=0.174$ KPSS $p=0.01 \rightarrow$ Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 12m Monthly [Monthly]


Time Series | ADF p=0.1818 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 13m Monthly [Monthly]


Time Series | ADF p=0.1844 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 14m Monthly [Monthly]


Time Series | ADF p=0.1896 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 15m Monthly [Monthly]


Time Series | ADF p=0.191 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 16m Monthly [Monthly]


Time Series | ADF p=0.1943 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 17m Monthly [Monthly]


Time Series | ADF p=0.206 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Smolt Release 18m Monthly [Monthly]


Time Series | ADF p=0.2079 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




ISA Outbreak [Weekly]


Time Series | ADF p=0.092 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




ISA Outbreak 1m [Weekly]


Time Series | ADF p=0.1603 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




ISA Outbreak 3m [Weekly]

Time Series | ADF p=0.4006 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Lice Outbreak [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Lice Outbreak 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Lice Outbreak 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Sea Temp [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



Sea Temp 12m Avg [Weekly]

Time Series | ADF p=0.0386 KPSS p=0.0173 → Trend-stationary Action: Detrend




Δ EURNOK [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ EURNOK 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ EURNOK 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ EURNOK 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ EURNOK 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ EURNOK 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ EURNOK 12m [Weekly]


Time Series | ADF p=0.0017 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







CPI NO Monthly [Monthly]

Time Series | ADF p=0.0852 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




NIBOR 3m [Weekly]

Time Series | ADF p=0.2002 KPSS p=0.01 → Non-stationary Action: Use $\Delta \ln$




Δ Shrimp Price (Global) 1m Monthly [Monthly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ Shrimp Price (Global) 3m Monthly [Monthly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ Shrimp Price (Global) 6m Monthly [Monthly]


Time Series | ADF p=0.002 KPSS p=0.1 $\rightarrow$ Stationary $\checkmark$ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ Shrimp Price (Global) 12m Monthly [Monthly]


Time Series | ADF p=0.0291 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ Broiler Price (EU) 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Broiler Price (EU) 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Broiler Price (EU) 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Broiler Price (EU) 3m [Weekly]


Time Series | ADF p=0.0001 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Broiler Price (EU) 6m [Weekly]


Time Series | ADF p=0.0006 KPSS p=0.0714 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Broiler Price (EU) 12m [Weekly]


Time Series | ADF p=0.035 KPSS p=0.01 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Pig Price (EU) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Pig Price (EU) 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Pig Price (EU) 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Pig Price (EU) 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Pig Price (EU) 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Pig Price (EU) 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Δ Pig Price (EU) 12m [Weekly]


Time Series | ADF p=0.1445 KPSS p=0.1 → Inconclusive Action: Default $\Delta \ln$




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Meat CPI (EU) Monthly [Monthly]


Time Series | ADF p=0.0926 KPSS p=0.0752 → Inconclusive Action: Default Δln




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ Fishmeal 1m Monthly [Monthly]


Time Series | ADF p=0.0 KPSS p=0.1 $\rightarrow$ Stationary $\checkmark$ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ Fishmeal 3m Monthly [Monthly]


Time Series | ADF p=0.0013 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ Fishmeal 6m Monthly [Monthly]


Time Series | ADF p=0.0002 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Δ Fishmeal 12m Monthly [Monthly]


Time Series | ADF p=0.0108 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




Brent FWD Slope [Weekly]


Time Series | ADF p=0.0041 KPSS p=0.01 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Brent FWD Curvature [Weekly]


Time Series | ADF $p=0.0$ KPSS $p=0.01$ → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Soybean FWD Slope [Weekly]


Time Series | ADF p=0.0021 KPSS p=0.0966 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




Soybean FWD Curvature [Weekly]


Time Series | ADF p=0.0031 KPSS p=0.1 → Stationary ✓ Action: Use levels



Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

