



# Month [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Y 1w Δ Salmon (NOK/KG) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Y 2w Δ Salmon (NOK/KG) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Y 1m Δ Salmon (NOK/KG) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Y 3m Δ Salmon (NOK/KG) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







# Y 6m Δ Salmon (NOK/KG) [Weekly]

Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




# Y 12m Δ Salmon (NOK/KG) [Weekly]

Time Series | ADF p=0.0001 KPSS p=0.1 → Stationary ✓ Action: Use levels




# $\Delta$ Salmon (NOK/KG) 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Salmon (NOK/KG) 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Salmon (NOK/KG) 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Salmon (NOK/KG) 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Salmon (NOK/KG) 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Salmon (NOK/KG) 12m [Weekly]


Time Series | ADF p=0.0005 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







# Spread (FP - SSB) [Weekly]

Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




# $\Delta$ Spread (FP - SSB) [Weekly]

Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




# FWD 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ FWD 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# FWD 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ FWD 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# FWD 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ FWD 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# FWD 12m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.0454 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ FWD 12m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# FWD Slope [Weekly]


Time Series | ADF p=0.0 KPSS p=0.0377 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# FWD Curvature [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Export Volume 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Export Volume 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Export Volume 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1  $\rightarrow$  Stationary  $\checkmark$  Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Chilean Exports 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Chilean Exports 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Chilean Exports 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Chilean Exports 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Total Biomass Monthly [Monthly]


Time Series | ADF p=0.0014 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ YOY Total Biomass Monthly [Monthly]


Time Series | ADF p=0.006 KPSS p=0.01 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr







PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Avg Weight (KG) Monthly [Monthly]

Time Series | ADF p=0.0356 KPSS p=0.01 → Trend-stationary Action: Detrend




# YOY Avg Weight (KG) Monthly [Monthly]


Time Series | ADF p=0.0002 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Harvest Intensity 1m Monthly [Monthly]


Time Series | ADF p=0.4395 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Harvest Intensity 3m Monthly [Monthly]


Time Series | ADF p=0.5039 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Loss Rate 1m Monthly [Monthly]


Time Series | ADF p=0.1588 KPSS p=0.0821 → Inconclusive Action: Default Δln




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Loss Rate 3m Monthly [Monthly]


Time Series | ADF p=0.1427 KPSS p=0.0521 → Inconclusive Action: Default Δln




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Loss Rate 6m Monthly [Monthly]


Time Series | ADF p=0.0996 KPSS p=0.0367 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 2m Monthly [Monthly]


Time Series | ADF p=0.2259 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 3m Monthly [Monthly]


Time Series | ADF p=0.1883 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 4m Monthly [Monthly]


Time Series | ADF p=0.1748 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 5m Monthly [Monthly]


Time Series | ADF p=0.1884 KPSS p=0.0106 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 6m Monthly [Monthly]


Time Series | ADF p=0.184 KPSS p=0.0169 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 7m Monthly [Monthly]


Time Series | ADF p=0.187 KPSS p=0.0331 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 8m Monthly [Monthly]


Time Series | ADF p=0.1925 KPSS p=0.0131 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 9m Monthly [Monthly]


Time Series | ADF p=0.1834 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 10m Monthly [Monthly]


Time Series | ADF p=0.1799 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 11m Monthly [Monthly]


Time Series | ADF p=0.174 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 12m Monthly [Monthly]


Time Series | ADF p=0.1818 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 13m Monthly [Monthly]


Time Series | ADF p=0.1844 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 14m Monthly [Monthly]


Time Series | ADF p=0.1896 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 15m Monthly [Monthly]


Time Series | ADF p=0.191 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 16m Monthly [Monthly]


Time Series | ADF p=0.1943 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 17m Monthly [Monthly]


Time Series | ADF p=0.206 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Smolt Release 18m Monthly [Monthly]


Time Series | ADF p=0.2079 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# ISA Outbreak [Weekly]


Time Series | ADF p=0.092 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# ISA Outbreak 1m [Weekly]


Time Series | ADF p=0.1603 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# ISA Outbreak 3m [Weekly]


Time Series | ADF p=0.4006 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Lice Outbreak [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Lice Outbreak 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Lice Outbreak 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Sea Temp [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



# Sea Temp 12m Avg [Weekly]

Time Series | ADF p=0.0386 KPSS p=0.0173 → Trend-stationary Action: Detrend




# $\Delta$ EURNOK [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ EURNOK 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ EURNOK 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ EURNOK 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ EURNOK 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ EURNOK 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ EURNOK 12m [Weekly]


Time Series | ADF  $p=0.0017$  KPSS  $p=0.1 \rightarrow$  Stationary  $\checkmark$  Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr







# CPI NO Monthly [Monthly]

Time Series | ADF p=0.0852 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




# NIBOR 3m [Weekly]

Time Series | ADF p=0.2002 KPSS p=0.01 → Non-stationary Action: Use  $\Delta \ln$




# $\Delta$ Shrimp Price (Global) 1m Monthly [Monthly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ Shrimp Price (Global) 3m Monthly [Monthly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ Shrimp Price (Global) 6m Monthly [Monthly]


Time Series | ADF p=0.002 KPSS p=0.1  $\rightarrow$  Stationary  $\checkmark$  Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ Shrimp Price (Global) 12m Monthly [Monthly]


Time Series | ADF p=0.0291 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ Broiler Price (EU) 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Broiler Price (EU) 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Broiler Price (EU) 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Broiler Price (EU) 3m [Weekly]


Time Series | ADF p=0.0001 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Broiler Price (EU) 6m [Weekly]


Time Series | ADF p=0.0006 KPSS p=0.0714 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Broiler Price (EU) 12m [Weekly]


Time Series | ADF p=0.035 KPSS p=0.01 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Pig Price (EU) [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Pig Price (EU) 1w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Pig Price (EU) 2w [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Pig Price (EU) 1m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Pig Price (EU) 3m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Pig Price (EU) 6m [Weekly]


Time Series | ADF p=0.0 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# $\Delta$ Pig Price (EU) 12m [Weekly]


Time Series | ADF p=0.1445 KPSS p=0.1 → Inconclusive Action: Default  $\Delta \ln$




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Meat CPI (EU) Monthly [Monthly]


Time Series | ADF p=0.0926 KPSS p=0.0752 → Inconclusive Action: Default Δln




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ Fishmeal 1m Monthly [Monthly]


Time Series | ADF p=0.0 KPSS p=0.1  $\rightarrow$  Stationary  $\checkmark$  Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ Fishmeal 3m Monthly [Monthly]


Time Series | ADF p=0.0013 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ Fishmeal 6m Monthly [Monthly]


Time Series | ADF p=0.0002 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# $\Delta$ Fishmeal 12m Monthly [Monthly]


Time Series | ADF p=0.0108 KPSS p=0.1 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




PACF (max lag=24) | lag 1=1mo | 6=6mo | 12=1yr




# Brent FWD Slope [Weekly]


Time Series | ADF p=0.0041 KPSS p=0.01 → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Brent FWD Curvature [Weekly]


Time Series | ADF  $p=0.0$  KPSS  $p=0.01$  → Trend-stationary Action: Detrend




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Soybean FWD Slope [Weekly]


Time Series | ADF p=0.0021 KPSS p=0.0966 → Stationary ✓ Action: Use levels




Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr




# Soybean FWD Curvature [Weekly]


Time Series | ADF p=0.0031 KPSS p=0.1 → Stationary ✓ Action: Use levels



Distribution (FishPool)



ACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr



PACF (max lag=104) | lag 4=1mo | 26=6mo | 52=1yr | 104=2yr

