

React.js Beginner Mock Interview Questions & Answers

(English + Tanglish)

1. What is React?

English: React is a JavaScript library used for building user interfaces, especially single-page applications.

Tanglish: React-nu sonna JavaScript library. UI create panna use pannuvanga, especially single-page apps-ku.

2. What are Components in React?

English: Components are reusable and independent UI pieces.

Tanglish: Component-nu sonna reusable UI piece. Independent-ah work pannum.

3. What are Props?

English: Props are read-only inputs passed from parent to child components.

Tanglish: Props-nu sonna parent-lendhu child-ku pass panna data. Idhu read-only.

4. What is State?

English: State is a mutable data object that determines component behavior and UI rendering.

Tanglish: State-nu sonna component-oda internal data. Ithu change aagum, UI update aagum.

5. Difference between Props and State?

English: Props are read-only and passed from parent; State is internal and changeable.

Tanglish: Props parent → child pass pannuvanga, change panna mudiyadhu. State component-ku own, change panna mudiyum.

6. What is useState?

English: useState is a hook used to create and manage state in functional components.

Tanglish: useState-na state create & update panna React hook.

7. What is useEffect?

English: useEffect is used for side effects like API calls, timers, and event listeners.

Tanglish: useEffect side effects-ku use pannuvanga — API call, timers, listeners.

8. What is Virtual DOM?

English: A lightweight JavaScript copy of the real DOM that improves performance.

Tanglish: Real DOM-oda duplicate lightweight copy. Performance speed aagum.

9. What are Keys in React?

English: Keys help React identify list items when updating the UI.

Tanglish: Key kudutha React fast-ah list items identify pannum.

10. What is JSX?

English: JSX allows writing HTML-like syntax inside JavaScript.

Tanglish: JSX-na JavaScript-la HTML madhiri code write panna allow pannum.

11. What is a Controlled Component?

English: A component where form data is controlled by React state.

Tanglish: Input value React state control panna controlled component.

12. What is Context API?

English: A way to pass data globally without props-drilling.

Tanglish: Props deep pass panna thevai illa. Global-ah share panna help pannum.

13. What is React Router?

English: A library for navigation and routing in React apps.

Tanglish: React app-la multiple pages madhiri navigate panna React Router use pannuvanga.

14. What is Redux?

English: A state management library with a store, actions, and reducers.

Tanglish: Redux global state management tool — store, actions, reducers use pannum.

15. What is React.memo?

English: A higher-order component that prevents unnecessary re-renders.

Tanglish: React.memo-nu sonna component extra re-render aagama stop pannum.

16. What is useCallback?

English: A hook that memoizes functions.

Tanglish: Functions thirumba create aagama useCallback memoize pannum.

17. What is useMemo?

English: A hook that memoizes expensive calculations.

Tanglish: Heavy calculations repeated ah aagama useMemo store pannum.

18. What is lazy loading?

English: Loading components only when needed.

Tanglish: Thevai irukka time-la dhaan load pannum — performance improve.

19. What is Fragment?

English: A wrapper used to group elements without adding extra DOM nodes.

Tanglish: Extra div create pannaama elements group panna Fragment use pannuvanga.

20. What is an Error Boundary?

English: A component that catches JavaScript errors and shows fallback UI.

Tanglish: Child component error catch pannitu safe UI show pannum — adhu Error Boundary.