

```
127.0.0.1:6379> SET sistema:nome "DataPlatform"
OK
127.0.0.1:6379> GET sistema:nome
"DataPlatform"
127.0.0.1:6379> MSET env:db "postgres" env:cache "redis" env:queue "rabbitmq"
OK
127.0.0.1:6379> MGET env:db env:cache
1) "postgres"
2) "redis"
127.0.0.1:6379> SETEX sessao:usuario:101 30 "xyz123"
OK
127.0.0.1:6379> TTL sessao:usuario:101
(integer) 23
127.0.0.1:6379> INCR pageviews:home
(integer) 1
127.0.0.1:6379> INCRBY pageviews:home 5
(integer) 6
127.0.0.1:6379> DECRBY pageviews:home 2
(integer) 4
127.0.0.1:6379> HSET usuario:201 nome "Carlos" email "carlos@email.com" nivel "admin"
(integer) 3
```

```
127.0.0.1:6379> HGET usuario:201 email
"carlos@email.com"
127.0.0.1:6379> HGETALL usuario:201
1) "nome"
2) "Carlos"
3) "email"
4) "carlos@email.com"
5) "nivel"
6) "admin"
127.0.0.1:6379> HINCRBY usuario:201 tentativas_login 1
(integer) 1
127.0.0.1:6379> HKEYS usuario:201
1) "nome"
2) "email"
3) "nivel"
4) "tentativas_login"
127.0.0.1:6379> RPush fila:email "email_1" "email_2" "email_3"
(integer) 3
127.0.0.1:6379> LPOP fila:email
"email_1"
127.0.0.1:6379> LRANGE fila:email 0 -1
1) "email_2"
2) "email_3"
127.0.0.1:6379> SADD tags:post:1 "dados" "redis" "nosql" "redis"
(integer) 3
127.0.0.1:6379> SCARD tags:post:1
(integer) 3
127.0.0.1:6379> SADD tags:post:2 "redis" "python" "backend"
(integer) 3
```

```
127.0.0.1:6379> SINTER tags:post:1 tags:post:2
1) "redis"
127.0.0.1:6379> SISMEMBER tags:post:1 "python"
(integer) 0
127.0.0.1:6379> ZADD placar:game 1500 "alice" 2200 "bob" 1800 "carol"
(integer) 3
127.0.0.1:6379> ZREVRANGE placar:game 0 -1 WITHSCORES
1) "bob"
2) "2200"
3) "carol"
4) "1800"
5) "alice"
6) "1500"
127.0.0.1:6379> ZINCRBY placar:game 800 "alice"
"2300"
127.0.0.1:6379> ZREVRANK placar:game "alice"
(integer) 0
```

```
127.0.0.1:6379> docker exec -it bases_redis redis-cli
(error) ERR unknown command 'docker', with args beginning with:
'exec' '-it' 'bases_redis' 'redis-cli'
127.0.0.1:6379> SUBSCRIBE notificacoes
1) "subscribe"
2) "notificacoes"
3) (integer) 1
127.0.0.1:6379(subscribed mode)> |
```

```
C:\Users\Aninha>docker exec -it bases_redis redis-cli
127.0.0.1:6379> PUBLISH notificacoes "Novo relatorio disponivel"
(integer) 1
127.0.0.1:6379> |
```

```
127.0.0.1:6379> MULTI
OK
127.0.0.1:6379(TX)> DECRBY conta:A 50
QUEUED
127.0.0.1:6379(TX)> INCRBY conta:B 50
QUEUED
127.0.0.1:6379(TX)> EXEC
1) (integer) -50
2) (integer) 50
127.0.0.1:6379> |
```

```
127.0.0.1:6379> EXISTS sistema:nome
(integer) 1
127.0.0.1:6379> RENAME sistema:nome sistema:app
OK
127.0.0.1:6379> DEL sistema:app
(integer) 1
127.0.0.1:6379> |
```

127.0.0.1:6379> INFO memory

Memory

used_memory:2103312
used_memory_human:2.01M
used_memory_rss:9437184
used_memory_rss_human:9.00M
used_memory_peak:2252944
used_memory_peak_human:2.15M
used_memory_peak_perc:93.36%
used_memory_overhead:1035055
used_memory_startup:948456
used_memory_dataset:1068257
used_memory_dataset_perc:92.50%
allocator_allocated:2925456
allocator_active:3280896
allocator_resident:8974336
allocator_muzzy:0
total_system_memory:16603848704
total_system_memory_human:15.46G
used_memory_lua:35840
used_memory_vm_eval:35840
used_memory_lua_human:35.00K
used_memory_scripts_eval:320
number_of_cached_scripts:1
number_of_functions:0
number_of_libraries:0
used_memory_vm_functions:33792
used_memory_vm_total:69632
used_memory_vm_total_human:68.00K
used_memory_functions:192
used_memory_scripts:512
used_memory_scripts_human:512B
maxmemory:0
maxmemory_human:0B
maxmemory_policy:noeviction
allocator_frag_ratio:1.11
allocator_frag_bytes:261744
allocator_rss_ratio:2.74
allocator_rss_bytes:5693440
rss_overhead_ratio:1.05

rss_overhead_bytes:462848
mem_fragmentation_ratio:4.53
mem_fragmentation_bytes:7354544
mem_not_counted_for_evict:0
mem_replication_backlog:0
mem_total_replication_buffers:0
mem_clients_slaves:0
mem_clients_normal:84807
mem_cluster_links:0
mem_aof_buffer:0
mem_allocator:jemalloc-5.3.0
mem_overhead_db_hashtable_rehashing:0
active_defrag_running:0
lazyfree_pending_objects:0
lazyfreed_objects:0

127.0.0.1:6379> FLUSHDB

OK