

Reusable Moodle Self-Check and Learner-Tracking Pattern

Sprint 2 Core MVP - configured and validated directly on the real OAPA Academy course


Prepared by Shaikh Zarin Tasnim (Dev 2) - Team 74, OAPA Editor Academy

1. What This Covers

For this task I needed to build one representative reusable self-check and learner-tracking pattern directly in the real OAPA Academy course, using Moodle's own native tools first rather than depending on H5P. This document walks through what I built, why I didn't use H5P for it, and the evidence showing the pattern actually works end to end, feedback, completion, and tracking included.

2. Why H5P Isn't Part of This

I checked H5P again before starting this task, since the plan says to use it only if it's actually working and still the approved option. It isn't working right now. Trying to use my existing H5P Question Set on the real course now gives a different error than before, missing required library H5P.Components 1.0 and missing main library H5P.QuestionSet 1.21, with a note saying regular users can't upload new libraries and need to contact the administrator.




The H5P Question Set content type is missing required libraries on this Moodle instance, and only an administrator can fix that.

So this is still an admin-level blocker, just a different one than the invalidcontextid issue from before. Since H5P isn't working and isn't something I can fix myself, I built this pattern using Moodle's native Quiz activity instead, which is fully within what Teacher-level access can do.

3. The Pattern I Built

I created a new section on the real course called "Zarin - Reusable Self-Check Pattern, Sprint 2", separate from my earlier H5P testing section, since this one is meant to actually be reused rather than just be a test sandbox. Inside it I built a native Moodle Quiz called "Module Self-Check 1".

Instead of just matching H5P's four question types, I used six different native Moodle question types in the same quiz, Multiple Choice, True/False, Matching, Numerical, Short Answer, and Drag and Drop into text. This actually covers more variety than my original H5P set did, and shows the pattern can flex across different kinds of self-check questions.



OAPA Academy Dashboard

Foundations of Acade... Summary Exercise: Being Critical Workshop 2 Slides

Module 3. Feedback Principles ... Feedback Principles Evaluating the Method Evaluating the Content Reflection and Discussion Making a recommendation Workshop Preparation Workshop 3 Slides

Workshop Slides Welcome Session Slide Deck

Zarin - H5P Testing, Sprint 1 H5P- Test

Zarin - Reusable Self-Check Pat... Module Self-Check 1

Questions Questions

Questions: 6 | This quiz is open

Maximum grade 6.00 Save

Repaginate Select multiple items

Total of marks: 6.00

Shuffle

Page 1

1 Multiple choice Which of these is an example of two-factor ... Always latest 1.00

2 True/False Using a unique password for each account ... Always latest 1.00

3 Matching Question Match each security term with its correct ... Always latest 1.00

4 Numerical Question How many authentication factors are used in ... Always latest 1.00

5 Short Answer What does MFA stand for? Always latest 1.00

6 Drag and Drop A strong password should [[3]] to each account ... Always latest 1.00

Add

Six native question types in one reusable quiz, worth 6 marks total, with a pass grade set at 3 out of 6.

4. Feedback - Per Question and Overall

Each question has its own specific feedback depending on whether the answer is right or wrong. For example, answering the two-factor authentication multiple choice question correctly shows: "Correct! Two-factor authentication uses two different types of verification."

OAPA Academy Dashboard

Foundations of Acade... Summary Exercise: Being Critical Workshop 2 Slides

Module 3. Feedback Principles ... Feedback Principles Evaluating the Method Evaluating the Content Reflection and Discussion Making a recommendation Workshop Preparation Workshop 3 Slides

Workshop Slides Welcome Session Slide Deck

Zarin - HSP Testing, Sprint 1 HSP- Test

Zarin - Reusable Self-Check Pat... Module Self-Check 1

FAPR_dev / Zarin - Reusable Self-Check Pattern, Sprint 2 / Module Self-Check 1 / Preview

QUIZ

Module Self-Check 1

Quiz Settings Questions Results Question bank More

Status	Finished
Started	Saturday, 19 September 2026, 10:40 PM
Completed	Saturday, 19 September 2026, 10:41 PM
Duration	59 secs
Grade	6.00 out of 6.00 (100%)
Feedback	Great job! You got perfect score!

Question 1 Correct Mark 1.00 out of 1.00

Flag question Edit question v1 (latest)

Which of these is an example of two-factor authentication?

- ☒ a. Using a password and a verification code from your phone **Correct! Two-factor authentication uses two different types of verification.**
- ☐ b. Using a password with a longer character length
- ☐ c. Using two different passwords for the same account
- ☐ d. Using a password and security question

A perfect attempt (6/6), with Question 1's specific correct-answer feedback shown.

Getting something wrong also shows clear, specific feedback rather than a generic message. On the short answer question, typing "mfa" instead of the full expected phrase was marked incorrect with the correct answer shown underneath. On the drag and drop question, dragging the wrong words into the blanks was also marked incorrect with the correct words revealed.

OAPA Academy Dashboard

Foundations of Acade... Summary Exercise: Being Critical Workshop 2 Slides

Module 3. Feedback Principles ... Feedback Principles Evaluating the Method Evaluating the Content Reflection and Discussion Making a recommendation Workshop Preparation Workshop 3 Slides

Workshop Slides Welcome Session Slide Deck

Zarin - HSP Testing, Sprint 1 HSP- Test

Zarin - Reusable Self-Check Pat... Module Self-Check 1

v1 (latest)

Question 5 Incorrect Mark 0.00 out of 1.00

Flag question Edit question v1 (latest)

What does MFA stand for?

Answer: mfa

The correct answer is: Multi-factor authentication

Question 6 Incorrect Mark 0.00 out of 1.00

Flag question Edit question v1 (latest)

A strong password should encrypted to each account and contain a mix of authentication .

Multi-factor unique characters

Your answer is incorrect.

The correct answer is:
A strong password should [unique] to each account and contain a mix of [characters].

Incorrect answers on the Short Answer and Drag and Drop questions, both with the correct answer clearly shown afterward.

On top of the per-question feedback, the whole quiz has overall feedback tied to the final score, similar to the tiered feedback I used in my HSP set. I tested this across three different outcomes to make sure every tier actually triggers correctly, not just the top one.

- Low score (1/6, 16.67%): "You did not pass this time. Please review the content and repeat the quiz."
- Mid score, passing (4/6, 66.67%): "You passed! You have a good understanding of the topic."
- Perfect score (6/6, 100%): "Great job! You got perfect score!"

The screenshot shows the OAPA Academy dashboard. On the left is a sidebar with a navigation menu. The main content area displays the results of a quiz attempt. At the top, it says 'Grading method: Highest grade' and 'Grade to pass: 3.00 out of 6.00'. Below this, it states 'Highest grade: 1.00 / 6.00' and 'Overall feedback: You did not pass this time. Please review the content and repeat the quiz.' A section titled 'Your attempts' shows 'Attempt 1' with the following details:

Status	Finished
Started	Saturday, 19 September 2026, 10:34 PM
Completed	Saturday, 19 September 2026, 10:35 PM
Duration	50 secs
Grade	1.00 out of 6.00 (16.67%)
Feedback	You did not pass this time. Please review the content and repeat the quiz.

A 'Review' link is visible at the bottom of the attempt details.

The lowest feedback tier, triggered correctly on a failing attempt.

The screenshot shows the OAPA Academy dashboard with the 'Module Self-Check 1' quiz selected. The main content area displays the results of a quiz attempt. At the top, it says 'FAPR_dev / Zarin - Reusable Self-Check Pattern, Sprint 2 / Module Self-Check 1 / Preview'. Below this, it states 'Status: Finished', 'Started: Saturday, 19 September 2026, 10:44 PM', 'Completed: Saturday, 19 September 2026, 10:46 PM', 'Duration: 1 min 31 secs', 'Grade: 4.00 out of 6.00 (66.67%)', and 'Feedback: You passed! You have a good understanding of the topic.' A section titled 'Question 1' shows the question: 'Which of these is an example of two-factor authentication?' with four options: a. Using two different passwords for the same account, b. Using a password and security question, c. Using a password and a verification code from your phone, and d. Using a password with a longer character length. Option c is selected and marked as correct. A feedback message says: 'Correct! Two-factor authentication uses two different types of verification.'

The middle feedback tier, triggered correctly on a passing but not perfect attempt.

5. Completion Behaviour


The quiz has a grade to pass set at 3 out of 6 (50%), and grading is set to Highest grade, so a learner's best attempt is what counts towards completion rather than their most recent one.

This follows the same completion approach as my original H5P self-check, where reaching a set score threshold is what marks the activity done, rather than just opening it.

6. Learner Tracking and Reporting

Every attempt I made is fully tracked with a timestamp, duration, score, and pass/fail status, and I can review the full breakdown of every question afterward, which questions were right, which were wrong, and what the correct answer was. That part works exactly as intended.

One honest limitation to flag though: the real OAPA course currently only has my own Teacher/Course Creator account on it, no separate Student account like the Student Test one I used on MoodleCloud. Because of that, when I check the quiz's own Grades and attempts overview report from the Teacher side, it currently shows 0 attempts and says there are no students enrolled, even though my own attempts clearly exist and are reviewable individually.



The Teacher-side attempts report shows 0 attempts, since no Student-role account is currently enrolled on the real course to generate one.

This isn't a bug in the pattern itself, it's just that Teacher-role attempts made through Preview mode don't count as a real learner attempt in that report. To properly demonstrate the full reporting picture on the real course, a Student-role test account would need to be enrolled there too, the same way it was on MoodleCloud.

7. Reusability

Because I built each question individually rather than copy-pasting text, every question now exists on its own in the course's Question Bank, tagged as Ready and version 1. This means any of these questions, or the whole quiz structure, can be pulled into a different module's quiz or duplicated as a starting template, without rebuilding anything from scratch.

OAPA Academy
Dashboard
Edit mode
SZ

Foundations of Acade...
Summary Exercise: Being Critical
Workshop 2 Slides
Module 3. Feedback Principles ...
Feedback Principles
Evaluating the Method
Evaluating the Content
Reflection and Discussion
Making a recommendation
Workshop Preparation
Workshop 3 Slides
Workshop Slides
Welcome Session Slide Deck
Zarin - HSP Testing, Sprint 1
HSP- Test
Zarin - Reusable Self-Check Pat...
Module Self-Check 1

Create a new question ...
Reset columns
Show question text in the question list? No

Question	Question name / ID number	Actions	Status	Version	Created by	Comments	Needs checking?	Facility index
					First name / Last name / Date			
☐	Drag and Drop	Edit	Ready	v1	Shaikh Zarin Tasnim 19 September 2026, 10:20 PM	0	-	N/A
☐	Matching Question	Edit	Ready	v1	Shaikh Zarin Tasnim 19 September 2026, 10:10 PM	0	-	N/A
☐	Multiple choice	Edit	Ready	v1	Shaikh Zarin Tasnim 19	0	-	N/A

Individual questions stored in the Question Bank, ready to be reused in other quizzes or modules.

8. Summary

HSP is still blocked on the real course, now by a missing content-type library rather than the earlier context error, and that's documented here rather than worked around. Since HSP isn't mandatory for this task, I built the required reusable self-check pattern using a native Moodle Quiz instead, covering six question types, specific per-question feedback, three tiers of overall feedback all tested and confirmed working, a grade-based completion rule, and reusable questions stored in the Question Bank.

The only open item is proper learner-side reporting on the real course, which needs an actual Student account enrolled there to fully demonstrate, since only Teacher-level access exists on this course right now.