

PLUMBER INTER-GALACTIC CASE FILE — PCF-CASE-069

Subject:	Null Void Containment Grid
Classification:	N/A (Facility System)
Domain:	Portal Stabilization Malfunction
Location:	Plumber Null Void Relay Station 2
Incident No.:	PCF-3973

OVERVIEW

This file documents a Plumber field response concerning Null Void Containment Grid, logged under a portal stabilization malfunction classification at Plumber Null Void Relay Station 2. The report below summarizes the chronological action log, subject profile notes, and technical appendix compiled by the responding unit.

SUBJECT PROFILE

Prior documentation on Null Void Containment Grid indicates a pattern of activity concentrated around Plumber Null Void Relay Station 2 and comparable sites.

No unusual physiological readings were noted for Null Void Containment Grid during this incident beyond what is typical for prior encounters of this classification.

Null Void Containment Grid is classified under Plumber records as N/A (Facility System), associated primarily with incidents involving portal stabilization malfunction.

Threat assessments for Null Void Containment Grid are periodically revised; agents should consult the most recent Plumber species or subject bulletin before field engagement.

INCIDENT TIMELINE

At 23:02, a secondary team arrived to assist with cleanup and evidence cataloguing.

By 21:15, a Plumber response unit had been dispatched to assess the situation at Plumber Null Void Relay Station 2.

At 13:40, the incident was formally closed pending review by the Central Depot oversight committee.

At 21:15, containment procedures appropriate to a portal stabilization malfunction scenario were initiated.

By 23:02, the situation had been assessed as stable enough to proceed with standard documentation protocol.

At 13:40, field sensors first registered anomalous activity in the vicinity of Plumber Null Void Relay Station 2.

TECHNICAL DATA

No incident-specific technical code was generated for this report; standard monitoring equipment was used without configuration changes.

PROCEDURAL NOTES

Cross-referencing between case files is standard practice and should not be interpreted as an indication of a connected investigation unless explicitly noted in the Cross-Reference section below.

This document was generated by the Plumber Case Management System and reviewed by a duty officer prior to archival. Any discrepancies should be reported through standard channels rather than amended directly in the archive.

This report is filed in accordance with Plumber Standard Operating Procedure 4.2, which requires a full incident summary, a subject profile, a chronological action log, and a technical appendix for any field event involving extraterrestrial technology, biology, or personnel.

All field agents are reminded that classification levels on this document restrict distribution to personnel who currently carry active Plumber Badge credentials. Handling instructions are listed in the cover section of the Plumber Operations Manual, Revision 12.

APPENDIX

This appendix section is provided for completeness in accordance with archival formatting requirements and does not contain information beyond what is summarized in the main report body.

Equipment used during this response was inspected post-incident and returned to standard rotation without flagged defects.

Appendix data collected during this incident has been archived alongside standard sensor logs and is available on request through the Central Depot records office.

This document was generated by the Plumber Case Management System and reviewed by a duty officer prior to archival. Any discrepancies should be reported through standard channels rather than amended directly in the archive.

Where applicable, technical reference codes noted in this document are valid only for the specific incident described herein and are superseded by any later-dated report referencing the same subject.

No additional casualties, injuries, or civilian exposures were reported in connection with this incident.

Historical note: the Plumber archival system was migrated from the legacy Ectonurite ledger format to the current digital case-file format following the Central Depot reorganization. Older references may use deprecated file prefixes.

Prior documentation on Null Void Containment Grid indicates a pattern of activity concentrated around Plumber Null Void Relay Station 2 and comparable sites.

Appendix data collected during this incident has been archived alongside standard sensor logs and is available on request through the Central Depot records office.

This appendix section is provided for completeness in accordance with archival formatting requirements and does not contain information beyond what is summarized in the main report body.

Null Void Containment Grid is classified under Plumber records as N/A (Facility System), associated primarily with incidents involving portal stabilization malfunction.

All field agents are reminded that classification levels on this document restrict distribution to personnel who currently carry active Plumber Badge credentials. Handling instructions are listed in the cover section of the Plumber Operations Manual, Revision 12.

Equipment used during this response was inspected post-incident and returned to standard rotation without flagged defects.

Agents completing this form should verify subject identification against the most recent Plumber species registry before submission, as taxonomic reclassifications occur periodically as new data becomes available.

This report is filed in accordance with Plumber Standard Operating Procedure 4.2, which requires a full incident summary, a subject profile, a chronological action log, and a technical appendix for any field event involving extraterrestrial technology, biology, or personnel.

Routine archival review confirms that this file meets retention requirements under Plumber Directive 9, Section 3, governing long-term storage of field incident documentation.

Threat assessments for Null Void Containment Grid are periodically revised; agents should consult the most recent Plumber species or subject bulletin before field engagement.

No unusual physiological readings were noted for Null Void Containment Grid during this incident beyond what is typical for prior encounters of this classification.

Cross-referencing between case files is standard practice and should not be interpreted as an indication of a connected investigation unless explicitly noted in the Cross-Reference section below.

No unusual physiological readings were noted for Null Void Containment Grid during this incident beyond what is typical for prior encounters of this classification.

Equipment used during this response was inspected post-incident and returned to standard rotation without flagged defects.

This appendix section is provided for completeness in accordance with archival formatting requirements and does not contain information beyond what is summarized in the main report body.

Routine archival review confirms that this file meets retention requirements under Plumber Directive 9, Section 3, governing long-term storage of field incident documentation.

Null Void Containment Grid is classified under Plumber records as N/A (Facility System), associated primarily with incidents involving portal stabilization malfunction.