Name - Sanket Akkolkar

Roll No. - 25

Batch - TA 1

Div - A (AIML)

22.Mini Assignment — Full EDA on the Penguins Dataset

Perform a complete EDA on the `penguins` dataset (already loaded) and answer the following in new cells below. This is meant to be done **independently** — use everything you've learned in this notebook!

1. Number of rows and columns
2. Number of missing values (per column)
3. Number of duplicate rows
4. A correlation matrix / heatmap of the numeric columns
5. A boxplot showing `bill_length_mm` grouped by `species`
6. A pairplot colored by `species`
7. A fully cleaned version of the dataset (missing values handled, duplicates removed)

```
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

Load the Penguins Dataset -

```
# Load the Penguins dataset
penguins = sns.load_dataset("penguins")

penguins.head()
```

	species	island	bill_length_mm	bill_depth_mm	flipper_length_mm	body_mas
0	Adelie	Torgersen	39.1	18.7	181.0	375
1	Adelie	Torgersen	39.5	17.4	186.0	380
2	Adelie	Torgersen	40.3	18.0	195.0	325
3	Adelie	Torgersen	NaN	NaN	NaN	N
4	Adelie	Torgersen	36.7	19.3	193.0	345

1. Number of Rows and Columns

```
print("Shape of Dataset:", penguins.shape)
print("Number of Rows:", penguins.shape[0])
print("Number of Columns:", penguins.shape[1])
```

```
Shape of Dataset: (344, 7)
Number of Rows: 344
Number of Columns: 7
```

2. Number of missing values (per column)

```
print("Missing Values Per Column:")
print(penguins.isnull().sum())
```

```
Missing Values Per Column:
species               0
island                0
bill_length_mm        2
bill_depth_mm         2
flipper_length_mm     2
body_mass_g           2
sex                  11
dtype: int64
```

3. Number of duplicate rows

```
duplicates = penguins.duplicated().sum()
print("Number of Duplicate Rows:", duplicates)
```

```
Number of Duplicate Rows: 0
```

4. A correlation matrix / heatmap of the numeric columns

Correlation Matrix -

```
# Select only numeric columns
numeric_columns = penguins.select_dtypes(include="number")

# Correlation matrix
corr_matrix = numeric_columns.corr()


print(corr_matrix)
```

```
                   bill_length_mm  bill_depth_mm  flipper_length_mm  \
bill_length_mm           1.000000      -0.235053           0.656181
bill_depth_mm           -0.235053       1.000000          -0.583851
flipper_length_mm        0.656181      -0.583851           1.000000
body_mass_g              0.595110      -0.471916           0.871202

                   body_mass_g
bill_length_mm        0.595110
bill_depth_mm        -0.471916
flipper_length_mm     0.871202
body_mass_g           1.000000
```

Correlation Heatmap -

```
plt.figure(figsize=(8,6))
sns.heatmap(corr_matrix, annot=True, cmap="coolwarm", fmt=".2f")
plt.title("Correlation Heatmap")
plt.show()
```




5. A boxplot showing `bill_length_mm` grouped by `species`

```
plt.figure(figsize=(8,6))
sns.boxplot(data=penguins, x="species", y="bill_length_mm")


plt.title("Bill Length by Species")
plt.xlabel("Species")
plt.ylabel("Bill Length (mm)")

plt.show()
```



6. A pairplot colored by `species`

```
sns.pairplot(penguins, hue="species")
plt.show()
```


bill_length_mm
bill_depth_mm
flipper_length_mm
body_mass_g
species
Adelie
Chinstrap
Gentoo

7. A fully cleaned version of the dataset (missing values handled, duplicates removed)

```
# Create a copy
penguins_clean = penguins.copy()

# Remove duplicate rows
penguins_clean = penguins_clean.drop_duplicates()

# Remove rows with missing values
penguins_clean = penguins_clean.dropna()

print("Original Shape:", penguins.shape)
print("Cleaned Shape:", penguins_clean.shape)
```