



# **UNIVERSITI MALAYSIA TERENGGANU**

## **Faculty Of Computer Sciences and Mathematics**

### **Web Based Application Development CSM3023**

#### **Lab Report 8**

#### **Prepared for:**

Sir Mohd Arizal Shamsil bin Mat Rifin

#### **Prepared by:**

Muhammad Imran Bin Abd Hamid (S66803)

Bachelor of Computer Science (Mobile Computing) with Honors.

Sem 2 2023/2024

## Task 1:

Employee.java

```
package com.Model;

/**
 *
 * @author muhdi
 */
public class Employee {
    protected int id;
    protected String name;
    protected String email;
    protected String position;

    public Employee() {}

    public Employee(String name, String email, String position) {
        super();
        this.name = name;
        this.email = email;
        this.position = position;
    }

    public Employee(int id, String name, String email, String position) {
        this.id = id;
        this.name = name;
        this.email = email;
        this.position = position;
    }

    public int getId() {
        return id;
    }

    public void setId(int id) {
        this.id = id;
    }

    public String getName() {
        return name;
    }

    public void setName(String name) {
        this.name = name;
    }
}
```

```

    public String getEmail() {
        return email;
    }

    public void setEmail(String email) {
        this.email = email;
    }

    public String getPosition() {
        return position;
    }

    public void setPosition(String position) {
        this.position = position;
    }
}

```

EmployeeDAO.java

```

package com.DAO;

/**
 *
 * @author muhdi
 */
import java.sql.*;
import java.sql.SQLException;
import java.util.*;
import com.Model.Employee;

public class EmployeeDAO {
    Connection connection = null;
    private String jdbcURL = "jdbc:mysql://localhost:3306/company";
    private String jdbcUsername = "root";
    private String jdbcPassword = "admin";

    private static final String INSERT_EMPLOYEES_SQL = "INSERT INTO employees(name, email, position)
VALUES (?, ?, ?)";
    private static final String SELECT_EMPLOYEE_BY_ID = "select id,name,email,position from employees
where id=?";
    private static final String SELECT_ALL_EMPLOYEES = "select * from employees";
    private static final String DELETE_EMPLOYEES_SQL = "delete from employees where id = ?";
    private static final String UPDATE_EMPLOYEES_SQL = "update employees set name = ?,email= ?,
position= ? where id = ?";

    public EmployeeDAO(){}
}

```

```

protected Connection getConnection(){
    Connection connection = null;
    try{
        Class.forName("com.mysql.cj.jdbc.Driver");
        connection = DriverManager.getConnection(jdbcURL, jdbcUsername, jdbcPassword);
        System.out.println("Database connected!");
    }catch(SQLException e){
        e.printStackTrace();
    }catch(ClassNotFoundException e){
        e.printStackTrace();
    }
    return connection;
}

public void insertEmployee(Employee employee) throws SQLException{
    System.out.println(INSERT_EMPLOYEES_SQL);
    try(Connection connection = getConnection(); PreparedStatement preparedStatement =
        connection.prepareStatement(INSERT_EMPLOYEES_SQL)){
        preparedStatement.setString(1, employee.getName());
        preparedStatement.setString(2, employee.getEmail());
        preparedStatement.setString(3, employee.getPosition());
        System.out.println(preparedStatement);
        preparedStatement.executeUpdate();
    }catch(SQLException e){
        printSQLException(e);
    }
}

public Employee selectEmployee(int id){
    Employee employee = null;
    // Step 1: Establishing a Connection
    try(Connection connection = getConnection();
        // Step 2: Create a statement using connection
        PreparedStatement preparedStatement =
connection.prepareStatement(SELECT_EMPLOYEE_BY_ID)){
        preparedStatement.setInt(1, id);
        System.out.println(preparedStatement);
        ResultSet rs = preparedStatement.executeQuery();

        while(rs.next()){
            String name = rs.getString("name");
            String email = rs.getString("email");
            String position = rs.getString("position");
            employee = new Employee(id, name, email, position);
        }
    }catch (SQLException e){
        printSQLException(e);
    }
}

```

```

        return employee;
    }

    public List < Employee > selectAllEmployees(){
        List < Employee > employees = new ArrayList < > ();
        try (Connection connection = getConnection();

            PreparedStatement preparedStatement =
connection.prepareStatement(SELECT_ALL_EMPLOYEES);){
            System.out.println(preparedStatement);
            ResultSet rs = preparedStatement.executeQuery();

            while(rs.next()){
                int id = rs.getInt("id");
                String name = rs.getString("name");
                String email = rs.getString("email");
                String position = rs.getString("position");
                employees.add(new Employee(id, name, email, position));
            }
        }catch(SQLException e){
            printSQLException(e);
        }
        return employees;
    }

    public boolean deleteEmployee(int id) throws SQLException{
        boolean rowDeleted;
        try(Connection connection = getConnection(); PreparedStatement statement =
            connection.prepareStatement(DELETE_EMPLOYEES_SQL);){
            statement.setInt(1, id);
            rowDeleted = statement.executeUpdate() > 0;
        }
        return rowDeleted;
    }

    public boolean updateEmployee(Employee employee) throws SQLException{
        boolean rowUpdated;
        try(Connection connection = getConnection(); PreparedStatement statement =
            connection.prepareStatement(UPDATE_EMPLOYEES_SQL);){
            statement.setString(1, employee.getName());
            statement.setString(2, employee.getEmail());
            statement.setString(3, employee.getPosition());
            statement.setInt(4, employee.getId());

            rowUpdated = statement.executeUpdate() > 0;
        }
        return rowUpdated;
    }
}

```

```

private void printSQLException(SQLException ex){
    for(Throwable e: ex){
        if(e instanceof SQLException){
            e.printStackTrace(System.err);
            System.err.println("SQLState: " + ((SQLException) e).getSQLState());
            System.err.println("Error Code: " + ((SQLException) e).getErrorCode());
            System.err.println("Message: " + e.getMessage());
            Throwable t = ex.getCause();
            while(t != null){
                System.out.println("Cause: " + t);
                t = t.getCause();
            }
        }
    }
}
}
}
}

```

#### EmployeeServlet.java

```

package com.WEB;

import com.DAO.EmployeeDAO;
import com.Model.Employee;
import jakarta.servlet.RequestDispatcher;
import java.io.IOException;
import java.io.PrintWriter;
import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import java.sql.SQLException;
import java.util.List;

/**
 *
 * @author muhdi
 */
@WebServlet("/")
public class EmployeeServlet extends HttpServlet {

    /**
     * Processes requests for both HTTP GET and POST
     * methods.
     *
     * @param request servlet request
     */
}

```

```

* @param response servlet response
* @throws ServletException if a servlet-specific error occurs
* @throws IOException if an I/O error occurs
*/
private EmployeeDAO employeeDAO;

@Override
public void init(){
    employeeDAO = new EmployeeDAO();
}

// <editor-fold defaultstate="collapsed" desc="HttpServlet methods. Click on the + sign on the left to
edit the code.">
/**
 * Handles the HTTP <code>GET</code> method.
 *
 * @param request servlet request
 * @param response servlet response
 * @throws ServletException if a servlet-specific error occurs
 * @throws IOException if an I/O error occurs
 */
@Override
protected void doGet(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
    String action = request.getServletPath();

    try{
        switch(action){
            case "/new":
                showNewForm(request, response);
                break;
            case "/insert":
                insertEmployee(request, response);
                break;
            case "/delete":
                deleteEmployee(request, response);
                break;
            case "/edit":
                showEditForm(request, response);
                break;
            case "/update":
                updateEmployee(request, response);
                break;
            default:
                listEmployee(request, response);
                break;
        }
    }catch(SQLException ex){

```

```

        throw new ServletException(ex);
    }
}

private void listEmployee(HttpServletRequest request, HttpServletResponse response)
    throws SQLException, IOException, ServletException{
    List < Employee > listEmployee = employeeDAO.selectAllEmployees();
    request.setAttribute("listEmployee", listEmployee);
    RequestDispatcher dispatcher = request.getRequestDispatcher("EmployeeList.jsp");
    dispatcher.forward(request, response);
}

private void showNewForm(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException{
    RequestDispatcher dispatcher = request.getRequestDispatcher("EmployeeForm.jsp");
    dispatcher.forward(request, response);
}

private void showEditForm(HttpServletRequest request, HttpServletResponse response)
    throws SQLException, ServletException, IOException{
    int id = Integer.parseInt(request.getParameter("id"));
    Employee existingEmployee = employeeDAO.selectEmployee(id);
    RequestDispatcher dispatcher = request.getRequestDispatcher("EmployeeForm.jsp");
    request.setAttribute("employee", existingEmployee);
    dispatcher.forward(request, response);
}

private void insertEmployee(HttpServletRequest request, HttpServletResponse response)
    throws SQLException, IOException{
    String name = request.getParameter("name");
    String email = request.getParameter("email");
    String position = request.getParameter("position");
    Employee newEmployee = new Employee(name, email, position);
    employeeDAO.insertEmployee(newEmployee);
    response.sendRedirect("list");
}

private void updateEmployee(HttpServletRequest request, HttpServletResponse response)
    throws SQLException, IOException{
    int id = Integer.parseInt(request.getParameter("id"));
    String name = request.getParameter("name");
    String email = request.getParameter("email");
    String position = request.getParameter("position");

    Employee employee = new Employee(id, name, email, position);
    employeeDAO.updateEmployee(employee);
    response.sendRedirect("list");
}

```



```

private void deleteEmployee(HttpServletRequest request, HttpServletResponse response)
    throws SQLException, IOException{
    int id = Integer.parseInt(request.getParameter("id"));
    employeeDAO.deleteEmployee(id);
    response.sendRedirect("list");
}

/**
 * Handles the HTTP <code>POST</code> method.
 *
 * @param request servlet request
 * @param response servlet response
 * @throws ServletException if a servlet-specific error occurs
 * @throws IOException if an I/O error occurs
 */
@Override
protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
    doGet(request, response);
}

/**
 * Returns a short description of the servlet.
 *
 * @return a String containing servlet description
 */
@Override
public String getServletInfo() {
    return "Short description";
} // </editor-fold>
}

```

## EmployeeForm.jsp

```

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c"%>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Employee Management Application</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-

```

ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"  
crossorigin="anonymous">

```
<script>
    function updatePosition() {
        var selectedPosition = document.getElementById("position").value;
        document.getElementById("displayPosition").value = selectedPosition;
    }
</script>
</head>
<body>
    <header>
        <nav class="navbar navbar-expand-md navbar-dark" style="background-color: tomato">
            <div>
                <a href="" class="navbar-brand"> Employee Management App </a>
            </div>

            <ul class="navbar-nav">
                <li><a href="<%=request.getContextPath()%>/list" class="nav-link">Employees</a></li>
            </ul>
        </nav>
    </header>
    <br>
    <div class="container col-md-5">
        <div class="card">
            <div class="card-body">
                <c:if test="{employee != null}">
                    <form action="update" method="post">
                </c:if>
                <c:if test="{employee == null}">
                    <form action="insert" method="post">
                </c:if>

                <h2>
                    <c:if test="{employee != null}">
                        Edit Employee
                    </c:if>
                    <c:if test="{employee == null}">
                        Add New Employee
                    </c:if>
                </h2>

                <c:if test="{employee != null}">
                    <input type="hidden" name="id" value="<c:out value='{employee.id}' />" />
                </c:if>

                <fieldset class="form-group">
                    <label>Employee Name</label><input type="text" value="<c:out
```

```

value='${employee.name}' />"
        class="form-control" name="name" required="required">
    </fieldset>

    <fieldset class="form-group">
        <label>Employee Email</label><input type="text" value="<c:out
value='${employee.email}' />"
        class="form-control" name="email">
    </fieldset>

    <fieldset class="form-group">
        <label>Employee Position</label>
        <input type="text" id="displayPosition" value="<c:out value='${employee.position}' />"
class="form-control" readonly>
        <input list="positionList" id="position" class="form-control" name="position"
onchange="updatePosition()" >
        <datalist id="positionList">
            <option value="Manager">
            <option value="Head of Dept">
            <option value="Supervisor">
            <option value="Director">
        </datalist>
    </fieldset>

    <button type="submit" class="btn btn-success">Save</button>
</form>
</div>
</div>
</body>
</html>

```

EmployeeList.jsp

```

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>Employee Management System</title>
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxt2MZw1T"
crossorigin="anonymous">
    </head>

```

```
<body>

  <header>
    <nav class="navbar navbar-expand-md navbar-dark" style="background-color: tomato">
      <div>
        <a href="" class="navbar-brand"> Employee Management App </a>
      </div>

      <ul class="navbar-nav">
        <li><a href="<%=request.getContextPath()%>/list" class="nav-link">Employees</a></li>
      </ul>
    </nav>
  </header>
  <br>

  <div class="row">
    <div class="container">
      <h3 class="container">List of Employees</h3>
      <hr>
      <div class="container text-left">
        <a href="<%=request.getContextPath()%>/new" class="btn btn-success">Add New
Employee</a>
      </div>
      <br>
      <table class="table table-bordered">
        <thead>
          <tr>
            <th>ID</th>
            <th>Name</th>
            <th>Email</th>
            <th>Position</th>
            <th>Actions</th>
          </tr>
        </thead>
        <tbody>
          <c:forEach var="employee" items="${listEmployee}">
            <tr>
              <td>
                <c:out value="${employee.id}" />
              </td>
              <td>
                <c:out value="${employee.name}" />
              </td>
              <td>
                <c:out value="${employee.email}" />
              </td>
              <td>
                <c:out value="${employee.position}" />
              </td>
            </tr>
          </c:forEach>
        </tbody>
      </table>
    </div>
  </div>
```



```
</head>
<body>
  <center>
    <h1>Error</h1>
    <h2><%=exception.getMessage() %><br/></h2>
  </center>
</body>
</html>
```

Output:

# Application MVC system for Employee Management

- [All Employee List](#)
- [Add a New Employee](#)
- [Edit Employee](#)

Employee Management App Employees

List of Employees

Add New Employee

ID	Name	Email	Position	Actions
1	Imran	imran@gmail.com	Manager	<a href="#">Edit</a> <a href="#">Delete</a>
2	Yan	yan@gmail.com	Head of Dept	<a href="#">Edit</a> <a href="#">Delete</a>

Employee Management App Employees

Add New Employee

Employee Name  
Yan

Employee Email  
yan@gmail.com

Employee Position  
Head of Dept  
Head of Dept

Save

## Exercise

Car.java

```
package com.WEB;

/**
 *
 * @author muhdi
 */
public class Car {
    protected int car_id;
    protected String brand;
    protected String model;
    protected int cylinder;
    protected double price;

    public Car(){}

    public Car(String brand, String model, int cylinder, double price) {
        super();
        this.brand = brand;
        this.model = model;
        this.cylinder = cylinder;
        this.price = price;
    }

    public Car(int car_id, String brand, String model, int cylinder, double price) {
        this.car_id = car_id;
        this.brand = brand;
        this.model = model;
        this.cylinder = cylinder;
        this.price = price;
    }

    public int getCar_id() {
        return car_id;
    }

    public void setCar_id(int car_id) {
        this.car_id = car_id;
    }

    public String getBrand() {
        return brand;
    }

    public void setBrand(String brand) {
```

```

        this.brand = brand;
    }

    public String getModel() {
        return model;
    }

    public void setModel(String model) {
        this.model = model;
    }

    public int getCylinder() {
        return cylinder;
    }

    public void setCylinder(int cylinder) {
        this.cylinder = cylinder;
    }

    public double getPrice() {
        return price;
    }

    public void setPrice(double price) {
        this.price = price;
    }
}

```

CarDAO.java

```

package com.DAO;

/**
 *
 * @author muhdi
 */
import java.sql.*;
import java.sql.SQLException;
import java.util.*;
import com.WEB.Car;

public class CarDAO {
    Connection connection = null;
    private String jdbcURL = "jdbc:mysql://localhost:3306/carshop";
    private String jdbcUsername = "root";
    private String jdbcPassword = "admin";
}

```



```

    private static final String INSERT_CARS_SQL = "INSERT INTO carpricelist(brand, model, cylinder, price)
VALUES (?, ?, ?, ?);";
    private static final String SELECT_CAR_BY_ID = "select car_id, brand, model, cylinder, price from
carpricelist where car_id=?";
    private static final String SELECT_ALL_CARS = "select * from carpricelist";
    private static final String DELETE_CARS_SQL = "delete from carpricelist where car_id = ?";
    private static final String UPDATE_CARS_SQL = "update carpricelist set brand = ?,model= ?, cylinder=
?, price= ? where car_id = ?";

    public CarDAO(){}

    protected Connection getConnection(){
        Connection connection = null;
        try{
            Class.forName("com.mysql.cj.jdbc.Driver");
            connection = DriverManager.getConnection(jdbcURL, jdbcUsername, jdbcPassword);
            System.out.println("Database connected!");
        }catch(SQLException e){
            e.printStackTrace();
        }catch(ClassNotFoundException e){
            e.printStackTrace();
        }
        return connection;
    }

    public void insertCar(Car car) throws SQLException{
        System.out.println(INSERT_CARS_SQL);
        try(Connection connection = getConnection(); PreparedStatement preparedStatement =
            connection.prepareStatement(INSERT_CARS_SQL)){
            preparedStatement.setString(1, car.getBrand());
            preparedStatement.setString(2, car.getModel());
            preparedStatement.setInt(3, car.getCylinder());
            preparedStatement.setDouble(4, car.getPrice());
            System.out.println(preparedStatement);
            preparedStatement.executeUpdate();
        }catch(SQLException e){
            printSQLException(e);
        }
    }

    public Car selectCar(int id){
        Car car = null;
        // Step 1: Establishing a Connection
        try(Connection connection = getConnection();
            // Step 2: Create a statement using connection
            PreparedStatement preparedStatement = connection.prepareStatement(SELECT_CAR_BY_ID)){
            preparedStatement.setInt(1, id);

```

```

        System.out.println(preparedStatement);
        ResultSet rs = preparedStatement.executeQuery();

        while(rs.next()){
            String brand = rs.getString("brand");
            String model = rs.getString("model");
            int cylinder = rs.getInt("cylinder");
            double price = rs.getDouble("price");
            car = new Car(id, brand, model, cylinder, price);
        }
    }catch (SQLException e){
        printSQLException(e);
    }
    return car;
}

public List < Car > selectAllCars(){
    List <Car> cars = new ArrayList <>();
    try (Connection connection = getConnection());

        PreparedStatement preparedStatement = connection.prepareStatement(SELECT_ALL_CARS);{
            System.out.println(preparedStatement);
            ResultSet rs = preparedStatement.executeQuery();

            while(rs.next()){
                int id = rs.getInt("car_id");
                String brand = rs.getString("brand");
                String model = rs.getString("model");
                int cylinder = rs.getInt("cylinder");
                double price = rs.getDouble("price");
                cars.add(new Car(id, brand, model, cylinder, price));
            }
        }catch(SQLException e){
            printSQLException(e);
        }
        return cars;
    }

    public boolean deleteCar(int id) throws SQLException{
        boolean rowDeleted;
        try(Connection connection = getConnection(); PreparedStatement statement =
            connection.prepareStatement(DELETE_CARS_SQL);){
            statement.setInt(1, id);
            rowDeleted = statement.executeUpdate() > 0;
        }
        return rowDeleted;
    }
}

```

```

public boolean updateCar(Car car) throws SQLException{
    boolean rowUpdated;
    try(Connection connection = getConnection(); PreparedStatement statement =
        connection.prepareStatement(UPDATE_CARS_SQL)){
        statement.setString(1, car.getBrand());
        statement.setString(2, car.getModel());
        statement.setInt(3, car.getCylinder());
        statement.setDouble(4, car.getPrice());
        statement.setInt(5, car.getCar_id());

        rowUpdated = statement.executeUpdate() > 0;
    }
    return rowUpdated;
}

private void printSQLException(SQLException ex){
    for(Throwable e: ex){
        if(e instanceof SQLException){
            e.printStackTrace(System.err);
            System.err.println("SQLState: " + ((SQLException) e).getSQLState());
            System.err.println("Error Code: " + ((SQLException) e).getErrorCode());
            System.err.println("Message: " + e.getMessage());
            Throwable t = ex.getCause();
            while(t != null){
                System.out.println("Cause: " + t);
                t = t.getCause();
            }
        }
    }
}
}

```

CarServlet.java

```

package com.Model;

import com.DAO.CarDAO;
import com.WEB.Car;
import jakarta.servlet.RequestDispatcher;
import java.io.IOException;
import java.io.PrintWriter;
import jakarta.servlet.ServletException;
import jakarta.servlet.annotation.WebServlet;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import java.sql.SQLException;

```



```

        case "/delete":
            deleteCar(request, response);
            break;
        case "/edit":
            showEditForm(request, response);
            break;
        case "/update":
            updateCar(request, response);
            break;
        default:
            listCar(request, response);
            break;
    }
} catch(SQLException ex){
    throw new ServletException(ex);
}
}

private void listCar(HttpServletRequest request, HttpServletResponse response)
    throws SQLException, IOException, ServletException{
    List < Car > listCar = carDAO.selectAllCars();
    request.setAttribute("listCar", listCar);
    RequestDispatcher dispatcher = request.getRequestDispatcher("CarList.jsp");
    dispatcher.forward(request, response);
}

private void showNewForm(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException{
    RequestDispatcher dispatcher = request.getRequestDispatcher("CarForm.jsp");
    dispatcher.forward(request, response);
}

private void showEditForm(HttpServletRequest request, HttpServletResponse response)
    throws SQLException, ServletException, IOException{
    int id = Integer.parseInt(request.getParameter("car_id"));
    Car existingCar = carDAO.selectCar(id);
    RequestDispatcher dispatcher = request.getRequestDispatcher("CarForm.jsp");
    request.setAttribute("car", existingCar);
    dispatcher.forward(request, response);
}

private void insertCar(HttpServletRequest request, HttpServletResponse response)
    throws SQLException, IOException{
    String brand = request.getParameter("brand");
    String model = request.getParameter("model");
    int cylinder = Integer.parseInt(request.getParameter("cylinder"));
    double price = Double.parseDouble(request.getParameter("price"));
    Car car = new Car(brand, model, cylinder, price);

```

```

        carDAO.insertCar(car);
        response.sendRedirect("listcar");
    }

    private void updateCar(HttpServletRequest request, HttpServletResponse response)
        throws SQLException, IOException{
        int id = Integer.parseInt(request.getParameter("car_id"));
        String brand = request.getParameter("brand");
        String model = request.getParameter("model");
        int cylinder = Integer.parseInt(request.getParameter("cylinder"));
        double price = Double.parseDouble(request.getParameter("price"));
        Car car = new Car(brand, model, cylinder, price);
        carDAO.updateCar(car);
        response.sendRedirect("listcar");
    }

    private void deleteCar(HttpServletRequest request, HttpServletResponse response)
        throws SQLException, IOException{
        int id = Integer.parseInt(request.getParameter("car_id"));
        carDAO.deleteCar(id);
        response.sendRedirect("listcar");
    }

    /**
     * Handles the HTTP <code>POST</code> method.
     *
     * @param request servlet request
     * @param response servlet response
     * @throws ServletException if a servlet-specific error occurs
     * @throws IOException if an I/O error occurs
     */
    @Override
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
        doGet(request, response);
    }

    /**
     * Returns a short description of the servlet.
     *
     * @return a String containing servlet description
     */
    @Override
    public String getServletInfo() {
        return "Short description";
    } // </editor-fold>
}

```

## CarForm.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Car Shop Management Application</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
    integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

    <script>
      function updateBrand() {
        var selectedBrand = document.getElementById("brand").value;
        document.getElementById("displayBrand").value = selectedBrand;
      }
    </script>
  </head>
  <body>
    <header>
      <nav class="navbar navbar-expand-md navbar-dark" style="background-color: tomato">
        <div>
          <a href="" class="navbar-brand"> Car Management Application </a>
        </div>

        <ul class="navbar-nav">
          <li><a href="<%=request.getContextPath()%>/listcar" class="nav-link">Cars</a></li>
        </ul>
      </nav>
    </header>
    <br>
    <div class="container col-md-5">
      <div class="card">
        <div class="card-body">
          <c:if test="{car != null}">
            <form action="update" method="post">
          </c:if>
          <c:if test="{car == null}">
            <form action="insert" method="post">
          </c:if>

          <h2>
            <c:if test="{car != null}">
              Edit Car
```

```

        </c:if>
        <c:if test="{car == null}">
            Add New Car
        </c:if>
    </h2>

    <c:if test="{car != null}">
        <input type="hidden" name="car_id" value="<c:out value='{car.id}' />" />
    </c:if>

    <fieldset class="form-group">
        <label>Car Brand</label>
        <input type="text" id="displayBrand" value="<c:out value='{car.brand}' />" class="form-
control" readonly>
        <input list="carList" id="brand" class="form-control" name="brand"
onchange="updateBrand()" >
        <datalist id="carList">
            <option value="Perodua">
            <option value="Proton">
            <option value="Honda">
            <option value="Toyota">
            <option value="Mazda">
            <option value="BMW">
        </datalist>
    </fieldset>

    <fieldset class="form-group">
        <label>Car Model</label><input type="text" value="<c:out value='{car.model}' />"
            class="form-control" name="model" required="required">
    </fieldset>
    <fieldset class="form-group">
        <label>Engine Cylinder</label><input type="text" value="<c:out value='{car.cylinder}' />"
            class="form-control" name="cylinder">
    </fieldset>
    <fieldset class="form-group">
        <label>Car Price</label><input type="text" value="<c:out value='{car.price}' />"
            class="form-control" name="price">
    </fieldset>
    <button type="submit" class="btn btn-success">Save</button>
</form>
</div>
</div>
</div>
</body>
</html>

```



```

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Car Shop Management Application</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">
  </head>
  <body>

    <header>
      <nav class="navbar navbar-expand-md navbar-dark" style="background-color: tomato">
        <div>
          <a href="" class="navbar-brand"> Car Shop Management App </a>
        </div>

        <ul class="navbar-nav">
          <li><a href="<%=request.getContextPath()%>/listcar" class="nav-link">Cars</a></li>
        </ul>
      </nav>
    </header>
    <br>

    <div class="row">
      <div class="container">
        <h3 class="container">List of Cars</h3>
        <hr>
        <div class="container text-left">
          <a href="<%=request.getContextPath()%>/new" class="btn btn-success">Add New Car</a>
        </div>
        <br>
        <table class="table table-bordered">
          <thead>
            <tr>
              <th>ID</th>
              <th>Brand</th>
              <th>Model</th>
              <th>Engine Cylinder</th>
              <th>Price</th>
              <th>Actions</th>
            </tr>
          </thead>
          <tbody>

```

```

        <c:forEach var="car" items="${listCar}">
            <tr>
                <td>
                    <c:out value="${car.car_id}" />
                </td>
                <td>
                    <c:out value="${car.brand}" />
                </td>
                <td>
                    <c:out value="${car.model}" />
                </td>
                <td>
                    <c:out value="${car.cylinder}" />
                </td>
                <td>
                    <c:out value="${car.price}" />
                </td>
                <td><a href="edit?car_id=<c:out value='${car.car_id}' />">Edit</a>
                <a href="delete?car_id=<c:out value='${car.car_id}' />">Delete</a>
                </td>
            </tr>
        </c:forEach>
    </tbody>
</table>
</div>
</div>
</body>
</html>

```

Index.jsp

```

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>Car Shop Management Application</title>
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">
    </head>
    <body>
        <h1>Car Shop Management System</h1><br>

```

```

<ul>
  <li><a href="listcar">All Car List</a></li>
  <li><a href="new">Add a New Car</a></li>
  <li><a href="listcar">Edit Car</a></li>
</ul>
</body>
</html>

```

Error.jsp

```

<%@page contentType="text/html" pageEncoding="UTF-8" isErrorPage="true" %>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Error page</title>
  </head>
  <body>
    <center>
      <h1>Error</h1>
      <h2><%=exception.getMessage() %><br/></h2>
    </center>
  </body>
</html>

```

Output

## Car Shop Management System

- [All Car List](#)
- [Add a New Car](#)
- [Edit Car](#)

Car Management Application
Cars

### Add New Car

Car Brand

Perodua
Perodua

Car Model

Aruz

Engine Cylinder

4

Car Price

72900

Save

List of Cars

Add New Car

ID	Brand	Model	Engine Cylinder	Price	Actions
----	-------	-------	-----------------	-------	---------