


GIT HUB INSTALLATION

Step 1. Download the installer

Go to the [Git For Windows](https://gitforwindows.org/) website and click on the [Download] button to download and save the installer. Once downloaded double-click on the .exe file to begin installation.


Step 2. License Information

To accept the License Agreement click [Next >]




Step 3. Select Installation Folder

I recommend selecting a directory path with no spaces in the name, as in the illustration below




Step 4. Select Components

Select the following components and file associations, then click [Next >]




Step 5. Select Start Menu Folder

Accept the suggested name and click [Next>]




Step 6. Choose Default Editor

This will determine which text editor will open to input commit notes and other text messages interactively. Go for Nano if you are not familiar with more powerful editors like Vim



Step 7. Select Default Branch Name

Let Git decide and click [Next>]



Git 2.29.2.3 Setup

Adjusting the name of the initial branch in new repositories
What would you like Git to name the initial branch after "git init"?

☒ **Let Git decide**

Let Git use its default branch name (currently: "master") for the initial branch in newly created repositories. The Git project [intends](#) to change this default to a more inclusive name in the near future.

☐ **Override the default branch name for new repositories**

NEW! Many teams already renamed their default branches; common choices are "main", "trunk" and "development". Specify the name "git init" should use for the initial branch:


This setting does not affect existing repositories.

<https://gitforwindows.org/>

< Back Next > Cancel


Step 8. Adjust PATH Environment

Make sure you select "Use Git from Git Bash only"




Step 9. Select HTTPS transport

Specify the library to use for secure HTTP connections. Go for OpenSSL unless you have a reason to do otherwise




Step 10. Configure Line Ending Conversions

Make sure you select "Checkout Windows-style, commit Unix-style line endings"




Step 11. Select Behaviour of Pull Command

Select Default




Step 12. Select Credential Helper

Go with the recommended choice




Step 13. Configure Extra Options

Leave unchecked and click [Next >]




Step 14. Configure Experimental Options

Leave unchecked and click [Next >]




Step 15. Progress Bar

Installation begins...



Step 16. Installation Complete

Click on [Finish]. Congratulations... job done!



COMPLETED INSTALLING GITHUB